



---

Wowza Media Server® 3

# Server-Side API

---

# **Wowza Media Server 3: Server-Side API**



## **Version 3.5.1**

---

Copyright © 2006 – 2013 Wowza Media Systems, LLC  
<http://www.wowza.com>

---

**This document is for informational purposes only and in no way shall be interpreted or construed to create any warranties of any kind, either express or implied, regarding the information contained herein.**

### **Third Party Information**

This document contains links to third party websites that are not under the control of Wowza Media Systems, LLC (“Wowza”) and Wowza is not responsible for the content on any linked site. If you access a third party website mentioned in this document, then you do so at your own risk. Wowza provides these links only as a convenience, and the inclusion of any link does not imply that Wowza endorses or accepts any responsibility for the content on third party sites.

This document also refers to other third party software that is not licensed, sold, distributed or otherwise endorsed by Wowza. Please ensure that any and all use of Wowza® software and third party software is properly licensed.

### **Trademarks**

Wowza, Wowza Media Systems, Wowza Media Server and related logos are either registered trademarks or trademarks of Wowza Media System, LLC in the United States and/or other countries.

Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Microsoft and Silverlight are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

QuickTime, iPhone, iPad and iPod are either registered trademarks or trademarks of Apple, Inc. in the United States and/or other countries.

Other product names, logos, designs, titles, words or phrases mentioned may be third party registered trademarks or trademarks in the United States and/or other countries.

Third party trademarks are used solely to identify and describe third party products as being compatible with Wowza products. Wowza is in no way sponsored, endorsed by or otherwise affiliated with any such third party trademark owners.

### **Third Party Copyright Notices**

Apache Commons Lang: Copyright © 2001-2011, The Apache Software Foundation

Apache Commons Modeler Component: Copyright © 2002-2008, The Apache Software Foundation

Bouncy Castle Crypto APIs: Copyright © 2000 – 2008, Legion of the Bouncy Castle

Java ID3 Tag Library and JLayer 1.0 (classic): Copyright © 1991, 1999, Free Software Foundation, Inc.

Java Service Wrapper: Copyright © 1999, 2006, Tanuki Software, Ltd.

Joda-Time version 2.1: Copyright © 2012, Joda.org.

Libgcc\_s-4 library and Libstdc++ library: Copyright © 2011, Free Software Foundation, Inc.

LibVA libraries: Copyright © 2007, Intel Corporation. All rights reserved.

Log4j and Mina: Copyright © 2006, The Apache Software Foundation

Silver Egg Technology: Copyright © 2001, Silver Egg Technology

Speex Codec: Copyright © 2002-2003, Jean-Marc Valin/Xiph.Org Foundation

---

VideoEncoderH264VAAPImpl: Copyright © 2012, Intel Corporation. All Rights Reserved.

Vorbis/Ogg libraries: Copyright © 2011, Xiph.Org Foundation

WebM VP8 Codec libraries: Copyright © 2010, Google Inc. All rights reserved.

Copyright © 2006 - 2013 Wowza Media Systems, LLC. All rights reserved.



---

## Document History

Version	Description	Release date
Doc v3.5.0	Initial document release for Wowza Media Server 3.5	11-08-2012
Doc v3.5.1	Updated for Wowza Media Server 3.5.1	01-11-2013

### Note

A more recent version of this document may be available online. See the [Wowza Media Systems Documentation webpage](#) for the latest updates.

---

Package

**com.wowza.io**

## com.wowza.io Interface IRandomAccessReader

public interface **IRandomAccessReader**  
extends

### Field Summary

public static final	<a href="#"><u>FORWARD</u></a> Value: <b>1</b>
public static final	<a href="#"><u>REVERSE</u></a> Value: <b>-1</b>

### Method Summary

void	<a href="#"><u>close()</u></a> Close the media asset
boolean	<a href="#"><u>exists()</u></a> Does the media asset exist
String	<a href="#"><u>getBasePath()</u></a> Get the basePath for the random access reader
int	<a href="#"><u>getDirecton()</u></a> Get the current direction hint for the random access reader.
long	<a href="#"><u>getFilePointer()</u></a> Get the current byte location in the media asset
String	<a href="#"><u>getMediaExtension()</u></a> Get the media extension
String	<a href="#"><u>getMediaName()</u></a> Get the media name
String	<a href="#"><u>getPath()</u></a> Get the unique path to the media asset item
void	<a href="#"><u>init(IApplicationInstance appInstance, IMediaStream stream, String basePath, String mediaName, String mediaExtension)</u></a> Intialize RandomAccessReader
boolean	<a href="#"><u>isOpen()</u></a> Is the media asset open
long	<a href="#"><u>lastModified()</u></a> Return the lastModified date (same format as File.lastModified)
long	<a href="#"><u>length()</u></a> Get the media asset length in bytes

void	<a href="#"><code>open()</code></a> Open the media asset
int	<a href="#"><code>read(byte[] buf, int off, int size)</code></a> Read bytes from the media asset
void	<a href="#"><code>seek(long pos)</code></a> Seek to a position in the media asset
void	<a href="#"><code>setDirecton(int directon)</code></a> Set the current direction hint

## Fields

### FORWARD

```
public static final int FORWARD
```

Constant value: **1**

### REVERSE

```
public static final int REVERSE
```

Constant value: **-1**

## Methods

### init

```
public void init(IApplicationInstance appInstance,
IMediaStream stream,
String basePath,
String mediaName,
String mediaExtension)
```

Intialize RandomAccessReader

#### Parameters:

appInstance - application instance  
stream - parent stream if one exists  
basePath - basePath for IApplicationInstance  
mediaName - media name  
mediaExtension - media extension from mediaReaders

### open

```
public void open()
throws java.io.IOException
```

Open the media asset

#### Throws:

IOException

## close

```
public void close()  
    throws java.io.IOException
```

Close the media asset

**Throws:**

IOException

---

## isOpen

```
public boolean isOpen()
```

Is the media asset open

**Returns:**

true if media asset is open

---

## getFilePointer

```
public long getFilePointer()
```

Get the current byte location in the media asset

**Returns:**

current byte location in the media asset

---

## seek

```
public void seek(long pos)
```

Seek to a position in the media asset

**Parameters:**

pos - position to seek to

---

## read

```
public int read(byte[] buf,  
               int off,  
               int size)
```

Read bytes from the media asset

**Parameters:**

buf - buffer to fill

off - offset in buffer

size - size of block to read

**Returns:**

number of bytes read, -1 if failure

---

## getDirecton

```
public int getDirecton()
```

(continued on next page)

---

(continued from last page)

Get the current direction hint for the random access reader. The underlying system will call `setDirection` to hint at the current direction the media assets is being read.

**Returns:**

current direction hint for the random access reader

---

## **setDirecton**

```
public void setDirecton(int directon)
```

Set the current direction hint

**Parameters:**

`directon` - current direction hint for the random access reader

---

## **getBasePath**

```
public String getBasePath()
```

Get the `basePath` for the random access reader

**Returns:**

`basePath` for the random access reader

---

## **getMediaName**

```
public String getMediaName()
```

Get the media name

**Returns:**

media name

---

## **getMediaExtension**

```
public String getMediaExtension()
```

Get the media extension

**Returns:**

media extension

---

## **exists**

```
public boolean exists()
```

Does the media asset exist

**Returns:**

true if media assets exists

---

## **lastModified**

```
public long lastModified()
```

Return the `lastModified` date (same format as `File.lastModified`)

**Returns:**

`lastModified` date (same format as `File.lastModified`)

---

---

## length

```
public long length()
```

Get the media asset length in bytes

**Returns:**

media asset length in bytes

---

## getPath

```
public String getPath()
```

Get the unique path to the media asset item

**Returns:**

unique path to the media asset item

---

Package

**com.wowza.util**



## com.wowza.util Class AMFUtils

java.lang.Object

└─com.wowza.util.AMFUtils

public class **AMFUtils**  
extends Object

Utilities for the conversion between Java and AMF

### Constructor Summary

public	<a href="#">AMFUtils()</a>
--------	----------------------------

### Method Summary

static <a href="#">AMFData[]</a>	<a href="#">convertParams</a> (Object[] params) Converts an array of Java native data values and class to AMF data types.
----------------------------------	--

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### AMFUtils

public **AMFUtils**()

### Methods

#### convertParams

public static [AMFData\[\]](#) **convertParams**(Object[] params)

(continued from last page)

Converts an array of Java native data values and class to AMF data types. It will box primitive data types into wrapper classes. Supported input data types are:

- null
- Double
- Float
- Long
- Integer
- Short
- Byte
- Number
- Date
- Boolean
- String
- StringBuffer
- byte[] - assumed to be raw AMFData
- ByteBuffer - assumed to be raw AMFData
- AMFData
- AMFDataMixedArray
- AMFDataArray
- AMFDataItem
- AMFDataList
- AMFDataObj

**Parameters:**

params - Array of Java

**Returns:**

Array of AMFData[] objects

## com.wowza.util Class Base64

```
java.lang.Object
|
+-com.wowza.util.Base64
```

public class **Base64**  
extends Object

Encodes and decodes to and from Base64 notation.

Homepage: <http://iharder.net/base64>.

Change Log:

- v2.2.1 - Fixed bug using URL\_SAFE and ORDERED encodings. Fixed bug when using very small files (~< 40 bytes).
- v2.2 - Added some helper methods for encoding/decoding directly from one file to the next. Also added a main() method to support command line encoding/decoding from one file to the next. Also added these Base64 dialects:
  1. The default is RFC3548 format.
  2. Calling Base64.setFormat(Base64.BASE64\_FORMAT.URLSAFE\_FORMAT) generates URL and file name friendly format as described in Section 4 of RFC3548. <http://www.faqs.org/rfcs/rfc3548.html>
  3. Calling Base64.setFormat(Base64.BASE64\_FORMAT.ORDERED\_FORMAT) generates URL and file name friendly format that preserves lexical ordering as described in <http://www.faqs.org/qa/rfcc-1940.html>
 Special thanks to Jim Kellerman at <http://www.powerset.com/> for contributing the new Base64 dialects.
- v2.1 - Cleaned up javadoc comments and unused variables and methods. Added some convenience methods for reading and writing to and from files.
- v2.0.2 - Now specifies UTF-8 encoding in places where the code fails on systems with other encodings (like EBCDIC).
- v2.0.1 - Fixed an error when decoding a single byte, that is, when the encoded data was a single byte.
- v2.0 - I got rid of methods that used booleans to set options. Now everything is more consolidated and cleaner. The code now detects when data that's being decoded is gzip-compressed and will decompress it automatically. Generally things are cleaner. You'll probably have to change some method calls that you were making to support the new options format (ints that you "OR" together).
- v1.5.1 - Fixed bug when decompressing and decoding to a byte[] using decode( String s, boolean gzipCompressed ). Added the ability to "suspend" encoding in the Output Stream so you can turn on and off the encoding if you need to embed base64 data in an otherwise "normal" stream (like an XML file).
- v1.5 - Output stream pases on flush() command but doesn't do anything itself. This helps when using GZIP streams. Added the ability to GZip-compress objects before encoding them.
- v1.4 - Added helper methods to read/write files.
- v1.3.6 - Fixed OutputStream.flush() so that 'position' is reset.
- v1.3.5 - Added flag to turn on and off line breaks. Fixed bug in input stream where last buffer being read, if not completely full, was not returned.
- v1.3.4 - Fixed when "improperly padded stream" error was thrown at the wrong time.
- v1.3.3 - Fixed I/O streams which were totally messed up.

I am placing this code in the Public Domain. Do with it as you will. This software comes with no guarantees or warranties but with plenty of well-wishing instead! Please visit <http://iharder.net/base64> periodically to check for updates or to contribute improvements.

### Nested Class Summary

class	<a href="#">Base64.InputStream</a> Base64.InputStream
class	<a href="#">Base64.OutputStream</a> Base64.OutputStream

## Field Summary

<code>public static final</code>	<a href="#"><u>DECODE</u></a> Specify decoding. Value: <b>0</b>
<code>public static final</code>	<a href="#"><u>DONT_BREAK_LINES</u></a> Don't break lines when encoding (violates strict Base64 specification) Value: <b>8</b>
<code>public static final</code>	<a href="#"><u>ENCODE</u></a> Specify encoding. Value: <b>1</b>
<code>public static final</code>	<a href="#"><u>GZIP</u></a> Specify that data should be gzip-compressed. Value: <b>2</b>
<code>public static final</code>	<a href="#"><u>NO_OPTIONS</u></a> No options specified. Value: <b>0</b>
<code>public static final</code>	<a href="#"><u>ORDERED</u></a> Encode using the special "ordered" dialect of Base64 described here: <a href="http://www.faqs.org/qa/rfcc-1940.html">http://www.faqs.org/qa/rfcc-1940.html</a> . Value: <b>32</b>
<code>public static final</code>	<a href="#"><u>URL_SAFE</u></a> Encode using Base64-like encoding that is URL- and Filename-safe as described in Section 4 of RFC3548: <a href="http://www.faqs.org/rfcs/rfc3548.html">http://www.faqs.org/rfcs/rfc3548.html</a> . Value: <b>16</b>

## Method Summary

<code>static byte[]</code>	<a href="#"><u>decode</u></a> (byte[] source, int off, int len, int options) Very low-level access to decoding ASCII characters in the form of a byte array.
<code>static byte[]</code>	<a href="#"><u>decode</u></a> (String s) Decodes data from Base64 notation, automatically detecting gzip-compressed data and decompressing it.
<code>static byte[]</code>	<a href="#"><u>decode</u></a> (String s, int options) Decodes data from Base64 notation, automatically detecting gzip-compressed data and decompressing it.
<code>static void</code>	<a href="#"><u>decodeFileToFile</u></a> (String infile, String outfile) Reads infile and decodes it to outfile.
<code>static byte[]</code>	<a href="#"><u>decodeFromFile</u></a> (String filename) Convenience method for reading a base64-encoded file and decoding it.
<code>static void</code>	<a href="#"><u>decodeString</u></a> (String inString) Decodes inString and outputs result to stdout
<code>static boolean</code>	<a href="#"><u>decodeToFile</u></a> (String dataToDecode, String filename) Convenience method for decoding data to a file.

static Object	<a href="#"><code>decodeToObject</code></a> (String encodedObject) Attempts to decode Base64 data and deserialize a Java Object within.
static String	<a href="#"><code>encodeBytes</code></a> (byte[] source) Encodes a byte array into Base64 notation.
static String	<a href="#"><code>encodeBytes</code></a> (byte[] source, int options) Encodes a byte array into Base64 notation.
static String	<a href="#"><code>encodeBytes</code></a> (byte[] source, int off, int len) Encodes a byte array into Base64 notation.
static String	<a href="#"><code>encodeBytes</code></a> (byte[] source, int off, int len, int options) Encodes a byte array into Base64 notation.
static void	<a href="#"><code>encodeFileToFile</code></a> (String infile, String outfile) Reads infile and encodes it to outfile.
static String	<a href="#"><code>encodeFromFile</code></a> (String filename) Convenience method for reading a binary file and base64-encoding it.
static String	<a href="#"><code>encodeObject</code></a> (java.io.Serializable serializableObject) Serializes an object and returns the Base64-encoded version of that serialized object.
static String	<a href="#"><code>encodeObject</code></a> (java.io.Serializable serializableObject, int options) Serializes an object and returns the Base64-encoded version of that serialized object.
static void	<a href="#"><code>encodeString</code></a> (String inString) Encodes inString and outputs result to stdout
static boolean	<a href="#"><code>encodeToFile</code></a> (byte[] dataToEncode, String filename) Convenience method for encoding data to a file.
static void	<a href="#"><code>main</code></a> (String[] args) Encodes or decodes two files from the command line; <b>feel free to delete this method (in fact you probably should) if you're embedding this code into a larger program.</b>

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### NO\_OPTIONS

public static final int **NO\_OPTIONS**

No options specified. Value is zero.  
Constant value: **0**

### ENCODE

public static final int **ENCODE**

Specify encoding.  
Constant value: **1**

---

## DECODE

```
public static final int DECODE
```

Specify decoding.  
Constant value: **0**

---

## GZIP

```
public static final int GZIP
```

Specify that data should be gzip-compressed.  
Constant value: **2**

---

## DONT\_BREAK\_LINES

```
public static final int DONT_BREAK_LINES
```

Don't break lines when encoding (violates strict Base64 specification)  
Constant value: **8**

---

## URL\_SAFE

```
public static final int URL_SAFE
```

Encode using Base64-like encoding that is URL- and Filename-safe as described in Section 4 of RFC3548: <http://www.faqs.org/rfcs/rfc3548.html>. It is important to note that data encoded this way is *not* officially valid Base64, or at the very least should not be called Base64 without also specifying that it was encoded using the URL- and Filename-safe dialect.  
Constant value: **16**

---

## ORDERED

```
public static final int ORDERED
```

Encode using the special "ordered" dialect of Base64 described here: <http://www.faqs.org/qa/rfc-1940.html>.  
Constant value: **32**

---

## Methods

### main

```
public final static void main(String[] args)
```

Encodes or decodes two files from the command line; **feel free to delete this method (in fact you probably should) if you're embedding this code into a larger program.**

---

### encodeObject

```
public static String encodeObject(java.io.Serializable serializableObject)
```

Serializes an object and returns the Base64-encoded version of that serialized object. If the object cannot be serialized or there is another error, the method will return null. The object is not GZip-compressed before being encoded.

#### Parameters:

serializableObject - The object to encode

#### Returns:

The Base64-encoded object

---

## encodeObject

```
public static String encodeObject(java.io.Serializable serializableObject,  
    int options)
```

Serializes an object and returns the Base64-encoded version of that serialized object. If the object cannot be serialized or there is another error, the method will return null.

Valid options:

```
GZIP: gzip-compresses object before encoding it.  
DONT_BREAK_LINES: don't break lines at 76 characters  
    Note: Technically, this makes your encoding non-compliant.
```

Example: `encodeObject( myObj, Base64.GZIP )` or

Example: `encodeObject( myObj, Base64.GZIP | Base64.DONT_BREAK_LINES )`

### Parameters:

`serializableObject` - The object to encode  
`options` - Specified options

### Returns:

The Base64-encoded object

### See Also:

[GZIP](#)

[DONT\\_BREAK\\_LINES](#)

---

## encodeBytes

```
public static String encodeBytes(byte[] source)
```

Encodes a byte array into Base64 notation. Does not GZip-compress data.

### Parameters:

`source` - The data to convert

---

## encodeBytes

```
public static String encodeBytes(byte[] source,  
    int options)
```

(continued from last page)

Encodes a byte array into Base64 notation.

Valid options:

GZIP: gzip-compresses object before encoding it.  
DONT\_BREAK\_LINES: don't break lines at 76 characters  
*Note: Technically, this makes your encoding non-compliant.*

Example: `encodeBytes( myData, Base64.GZIP )` or

Example: `encodeBytes( myData, Base64.GZIP | Base64.DONT_BREAK_LINES )`

**Parameters:**

source - The data to convert  
options - Specified options

**See Also:**

[GZIP](#)  
[DONT\\_BREAK\\_LINES](#)

---

## encodeBytes

```
public static String encodeBytes(byte[] source,  
    int off,  
    int len)
```

Encodes a byte array into Base64 notation. Does not GZip-compress data.

**Parameters:**

source - The data to convert  
off - Offset in array where conversion should begin  
len - Length of data to convert

---

## encodeBytes

```
public static String encodeBytes(byte[] source,  
    int off,  
    int len,  
    int options)
```

Encodes a byte array into Base64 notation.

Valid options:

GZIP: gzip-compresses object before encoding it.  
DONT\_BREAK\_LINES: don't break lines at 76 characters  
*Note: Technically, this makes your encoding non-compliant.*

Example: `encodeBytes( myData, Base64.GZIP )` or

Example: `encodeBytes( myData, Base64.GZIP | Base64.DONT_BREAK_LINES )`



(continued from last page)

**Parameters:**

source - The data to convert  
off - Offset in array where conversion should begin  
len - Length of data to convert  
options - Specified options, alphabet type is pulled from this (standard, url-safe, ordered)

**See Also:**[GZIP](#)[DONT\\_BREAK\\_LINES](#)

---

## decode

```
public static byte[] decode(byte[] source,  
    int off,  
    int len,  
    int options)
```

Very low-level access to decoding ASCII characters in the form of a byte array. Does not support automatically gunzipping or any other "fancy" features.

**Parameters:**

source - The Base64 encoded data  
off - The offset of where to begin decoding  
len - The length of characters to decode

**Returns:**

decoded data

---

## decode

```
public static byte[] decode(String s)
```

Decodes data from Base64 notation, automatically detecting gzip-compressed data and decompressing it.

**Parameters:**

s - the string to decode

**Returns:**

the decoded data

---

## decode

```
public static byte[] decode(String s,  
    int options)
```

Decodes data from Base64 notation, automatically detecting gzip-compressed data and decompressing it.

**Parameters:**

s - the string to decode  
options - encode options such as URL\_SAFE

**Returns:**

the decoded data

---

## decodeToObject

```
public static Object decodeToObject(String encodedObject)
```

---

(continued from last page)

Attempts to decode Base64 data and deserialize a Java Object within. Returns null if there was an error.

**Parameters:**

encodedObject - The Base64 data to decode

**Returns:**

The decoded and deserialized object

---

## encodeToFile

```
public static boolean encodeToFile(byte[] dataToEncode,  
    String filename)
```

Convenience method for encoding data to a file.

**Parameters:**

dataToEncode - byte array of data to encode in base64 form

filename - Filename for saving encoded data

**Returns:**

true if successful, false otherwise

---

## decodeToFile

```
public static boolean decodeToFile(String dataToDecode,  
    String filename)
```

Convenience method for decoding data to a file.

**Parameters:**

dataToDecode - Base64-encoded data as a string

filename - Filename for saving decoded data

**Returns:**

true if successful, false otherwise

---

## decodeFromFile

```
public static byte[] decodeFromFile(String filename)
```

Convenience method for reading a base64-encoded file and decoding it.

**Parameters:**

filename - Filename for reading encoded data

**Returns:**

decoded byte array or null if unsuccessful

---

## encodeFromFile

```
public static String encodeFromFile(String filename)
```

Convenience method for reading a binary file and base64-encoding it.

**Parameters:**

filename - Filename for reading binary data

**Returns:**

base64-encoded string or null if unsuccessful

---

---

## encodeFileToFile

```
public static void encodeFileToFile(String infile,  
                                     String outfile)
```

Reads infile and encodes it to outfile.

**Parameters:**

infile - Input file  
outfile - Output file

---

## encodeString

```
public static void encodeString(String inString)
```

Encodes inString and outputs result to stdout

**Parameters:**

inString - Input string

---

## decodeString

```
public static void decodeString(String inString)
```

Decodes inString and outputs result to stdout

**Parameters:**

inString - Input string

---

## decodeFileToFile

```
public static void decodeFileToFile(String infile,  
                                     String outfile)
```

Reads infile and decodes it to outfile.

**Parameters:**

infile - Input file  
outfile - Output file

---

## com.wowza.util Class Base64.InputStream

```

java.lang.Object
  |
  +- java.io.InputStream
        |
        +- java.io.FilterInputStream
              |
              +- com.wowza.util.Base64.InputStream
  
```

### All Implemented Interfaces:

java.io.Closeable

public static class **Base64.InputStream**  
extends java.io.FilterInputStream

A [Base64.InputStream](#) will read data from another java.io.InputStream, given in the constructor, and encode/decode to/from Base64 notation on the fly.

### See Also:

[Base64](#)

#### Fields inherited from class java.io.FilterInputStream

in

### Constructor Summary

public	<a href="#">Base64.InputStream</a> (java.io.InputStream in) Constructs a <a href="#">Base64.InputStream</a> in DECODE mode.
public	<a href="#">Base64.InputStream</a> (java.io.InputStream in, int options) Constructs a <a href="#">Base64.InputStream</a> in either ENCODE or DECODE mode.

### Method Summary

int	<a href="#">read</a> () Reads enough of the input stream to convert to/from Base64 and returns the next byte.
int	<a href="#">read</a> (byte[] dest, int off, int len) Calls <a href="#">read()</a> repeatedly until the end of stream is reached or len bytes are read.

#### Methods inherited from class java.io.FilterInputStream

available, close, mark, markSupported, read, read, read, reset, skip

#### Methods inherited from class java.io.InputStream

available, close, mark, markSupported, read, read, read, reset, skip

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface java.io.Closeable

```
close
```

## Constructors

### Base64.InputStream

```
public Base64.InputStream( java.io.InputStream in)
```

Constructs a [Base64.InputStream](#) in DECODE mode.

**Parameters:**

in - the java.io.InputStream from which to read data.

### Base64.InputStream

```
public Base64.InputStream( java.io.InputStream in,  
                           int options)
```

Constructs a [Base64.InputStream](#) in either ENCODE or DECODE mode.

Valid options:

```
ENCODE or DECODE: Encode or Decode as data is read.  
DONT_BREAK_LINES: don't break lines at 76 characters  
    (only meaningful when encoding)  
Note: Technically, this makes your encoding non-compliant.
```

Example: new Base64.InputStream( in, Base64.DECODE )

**Parameters:**

in - the java.io.InputStream from which to read data.

options - Specified options

**See Also:**

[Base64.ENCODE](#)

[Base64.DECODE](#)

[Base64.DONT\\_BREAK\\_LINES](#)

## Methods

### read

```
public int read()  
    throws java.io.IOException
```

Reads enough of the input stream to convert to/from Base64 and returns the next byte.

**Returns:**

next byte

(continued from last page)

**read**

```
public int read(byte[] dest,  
               int off,  
               int len)  
throws java.io.IOException
```

Calls [read\(\)](#) repeatedly until the end of stream is reached or len bytes are read. Returns number of bytes read into array or -1 if end of stream is encountered.

**Parameters:**

dest - array to hold values  
off - offset for array  
len - max number of bytes to read into array

**Returns:**

bytes read into array or -1 if end of stream is encountered.

## com.wowza.util Class Base64.OutputStream

```

java.lang.Object
  |
  +- java.io.OutputStream
        |
        +- java.io.FilterOutputStream
              |
              +- com.wowza.util.Base64.OutputStream
  
```

### All Implemented Interfaces:

java.io.Flushable, java.io.Closeable

public static class **Base64.OutputStream**  
extends java.io.FilterOutputStream

A [Base64.OutputStream](#) will write data to another java.io.OutputStream, given in the constructor, and encode/decode to/from Base64 notation on the fly.

### See Also:

[Base64](#)

### Fields inherited from class java.io.FilterOutputStream

out

## Constructor Summary

public	<a href="#">Base64.OutputStream</a> ( java.io.OutputStream out) Constructs a <a href="#">Base64.OutputStream</a> in ENCODE mode.
public	<a href="#">Base64.OutputStream</a> ( java.io.OutputStream out, int options) Constructs a <a href="#">Base64.OutputStream</a> in either ENCODE or DECODE mode.

## Method Summary

void	<a href="#">close</a> () Flushes and closes (I think, in the superclass) the stream.
void	<a href="#">flushBase64</a> () Method added by PHIL.
void	<a href="#">resumeEncoding</a> () Resumes encoding of the stream.
void	<a href="#">suspendEncoding</a> () Suspends encoding of the stream.
void	<a href="#">write</a> (byte[] theBytes, int off, int len) Calls <a href="#">write(int)</a> repeatedly until len bytes are written.
void	<a href="#">write</a> (int theByte) Writes the byte to the output stream after converting to/from Base64 notation.

### Methods inherited from class java.io.FilterOutputStream

```
close, flush, write, write, write
```

#### Methods inherited from class `java.io.OutputStream`

```
close, flush, write, write, write
```

#### Methods inherited from class `java.lang.Object`

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait
```

#### Methods inherited from interface `java.io.Closeable`

```
close
```

#### Methods inherited from interface `java.io.Flushable`

```
flush
```

## Constructors

### Base64.OutputStream

```
public Base64.OutputStream(java.io.OutputStream out)
```

Constructs a [Base64.OutputStream](#) in ENCODE mode.

#### Parameters:

out - the java.io.OutputStream to which data will be written.

### Base64.OutputStream

```
public Base64.OutputStream(java.io.OutputStream out,  
                           int options)
```

Constructs a [Base64.OutputStream](#) in either ENCODE or DECODE mode.

Valid options:

```
ENCODE or DECODE: Encode or Decode as data is read.  
DONT_BREAK_LINES: don't break lines at 76 characters  
    (only meaningful when encoding)  
Note: Technically, this makes your encoding non-compliant.
```

Example: new Base64.OutputStream( out, Base64.ENCODE )

#### Parameters:

out - the java.io.OutputStream to which data will be written.  
options - Specified options.



(continued from last page)

**See Also:**[Base64.ENCODER](#)[Base64.DECODER](#)[Base64.DONT\\_BREAK\\_LINES](#)

## Methods

### write

```
public void write(int theByte)
    throws java.io.IOException
```

Writes the byte to the output stream after converting to/from Base64 notation. When encoding, bytes are buffered three at a time before the output stream actually gets a `write()` call. When decoding, bytes are buffered four at a time.

**Parameters:**

`theByte` - the byte to write

### write

```
public void write(byte[] theBytes,
    int off,
    int len)
    throws java.io.IOException
```

Calls [write\(int\)](#) repeatedly until `len` bytes are written.

**Parameters:**

`theBytes` - array from which to read bytes

`off` - offset for array

`len` - max number of bytes to read into array

### flushBase64

```
public void flushBase64()
    throws java.io.IOException
```

Method added by PHIL. [Thanks, PHIL. -Rob] This pads the buffer without closing the stream.

### close

```
public void close()
    throws java.io.IOException
```

Flushes and closes (I think, in the superclass) the stream.

### suspendEncoding

```
public void suspendEncoding()
    throws java.io.IOException
```

Suspends encoding of the stream. May be helpful if you need to embed a piece of base64-encoded data in a stream.

### resumeEncoding

```
public void resumeEncoding()
```

Resumes encoding of the stream. May be helpful if you need to embed a piece of base64-encoded data in a stream.

## com.wowza.util Class BufferUtils

java.lang.Object

└─com.wowza.util.BufferUtils

public class **BufferUtils**  
extends Object

BufferUtils: utilities for converting between binary data and Java primitive types. Faster than Java runtime equivalents

### Field Summary

public static final	<a href="#">alphas</a>
public static final	<a href="#">hexadecimal</a>

### Constructor Summary

public	<a href="#">BufferUtils()</a>
--------	-------------------------------

### Method Summary

static int	<a href="#">byteArrayToInt</a> (byte[] b) Convert byte array to int
static int	<a href="#">byteArrayToInt</a> (byte[] b, int offset) Conver byte array to int with offset
static int	<a href="#">byteArrayToInt</a> (byte[] b, int offset, int count) Convert byte array to int with offset.
static int	<a href="#">byteArrayToInt</a> (byte[] b, int offset, int count, boolean isReverse) Convert byte array to int with offset.
static long	<a href="#">byteArrayToLong</a> (byte[] b) Convert byte array to long
static long	<a href="#">byteArrayToLong</a> (byte[] b, int offset) Conver byte array to long with offset
static long	<a href="#">byteArrayToLong</a> (byte[] b, int offset, int count) Convert byte array to long with offset.
static long	<a href="#">byteArrayToLong</a> (byte[] b, int offset, int count, boolean isReverse) Convert byte array to long with offset.
static int	<a href="#">byteArrayToShort</a> (byte[] b) Convert byte array to int

static int	<a href="#"><code>byteArrayToShort</code></a> (byte[] b, int offset) Convert byte array to int with offset
static int	<a href="#"><code>byteArrayToShort</code></a> (byte[] b, int offset, int count) Convert byte array to int with offset.
static int	<a href="#"><code>byteArrayToShort</code></a> (byte[] b, int offset, int count, boolean isReverse) Convert byte array to int with offset.
static String	<a href="#"><code>byteArrayToString</code></a> (byte[] b) Convert a byte array to a String (UTF-8 encoding assumed)
static String	<a href="#"><code>byteArrayToString</code></a> (byte[] b, int offset, int count) Convert a byte array to a String (UTF-8 encoding assumed)
static byte[]	<a href="#"><code>decodeHexString</code></a> (String hexStr) Decode a string as a byte array
static int	<a href="#"><code>doCRC32</code></a> (int crc, byte[] buffer, int offset, int len) Calculate an IEEE CRC32 value for MPEG transport stream from a starting crc value
static String	<a href="#"><code>encodeHexString</code></a> (byte[] bytes) Encode a byte array as a string
static String	<a href="#"><code>encodeHexString</code></a> (byte[] bytes, int offset, int len) Encode a byte array as a string
static int	<a href="#"><code>getUnsignedShort</code></a> (java.nio.ByteBuffer buffer)
static int	<a href="#"><code>indexOf</code></a> (byte[] source, byte[] pattern) Finds the first occurrence of a byte pattern in a byte buffer.
static int	<a href="#"><code>indexOfDifferent</code></a> (byte[] buffer1, byte[] buffer2) Compare two byte buffers, and return the index of the first byte that is different.
static byte[]	<a href="#"><code>intToByteArray</code></a> (int value) Convert a int value to a byte array in network order
static void	<a href="#"><code>intToByteArray</code></a> (int value, byte[] buffer, int offset, int size) Convert a int value to a byte array in network order
static void	<a href="#"><code>intToByteArray</code></a> (int value, byte[] buffer, int offset, int size, boolean isReverse) Convert a int value to a byte array in network order
static byte[]	<a href="#"><code>intToByteArray</code></a> (int value, int size) Convert a int value to a byte array in network order
static byte[]	<a href="#"><code>longToByteArray</code></a> (long value) Convert a long value to a byte array in network order
static void	<a href="#"><code>longToByteArray</code></a> (long value, byte[] buffer, int offset, int size) Convert a long value to a byte array in network order
static void	<a href="#"><code>longToByteArray</code></a> (long value, byte[] buffer, int offset, int size, boolean isReverse) Convert a long value to a byte array in network order
static byte[]	<a href="#"><code>longToByteArray</code></a> (long value, int size) Convert a long value to a byte array in network order

static boolean

[startsWith](#)(byte[] source, byte[] pattern)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### hexadecimal

```
public static final java.lang.String hexadecimal
```

### alphas

```
public static final java.lang.String alphas
```

## Constructors

### BufferUtils

```
public BufferUtils()
```

## Methods

### encodeHexString

```
public static String encodeHexString(byte[] bytes)
```

Encode a byte array as a string

**Parameters:**

bytes - byte array

**Returns:**

string

### encodeHexString

```
public static String encodeHexString(byte[] bytes,  
    int offset,  
    int len)
```

Encode a byte array as a string

**Parameters:**

bytes - byte array

offset - offset

len - length

(continued from last page)

**Returns:**  
string

---

## decodeHexString

```
public static byte[] decodeHexString(String hexStr)
```

Decode a string as a byte array

**Parameters:**  
hexStr - string

**Returns:**  
byte array

---

## byteArrayToString

```
public static String byteArrayToString(byte[] b)
```

Convert a byte array to a String (UTF-8 encoding assumed)

**Parameters:**  
b - byte array

**Returns:**  
resultant string

---

## byteArrayToString

```
public static String byteArrayToString(byte[] b,  
    int offset,  
    int count)
```

Convert a byte array to a String (UTF-8 encoding assumed)

**Parameters:**  
b - byte array  
offset - offset  
count - len

**Returns:**  
resultant string

---

## byteArrayToLong

```
public static long byteArrayToLong(byte[] b)
```

Convert byte array to long

**Parameters:**  
b - byte array (8 bytes)

**Returns:**  
long value

(continued from last page)

## byteArrayToLong

```
public static long byteArrayToLong(byte[] b,  
    int offset)
```

Conver byte array to long with offset

**Parameters:**

b - byte array (8 bytes)

offset - offset

**Returns:**

long value

---

## byteArrayToLong

```
public static long byteArrayToLong(byte[] b,  
    int offset,  
    int count)
```

Convert byte array to long with offset. Count is the number of bytes. Can be less than 8. If less than 8 just fills lower bits in value.

**Parameters:**

b - byte array

offset - offset

count - number of bytes

**Returns:**

long value

---

## byteArrayToLong

```
public static long byteArrayToLong(byte[] b,  
    int offset,  
    int count,  
    boolean isReverse)
```

Convert byte array to long with offset. Count is the number of bytes. Can be less than 8. If less than 8 just fills lower bits in value. The reverse flag allows data to be in reverse order.

**Parameters:**

b - byte array

offset - offset

count - number of bytes

isReverse - is data in reverse order

**Returns:**

long value

---

## byteArrayToInt

```
public static int byteArrayToInt(byte[] b)
```

Convert byte array to int

**Parameters:**

b - byte array (4 bytes)

**Returns:**

(continued from last page)

int value

---

## byteArrayToInt

```
public static int byteArrayToInt(byte[] b,  
    int offset)
```

Conver byte array to int with offset

### Parameters:

b - byte array (4 bytes)  
offset - offset

### Returns:

int value

---

## byteArrayToInt

```
public static int byteArrayToInt(byte[] b,  
    int offset,  
    int count)
```

Convert byte array to int with offset. Count is the number of bytes. Can be less than 4. If less than 4 just fills lower bits in value.

### Parameters:

b - byte array  
offset - offset  
count - number of bytes

### Returns:

int value

---

## byteArrayToInt

```
public static int byteArrayToInt(byte[] b,  
    int offset,  
    int count,  
    boolean isReverse)
```

Convert byte array to int with offset. Count is the number of bytes. Can be less than 4. If less than 4 just fills lower bits in value. The reverse flag allows data to be in reverse order.

### Parameters:

b - byte array  
offset - offset  
count - number of bytes  
isReverse - is data in reverse order

### Returns:

int value

---

## byteArrayToShort

```
public static int byteArrayToShort(byte[] b)
```

Convert byte array to int

### Parameters:

b - byte array (2 bytes)

---

(continued from last page)

**Returns:**

int value

---

## byteArrayToShort

```
public static int byteArrayToShort(byte[] b,  
    int offset)
```

Conver byte array to int with offset

**Parameters:**

b - byte array (2 bytes)  
offset - offset

**Returns:**

int value

---

## byteArrayToShort

```
public static int byteArrayToShort(byte[] b,  
    int offset,  
    int count)
```

Convert byte array to int with offset. Count is the number of bytes. Can be less than 2. If less than 2 just fills lower bits in value.

**Parameters:**

b - byte array  
offset - offset  
count - number of bytes

**Returns:**

int value

---

## byteArrayToShort

```
public static int byteArrayToShort(byte[] b,  
    int offset,  
    int count,  
    boolean isReverse)
```

Convert byte array to int with offset. Count is the number of bytes. Can be less than 2. If less than 2 just fills lower bits in value. The reverse flag allows data to be in reverse order.

**Parameters:**

b - byte array  
offset - offset  
count - number of bytes  
isReverse - is data in reverse order

**Returns:**

int value

---

## intToByteArray

```
public static byte[] intToByteArray(int value)
```

Convert a int value to a byte array in network order

**Parameters:**

value - value



(continued from last page)

**Returns:**4-byte array with value

---

**intToByteArray**

```
public static byte[] intToByteArray(int value,
                                     int size)
```

Convert a int value to a byte array in network order

**Parameters:**

value - value

size - size of resultant byte array

**Returns:**size-byte array with value

---

**intToByteArray**

```
public static void intToByteArray(int value,
                                   byte[] buffer,
                                   int offset,
                                   int size)
```

Convert a int value to a byte array in network order

**Parameters:**

value - value

buffer - destination byte array

offset - starting offset in byte array

size - number of bytes to write

---

**intToByteArray**

```
public static void intToByteArray(int value,
                                   byte[] buffer,
                                   int offset,
                                   int size,
                                   boolean isReverse)
```

Convert a int value to a byte array in network order

**Parameters:**

value - value

buffer - destination byte array

offset - starting offset in byte array

size - number of bytes to write

isReverse - is data in reverse order

---

**longToByteArray**

```
public static byte[] longToByteArray(long value)
```

Convert a long value to a byte array in network order

**Parameters:**

value - value

**Returns:**

(continued from last page)

8-byte array with value

---

## longToByteArray

```
public static byte[] longToByteArray(long value,  
                                     int size)
```

Convert a long value to a byte array in network order

**Parameters:**

value - value

size - size of resultant byte array

**Returns:**

size-byte array with value

---

## longToByteArray

```
public static void longToByteArray(long value,  
                                   byte[] buffer,  
                                   int offset,  
                                   int size)
```

Convert a long value to a byte array in network order

**Parameters:**

value - value

buffer - destination byte array

offset - starting offset in byte array

size - number of bytes to write

---

## longToByteArray

```
public static void longToByteArray(long value,  
                                   byte[] buffer,  
                                   int offset,  
                                   int size,  
                                   boolean isReverse)
```

Convert a long value to a byte array in network order

**Parameters:**

value - value

buffer - destination byte array

offset - starting offset in byte array

size - number of bytes to write

isReverse - is data in reverse order

---

## getUnsignedShort

```
public static int getUnsignedShort(java.nio.ByteBuffer buffer)
```

---

## doCRC32

```
public static int doCRC32(int crc,  
                          byte[] buffer,  
                          int offset,  
                          int len)
```

(continued from last page)

Calculate an IEEE CRC32 value for MPEG transport stream from a starting crc value

**Parameters:**

crc - starting crc value  
buffer - buffer  
offset - offset  
len - len

**Returns:**

crc value

---

## indexOf

```
public static int indexOf(byte[] source,  
                           byte[] pattern)
```

Finds the first occurrence of a byte pattern in a byte buffer.

Note: If we want to improve the performance, we could implement the Knuth-Morris-Pratt algorithm. But I don't need the speed nor do I have time today!

**Parameters:**

source - The source byte buffer  
pattern - the pattern we're looking for.

**Returns:**

the index of source where the pattern is found, else -1

---

## indexOfDifferent

```
public static int indexOfDifferent(byte[] buffer1,  
                                    byte[] buffer2)
```

Compare two byte buffers, and return the index of the first byte that is different.

**Parameters:**

buffer1 - byte array1  
buffer2 - byte array2

**Returns:**

index where buffers differ, or -1.

---

## startsWith

```
public static boolean startsWith(byte[] source,  
                                   byte[] pattern)
```

## com.wowza.util Class DebugUtils

java.lang.Object

└─com.wowza.util.DebugUtils

public final class **DebugUtils**  
extends Object

DebugUtils: Debugging utilities.

### Constructor Summary

public	<a href="#">DebugUtils()</a>
--------	------------------------------

### Method Summary

static java.io.File	<a href="#">byteArrayToFile</a> (byte[] data, String filePath) Dump a buffer of bytes to a file.
static boolean	<a href="#">doesStackContainMethod</a> (String methodName) Examine current stack trace to determine if the specified method name in the the trace.
static String	<a href="#">formatBytes</a> (byte[] data) Format byte array for printing.
static String	<a href="#">formatBytes</a> (byte[] data, boolean showIndex) Format byte array for printing.
static String	<a href="#">formatBytes</a> (byte[] data, int offset, int len) Format byte array for printing.
static String	<a href="#">formatBytes</a> (byte[] data, int offset, int len, boolean showIndex) Format byte array for printing.
static String	<a href="#">formatBytesShort</a> (byte[] data) Format byte array for printing.
static String	<a href="#">formatBytesShort</a> (byte[] data, int offset, int len) Format byte array for printing.
static String	<a href="#">formatBytesStruct</a> (byte[] data)
static String	<a href="#">formatBytesStruct</a> (byte[] data, int offset, int len) Format byte array for printing.
static String	<a href="#">formatMilliseconds</a> (long ms) Give a time in seconds, return a String representing the time in hh:mm:ss.mmm.
static String	<a href="#">formatSeconds</a> (long t) Give a time in seconds, return a String representing the time in hh:mm:ss.

static String	<a href="#">formatUtcTime</a> (long utcTime)
static String	<a href="#">stackTraceToString</a> (Throwable e)
static String	<a href="#">toHex</a> (byte value) Format a byte value to a 0xff format
static String	<a href="#">toHex</a> (int value) Format a byte value to a 0xffffffff format
static String	<a href="#">toLong</a> (long value) Format a long value to a 0xffffffffffffffff format

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### DebugUtils

public **DebugUtils**()

## Methods

### formatBytesShort

public static String **formatBytesShort**(byte[] data)

Format byte array for printing. Simple format as rows of hex values (16 values per row)

**Parameters:**

data - byte array

**Returns:**

formatted string

### formatBytesShort

public static String **formatBytesShort**(byte[] data,  
int offset,  
int len)

Format byte array for printing. Simple format as rows of hex values (16 values per row)

**Parameters:**

data - byte array

offset - offset in array

len - data len

**Returns:**

formatted string

## formatBytes

```
public static String formatBytes(byte[] data)
```

Format byte array for printing. Format as rows of hex values (16 values per row) along with text representation of data.

**Parameters:**

data - byte array

**Returns:**

formatted string

---

## formatBytes

```
public static String formatBytes(byte[] data,  
    boolean showIndex)
```

Format byte array for printing. Format as rows of hex values (16 values per row) along with text representation of data.

**Parameters:**

data - byte array

**Returns:**

formatted string

---

## formatBytes

```
public static String formatBytes(byte[] data,  
    int offset,  
    int len)
```

Format byte array for printing. Format as rows of hex values (16 values per row) along with text representation of data.

**Parameters:**

data - byte array

offset - start index in array

len - length to format

**Returns:**

formatted string

---

## formatBytes

```
public static String formatBytes(byte[] data,  
    int offset,  
    int len,  
    boolean showIndex)
```

Format byte array for printing. Format as rows of hex values (16 values per row) along with text representation of data.

**Parameters:**

data - byte array

offset - start index in array

len - length to format

**Returns:**

formatted string

---

## formatBytesStruct

```
public static String formatBytesStruct(byte[] data)
```

---

## formatBytesStruct

```
public static String formatBytesStruct(byte[] data,  
    int offset,  
    int len)
```

Format byte array for printing. Format as Java primitive byte values (8 per row).

**Parameters:**

data - byte array

**Returns:**

formatted string

---

## toHex

```
public static String toHex(byte value)
```

Format a byte value to a 0xff format

**Parameters:**

value - byte value

**Returns:**

return string

---

## toHex

```
public static String toHex(int value)
```

Format a byte value to a 0xffffffff format

**Parameters:**

value - int value

**Returns:**

return string

---

## toLong

```
public static String toLong(long value)
```

Format a long value to a 0xffffffffffffffff format

**Parameters:**

value - long value

**Returns:**

return string

---

(continued from last page)

## byteArrayToFile

```
public static java.io.File byteArrayToFile(byte[] data,  
      String filePath)
```

Dump a buffer of bytes to a file. Useful for debugging.

**Parameters:**

data - a buffer of bytes  
filePath - The path and filename

---

## formatSeconds

```
public static String formatSeconds(long t)
```

Give a time in seconds, return a String representing the time in hh:mm:ss.

123 s --> 00:02:03

**Parameters:**

t

**Returns:**

time representation

---

## formatMilliseconds

```
public static String formatMilliseconds(long ms)
```

Give a time in seconds, return a String representing the time in hh:mm:ss.mmm.

123456 ms --> 00:02:03.456

**Parameters:**

ms

**Returns:**

time representation

---

## formatUtcTime

```
public static String formatUtcTime(long utcTime)
```

---

## stackTraceToString

```
public static String stackTraceToString(Throwable e)
```

---

## doesStackContainMethod

```
public static boolean doesStackContainMethod(String methodName)
```

Examine current stack trace to determine if the specified method name in the the trace.

Could be enhanced quite a bit by also checking for Class and method. But simple for now.

**Parameters:**

---



(continued from last page)

methodName

**Returns:**

true if in trace, else false

## com.wowza.util Class ElapsedTimer

java.lang.Object

└─com.wowza.util.ElapsedTimer

public class **ElapsedTimer**  
extends Object

ElapsedTimer: Utility class for keep track of the duration an object has been in existence.

### Constructor Summary

public	<a href="#">ElapsedTimer()</a> Construct a new ElapsedTimer and start the clock
--------	--

### Method Summary

java.util.Date	<a href="#">getDate()</a> Get the date the object was created
String	<a href="#">getDateString()</a> Get the date object was created as formatted String
long	<a href="#">getTime()</a> Get elapsed time object in existence (milliseconds)
double	<a href="#">getTimeSeconds()</a> Get elapsed time object in seconds
String	<a href="#">getTimeString()</a> Get elapsed time object in existence as formatted String (Ex: 3 days 2 minutes 5 seconds)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### ElapsedTimer

public **ElapsedTimer()**

Construct a new ElapsedTimer and start the clock

### Methods

(continued from last page)

## getDate

```
public java.util.Date getDate()
```

Get the date the object was created

**Returns:**

date object created

---

## getDateString

```
public String getDateString()
```

Get the date object was created as formatted String

**Returns:**

date object created as formatted String

---

## getTime

```
public long getTime()
```

Get elapsed time object in existence (milliseconds)

**Returns:**

elapsed time (milliseconds)

---

## getTimeSeconds

```
public double getTimeSeconds()
```

Get elapsed time object in seconds

**Returns:**

elapsed time in seconds

---

## getTimeString

```
public String getTimeString()
```

Get elapsed time object in existence as formatted String (Ex: 3 days 2 minutes 5 seconds)

**Returns:**

elapsed time as formatted String

---

## com.wowza.util Class FileUtils

java.lang.Object

└─com.wowza.util.FileUtils

public class **FileUtils**  
extends Object

FileUtils: File utilities

### Constructor Summary

public	<a href="#">FileUtils()</a>
--------	-----------------------------

### Method Summary

static void	<a href="#">closeQuietly</a> (java.io.InputStream stream)
static void	<a href="#">closeQuietly</a> (java.io.OutputStream stream)
static void	<a href="#">closeQuietly</a> (java.io.Reader reader)
static void	<a href="#">copyFile</a> (java.io.File fromFile, java.io.File toFile) Simple file copy routine
static void	<a href="#">copyFile2</a> (java.io.File fromFile, java.io.File toFile)
static boolean	<a href="#">deleteDirectory</a> (java.io.File path)
static byte[]	<a href="#">fileToByteArray</a> (java.io.File file)
static String	<a href="#">streamNameToValidFilename</a> (String name) Encode a stream name (deal with path elements) to a valid filename.
static String	<a href="#">toValidFilename</a> (String name) Encode a name to a valid filename.
static void	<a href="#">traverseDirectory</a> (java.io.File dir, <a href="#">IFileProcess</a> fileNotify) Traverse a directory recursively calling fileNotify for each file and folder encountered
static java.io.File	<a href="#">versionFile</a> (java.io.File newFile) Rename a file using the file format [original-name]_#[.ext].

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### FileUtils

```
public FileUtils()
```

## Methods

### fileToByteArray

```
public static byte[] fileToByteArray(java.io.File file)
```

---

### streamNameToValidFilename

```
public static String streamNameToValidFilename(String name)
```

Encode a stream name (deal with path elements) to a valid filename.

**Parameters:**

name - stream name

**Returns:**

encoded filename

---

### toValidFilename

```
public static String toValidFilename(String name)
```

Encode a name to a valid filename.

**Parameters:**

name

**Returns:**

encoded filename

---

### copyFile

```
public static void copyFile(java.io.File fromFile,  
                             java.io.File toFile)
```

Simple file copy routine

**Parameters:**

fromFile - from file

toFile - to file

---

### copyFile2

```
public static void copyFile2(java.io.File fromFile,  
                              java.io.File toFile)  
    throws java.io.IOException
```

---

### closeQuietly

```
public static void closeQuietly(java.io.InputStream stream)
```

---

### closeQuietly

```
public static void closeQuietly(java.io.OutputStream stream)
```

---

### closeQuietly

```
public static void closeQuietly(java.io.Reader reader)
```

---

### deleteDirectory

```
public static boolean deleteDirectory(java.io.File path)
```

---

### versionFile

```
public static java.io.File versionFile(java.io.File newFile)
```

Rename a file using the file format [original-name]\_#[.ext].

**Parameters:**

newFile - input file

**Returns:**

renamed file

---

### traverseDirectory

```
public static void traverseDirectory(java.io.File dir,  
    IFileProcess fileNotify)
```

Traverse a directory recursively calling fileNotify for each file and folder encountered

**Parameters:**

dir - starting directory

fileNotify - file notify object

---

## com.wowza.util Class FLVUtils

java.lang.Object

└─com.wowza.util.FLVUtils

public final class **FLVUtils**  
extends Object

FLVUtils: utility for reading and writing .flv files.

### Field Summary

public static final	<a href="#"><u>FLV_CHUNKHEADER_BUFFER_SIZE</u></a> Size of temporary buffer needed for flv reading (byte[]) Value: <b>13</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_FIRST_BYTE</u></a> Header values: first byte of packet data Value: <b>3</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_HEADER_SIZE</u></a> Size of packet header (byte[]) Value: <b>11</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_I_SIZE</u></a> Header values: packet size Value: <b>1</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_I_TIMECODE</u></a> Header values: timecode (milliseconds) Value: <b>2</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_I_TYPE</u></a> Header values: packet type Value: <b>0</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_SECOND_BYTE</u></a> Header values: second byte of packet data Value: <b>4</b>
public static final	<a href="#"><u>FLV_CHUNKHEADER_VALUES_SIZE</u></a> Size of header values array (long[]) Value: <b>5</b>
public static final	<a href="#"><u>FLV_DFRAME</u></a> D video frame type (partial frame based on key frame) Value: <b>3</b>
public static final	<a href="#"><u>FLV_KFRAME</u></a> Key video frame type Value: <b>1</b>

public static final	<a href="#">FLV_PFRAME</a> P video frame type (partial frame based on previous frame) Value: <b>2</b>
public static final	<a href="#">FLV_TCINDEXAUDIO</a> Value: <b>0</b>
public static final	<a href="#">FLV_TCINDEXDATA</a> Value: <b>2</b>
public static final	<a href="#">FLV_TCINDEXVIDEO</a> Value: <b>1</b>
public static final	<a href="#">FLV_UFRAME</a> Unknown video frame type Value: <b>0</b>

## Constructor Summary

public	<a href="#">FLVUtils()</a>
--------	----------------------------

## Method Summary

static long	<a href="#">adjustFirstPacketTCs</a> (java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs) Align list of timecode for each data type.
static int	<a href="#">audioCodecStringToId</a> (String codecString) Parse a string to get the codec ID defined by IVHost.CODEC_AUDIO_*
static String	<a href="#">audioCodecToMetaDataString</a> (int codec) Get a printable string representation of the audio codecs defined as IVHost.CODEC_AUDIO_* as the string used in the onMetaData event
static String	<a href="#">audioCodecToString</a> (int codec) Get a printable string representation of the audio codecs defined as IVHost.CODEC_AUDIO_*
static String	<a href="#">frameTypeToString</a> (int frameType)
static int	<a href="#">getAudioCodec</a> ( <a href="#">AMFPacket</a> packet) Get the codec id for this audio packet.
static int	<a href="#">getAudioCodec</a> (int value) Return the codec portion of the first byte of an audio packet.
static int	<a href="#">getAudioMP3Layer</a> ( <a href="#">AMFPacket</a> packet) Audio marked as MP3 is really MPEG1 Layer 1-3.
static int	<a href="#">getFrameType</a> (byte value) Given the first byte of a video packet, determine the frame type (FLV_*FRAME)
static int	<a href="#">getFrameType</a> (int value) Given the first byte of a video packet, determine the frame type (FLV_*FRAME)



static int	<a href="#"><code>getFrameType</code></a> (int[] values) Given the headers values (including first byte of the packet), determine the type of video frame (FLV_*FRAME)
static long	<a href="#"><code>getLastTC</code></a> (java.io.File file) Get the duration of an .flv file.
static OnMetadataBasic	<a href="#"><code>getOnMetadataData</code></a> ( <a href="#">AMFPacket</a> metaDataPacket)
static int	<a href="#"><code>getVideoCodec</code></a> ( <a href="#">AMFPacket</a> packet) Get the codec id for this video packet.
static int	<a href="#"><code>getVideoCodec</code></a> (int value) Return the codec portion of the first byte of an video packet.
static int	<a href="#"><code>getVideoFrameType</code></a> ( <a href="#">AMFPacket</a> packet)
static int	<a href="#"><code>getVideoTimecodeOffset</code></a> ( <a href="#">AMFPacket</a> packet) Get the timecode offset in milliseconds between the PTS and DTS for this frame.
static int	<a href="#"><code>getVideoTimecodeOffset</code></a> (byte[] buffer) Get the timecode offset in milliseconds between the PTS and DTS for this frame.
static java.util.List	<a href="#"><code>interleavePackets</code></a> (java.util.List audioPackets, java.util.List videoPackets, java.util.List dataPackets, java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs, java.util.List dataTypes, long[] currentTCs) This is a utility function primarily used for IMediaWriters.
static java.util.List	<a href="#"><code>interleavePackets</code></a> (java.util.List audioPackets, java.util.List videoPackets, java.util.List dataPackets, java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs, long[] currentTCs) This is a utility function primarily used for IMediaWriters.
static boolean	<a href="#"><code>isAudioCodecConfig</code></a> ( <a href="#">AMFPacket</a> packet) Returns true if the packet is a video codec config packet
static boolean	<a href="#"><code>isOnMetadataPacket</code></a> ( <a href="#">AMFPacket</a> packet) Returns true if packet is onMetaData or [@setDataFrame, onMetaData] data packet.
static boolean	<a href="#"><code>isVideoCodecConfig</code></a> ( <a href="#">AMFPacket</a> packet) Returns true if the packet is a video codec config packet
static boolean	<a href="#"><code>isVideoKeyFrame</code></a> ( <a href="#">AMFPacket</a> packet) Returns true if the packet is a video key frame
static boolean	<a href="#"><code>isVideoKeyFrame</code></a> (byte[] buffer) Returns true if the packet is a video key frame
static boolean	<a href="#"><code>isVideoKeyFrame</code></a> (java.nio.ByteBuffer buffer) Returns true if the packet is a video key frame
static boolean	<a href="#"><code>isVideoKeyFrame</code></a> (int[] chunkHeaderValues) Returns true if the packet is a video key frame
static <a href="#">AMFPacket</a>	<a href="#"><code>readChunk</code></a> (java.io.DataInput is) Read a packets worth of .flv data from an InputStream and return as an AMFPacket
static <a href="#">AMFPacket</a>	<a href="#"><code>readChunk</code></a> (java.io.InputStream is) Read a packets worth of .flv data from an InputStream and return as an AMFPacket

static void	<a href="#"><code>readChunkHeader</code></a> (java.io.RandomAccessFile is, byte[] buffer, int[] values) Read packet header.
static boolean	<a href="#"><code>readHeader</code></a> (java.io.DataInput is) Read file header.
static boolean	<a href="#"><code>readHeader</code></a> (java.io.InputStream is) Read file header.
static void	<a href="#"><code>readPrevChunkHeader</code></a> (java.io.RandomAccessFile is, byte[] buffer, int[] values) Back up one packet from current position in the file and read the packet header.
static String	<a href="#"><code>streamCodecToString</code></a> (int codec) Get a printable string representation of the stream codecs defined as IVHost.CODEC_STREAM_*
static <a href="#"><code>AMFPacket</code></a>	<a href="#"><code>updateOnCuePointTimecode</code></a> ( <a href="#"><code>AMFPacket</code></a> packet, long timecode)
static java.nio.ByteBuffer	<a href="#"><code>updateOnCuePointTimecode</code></a> (java.nio.ByteBuffer data, int dataType, long timecode)
static int	<a href="#"><code>videoCodecStringToId</code></a> (String codecString) Parse a string to get the codec ID defined by IVHost.CODEC_VIDEO_*
static String	<a href="#"><code>videoCodecToMetaDataString</code></a> (int codec) Get a printable string representation of the video codecs defined as IVHost.CODEC_VIDEO_* as the string used in the onMetaData event
static String	<a href="#"><code>videoCodecToString</code></a> (int codec) Get a printable string representation of the video codecs defined as IVHost.CODEC_VIDEO_*
static void	<a href="#"><code>writeChunk</code></a> (java.io.DataOutput ds, java.nio.ByteBuffer data, int size, long timecode, byte type)
static void	<a href="#"><code>writeChunk</code></a> (java.io.OutputStream ds, java.nio.ByteBuffer data, int size, long timecode, byte type) Write a packets worth of data.
static void	<a href="#"><code>writeDuration</code></a> (java.io.File file, double duration) Write the duration to an existing .flv file.
static void	<a href="#"><code>writeHeader</code></a> (java.io.OutputStream ds, double duration, int audiocodecid, int videocodecid, String createdBy, java.util.Map extraMetadata) Write file header including onMetaData packet.
static void	<a href="#"><code>writeHeader</code></a> (java.io.OutputStream ds, double duration, java.util.Map extraMetadata) Write file header including onMetaData packet.
static void	<a href="#"><code>writePackets</code></a> (java.io.OutputStream ds, java.util.List audioPackets, java.util.List videoPackets, java.util.List dataPackets, java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs, java.util.List dataTypes, long[] currentTCs) Write a bunch of packets to .flv file all at once.

static void	<a href="#">writePackets</a> (java.io.OutputStream ds, java.util.List audioPackets, java.util.List videoPackets, java.util.List dataPackets, java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs, java.util.List dataTypes, long[] currentTCs, IFLVWriterAdjustTimecode dataPacketTimecodeAdjuster) Write a bunch of packets to .flv file all at once.
static void	<a href="#">writePackets</a> (java.io.OutputStream ds, java.util.List audioPackets, java.util.List videoPackets, java.util.List dataPackets, java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs, long[] currentTCs) Write a bunch of packets to .flv file all at once.
static void	<a href="#">writePackets</a> (java.io.OutputStream ds, java.util.List packetList, long tcOffset) Write audio/video/data packets to an .flv file.
static void	<a href="#">writeShortHeader</a> (java.io.DataOutput ds)
static void	<a href="#">writeShortHeader</a> (java.io.OutputStream ds) Write just the FLV file header (without the metadata packet)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### FLV\_CHUNKHEADER\_ITYPE

```
public static final int FLV_CHUNKHEADER_ITYPE
```

Header values: packet type  
Constant value: **0**

### FLV\_CHUNKHEADER\_ISIZE

```
public static final int FLV_CHUNKHEADER_ISIZE
```

Header values: packet size  
Constant value: **1**

### FLV\_CHUNKHEADER\_IMECODE

```
public static final int FLV_CHUNKHEADER_IMECODE
```

Header values: timecode (milliseconds)  
Constant value: **2**

### FLV\_CHUNKHEADER\_FIRSTBYTE

```
public static final int FLV_CHUNKHEADER_FIRSTBYTE
```

Header values: first byte of packet data  
Constant value: **3**

(continued from last page)

---

## FLV\_CHUNKHEADER\_SECONDBYTE

```
public static final int FLV_CHUNKHEADER_SECONDBYTE
```

Header values: second byte of packet data  
Constant value: **4**

---

## FLV\_CHUNKHEADER\_HEADERSIZE

```
public static final int FLV_CHUNKHEADER_HEADERSIZE
```

Size of packet header (byte[])  
Constant value: **11**

---

## FLV\_CHUNKHEADER\_BUFFERSIZE

```
public static final int FLV_CHUNKHEADER_BUFFERSIZE
```

Size of temporary buffer needed for flv reading (byte[])  
Constant value: **13**

---

## FLV\_CHUNKHEADER\_VALUESIZE

```
public static final int FLV_CHUNKHEADER_VALUESIZE
```

Size of header values array (long[])  
Constant value: **5**

---

## FLV\_UFRAME

```
public static final int FLV_UFRAME
```

Unknown video frame type  
Constant value: **0**

---

## FLV\_KFRAME

```
public static final int FLV_KFRAME
```

Key video frame type  
Constant value: **1**

---

## FLV\_DFRAME

```
public static final int FLV_DFRAME
```

D video frame type (partial frame based on key frame)  
Constant value: **3**

---

## FLV\_PFRAME

```
public static final int FLV_PFRAME
```

P video frame type (partial frame based on previous frame)  
Constant value: **2**

---

## FLV\_TCINDEXAUDIO

```
public static final int FLV_TCINDEXAUDIO
```

---

(continued from last page)

Constant value: **0**

---

## FLV\_TCINDEXVIDEO

```
public static final int FLV_TCINDEXVIDEO
```

Constant value: **1**

---

## FLV\_TCINDEXDATA

```
public static final int FLV_TCINDEXDATA
```

Constant value: **2**

## Constructors

### FLVUtils

```
public FLVUtils()
```

## Methods

### streamCodecToString

```
public static String streamCodecToString(int codec)
```

Get a printable string representation of the stream codecs defined as IVHost.CODEC\_STREAM\_\*

**Parameters:**

codec - codec id defined IVHost.CODEC\_STREAM\_\*

**Returns:**

codec name

---

### audioCodecStringToId

```
public static int audioCodecStringToId(String codecString)
```

Parse a string to get the codec ID defined by IVHost.CODEC\_AUDIO\_\*

**Parameters:**

codecString - codec string

**Returns:**

codec ID

---

### videoCodecToMetaDataString

```
public static String videoCodecToMetaDataString(int codec)
```

Get a printable string representation of the video codecs defined as IVHost.CODEC\_VIDEO\_\* as the string used in the onMetaData event

(continued from last page)

**Parameters:**

codec - codec id defined IVHost.CODEC\_VIDEO\_\*

**Returns:**codec name

---

## audioCodecToMetaDataString

```
public static String audioCodecToMetaDataString(int codec)
```

Get a printable string representation of the audio codecs defined as IVHost.CODEC\_AUDIO\_\* as the string used in the onMetaData event

**Parameters:**

codec - codec id defined IVHost.CODEC\_AUDIO\_\*

**Returns:**codec name

---

## audioCodecToString

```
public static String audioCodecToString(int codec)
```

Get a printable string representation of the audio codecs defined as IVHost.CODEC\_AUDIO\_\*

**Parameters:**

codec - codec id defined IVHost.CODEC\_AUDIO\_\*

**Returns:**codec name

---

## videoCodecStringToId

```
public static int videoCodecStringToId(String codecString)
```

Parse a string to get the codec ID defined by IVHost.CODEC\_VIDEO\_\*

**Parameters:**

codecString - codec string

**Returns:**codec ID

---

## videoCodecToString

```
public static String videoCodecToString(int codec)
```

Get a printable string representation of the video codecs defined as IVHost.CODEC\_VIDEO\_\*

**Parameters:**

codec - codec id defined IVHost.CODEC\_VIDEO\_\*

**Returns:**codec name

---

## frameTypeToString

```
public static String frameTypeToString(int frameType)
```

---

(continued from last page)

---

## getFrameType

```
public static int getFrameType(int[] values)
```

Given the headers values (including first byte of the packet), determine the type of video frame (FLV\_\*FRAME)

**Parameters:**

values - header values

**Returns:**

type of video frame (FLV\_\*FRAME)

---

## getFrameType

```
public static int getFrameType(int value)
```

Given the first byte of a video packet, determine the frame type (FLV\_\*FRAME)

**Parameters:**

value - first byte of packet

**Returns:**

type of video frame (FLV\_\*FRAME)

---

## getAudioCodec

```
public static int getAudioCodec(int value)
```

Return the codec portion of the first byte of an audio packet. Return should be one of IVHost.CODEC\_AUDIO\_\*

**Parameters:**

value - first byte of audio packet

**Returns:**

codec id

---

## getVideoCodec

```
public static int getVideoCodec(int value)
```

Return the codec portion of the first byte of an video packet. Return should be one of IVHost.CODEC\_VIDEO\_\*

**Parameters:**

value - first byte of audio packet

**Returns:**

codec id

---

## getFrameType

```
public static int getFrameType(byte value)
```

Given the first byte of a video packet, determine the frame type (FLV\_\*FRAME)

**Parameters:**

value - first byte of packet

---

(continued from last page)

**Returns:**

type of video frame (FLV\_\*FRAME)

---

**readChunk**

```
public static AMFPacket readChunk(java.io.InputStream is)
```

Read a packets worth of .flv data from an InputStream and return as an AMFPacket

**Parameters:**

is - InputStream

**Returns:**

AMFPacket of data or null if unsuccessful or end of file

---

**readChunk**

```
public static AMFPacket readChunk(java.io.DataInput is)
```

Read a packets worth of .flv data from an InputStream and return as an AMFPacket

**Parameters:**

is - InputStream

**Returns:**

AMFPacket of data or null if unsuccessful or end of file

---

**readPrevChunkHeader**

```
public static void readPrevChunkHeader(java.io.RandomAccessFile is,  
    byte[] buffer,  
    int[] values)
```

Back up one packet from current position in the file and read the packet header. This includes reading the first byte of the packet data. The file pointer will be positioned at the first byte of the packet data. values[FLV\_CHUNKHEADER\_ITYPE] will be set to 0x7f if failure or start of file.

**Parameters:**

is - RandomAccessFile

buffer - temporary buffer byte[FLV\_CHUNKHEADER\_BUFFERSIZE]

values - header values long[FLV\_CHUNKHEADER\_VALUESIZE]

---

**readChunkHeader**

```
public static void readChunkHeader(java.io.RandomAccessFile is,  
    byte[] buffer,  
    int[] values)
```

Read packet header. This includes reading the first byte of the packet data. The file pointer will be positioned at the first byte of the packet data. values[FLV\_CHUNKHEADER\_ITYPE] will be set to 0x7f if failure or end of file.

**Parameters:**

is - RandomAccessFile

buffer - temporary buffer byte[FLV\_CHUNKHEADER\_BUFFERSIZE]

values - header values long[FLV\_CHUNKHEADER\_VALUESIZE]

---



(continued from last page)

## readHeader

```
public static boolean readHeader(java.io.InputStream is)
```

Read file header. Return true if successful. Basically this just skips first 13 bytes in file.

---

## readHeader

```
public static boolean readHeader(java.io.DataInput is)
```

Read file header. Return true if successful. Basically this just skips first 13 bytes in file.

---

## writeShortHeader

```
public static void writeShortHeader(java.io.OutputStream ds)
```

Write just the FLV file header (without the metadata packet)

### Parameters:

ds - OutputStream

---

## writeShortHeader

```
public static void writeShortHeader(java.io.DataOutput ds)
```

---

## writeHeader

```
public static void writeHeader(java.io.OutputStream ds,  
    double duration,  
    java.util.Map extraMetadata)
```

Write file header including onMetaData packet.

### Parameters:

ds - OutputStream

duration - duration of .flv file in seconds

extraMetadata - Map of name/value pairs of metadata that will be appended to the onMetaData block

---

## writeHeader

```
public static void writeHeader(java.io.OutputStream ds,  
    double duration,  
    int audiocodecid,  
    int videocodecid,  
    String createdBy,  
    java.util.Map extraMetadata)
```

(continued from last page)

Write file header including onMetaData packet.

With this method you can provide a Map of metadata to write to the file. This map can include a mixture of simple types like: int, long, String, boolean. These types will be wrapped in AMFData classes before they are written to the file. This map can also contain AMFData items. For example if you wanted to insert an array of **cuePoints** the code would look like:

```
Map extraMetadata = new HashMap();

AMFDataArray amfArray = new AMFDataArray();
for(int i=0;i
```

**Parameters:**

ds - OutputStream  
duration - duration of .flv file in seconds  
audiocodecid - audio codec ID see IVHost.CODEC\_AUDIO\_\* (-1 for now audio)  
videocodecid - video codec ID see IVHost.CODEC\_VIDEO\_\* (-1 for now video)  
createdBy - created by string (null for empty)  
extraMetadata - Map of name/value pairs of metadata that will be appended to the onMetaData block

---

**writeChunk**

```
public static void writeChunk(java.io.OutputStream ds,
    java.nio.ByteBuffer data,
    int size,
    long timecode,
    byte type)
```

Write a packets worth of data.

**Parameters:**

ds - OutputStream  
data - packet data  
size - size of the packet  
timecode - timecode (milliseconds)  
type - type of packet IVHost.CONTENT\_TYPE\_\*

---

**writeChunk**

```
public static void writeChunk(java.io.DataOutput ds,
    java.nio.ByteBuffer data,
    int size,
    long timecode,
    byte type)
```

---

(continued from last page)

## interleavePackets

```
public static java.util.List interleavePackets(java.util.List audioPackets,
        java.util.List videoPackets,
        java.util.List dataPackets,
        java.util.List audioTCs,
        java.util.List videoTCs,
        java.util.List dataTCs,
        long[] currentTCs)
```

This is a utility function primarily used for IMediaWriters. It is a way of taking the discrete audio/video/data packets and timecodes and interleaving them into a single list of AMFPacket objects. The currentTCs array is an array of longs containing the last timecode for each of the packet types FLV\_TCINDEX\* (long[3]). This array will be used to calculate the absolute timecode for a given packet. For example if the relative timecode for an audio packet is 26 and the currentTCs value for the audio channel is 1003 then the absolute timecode for that packet will be 1029. The currentTCs array will be updated after this call to reflect the absolute timecode of the last packet processed of each type.

### Parameters:

audioPackets - list of audio packets (ByteBuffer)  
 videoPackets - list of video packets (ByteBuffer)  
 dataPackets - list of data packets (ByteBuffer)  
 audioTCs - list of relative audio timecodes (Long)  
 videoTCs - list of relative video timecodes (Long)  
 dataTCs - list of relative data timecodes (Long)  
 currentTCs - array of longs containing last TCs written for each packet type FLV\_TCINDEX\* (long[3]). Last timecode written for each packet type will be returned in this same array.

### Returns:

List of AMFPacket objects sorted by timecodes

## interleavePackets

```
public static java.util.List interleavePackets(java.util.List audioPackets,
        java.util.List videoPackets,
        java.util.List dataPackets,
        java.util.List audioTCs,
        java.util.List videoTCs,
        java.util.List dataTCs,
        java.util.List dataTypes,
        long[] currentTCs)
```

This is a utility function primarily used for IMediaWriters. It is a way of taking the discrete audio/video/data packets and timecodes and interleaving them into a single list of AMFPacket objects. The currentTCs array is an array of longs containing the last timecode for each of the packet types FLV\_TCINDEX\* (long[3]). This array will be used to calculate the absolute timecode for a given packet. For example if the relative timecode for an audio packet is 26 and the currentTCs value for the audio channel is 1003 then the absolute timecode for that packet will be 1029. The currentTCs array will be updated after this call to reflect the absolute timecode of the last packet processed of each type.

### Parameters:

audioPackets - list of audio packets (ByteBuffer)  
 videoPackets - list of video packets (ByteBuffer)  
 dataPackets - list of data packets (ByteBuffer)  
 audioTCs - list of relative audio timecodes (Long)  
 videoTCs - list of relative video timecodes (Long)  
 dataTCs - list of relative data timecodes (Long)  
 dataTypes - list of integer packets types (IVHost.CONTENTTYPE\_DATA0, IVHost.CONTENTTYPE\_DATA3) - if null assumed to be IVHost.CONTENTTYPE\_DATA0  
 currentTCs - array of longs containing last TCs written for each packet type FLV\_TCINDEX\* (long[3]). Last timecode written for each packet type will be returned in this same array.

### Returns:

List of AMFPacket objects sorted by timecodes

---

## writePackets

```
public static void writePackets(java.io.OutputStream ds,
    java.util.List packetList,
    long tcOffset)
```

Write audio/video/data packets to an .flv file. They will be written in the packetList order.

### Parameters:

ds - OutputStream  
 packetList - List of AMFPacket objects  
 tcOffset - timecode offset

---

## writePackets

```
public static void writePackets(java.io.OutputStream ds,
    java.util.List audioPackets,
    java.util.List videoPackets,
    java.util.List dataPackets,
    java.util.List audioTCs,
    java.util.List videoTCs,
    java.util.List dataTCs,
    long[] currentTCs)
```

Write a bunch of packets to .flv file all at once. The packets will be sorted by timecode as written

### Parameters:

ds - OutputStream  
 audioPackets - list of audio packets (ByteBuffer)  
 videoPackets - list of video packets (ByteBuffer)  
 dataPackets - list of data packets (ByteBuffer)  
 audioTCs - list of relative audio timecodes (Long)  
 videoTCs - list of relative video timecodes (Long)  
 dataTCs - list of relative data timecodes (Long)  
 currentTCs - array of longs containing last TCs written for each packet type FLV\_TCINDEX\* (long[3]). Last timecode written for each packet type will be returned in this same array.

---

## writePackets

```
public static void writePackets(java.io.OutputStream ds,
    java.util.List audioPackets,
    java.util.List videoPackets,
    java.util.List dataPackets,
    java.util.List audioTCs,
    java.util.List videoTCs,
    java.util.List dataTCs,
    java.util.List dataTypes,
    long[] currentTCs)
```

Write a bunch of packets to .flv file all at once. The packets will be sorted by timecode as written

### Parameters:

ds - OutputStream  
 audioPackets - list of audio packets (ByteBuffer)  
 videoPackets - list of video packets (ByteBuffer)  
 dataPackets - list of data packets (ByteBuffer)  
 audioTCs - list of relative audio timecodes (Long)  
 videoTCs - list of relative video timecodes (Long)  
 dataTCs - list of relative data timecodes (Long)  
 dataTypes - list of integer packets types (IVHost.CONTENTTYPE\_DATA0, IVHost.CONTENTTYPE\_DATA3) - if null assumed to be IVHost.CONTENTTYPE\_DATA0

---

(continued from last page)

`currentTCs` - array of longs containing last TCs written for each packet type `FLV_TCINDEX*` (`long[3]`). Last timecode written for each packet type will be returned in this same array.

---

## writePackets

```
public static void writePackets(java.io.OutputStream ds,
    java.util.List audioPackets,
    java.util.List videoPackets,
    java.util.List dataPackets,
    java.util.List audioTCs,
    java.util.List videoTCs,
    java.util.List dataTCs,
    java.util.List dataTypes,
    long[] currentTCs,
    IFLVWriterAdjustTimecode dataPacketTimecodeAdjuster)
```

Write a bunch of packets to .flv file all at once. The packets will be sorted by timecode as written

### Parameters:

`ds` - OutputStream  
`audioPackets` - list of audio packets (ByteBuffer)  
`videoPackets` - list of video packets (ByteBuffer)  
`dataPackets` - list of data packets (ByteBuffer)  
`audioTCs` - list of relative audio timecodes (Long)  
`videoTCs` - list of relative video timecodes (Long)  
`dataTCs` - list of relative data timecodes (Long)  
`dataTypes` - list of integer packets types (`IVHost.CONTENTTYPE_DATA0`, `IVHost.CONTENTTYPE_DATA3`) - if null assumed to be `IVHost.CONTENTTYPE_DATA0`  
`currentTCs` - array of longs containing last TCs written for each packet type `FLV_TCINDEX*` (`long[3]`). Last timecode written for each packet type will be returned  
`dataPacketTimecodeAdjuster` - class that implements the `IFLVWriterAdjustTimecode` interface for adjusting timecodes in this same array.

---

## adjustFirstPacketTCs

```
public static long adjustFirstPacketTCs(java.util.List audioTCs,
    java.util.List videoTCs,
    java.util.List dataTCs)
```

Align list of timecode for each data type. Assume first entry in each list is absolute timecode. When done lowest entry in three lists will be zero and other lists will be offset accordingly.

### Parameters:

`audioTCs` - list of audio timecodes  
`videoTCs` - list of video timecodes  
`dataTCs` - list of data timecodes

### Returns:

lowest of three absolute timecodes

---

## writeDuration

```
public static void writeDuration(java.io.File file,
    double duration)
```

Write the duration to an existing .flv file. This routine will hunt through the .flv file for the `onMetaData` packet and the duration metadata. It will rewrite the value if found. If not found it will do nothing.

### Parameters:

`file` - .flv file  
`duration` - new duration value (seconds)

## getLastTC

```
public static long getLastTC(java.io.File file)
```

Get the duration of an .flv file. This routine will find the onMetaData packet and the duration metadata and return the value. If not found it will read the last packet in the file and return the timecode of that packet.

**Parameters:**

file

**Returns:**

duration (milliseconds)

---

## isVideoKeyFrame

```
public static boolean isVideoKeyFrame(AMFPacket packet)
```

Returns true if the packet is a video key frame

**Parameters:**

packet - packet

**Returns:**

true if is video key frame

---

## isVideoCodecConfig

```
public static boolean isVideoCodecConfig(AMFPacket packet)
```

Returns true if the packet is a video codec config packet

**Parameters:**

packet

**Returns:**

true if the packet is a video codec config packet

---

## isAudioCodecConfig

```
public static boolean isAudioCodecConfig(AMFPacket packet)
```

Returns true if the packet is a video codec config packet

**Parameters:**

packet

**Returns:**

true if the packet is a video codec config packet

---

## getAudioMP3Layer

```
public static int getAudioMP3Layer(AMFPacket packet)
```

Audio marked as MP3 is really MPEG1 Layer 1-3. Only MPEG1 Layer 3 is truly MP3. This function will return the layer number for this packet.

**Parameters:**

packet - amf packet

---

(continued from last page)

**Returns:**

layer number

---

## getAudioCodec

```
public static int getAudioCodec(AMFPacket packet)
```

Get the codec id for this audio packet. Returns IVHost.CODEC\_AUDIO\_UNKNOWN is unknown or not audio packet

**Parameters:**

packet - packet

**Returns:**

codec id IVHost.CODEC\_AUDIO\_\*

---

## getVideoCodec

```
public static int getVideoCodec(AMFPacket packet)
```

Get the codec id for this video packet. Returns IVHost.CODEC\_VIDEO\_UNKNOWN is unknown or not video packet

**Parameters:**

packet - packet

**Returns:**

codec id IVHost.CODEC\_VIDEO\_\*

---

## getVideoFrameType

```
public static int getVideoFrameType(AMFPacket packet)
```

---

## getVideoTimecodeOffset

```
public static int getVideoTimecodeOffset(AMFPacket packet)
```

Get the timecode offset in milliseconds between the PTS and DTS for this frame.

**Parameters:**

packet - AMFPacket

**Returns:**

timecode offset in milliseconds (can be negative)

---

## getVideoTimecodeOffset

```
public static int getVideoTimecodeOffset(byte[] buffer)
```

Get the timecode offset in milliseconds between the PTS and DTS for this frame.

**Parameters:**

buffer - video packet buffer

**Returns:**

timecode offset in milliseconds (can be negative)

## isVideoKeyFrame

```
public static boolean isVideoKeyFrame(java.nio.ByteBuffer buffer)
```

Returns true if the packet is a video key frame

**Parameters:**

buffer - packet data (only need first two bytes of data)

**Returns:**

true if is video key frame

---

## isVideoKeyFrame

```
public static boolean isVideoKeyFrame(byte[] buffer)
```

Returns true if the packet is a video key frame

**Parameters:**

buffer - packet data (only need first two bytes of data)

**Returns:**

true if is video key frame

---

## isVideoKeyFrame

```
public static boolean isVideoKeyFrame(int[] chunkHeaderValues)
```

Returns true if the packet is a video key frame

**Parameters:**

chunkHeaderValues - chunk header values returned by FLVUtils.readChunkHeader

**Returns:**

true if is video key frame

---

## updateOnCuePointTimecode

```
public static AMFPacket updateOnCuePointTimecode(AMFPacket packet,  
long timecode)
```

---

## updateOnCuePointTimecode

```
public static java.nio.ByteBuffer updateOnCuePointTimecode(java.nio.ByteBuffer data,  
int dataType,  
long timecode)
```

---

## isOnMetadataPacket

```
public static boolean isOnMetadataPacket(AMFPacket packet)
```

Returns true if packet is onMetaData or [@setDataFrame, onMetaData] data packet.

**Parameters:**

---



(continued from last page)

packet - packet

**Returns:**

true if onMetaData packet

---

**getOnMetadataData**

```
public static OnMetadataBasic getOnMetadataData(AMFPacket metaDataPacket)
```

## com.wowza.util Class HTTPUtils

java.lang.Object

└─com.wowza.util.HTTPUtils

public class **HTTPUtils**  
extends Object

HTTPUtils: utility class for making http requests.

### Field Summary

public static final	<a href="#">COOKIEFORMAT</a>
---------------------	------------------------------

### Constructor Summary

public	<a href="#">HTTPUtils()</a>
--------	-----------------------------

### Method Summary

static String	<a href="#">assembleQueryStr</a> (java.util.Map queryMap) Assemble a map of name value pairs into a single query string.
static String	<a href="#">formatDeleteCookie</a> (String name, String path, String domain) Formats a cookie header value that is in the past to delete a cookie
static String	<a href="#">formatSetCookie</a> (String name, String value, int timeoffset, String path, String domain, boolean isSecure) Format a HTTP header Set-Cookie value
static byte[]	<a href="#">HTTPRequestToByteArray</a> (String inUrl, String method, String data, java.util.Map headers) Make a HTTP request and return the result as a byte array
static byte[]	<a href="#">HTTPRequestToByteArray</a> (String inUrl, String method, String data, java.util.Map inHeaders, java.util.Map outHeaders, long dataLimit) Make a HTTP request and return the result as a byte array
static boolean	<a href="#">HTTPRequestToFile</a> (java.io.File file, String inUrl, String method, String data, java.util.List headers) Make a HTTP request and have the result saved to a file.
static java.util.List	<a href="#">splitCookie</a> (String str) Breaks Cookies header value into a list of name/value pairs.
static String[]	<a href="#">splitPragmas</a> (String str) Split HTTP Pragma values at commas that separate values.
static java.util.Map	<a href="#">splitQueryStr</a> (String queryStr) Split a query string into a map and URL decode the values

static String

[`statusCodeToStr`](#)(int statusCode)

Convert an HTTP status code to a string

Methods inherited from class `java.lang.Object``clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

## Fields

### COOKIEDATEFORMAT

`public static final org.apache.commons.lang.time.FastDateFormat COOKIEDATEFORMAT`

## Constructors

### HTTPUtils

`public HTTPUtils()`

## Methods

### HTTPRequestToFile

```
public static boolean HTTPRequestToFile(java.io.File file,
    String inUrl,
    String method,
    String data,
    java.util.List headers)
```

Make a HTTP request and have the result saved to a file.

**Parameters:**

`file` - destination  
`inUrl` - url (will work with http and https)  
`method` - method (POST, GET)  
`data` - post data  
`headers` - map of headers (Content-type...)

**Returns:**

true if successful

### HTTPRequestToByteArray

```
public static byte[] HTTPRequestToByteArray(String inUrl,
    String method,
    String data,
    java.util.Map headers)
```

Make a HTTP request and return the result as a byte array

**Parameters:**

`inUrl` - url (will work with http and https)

(continued from last page)

method - method (POST, GET)  
data - post data  
headers - map of headers (Content-type...)

**Returns:**

byte array of result or null if not successful

---

## HTTPRequestToByteArray

```
public static byte[] HTTPRequestToByteArray(String inUrl,  
      String method,  
      String data,  
      java.util.Map inHeaders,  
      java.util.Map outHeaders,  
      long dataLimit)
```

Make a HTTP request and return the result as a byte array

**Parameters:**

inUrl - url (will work with http and https)  
method - method (POST, GET)  
data - data  
inHeaders - map of headers (Content-type...)  
outHeaders - response headers  
dataLimit - maximum number of bytes to read, zero for no limit

**Returns:**

byte array of result or null if not successful

---

## assembleQueryStr

```
public static String assembleQueryStr(java.util.Map queryMap)
```

Assemble a map of name value pairs into a single query string. URL encode query string values.

**Parameters:**

queryMap - name value pairs

**Returns:**

query string

---

## splitQueryStr

```
public static java.util.Map splitQueryStr(String queryStr)
```

Split a query string into a map and URL decode the values

**Parameters:**

queryStr - query string

**Returns:**

map of name value pairs

---

## splitPragmas

```
public static String[] splitPragmas(String str)
```

---

(continued from last page)

Split HTTP Pragma values at commas that separate values. It deals with internal commas in strings. Example:

```
no-cache, client-id=1485578017, features="seekable, stridable", timeout=6
```

Result:

```
no-cache  
client-id=1485578017  
features="seekable, stridable"  
timeout=6
```

**Parameters:**

str - Pragma value

**Returns:**

array of strings broken at commas

---

## splitCookie

```
public static java.util.List splitCookie(String str)
```

Breaks Cookies header value into a list of name/value pairs. The Cookie string: "name1=value1;name2;name1=value3" is returned as: List(item({"name1", "value1"}), item("name2", null), item("name1", "value3"))

**Parameters:**

str - input string

**Returns:**

List of name value pairs

---

## formatDeleteCookie

```
public static String formatDeleteCookie(String name,  
    String path,  
    String domain)
```

Formats a cookie header value that is in the past to delete a cookie

**Parameters:**

name - variable name  
path - path  
domain - domain

**Returns:**

formatted cookie string

## formatSetCookie

```
public static String formatSetCookie(String name,  
    String value,  
    int timeoffset,  
    String path,  
    String domain,  
    boolean isSecure)
```

Format a HTTP header Set-Cookie value

**Parameters:**

name - variable name  
value - variable value - null if no value  
timeoffset - expiration time in seconds  
path - cookie path  
domain - cookie domain  
isSecure - is cookie secure

**Returns:**

formatted cookie string

---

## statusCodeToStr

```
public static String statusCodeToStr(int statusCode)
```

Convert an HTTP status code to a string

**Parameters:**

statusCode - HTTP status code

**Returns:**

string

---

## com.wowza.util Interface IBandwidthThrottler

public interface **IBandwidthThrottler**  
extends

### Method Summary

long	<a href="#"><u>getBytesAllocation</u></a> (long request) Requests bytes from the bandwidth throttler interface.
------	--

### Methods

#### getBytesAllocation

public long **getBytesAllocation**(long request)

Requests bytes from the bandwidth throttler interface. Return value is the number of bytes allocated

**Parameters:**

request - request number of bytes

**Returns:**

allocated number of bytes

## com.wowza.util Interface IFileProcess

public interface **IFileProcess**  
extends

Used by FileUtils.traverseDirectory

### Method Summary

void	<a href="#">onFile</a> (java.io.File file) Triggered for each file encountered in FileUtils.traverseDirectory
------	--

### Methods

#### onFile

public void **onFile**(java.io.File file)

Triggered for each file encountered in FileUtils.traverseDirectory

**Parameters:**

file - file descriptor



## com.wowza.util Class IOPerformanceCounter

java.lang.Object

└─com.wowza.util.IOPerformanceCounter

public class **IOPerformanceCounter**  
extends Object

IOPerformanceCounter: data object that tracks the server performance of a particular component (client, vHost, server, stream). It tracks bytes and messages sent to and from the object being measured.

### Constructor Summary

public	<a href="#"><u>IOPerformanceCounter</u></a> ( ) Create an empty performance counter.
--------	---

### Method Summary

void	<a href="#"><u>add</u></a> ( <a href="#"><u>IOPerformanceCounter</u></a> value) Add (value) to this counter.
void	<a href="#"><u>addDifference</u></a> ( <a href="#"><u>IOPerformanceCounter</u></a> current, <a href="#"><u>IOPerformanceCounter</u></a> last) Add the result of (current-last) to this counter.
void	<a href="#"><u>clear</u></a> ( ) Clear or reset this counter back to zero.
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>clone</u></a> ( ) Create a deep clone (copy) if this object.
void	<a href="#"><u>doSet</u></a> ( <a href="#"><u>IOPerformanceCounter</u></a> value) Set this object to value.
void	<a href="#"><u>dummy</u></a> ( )
long	<a href="#"><u>getFileInBytes</u></a> ( ) Get file in bytes
double	<a href="#"><u>getFileInBytesRate</u></a> ( ) Get estimate of file byte-in byte rate.
long	<a href="#"><u>getFileOutBytes</u></a> ( ) Get file byte-out bytes (not implemented)
double	<a href="#"><u>getFileOutBytesRate</u></a> ( ) Get estimate of file byte-out message byte rate (not implemented).
long	<a href="#"><u>getMessagesInBytes</u></a> ( ) Get byte-in bytes
double	<a href="#"><u>getMessagesInBytesRate</u></a> ( ) Get estimate of byte-in message byte rate.

long	<a href="#"><u>getMessagesInCount</u></a> ( ) Get byte-in message count
long	<a href="#"><u>getMessagesInCountRate</u></a> ( ) Get estimate of byte-in message count rate.
long	<a href="#"><u>getMessagesLossBytes</u></a> ( ) Get byte-loss bytes
double	<a href="#"><u>getMessagesLossBytesRate</u></a> ( ) Get estimate of byte-loss message byte rate.
long	<a href="#"><u>getMessagesLossCount</u></a> ( ) Get byte-loss message count
long	<a href="#"><u>getMessagesLossCountRate</u></a> ( ) Get estimate of byte-loss message count rate.
long	<a href="#"><u>getMessagesOutBytes</u></a> ( ) Get byte-out bytes
double	<a href="#"><u>getMessagesOutBytesRate</u></a> ( ) Get estimate of byte-out message byte rate.
long	<a href="#"><u>getMessagesOutCount</u></a> ( ) Get byte-out message count
long	<a href="#"><u>getMessagesOutCountRate</u></a> ( ) Get estimate of byte-out message count rate.
long	<a href="#"><u>incrementBytesIn</u></a> (long bytes) Increment bytes-in by bytes and increment message count by 0.
long	<a href="#"><u>incrementBytesLoss</u></a> (long bytes) Increment bytes-loss by bytes and increment message count by 0.
long	<a href="#"><u>incrementBytesOut</u></a> (long bytes) Increment bytes-out by bytes and increment message count by 0.
long	<a href="#"><u>incrementFileIn</u></a> (long bytes) Increment file-bytes-in by bytes.
long	<a href="#"><u>incrementFileOut</u></a> (long bytes) Increment file bytes-out by bytes.
long	<a href="#"><u>incrementMessagesIn</u></a> ( ) Increment byte-in message count by 1.
long	<a href="#"><u>incrementMessagesIn</u></a> (long bytes) Increment bytes-in by bytes and increment message count by 1.
long	<a href="#"><u>incrementMessagesIn</u></a> (long bytes, long count) Increment bytes-in by bytes and message count by count.
long	<a href="#"><u>incrementMessagesLoss</u></a> ( ) Increment byte-loss message count by 1.
long	<a href="#"><u>incrementMessagesLoss</u></a> (long bytes) Increment bytes-loss by bytes and increment message count by 1.

long	<a href="#"><code>incrementMessagesLoss</code></a> (long bytes, long count) Increment bytes-loss by bytes and message count by count.
long	<a href="#"><code>incrementMessagesOut</code></a> () Increment byte-out message count by 1.
long	<a href="#"><code>incrementMessagesOut</code></a> (long bytes) Increment bytes-out by bytes and increment message count by 1.
long	<a href="#"><code>incrementMessagesOut</code></a> (long bytes, long count) Increment bytes-out by bytes and message count by count.
boolean	<a href="#"><code>isDebugLog</code></a> ()
void	<a href="#"><code>setDebugLog</code></a> (boolean debugLog)

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### IOPerformanceCounter

```
public IOPerformanceCounter()
```

Create an empty performance counter.

## Methods

### clone

```
public IOPerformanceCounter clone()
```

Create a deep clone (copy) if this object.

### addDifference

```
public void addDifference(IOPerformanceCounter current,  
                          IOPerformanceCounter last)
```

Add the result of (current-last) to this counter. Used internally to efficiently track object performance on a timer.

#### Parameters:

current - current counter

last - last counter

### clear

```
public void clear()
```

Clear or reset this counter back to zero.

(continued from last page)

## add

```
public void add(IOPerformanceCounter value)
```

Add (value) to this counter.

**Parameters:**

value - value to add

---

## doSet

```
public void doSet(IOPerformanceCounter value)
```

Set this object to value.

**Parameters:**

value - value to set

---

## incrementMessagesIn

```
public long incrementMessagesIn(long bytes)
```

Increment bytes-in by bytes and increment message count by 1.

**Parameters:**

bytes - number of bytes

**Returns:**

bytes-in bytes

---

## incrementFileIn

```
public long incrementFileIn(long bytes)
```

Increment file-bytes-in by bytes.

**Parameters:**

bytes - number of bytes

**Returns:**

bytes-in bytes

---

## incrementMessagesIn

```
public long incrementMessagesIn(long bytes,  
    long count)
```

Increment bytes-in by bytes and message count by count.

**Parameters:**

bytes - number of bytes  
count - number of messages

**Returns:**

bytes-in bytes

(continued from last page)

## incrementBytesIn

```
public long incrementBytesIn(long bytes)
```

Increment bytes-in by bytes and increment message count by 0.

**Parameters:**

bytes

**Returns:**

bytes-in bytes

---

## incrementMessagesIn

```
public long incrementMessagesIn()
```

Increment byte-in message count by 1.

**Returns:**

bytes-in message count

---

## incrementMessagesOut

```
public long incrementMessagesOut(long bytes)
```

Increment bytes-out by bytes and increment message count by 1.

**Parameters:**

bytes - number of bytes

**Returns:**

bytes-out bytes

---

## incrementFileOut

```
public long incrementFileOut(long bytes)
```

Increment file bytes-out by bytes.

**Parameters:**

bytes - number of bytes

**Returns:**

bytes-out bytes

---

## incrementMessagesLoss

```
public long incrementMessagesLoss(long bytes)
```

Increment bytes-loss by bytes and increment message count by 1.

**Parameters:**

bytes - number of bytes

**Returns:**

bytes-loss bytes

(continued from last page)

## incrementMessagesOut

```
public long incrementMessagesOut(long bytes,  
    long count)
```

Increment bytes-out by bytes and message count by count.

**Parameters:**

bytes - number of bytes  
count - number of messages

**Returns:**

bytes-out bytes

---

## incrementMessagesLoss

```
public long incrementMessagesLoss(long bytes,  
    long count)
```

Increment bytes-loss by bytes and message count by count.

**Parameters:**

bytes - number of bytes  
count - number of messages

**Returns:**

bytes-loss bytes

---

## incrementBytesOut

```
public long incrementBytesOut(long bytes)
```

Increment bytes-out by bytes and increment message count by 0.

**Parameters:**

bytes

**Returns:**

bytes-out bytes

---

## incrementBytesLoss

```
public long incrementBytesLoss(long bytes)
```

Increment bytes-loss by bytes and increment message count by 0.

**Parameters:**

bytes

**Returns:**

bytes-loss bytes

---

## incrementMessagesOut

```
public long incrementMessagesOut( )
```

Increment byte-out message count by 1.

**Returns:**

(continued from last page)

bytes-out message count

---

## incrementMessagesLoss

```
public long incrementMessagesLoss()
```

Increment byte-loss message count by 1.

**Returns:**

bytes-loss message count

---

## getMessagesInCount

```
public long getMessagesInCount()
```

Get byte-in message count

**Returns:**

byte-in message count

---

## getMessagesOutCount

```
public long getMessagesOutCount()
```

Get byte-out message count

**Returns:**

byte-out message count

---

## getMessagesLossCount

```
public long getMessagesLossCount()
```

Get byte-loss message count

**Returns:**

byte-loss message count

---

## getMessagesInBytes

```
public long getMessagesInBytes()
```

Get byte-in bytes

**Returns:**

byte-in bytes

---

## getFileInBytes

```
public long getFileInBytes()
```

Get file in bytes

**Returns:**

file in bytes

---

(continued from last page)

## getMessagesOutBytes

```
public long getMessagesOutBytes()
```

Get byte-out bytes

**Returns:**

byte-out bytes

---

## getFileOutBytes

```
public long getFileOutBytes()
```

Get file byte-out bytes (not implemented)

**Returns:**

byte-out bytes

---

## getMessagesLossBytes

```
public long getMessagesLossBytes()
```

Get byte-loss bytes

**Returns:**

byte-loss bytes

---

## getMessagesInCountRate

```
public long getMessagesInCountRate()
```

Get estimate of byte-in message count rate.

**Returns:**

estimate of byte-in message count rate (messages per second)

---

## getMessagesOutCountRate

```
public long getMessagesOutCountRate()
```

Get estimate of byte-out message count rate.

**Returns:**

estimate of byte-out message count rate (messages per second)

---

## getMessagesLossCountRate

```
public long getMessagesLossCountRate()
```

Get estimate of byte-loss message count rate.

**Returns:**

estimate of byte-loss message count rate (messages per second)

---

## getMessagesInBytesRate

```
public double getMessagesInBytesRate()
```



(continued from last page)

Get estimate of byte-in message byte rate.

**Returns:**

estimate of byte-in message byte rate (bytes per second)

---

**getFileInBytesRate**

```
public double getFileInBytesRate()
```

Get estimate of file byte-in byte rate.

**Returns:**

estimate of file byte-in byte rate (bytes per second)

---

**getMessagesOutBytesRate**

```
public double getMessagesOutBytesRate()
```

Get estimate of byte-out message byte rate.

**Returns:**

estimate of byte-out message byte rate (bytes per second)

---

**getFileOutBytesRate**

```
public double getFileOutBytesRate()
```

Get estimate of file byte-out message byte rate (not implemented).

**Returns:**

estimate of file byte-out message byte rate (bytes per second)

---

**getMessagesLossBytesRate**

```
public double getMessagesLossBytesRate()
```

Get estimate of byte-loss message byte rate.

**Returns:**

estimate of byte-loss message byte rate (bytes per second)

---

**dummy**

```
public void dummy()
```

---

**isDebugLog**

```
public boolean isDebugLog()
```

---

**setDebugLog**

```
public void setDebugLog(boolean debugLog)
```

## com.wowza.util Class MD5DigestUtils

java.lang.Object

└─com.wowza.util.MD5DigestUtils

public class **MD5DigestUtils**  
extends Object

MD5DigestUtils: MD5 hash utilities.

### Field Summary

protected static	<a href="#">md5Digest</a>
protected static	<a href="#">md5Lock</a>

### Constructor Summary

public	<a href="#">MD5DigestUtils()</a>
--------	----------------------------------

### Method Summary

static String	<a href="#">generateAuth</a> (String method, String uri, String username, String password, String realm, String nonce) Generate an HTTP authorization response
static String	<a href="#">generateAuth</a> (String a2Hash, String alHash, String realm, String nonce, String qop, String nonceCount, String cnonce) Generate an HTTP authorization response
static String	<a href="#">generateAuth</a> (String method, String uri, String alHash, String realm, String nonce, String qop, String nonceCount, String cnonce) Generate an HTTP authorization response
static String	<a href="#">generateAuth</a> (String method, String uri, String username, String password, String realm, String nonce, String qop, String nonceCount, String cnonce) Generate an HTTP authorization response
static String	<a href="#">generateAuthHTTP</a> (String method, String uri, String username, String password, String realm, String nonce, String qop, String nonceCount, String cnonce) Generate an HTTP authorization response
static String	<a href="#">generateHash</a> (String value) Generate MD5 hash
static byte[]	<a href="#">generateHashBytes</a> (byte[] value) Generate MD5 hash
static byte[]	<a href="#">generateHashBytes</a> (String value) Generate MD5 hash

**Methods inherited from class** `java.lang.Object``clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

---

## Fields

### **md5Digest**

`protected static java.security.MessageDigest md5Digest`

---

### **md5Lock**

`protected static java.lang.Object md5Lock`

---

## Constructors

### **MD5DigestUtils**

`public MD5DigestUtils()`

---

## Methods

### **generateAuth**

```
public static String generateAuth(String method,
    String uri,
    String username,
    String password,
    String realm,
    String nonce)
```

Generate an HTTP authorization response

**Parameters:**

method - method  
uri - URI  
username - username  
password - password  
realm - realm  
nonce - nonce

**Returns:**

auth response

---

(continued from last page)

## generateAuth

```
public static String generateAuth(String method,  
    String uri,  
    String username,  
    String password,  
    String realm,  
    String nonce,  
    String qop,  
    String nonceCount,  
    String cnonce)
```

Generate an HTTP authorization response

**Parameters:**

method - method  
uri - URI  
username - username  
password - password  
realm - realm  
nonce - nonce  
qop - qop  
nonceCount - nonceCount  
cnonce - cnonce

**Returns:**

auth response

---

## generateAuthHTTP

```
public static String generateAuthHTTP(String method,  
    String uri,  
    String username,  
    String password,  
    String realm,  
    String nonce,  
    String qop,  
    String nonceCount,  
    String cnonce)
```

Generate an HTTP authorization response

**Parameters:**

method - method  
uri - URI  
username - username  
password - password  
realm - realm  
nonce - nonce  
qop - qop  
nonceCount - nonceCount  
cnonce - cnonce

**Returns:**

response

---

(continued from last page)

## generateAuth

```
public static String generateAuth(String method,  
    String uri,  
    String alHash,  
    String realm,  
    String nonce,  
    String qop,  
    String nonceCount,  
    String cnonce)
```

Generate an HTTP authorization response

### Parameters:

method - method  
uri - URI  
alHash - alHash  
realm - realm  
nonce - nonce  
qop - qop  
nonceCount - nonceCount  
cnonce - cnonce

### Returns:

auth

---

## generateAuth

```
public static String generateAuth(String a2Hash,  
    String alHash,  
    String realm,  
    String nonce,  
    String qop,  
    String nonceCount,  
    String cnonce)
```

Generate an HTTP authorization response

### Parameters:

a2Hash - a2Hash  
alHash - alHash  
realm - realm  
nonce - nonce  
qop - qop  
nonceCount - nonceCount  
cnonce - cnonce

### Returns:

auth

---

## generateHashBytes

```
public static byte[] generateHashBytes(byte[] value)
```

Generate MD5 hash

### Parameters:

value - byte array to hash

### Returns:

byte array result

## generateHashBytes

```
public static byte[] generateHashBytes(String value)
```

Generate MD5 hash

**Parameters:**

value - in string converted to byte array (UTF-8)

**Returns:**

byte array result

---

## generateHash

```
public static String generateHash(String value)
```

Generate MD5 hash

**Parameters:**

value - in string converted to byte array (UTF-8)

**Returns:**

hash as binhex string

---

## com.wowza.util Class MediaUtils

java.lang.Object

└─com.wowza.util.MediaUtils

public class **MediaUtils**  
extends Object

MediaUtils: Media utilities.

### Field Summary

public static final	<a href="#">CODECSTR_FORMAT_VIDEO_POSTIOS4</a> Value: <b>2</b>
public static final	<a href="#">CODECSTR_FORMAT_VIDEO_PREIOS4</a> Value: <b>1</b>
public static final	<a href="#">CODECSTR_FORMAT_VIDEO_UNKNOWN</a> Value: <b>0</b>

### Constructor Summary

public	<a href="#">MediaUtils()</a>
--------	------------------------------

### Method Summary

static String	<a href="#">audioCodecTypeToString</a> (int codecType) Audio codec ID to string.
static String	<a href="#">videoCodecTypeToString</a> (int codecType) Video codec ID to string.

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Fields

#### CODECSTR\_FORMAT\_VIDEO\_UNKNOWN

public static final int **CODECSTR\_FORMAT\_VIDEO\_UNKNOWN**

Constant value: **0**

---

## CODECSTR\_FORMAT\_VIDEO\_PREIOS4

```
public static final int CODECSTR_FORMAT_VIDEO_PREIOS4
```

Constant value: **1**

---

## CODECSTR\_FORMAT\_VIDEO\_POSTIOS4

```
public static final int CODECSTR_FORMAT_VIDEO_POSTIOS4
```

Constant value: **2**

---

## Constructors

### MediaUtils

```
public MediaUtils()
```

## Methods

### audioCodecTypeToString

```
public static String audioCodecTypeToString(int codecType)
```

Audio codec ID to string. See IVHost.CODEC\_AUDIO\_\*

**Parameters:**

codecType - codec id. See IVHost.CODEC\_AUDIO\_\*

**Returns:**

codec string

---

### videoCodecTypeToString

```
public static String videoCodecTypeToString(int codecType)
```

Video codec ID to string. See IVHost.CODEC\_VIDEO\_\*

**Parameters:**

codecType - codec id. See IVHost.CODEC\_VIDEO\_\*

**Returns:**

codec string

---



## com.wowza.util Class NetworkUtils

java.lang.Object

└─com.wowza.util.NetworkUtils

public class **NetworkUtils**  
extends Object

NetworkUtils: Networking utilities.

### Constructor Summary

public	<a href="#">NetworkUtils()</a>
--------	--------------------------------

### Method Summary

static boolean	<a href="#">isAddressMulticast(String IpAddress)</a> Returns true if IP address is multicast address
----------------	---

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### NetworkUtils

public **NetworkUtils**()

### Methods

#### isAddressMulticast

public static boolean **isAddressMulticast**(String IpAddress)

Returns true if IP address is multicast address

**Parameters:**

IpAddress - IP address

**Returns:**

true if IP address is multicast address

## com.wowza.util Interface NoMBean

---

public interface **NoMBean**  
extends `Annotation`

Annotation for excluding a method from the JMX interface. Below is an example of how it would be used

```
import com.wowza.util.NoMBean;
import com.wowza.wms.module.*;

class MyClass extends ModuleBase
{
    @NoMBean public void myMethod()
    {
    }
}
```

---

Methods inherited from interface <code>java.lang.annotation.Annotation</code>
---

<code>annotationType</code> , <code>equals</code> , <code>hashCode</code> , <code>toString</code>
---

---

## com.wowza.util Class StringUtils

java.lang.Object

└─com.wowza.util.StringUtils

public class **StringUtils**  
extends Object

StringUtils: utility class of String utilities.

### Constructor Summary

public	<a href="#">StringUtils()</a>
--------	-------------------------------

### Method Summary

static boolean	<a href="#">equals</a> (String s1, String s2) Checks if 2 strings are equals, accounting for null cases.
static String	<a href="#">intToHexStr</a> (int value, int strLen)
static String	<a href="#">intToStr</a> (int value, int strLen)
static boolean	<a href="#">isEmpty</a> (String s) Checks if string is empty, handling null String case.
static int	<a href="#">length</a> (String s) Returns string length, handling null String case as length of 0.
static String	<a href="#">longToHexStr</a> (long value, int strLen)
static String	<a href="#">longToStr</a> (long value, int strLen)
static String	<a href="#">stampToString</a> (long stamp) Convert a duration (milliseconds) to a formatted string.
static String	<a href="#">stampToStringNoUnits</a> (long stamp) Convert a duration (milliseconds) to a formatted string.
static long	<a href="#">stringToMilliseconds</a> (String stamp) Convert a hh:mm:ss.SSS string to milliseconds
static String	<a href="#">toStringList</a> (java.util.List strings) Convert list of Strings to comma-separated string
static String	<a href="#">toStringList</a> ( <a href="#">WMSProperties</a> properties) Convert properties to comma-separated string
static String	<a href="#">valueOf</a> (String s) Returns string, handling null String case as "".

**Methods inherited from class** `java.lang.Object``clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

---

## Constructors

### StringUtils

```
public StringUtils()
```

---

## Methods

### intToStr

```
public static String intToStr(int value,  
                               int strLen)
```

---

### intToHexStr

```
public static String intToHexStr(int value,  
                                   int strLen)
```

---

### longToStr

```
public static String longToStr(long value,  
                                int strLen)
```

---

### longToHexStr

```
public static String longToHexStr(long value,  
                                    int strLen)
```

---

### isEmpty

```
public static boolean isEmpty(String s)
```

Checks if string is empty, handling null String case.

**Parameters:**

`s`

**Returns:**

false if string is null or "", true otherwise

---

(continued from last page)

## length

```
public static int length(String s)
```

Returns string length, handling null String case as length of 0.

**Parameters:**

s

**Returns:**

0 if string is null, or length of string.

---

## valueOf

```
public static String valueOf(String s)
```

Returns string, handling null String case as "".

**Parameters:**

s

**Returns:**

"" if string is null, or string value.

---

## stampToString

```
public static String stampToString(long stamp)
```

Convert a duration (milliseconds) to a formatted string.

**Parameters:**

stamp - duration (milliseconds)

**Returns:**

formatted string (example: 3 days 4 minutes 1 seconds)

---

## stampToStringNoUnits

```
public static String stampToStringNoUnits(long stamp)
```

Convert a duration (milliseconds) to a formatted string.

**Parameters:**

stamp - duration (milliseconds)

**Returns:**

formatted string (example: 03:04:01.123 hours:minutes:seconds.milliseconds)

---

## stringToMilliseconds

```
public static long stringToMilliseconds(String stamp)
```

Convert a hh:mm:ss.SSS string to milliseconds

**Parameters:**

stamp - string (hours:minutes:seconds.milliseconds)

**Returns:**

milliseconds, -1 is parse failed

---

## equals

```
public static boolean equals(String s1,  
                             String s2)
```

Checks if 2 strings are equals, accounting for null cases. If both are null, they are considered equal.

**Parameters:**

s1 - string one  
s2 - string 2

**Returns:**

true is the strings are equal

---

## toStringList

```
public static String toStringList(WMSProperties properties)
```

Convert properties to comma-separated string

**Parameters:**

properties

**Returns:**

comma-separated string

---

## toStringList

```
public static String toStringList(java.util.List strings)
```

Convert list of Strings to comma-separated string

**Parameters:**

strings

**Returns:**

comma-separated string

---

## com.wowza.util Class SystemUtils

java.lang.Object

└─com.wowza.util.SystemUtils

public class **SystemUtils**  
extends Object

### Nested Class Summary

class	<a href="#">SystemUtils.ReplaceItem</a> SystemUtils.ReplaceItem
-------	--

### Field Summary

public static final	<a href="#">defaultLocale</a>
public static final	<a href="#">defaultTimeZone</a>
public static final	<a href="#">gmtTimeZone</a>
protected static final	<a href="#">msb0baseTime</a> Value: <b>2085978496000</b>
protected static final	<a href="#">msblbaseTime</a> Value: <b>-2208988800000</b>

### Constructor Summary

public	<a href="#">SystemUtils()</a>
--------	-------------------------------

### Method Summary

static void	<a href="#">addBouncyCastleSecurityProvider()</a> Load bouncy castle providers, Internal use.
static String	<a href="#">expandEnvironmentVariables</a> (String inValue) Expand system level Java properties in a String in the form \${property-name}
static String	<a href="#">expandEnvironmentVariables</a> (String inValue, java.util.Map valueMap) Expand system level Java properties in a String in the form \${property-name}.
static long	<a href="#">getCpuTime</a> () Get CPU time in nanoseconds.
static byte[]	<a href="#">getMACAddress</a> () Get MAC address of localhost interface (only works on Java 6 or greater)

static long	<a href="#"><code>getSystemTime()</code></a> Get system time in nanoseconds.
static long	<a href="#"><code>getUserTime()</code></a> Get user time in nanoseconds.
static long	<a href="#"><code>toNTPTime(long t)</code></a> Convert a timecode value in milliseconds to NTP time

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Fields

### `defaultTimeZone`

`public static final java.util.TimeZone defaultTimeZone`

### `gmtTimeZone`

`public static final java.util.TimeZone gmtTimeZone`

### `defaultLocale`

`public static final java.util.Locale defaultLocale`

### `msb0baseTime`

`protected static final long msb0baseTime`

Constant value: **2085978496000**

### `msb1baseTime`

`protected static final long msb1baseTime`

Constant value: **-2208988800000**

## Constructors

### `SystemUtils`

`public SystemUtils()`



(continued from last page)

## Methods

### expandEnvironmentVariables

```
public static String expandEnvironmentVariables(String inValue)
```

Expand system level Java properties in a String in the form `${property-name}`

**Parameters:**

inValue - string with properties

**Returns:**

expanded string

---

### expandEnvironmentVariables

```
public static String expandEnvironmentVariables(String inValue,  
        java.util.Map valueMap)
```

Expand system level Java properties in a String in the form `${property-name}`. You can also pass in a map of name/value pairs that will expand the list of available properties

**Parameters:**

inValue - string with properties

valueMap - name/value pair map

**Returns:**

expanded string

---

### getMACAddress

```
public static byte[] getMACAddress()
```

Get MAC address of localhost interface (only works on Java 6 or greater)

**Returns:**

MAC address of localhost interface

---

### addBouncyCastleSecurityProvider

```
public static void addBouncyCastleSecurityProvider()
```

Load bouncy castle providers, Internal use.

---

### toNTPTime

```
public static long toNTPTime(long t)
```

Convert a timecode value in milliseconds to NTP time

**Parameters:**

t - timecode value in milliseconds

**Returns:**

NTP time

(continued from last page)

## **getCpuTime**

```
public static long getCpuTime()
```

Get CPU time in nanoseconds.

---

## **getUserTime**

```
public static long getUserTime()
```

Get user time in nanoseconds.

---

## **getSystemTime**

```
public static long getSystemTime()
```

Get system time in nanoseconds.

## com.wowza.util Class SystemUtils.ReplaceItem

java.lang.Object

└─com.wowza.util.SystemUtils.ReplaceItem

public static class **SystemUtils.ReplaceItem**  
extends Object

### Field Summary

public	<a href="#">end</a>
public	<a href="#">newValue</a>
public	<a href="#">start</a>

### Constructor Summary

public	<a href="#">SystemUtils.ReplaceItem</a> (int start, int stop, String newValue)
--------	--

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Fields

#### start

public int **start**

#### end

public int **end**

#### newValue

public java.lang.String **newValue**

### Constructors

(continued from last page)

## SystemUtils.ReplaceItem

```
public SystemUtils.ReplaceItem(int start,  
                               int stop,  
                               String newValue)
```

## com.wowza.util Class URLUtils

java.lang.Object

└─com.wowza.util.URLUtils

public final class **URLUtils**  
extends Object

Class to deal with URLs

### Constructor Summary

public	<a href="#">URLUtils()</a>
--------	----------------------------

### Method Summary

static String	<a href="#">appendParamsToUrl</a> (String url, String params) Convenience call to add parameters to a url.
static String	<a href="#">decodeValue</a> (String val) Wrapper for URLDecoder.decode(val, "UTF-8");
static String	<a href="#">encodeValue</a> (String val) Wrapper for URLEncoder.encode(val, "UTF-8");
static String	<a href="#">getParamValue</a> (java.util.Map params, String key) Helper funtion to get single value from multiple value parameter Map
static java.util.Map	<a href="#">parseQueryStr</a> (String queryString, boolean doDecode) Parse query string part of url into Map of Lists (to support multiple values) of query parameters
static String	<a href="#">pathToFileURL</a> (String basePath) Convert a path to a url (file://[path])
static String	<a href="#">urlToId</a> (java.net.URL url) Create a MD5 message digest hash of a url

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### URLUtils

public **URLUtils**()

(continued from last page)

## Methods

### pathToFileURL

```
public static String pathToFileURL(String basePath)
```

Convert a path to a url (file://[path])

**Parameters:**

basePath - path

**Returns:**

file url

### urlToId

```
public static String urlToId(java.net.URL url)
```

Create a MD5 message digest hash of a url

**Parameters:**

url - url to hash

**Returns:**

hashed url

### appendParamsToUrl

```
public static String appendParamsToUrl(String url,  
    String params)
```

Convenience call to add parameters to a url. If already has ? add &.

**Parameters:**

url - input url

params - parameters in the form param1=val1&param2=val2

**Returns:**

appended url

### encodeValue

```
public static String encodeValue(String val)
```

Wrapper for URLEncoder.encode(val, "UTF-8");

**Parameters:**

val - value to encode

**Returns:**

encoded value

### decodeValue

```
public static String decodeValue(String val)
```

Wrapper for URLDecoder.decode(val, "UTF-8");

(continued from last page)

**Parameters:**

val - value to decode

**Returns:**decoded value

---

## parseQueryStr

```
public static java.util.Map parseQueryStr(String queryString,  
                                           boolean doDecode)
```

Parse query string part of url into Map of Lists (to support multiple values) of query parameters

**Parameters:**

queryString - query string

doDecode - true to use URLDecoder.decode() to decode parameters

**Returns:**Map of Lists

---

## getParamValue

```
public static String getParamValue(java.util.Map params,  
                                     String key)
```

Helper funtion to get single value from multiple value parameter Map

**Parameters:**

params - params Map

key - key string

**Returns:**first value

---

## com.wowza.util Class XMLUtils

java.lang.Object

└─com.wowza.util.XMLUtils

public class **XMLUtils**  
extends Object

XMLUtils: utility class for parsing XML files.

### Constructor Summary

public	<a href="#">XMLUtils()</a>
--------	----------------------------

### Method Summary

static org.w3c.dom.Node	<a href="#">getNodeByTagName</a> (org.w3c.dom.Element node, String name) Return a child Node by tag name.
static String	<a href="#">getNodeValue</a> (org.w3c.dom.Node node) Return the text value of a node.
static String	<a href="#">getNodeValueByTagName</a> (org.w3c.dom.Element node, String name) Get a child Node value by tag name.
static boolean	<a href="#">getXMLPropertyBool</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, boolean defaultVal) Get a boolean int value pointed to by xpath or defaultVal if not found.
static double	<a href="#">getXMLPropertyDouble</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, double defaultVal) Get a single double value pointed to by xpath or defaultVal if not found.
static boolean	<a href="#">getXMLPropertyExists</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root)
static int	<a href="#">getXMLPropertyInt</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, int defaultVal) Get a single int value pointed to by xpath or defaultVal if not found.
static int	<a href="#">getXMLPropertyIntSize</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, int defaultVal)
static long	<a href="#">getXMLPropertyLong</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, long defaultVal) Get a single long value pointed to by xpath or defaultVal if not found.
static long	<a href="#">getXMLPropertyLongSize</a> (javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, long defaultVal)



static String	<a href="#">getXMLPropertyStr</a> ( javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root) Get a single string value pointed to by xpath or null if not found.
static String	<a href="#">getXMLPropertyStr</a> ( javax.xml.xpath.XPath xpath, String xpathStr, org.w3c.dom.Element root, String defaultVal) Get a single string value pointed to by xpath or defaultVal if not found.
static void	<a href="#">loadConfigProperties</a> (org.w3c.dom.Element root, String propertiesXPath, <a href="#">WMSProperties</a> properties) Loads <Properties> elemnt by xpath into properties object.
static void	<a href="#">loadConfigProperties</a> (org.w3c.dom.NodeList resultList, <a href="#">WMSProperties</a> properties) Given a nodeList load children as properties.
static javax.xml.xpath.XPath Factory	<a href="#">newXPathFactory</a> () Get a new XPath factory object.

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### XMLUtils

public **XMLUtils**()

## Methods

### getNodeValueByTagName

public static String **getNodeValueByTagName**(org.w3c.dom.Element node, String name)

Get a child Node value by tag name. Return null if does not exist.

#### Parameters:

node - parent node  
name - tag name

#### Returns:

node value or null if does not exist

### getNodeByTagName

public static org.w3c.dom.Node **getNodeByTagName**(org.w3c.dom.Element node, String name)

Return a child Node by tag name. Return null if does not exist.

#### Parameters:

node - parent node

(continued from last page)

name - tag name

**Returns:**

Node or null if does not exist

---

## getNodeValue

```
public static String getNodeValue(org.w3c.dom.Node node)
```

Return the text value of a node. Return concatenated value of all children nodes that are text nodes.

**Parameters:**

node - parent node

**Returns:**

concatenated text nodes or empty string if not found or no children

---

## loadConfigProperties

```
public static void loadConfigProperties(org.w3c.dom.Element root,  
    String propertiesXPath,  
    WMSProperties properties)
```

Loads <Properties> elemnt by xpath into properties object.

**Parameters:**

root - root node

propertiesXPath - xpath to search for <Properties> element

properties - properties to add values to

---

## loadConfigProperties

```
public static void loadConfigProperties(org.w3c.dom.NodeList resultList,  
    WMSProperties properties)
```

Given a nodeList load children as properties.

**Parameters:**

resultList - node list

properties - properties to add values to

---

## getXMLPropertyStr

```
public static String getXMLPropertyStr(javax.xml.xpath.XPath xpath,  
    String xpathStr,  
    org.w3c.dom.Element root)
```

Get a single string value pointed to by xpath or null if not found.

**Parameters:**

xpath - XPath interface

xpathStr - xpath string

root - root node to start search

**Returns:**

single string value pointed to by xpath or null if not found

---

(continued from last page)

## getXMLPropertyStr

```
public static String getXMLPropertyStr( javax.xml.xpath.XPath xpath,
    String xpathStr,
    org.w3c.dom.Element root,
    String defaultVal)
```

Get a single string value pointed to by xpath or defaultVal if not found.

### Parameters:

xpath - XPath interface  
xpathStr - xpath string  
root - node to start search  
defaultVal - default value

### Returns:

single string value pointed to by xpath or defaultVal if not found

---

## getXMLPropertyExists

```
public static boolean getXMLPropertyExists( javax.xml.xpath.XPath xpath,
    String xpathStr,
    org.w3c.dom.Element root)
```

---

## getXMLPropertyInt

```
public static int getXMLPropertyInt( javax.xml.xpath.XPath xpath,
    String xpathStr,
    org.w3c.dom.Element root,
    int defaultVal)
```

Get a single int value pointed to by xpath or defaultVal if not found.

### Parameters:

xpath - XPath interface  
xpathStr - xpath string  
root - node to start search  
defaultVal - default value

### Returns:

int value or defaultVal if not found

---

## getXMLPropertyIntSize

```
public static int getXMLPropertyIntSize( javax.xml.xpath.XPath xpath,
    String xpathStr,
    org.w3c.dom.Element root,
    int defaultVal)
```

---

## getXMLPropertyLong

```
public static long getXMLPropertyLong( javax.xml.xpath.XPath xpath,
    String xpathStr,
    org.w3c.dom.Element root,
    long defaultVal)
```

Get a single long value pointed to by xpath or defaultVal if not found.

---

(continued from last page)

**Parameters:**

xpath - XPath interface  
xpathStr - xpath string  
root - node to start search  
defaultVal - default value

**Returns:**

long value or defaultVal if not found

---

## getXMLPropertyLongSize

```
public static long getXMLPropertyLongSize( javax.xml.xpath.XPath xpath,
      String xpathStr,
      org.w3c.dom.Element root,
      long defaultVal)
```

---

## getXMLPropertyDouble

```
public static double getXMLPropertyDouble( javax.xml.xpath.XPath xpath,
      String xpathStr,
      org.w3c.dom.Element root,
      double defaultVal)
```

Get a single double value pointed to by xpath or defaultVal if not found.

**Parameters:**

xpath - XPath interface  
xpathStr - xpath string  
root - node to start search  
defaultVal - default value

**Returns:**

double value or defaultVal if not found

---

## getXMLPropertyBool

```
public static boolean getXMLPropertyBool( javax.xml.xpath.XPath xpath,
      String xpathStr,
      org.w3c.dom.Element root,
      boolean defaultVal)
```

Get a boolean int value pointed to by xpath or defaultVal if not found.

**Parameters:**

xpath - XPath interface  
xpathStr - xpath string  
root - node to start search  
defaultVal - default value

**Returns:**

boolean value or defaultVal if not found

---

## newXPathFactory

```
public static javax.xml.xpath.XPathFactory newXPathFactory()
```

---

(continued from last page)

Get a new XPath factory object. There is a bug in certain implementations of the Sun VM that forces an explicit creation of the "com.sun.org.apache.xpath.internal.jaxp.XPathFactoryImpl". This method will try the correct method for creation and if fails will directly create "com.sun.org.apache.xpath.internal.jaxp.XPathFactoryImpl" object.

**Returns:**

XPathFactory or null if not found

---

Package

**com.wowza.wms.amf**

## com.wowza.wms.amf

### Class AMF3Utils

java.lang.Object

└─com.wowza.wms.amf.AMF3Utils

public class **AMF3Utils**  
extends Object

AMF3 utilities

#### Constructor Summary

public	<a href="#">AMF3Utils()</a>
--------	-----------------------------

#### Method Summary

static java.util.Date	<a href="#">deserializeDate</a> (java.nio.ByteBuffer data) Deserialize date type
static int	<a href="#">deserializeInt</a> (java.nio.ByteBuffer data) Deserialize int
static String	<a href="#">deserializeString</a> (java.nio.ByteBuffer data) Deserialize string
static String	<a href="#">deserializeString</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Deserialize string
static String	<a href="#">deserializeString</a> (java.nio.ByteBuffer data, int utflen) Deserialize string
static int	<a href="#">serializeDate</a> (java.io.DataOutputStream out, java.util.Date date) Serialize a date object
static int	<a href="#">serializeInt</a> (java.io.DataOutputStream out, int val) Serialize int value
static int	<a href="#">serializeString</a> (java.io.DataOutputStream out, String str) Serialize a string value
static int	<a href="#">serializeStringNoLength</a> (java.io.DataOutputStream out, String str) Serialize string but do not write the length
static void	<a href="#">serializeZeroLengthString</a> (java.io.DataOutputStream out) Serialize empty string

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### AMF3Utils

```
public AMF3Utils()
```

## Methods

### deserializeDate

```
public static java.util.Date deserializeDate(java.nio.ByteBuffer data)
```

Deserialize date type

**Parameters:**

data - buffer

**Returns:**

date

---

### serializeDate

```
public static int serializeDate(java.io.DataOutputStream out,  
    java.util.Date date)
```

Serialize a date object

**Parameters:**

out - output stream

date - date

**Returns:**

number of bytes written

---

### deserializeInt

```
public static int deserializeInt(java.nio.ByteBuffer data)
```

Deserialize int

**Parameters:**

data - buffer

**Returns:**

int value

---

### serializeInt

```
public static int serializeInt(java.io.DataOutputStream out,  
    int val)
```

Serialize int value

**Parameters:**



(continued from last page)

out - output stream  
val - int value

**Returns:**

number of bytes written

---

## deserializeString

```
public static String deserializeString(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)  
    throws java.io.IOException
```

Deserialize string

**Parameters:**

data - data  
context - AMF context

**Returns:**

string value

**Throws:**

IOException

---

## deserializeString

```
public static String deserializeString(java.nio.ByteBuffer data)  
    throws java.io.IOException
```

Deserialize string

**Parameters:**

data - data

**Returns:**

string value

**Throws:**

IOException

---

## deserializeString

```
public static String deserializeString(java.nio.ByteBuffer data,  
    int utflen)  
    throws java.io.IOException
```

Deserialize string

**Parameters:**

data - data  
utflen - len of the string

**Returns:**

string value

**Throws:**

IOException

(continued from last page)

## serializeZeroLengthString

```
public static void serializeZeroLengthString(java.io.DataOutputStream out)
```

Serialize empty string

**Parameters:**

out - output stream

---

## serializeStringNoLength

```
public static int serializeStringNoLength(java.io.DataOutputStream out,  
    String str)  
throws java.io.IOException
```

Serialize string but do not write the length

**Parameters:**

out - output stream

str - string value

**Returns:**

number of bytes written

**Throws:**

IOException

---

## serializeString

```
public static int serializeString(java.io.DataOutputStream out,  
    String str)  
throws java.io.IOException
```

Serialize a string value

**Parameters:**

out - output stream

str - string value

**Returns:**

number of bytes written

**Throws:**

IOException

---

## com.wowza.wms.amf

### Class AMFData

```
java.lang.Object
```

```
└--com.wowza.wms.amf.AMFData
```

Direct Known Subclasses:

[AMFDataObj](#), [AMFDataList](#), [AMFDataItem](#), [AMFDataByteArray](#), [AMFDataArray](#)

```
public abstract class AMFData
extends Object
```

Base abstract class for data in Action Message Format (AMF). Data is sent between the Flash client and the Wowza Media Server using the AMF format. This class cannot be instantiated. It serves as the base class for all AMFData objects.

#### Field Summary

public static final	<a href="#">AMF_LEVEL0</a> Value: <b>0</b>
public static final	<a href="#">AMF_LEVEL3</a> Value: <b>3</b>
public static final	<a href="#">DATA_TYPE_AMF3</a> Value: <b>17</b>
public static final	<a href="#">DATA_TYPE_AMF3_ARRAY</a> Value: <b>9</b>
public static final	<a href="#">DATA_TYPE_AMF3_BOOLEAN_FALSE</a> Value: <b>2</b>
public static final	<a href="#">DATA_TYPE_AMF3_BOOLEAN_TRUE</a> Value: <b>3</b>
public static final	<a href="#">DATA_TYPE_AMF3_BYTEARRAY</a> Value: <b>12</b>
public static final	<a href="#">DATA_TYPE_AMF3_DATE</a> Value: <b>8</b>
public static final	<a href="#">DATA_TYPE_AMF3_INTEGER</a> Value: <b>4</b>
public static final	<a href="#">DATA_TYPE_AMF3_NULL</a> Value: <b>1</b>

public static final	<a href="#"><u>DATA_TYPE_AMF3_NUMBER</u></a> Value: <b>5</b>
public static final	<a href="#"><u>DATA_TYPE_AMF3_OBJECT</u></a> Value: <b>10</b>
public static final	<a href="#"><u>DATA_TYPE_AMF3_STRING</u></a> Value: <b>6</b>
public static final	<a href="#"><u>DATA_TYPE_AMF3_UNDEFINED</u></a> Value: <b>0</b>
public static final	<a href="#"><u>DATA_TYPE_AMF3_XML_LEGACY</u></a> Value: <b>7</b>
public static final	<a href="#"><u>DATA_TYPE_AMF3_XML_TOP</u></a> Value: <b>11</b>
public static final	<a href="#"><u>DATA_TYPE_ARRAY</u></a> Value: <b>10</b>
public static final	<a href="#"><u>DATA_TYPE_AS_OBJECT</u></a> Value: <b>13</b>
public static final	<a href="#"><u>DATA_TYPE_BOOLEAN</u></a> Value: <b>1</b>
public static final	<a href="#"><u>DATA_TYPE_BYTEARRAY</u></a> Value: <b>33</b>
public static final	<a href="#"><u>DATA_TYPE_CUSTOM_CLASS</u></a> Value: <b>16</b>
public static final	<a href="#"><u>DATA_TYPE_DATE</u></a> Value: <b>11</b>
public static final	<a href="#"><u>DATA_TYPE_INTEGER</u></a> Value: <b>32</b>
public static final	<a href="#"><u>DATA_TYPE_LONG_STRING</u></a> Value: <b>12</b>
public static final	<a href="#"><u>DATA_TYPE_MIXED_ARRAY</u></a> Value: <b>8</b>
public static final	<a href="#"><u>DATA_TYPE_MOVIE_CLIP</u></a> Value: <b>4</b>

public static final	<a href="#">DATA_TYPE_NULL</a> Value: <b>5</b>
public static final	<a href="#">DATA_TYPE_NUMBER</a> Value: <b>0</b>
public static final	<a href="#">DATA_TYPE_OBJECT</a> Value: <b>3</b>
public static final	<a href="#">DATA_TYPE_OBJECT_END</a> Value: <b>9</b>
public static final	<a href="#">DATA_TYPE_RECORDSET</a> Value: <b>14</b>
public static final	<a href="#">DATA_TYPE_REFERENCE_OBJECT</a> Value: <b>7</b>
public static final	<a href="#">DATA_TYPE_STRING</a> Value: <b>2</b>
public static final	<a href="#">DATA_TYPE_UNDEFINED</a> Value: <b>6</b>
public static final	<a href="#">DATA_TYPE_UNKNOWN</a> Value: <b>-1</b>
public static final	<a href="#">DATA_TYPE_XML</a> Value: <b>15</b>
public static final	<a href="#">DATA_TYPE_XML_TOP</a> Value: <b>34</b>
public static final	<a href="#">MILLS_PER_HOUR</a> Number of milliseconds in an hour Value: <b>60000</b>
protected	<a href="#">type</a>

## Constructor Summary

public	<a href="#">AMFData()</a>
--------	---------------------------

## Method Summary

static <a href="#">AMFDataContextDeserialize</a>	<a href="#">createContextDeserialize()</a> Create an AMF3 deserialization context
---	--

static <a href="#">AMFDataContextDeserialize</a>	<a href="#">createContextDeserialize</a> (int objectEncoding) Create an AMF3 deserialization context
static <a href="#">AMFDataContextSerialize</a>	<a href="#">createContextSerialize</a> () Create an AMF3 serialization context
static <a href="#">AMFDataContextSerialize</a>	<a href="#">createContextSerialize</a> (int objectEncoding) Create an AMF3 serialization context
abstract void	<a href="#">deserialize</a> (java.nio.ByteBuffer data) Deserialize data in byte buffer
abstract void	<a href="#">deserialize</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Deserialize data in byte buffer
static <a href="#">AMFData</a>	<a href="#">deserializeInnerObject</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Deserialize next item
static <a href="#">AMFData</a>	<a href="#">getReference</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Get AMF3 object reference
int	<a href="#">getType</a> () Returns the data type for this object
abstract Object	<a href="#">getValue</a> () Convert object to Java native class
static boolean	<a href="#">isAMF3Start</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Returns true if next byte in data is AMF3 start
static boolean	<a href="#">isArrayStart</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Returns true if next byte in data is an array start
static boolean	<a href="#">isByteArrayStart</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Returns true if next byte is ByteArray start
static boolean	<a href="#">isMixedArrayStart</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Returns true if next byte in data is mixed array start
static boolean	<a href="#">isObjEnd</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Returns true if next byte is object end
static boolean	<a href="#">isObjStart</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context) Returns true if next byte in data is object start
static int	<a href="#">peekByte</a> (java.nio.ByteBuffer data) Return the next byte in the buffer without incrementing the data position
abstract byte[]	<a href="#">serialize</a> () Serial object to byte array
abstract byte[]	<a href="#">serialize</a> ( <a href="#">AMFDataContextSerialize</a> context) Serial object to byte array

abstract void	<a href="#">serialize</a> (java.io.DataOutputStream out) Serialize object to output stream
abstract void	<a href="#">serialize</a> (java.io.DataOutputStream out, <a href="#">AMFDataContextSerialize</a> context) Serialize object to output stream
abstract void	<a href="#">serialize</a> (java.io.DataOutputStream out, int objectEncoding) Serialize object to output stream
abstract byte[]	<a href="#">serialize</a> (int objectEncoding) Serial object to byte array
void	<a href="#">setType</a> (int type) Sets the the data type for this object
static int	<a href="#">skipByte</a> (java.nio.ByteBuffer data) Skip forward one byte in the byte buffer
static boolean	<a href="#">testNextByte</a> (java.nio.ByteBuffer data, int test) Peek at the next value in data to see if its the test value
static boolean	<a href="#">triggerAMF3Switch</a> ( <a href="#">AMFData</a> data) Return true if the object is serialized differently in AMF3

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### DATA\_TYPE\_UNKNOWN

```
public static final byte DATA_TYPE_UNKNOWN
```

Constant value: **-1**

### DATA\_TYPE\_NUMBER

```
public static final byte DATA_TYPE_NUMBER
```

Constant value: **0**

### DATA\_TYPE\_BOOLEAN

```
public static final byte DATA_TYPE_BOOLEAN
```

Constant value: **1**

### DATA\_TYPE\_STRING

```
public static final byte DATA_TYPE_STRING
```

(continued from last page)

Constant value: **2**

---

## DATA\_TYPE\_OBJECT

```
public static final byte DATA_TYPE_OBJECT
```

Constant value: **3**

---

## DATA\_TYPE\_MOVIE\_CLIP

```
public static final byte DATA_TYPE_MOVIE_CLIP
```

Constant value: **4**

---

## DATA\_TYPE\_NULL

```
public static final byte DATA_TYPE_NULL
```

Constant value: **5**

---

## DATA\_TYPE\_UNDEFINED

```
public static final byte DATA_TYPE_UNDEFINED
```

Constant value: **6**

---

## DATA\_TYPE\_REFERENCE\_OBJECT

```
public static final byte DATA_TYPE_REFERENCE_OBJECT
```

Constant value: **7**

---

## DATA\_TYPE\_MIXED\_ARRAY

```
public static final byte DATA_TYPE_MIXED_ARRAY
```

Constant value: **8**

---

## DATA\_TYPE\_OBJECT\_END

```
public static final byte DATA_TYPE_OBJECT_END
```

Constant value: **9**

---

## DATA\_TYPE\_ARRAY

```
public static final byte DATA_TYPE_ARRAY
```

Constant value: **10**



(continued from last page)

---

## DATA\_TYPE\_DATE

```
public static final byte DATA_TYPE_DATE
```

Constant value: **11**

---

## DATA\_TYPE\_LONG\_STRING

```
public static final byte DATA_TYPE_LONG_STRING
```

Constant value: **12**

---

## DATA\_TYPE\_AS\_OBJECT

```
public static final byte DATA_TYPE_AS_OBJECT
```

Constant value: **13**

---

## DATA\_TYPE\_RECORDSET

```
public static final byte DATA_TYPE_RECORDSET
```

Constant value: **14**

---

## DATA\_TYPE\_XML

```
public static final byte DATA_TYPE_XML
```

Constant value: **15**

---

## DATA\_TYPE\_CUSTOM\_CLASS

```
public static final byte DATA_TYPE_CUSTOM_CLASS
```

Constant value: **16**

---

## DATA\_TYPE\_AMF3

```
public static final byte DATA_TYPE_AMF3
```

Constant value: **17**

---

## DATA\_TYPE\_INTEGER

```
public static final byte DATA_TYPE_INTEGER
```

Constant value: **32**

---

## DATA\_TYPE\_BYTEARRAY

```
public static final byte DATA_TYPE_BYTEARRAY
```

---

(continued from last page)

Constant value: **33**

---

## DATA\_TYPE\_XML\_TOP

```
public static final byte DATA_TYPE_XML_TOP
```

Constant value: **34**

---

## DATA\_TYPE\_AMF3\_UNDEFINED

```
public static final byte DATA_TYPE_AMF3_UNDEFINED
```

Constant value: **0**

---

## DATA\_TYPE\_AMF3\_NULL

```
public static final byte DATA_TYPE_AMF3_NULL
```

Constant value: **1**

---

## DATA\_TYPE\_AMF3\_BOOLEAN\_FALSE

```
public static final byte DATA_TYPE_AMF3_BOOLEAN_FALSE
```

Constant value: **2**

---

## DATA\_TYPE\_AMF3\_BOOLEAN\_TRUE

```
public static final byte DATA_TYPE_AMF3_BOOLEAN_TRUE
```

Constant value: **3**

---

## DATA\_TYPE\_AMF3\_INTEGER

```
public static final byte DATA_TYPE_AMF3_INTEGER
```

Constant value: **4**

---

## DATA\_TYPE\_AMF3\_NUMBER

```
public static final byte DATA_TYPE_AMF3_NUMBER
```

Constant value: **5**

---

## DATA\_TYPE\_AMF3\_STRING

```
public static final byte DATA_TYPE_AMF3_STRING
```

Constant value: **6**

---

## DATA\_TYPE\_AMF3\_XML\_LEGACY

```
public static final byte DATA_TYPE_AMF3_XML_LEGACY
```

Constant value: **7**

---

## DATA\_TYPE\_AMF3\_DATE

```
public static final byte DATA_TYPE_AMF3_DATE
```

Constant value: **8**

---

## DATA\_TYPE\_AMF3\_ARRAY

```
public static final byte DATA_TYPE_AMF3_ARRAY
```

Constant value: **9**

---

## DATA\_TYPE\_AMF3\_OBJECT

```
public static final byte DATA_TYPE_AMF3_OBJECT
```

Constant value: **10**

---

## DATA\_TYPE\_AMF3\_XML\_TOP

```
public static final byte DATA_TYPE_AMF3_XML_TOP
```

Constant value: **11**

---

## DATA\_TYPE\_AMF3\_BYTEARRAY

```
public static final byte DATA_TYPE_AMF3_BYTEARRAY
```

Constant value: **12**

---

## AMF\_LEVEL0

```
public static final byte AMF_LEVEL0
```

Constant value: **0**

---

## AMF\_LEVEL3

```
public static final byte AMF_LEVEL3
```

Constant value: **3**

---

(continued from last page)

## MILLS\_PER\_HOUR

```
public static final int MILLS_PER_HOUR
```

Number of milliseconds in an hour  
Constant value: **60000**

## type

```
protected int type
```

## Constructors

### AMFData

```
public AMFData()
```

## Methods

### getType

```
public int getType()
```

Returns the data type for this object

**Returns:**

object type DATA\_TYPE\_\*

### setType

```
public void setType(int type)
```

Sets the the data type for this object

**Parameters:**

type - type DATA\_TYPE\_\*

### testNextByte

```
public static boolean testNextByte(java.nio.ByteBuffer data,  
    int test)
```

Peek at the next value in data to see if its the test value

**Parameters:**

data - binary data being deserialized  
test - value being tested

**Returns:**

return true if the next byte in the buffer equals the test value

### peekByte

```
public static int peekByte(java.nio.ByteBuffer data)
```

(continued from last page)

Return the next byte in the buffer without incrementing the data position

**Parameters:**

data - binary data being deserialized

**Returns:**

next byte in buffer

---

## skipByte

```
public static int skipByte(java.nio.ByteBuffer data)
```

Skip forward one byte in the byte buffer

**Parameters:**

data - binary data being deserialized

**Returns:**

next byte in buffer

---

## isObjStart

```
public static boolean isObjStart(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Returns true if next byte in data is object start

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

Returns true if next byte in data is object start

---

## isAMF3Start

```
public static boolean isAMF3Start(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Returns true if next byte in data is AMF3 start

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

Returns true if next byte in data is object start

---

## isArrayStart

```
public static boolean isArrayStart(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Returns true if next byte in data is an array start

**Parameters:**

data - binary data being deserialized  
context - deserialization context

---

(continued from last page)

**Returns:**

Returns true if next byte in data is and array start

---

## isMixedArrayStart

```
public static boolean isMixedArrayStart(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Returns true if next byte in data is mixed array start

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

Returns true if next byte in data is mixed array start

---

## isObjEnd

```
public static boolean isObjEnd(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Returns true if next byte is object end

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

Returns true if next byte in object end

---

## isByteArrayStart

```
public static boolean isByteArrayStart(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Returns true if next byte is ByteArray start

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

true if next byte in object end

---

## getReference

```
public static AMFData getReference(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Get AMF3 object reference

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

null if not a reference else referenced object

## deserializeInnerObject

```
public static AMFData deserializeInnerObject( java.nio.ByteBuffer data,  
        AMFDataContextDeserialize context)  
    throws java.io.IOException
```

Deserialize next item

**Parameters:**

data - binary data being deserialized  
context - deserialization context

**Returns:**

deserialized object

**Throws:**

IOException

---

## createContextSerialize

```
public static AMFDataContextSerialize createContextSerialize()
```

Create an AMF3 serialization context

**Returns:**

AMF3 serialization context

---

## createContextSerialize

```
public static AMFDataContextSerialize createContextSerialize(int objectEncoding)
```

Create an AMF3 serialization context

**Parameters:**

objectEncoding - object encoding level (see AMF\_LEVEL\*)

**Returns:**

AMF3 serialization context

---

## createContextDeserialize

```
public static AMFDataContextDeserialize createContextDeserialize()
```

Create an AMF3 deserialization context

**Returns:**

AMF3 deserialization context

---

## createContextDeserialize

```
public static AMFDataContextDeserialize createContextDeserialize(int objectEncoding)
```

Create an AMF3 deserialization context

**Parameters:**

objectEncoding - object encoding level (see AMF\_LEVEL\*)

**Returns:**

(continued from last page)

## AMF3 deserialization context

---

**serialize**

```
public abstract void serialize(java.io.DataOutputStream out)
```

Serialize object to output stream

**Parameters:**

out - Output stream

---

**serialize**

```
public abstract void serialize(java.io.DataOutputStream out,  
    int objectEncoding)
```

Serialize object to output stream

**Parameters:**

out - Output stream

objectEncoding - object encoding level (see AMF\_LEVEL\*)

---

**serialize**

```
public abstract void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context)
```

Serialize object to output stream

**Parameters:**

out - Output stream

context - serialization context used by AMF3

---

**serialize**

```
public abstract byte[] serialize()
```

Serial object to byte array

**Returns:**

serialized byte array

---

**serialize**

```
public abstract byte[] serialize(int objectEncoding)
```

Serial object to byte array

**Parameters:**

objectEncoding - object encoding level (see AMF\_LEVEL\*)

**Returns:**

serialized byte array

---

**serialize**

```
public abstract byte[] serialize(AMFDataContextSerialize context)
```

Serial object to byte array

---



(continued from last page)

**Parameters:**

context - serialization context used by AMF3

**Returns:**

serialized byte array

---

**deserialize**

```
public abstract void deserialize(java.nio.ByteBuffer data)
```

Deserialize data in byte buffer

**Parameters:**

data - binary data

---

**deserialize**

```
public abstract void deserialize(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

**Parameters:**

data - binary data

context - deserialization context used by AMF3

---

**getValue**

```
public abstract Object getValue()
```

Convert object to Java native class

**Returns:**

java native class

---

**triggerAMF3Switch**

```
public static boolean triggerAMF3Switch(AMFData data)
```

Return true if the object is serialized differently in AMF3

**Parameters:**


data - AMF object

**Returns:**

true if the object is serialized differently in AMF3

## com.wowza.wms.amf Class AMFDataArray

java.lang.Object



```
public class AMFDataArray
extends AMFData
```

AMFDataArray: class for marshalling data between Wowza Pro server and Flash client. This class is a simple ordered array of items.

### Create Array of Strings

```
AMFDataArray amfDataArray = new AMFDataArray();

amfDataArray.add("item1");
amfDataArray.add("item2");
amfDataArray.add("item3");
```

### Iterate Items In Array

```
AMFDataArray amfDataArray;

for(int i=0;i<amfDataArray.size();i++)
{
    AMFData amfData = amfDataArray.get(i);
    WMSLoggerFactory.getLogger(null).debug("amfData.getType(): "+amfData.getType());
}
```

**NOTE:** There is a slight difference between this class and AMFDataList. This class when serialized/deserialized does include the DATA\_TYPE\_ARRAY header (byte) and array size (int).

**NOTE:** Simple arrays created in the Flash player client and sent to the Wowza Pro server are of type [AMFDataMixedArray](#).

Fields inherited from class [com.wowza.wms.amf.AMFData](#)

[AMF\\_LEVEL0](#), [AMF\\_LEVEL3](#), [DATA\\_TYPE\\_AMF3](#), [DATA\\_TYPE\\_AMF3\\_ARRAY](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_FALSE](#),  
[DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_TRUE](#), [DATA\\_TYPE\\_AMF3\\_BYTEARRAY](#), [DATA\\_TYPE\\_AMF3\\_DATE](#),  
[DATA\\_TYPE\\_AMF3\\_INTEGER](#), [DATA\\_TYPE\\_AMF3\\_NULL](#), [DATA\\_TYPE\\_AMF3\\_NUMBER](#), [DATA\\_TYPE\\_AMF3\\_OBJECT](#),  
[DATA\\_TYPE\\_AMF3\\_STRING](#), [DATA\\_TYPE\\_AMF3\\_UNDEFINED](#), [DATA\\_TYPE\\_AMF3\\_XML\\_LEGACY](#),  
[DATA\\_TYPE\\_AMF3\\_XML\\_TOP](#), [DATA\\_TYPE\\_ARRAY](#), [DATA\\_TYPE\\_AS\\_OBJECT](#), [DATA\\_TYPE\\_BOOLEAN](#),  
[DATA\\_TYPE\\_BYTEARRAY](#), [DATA\\_TYPE\\_CUSTOM\\_CLASS](#), [DATA\\_TYPE\\_DATE](#), [DATA\\_TYPE\\_INTEGER](#),  
[DATA\\_TYPE\\_LONG\\_STRING](#), [DATA\\_TYPE\\_MIXED\\_ARRAY](#), [DATA\\_TYPE\\_MOVIE\\_CLIP](#), [DATA\\_TYPE\\_NULL](#),  
[DATA\\_TYPE\\_NUMBER](#), [DATA\\_TYPE\\_OBJECT](#), [DATA\\_TYPE\\_OBJECT\\_END](#), [DATA\\_TYPE\\_RECORDSET](#),  
[DATA\\_TYPE\\_REFERENCE\\_OBJECT](#), [DATA\\_TYPE\\_STRING](#), [DATA\\_TYPE\\_UNDEFINED](#), [DATA\\_TYPE\\_UNKNOWN](#),  
[DATA\\_TYPE\\_XML](#), [DATA\\_TYPE\\_XML\\_TOP](#), [MILLS\\_PER\\_HOUR](#), [type](#)

## Constructor Summary

public	<a href="#">AMFDataArray</a> () Create empty AMFDataArray object
public	<a href="#">AMFDataArray</a> (byte[] data) Deserialize entire data array and create AMFDataArray object
public	<a href="#">AMFDataArray</a> (byte[] data, int offset, int size) Deserialize data array starting at offset for size bytes and create AMFDataArray object
public	<a href="#">AMFDataArray</a> (java.nio.ByteBuffer data) Deserialize entire data array and create AMFDataArray object
public	<a href="#">AMFDataArray</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)

## Method Summary

void	<a href="#">add</a> ( <a href="#">AMFData</a> data) Append a new item onto the array
void	<a href="#">add</a> (boolean data) Append a boolean (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (java.util.Date data) Append a date (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (double data) Append a double (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int data) Append a int (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, <a href="#">AMFData</a> data) Insert an item into the array
void	<a href="#">add</a> (int index, boolean data) Insert a boolean value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, java.util.Date data) Insert a date value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, double data) Insert a double value (will be wrapped in an AMFDataItem object)

void	<a href="#">add</a> (int index, int data) Insert a int value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, long data) Insert a long value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, String data) Insert a string value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (long data) Append a long (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (String data) Append a string (will be wrapped in an AMFDataItem object)
void	<a href="#">deserialize</a> (java.nio.ByteBuffer data)
void	<a href="#">deserialize</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)
<a href="#">AMFData</a>	<a href="#">get</a> (int index) Get item at index
boolean	<a href="#">getBoolean</a> (int index) Get item at index return as boolean
byte	<a href="#">getBytes</a> (int index) Get item at index return as byte
java.util.Date	<a href="#">getDate</a> (int index) Get item at index return as Date
double	<a href="#">getDouble</a> (int index) Get item at index return as double
float	<a href="#">getFloat</a> (int index) Get item at index return as float
int	<a href="#">getInt</a> (int index) Get item at index return as int
long	<a href="#">getLong</a> (int index) Get item at index return as long
<a href="#">AMFDataObj</a>	<a href="#">getObject</a> (int index) Get item at index return as AMFDataObj
short	<a href="#">getShort</a> (int index) Get item at index return as short
String	<a href="#">getString</a> (int index) Get item at index return as String
Object	<a href="#">getValue</a> ( )
<a href="#">AMFData</a>	<a href="#">remove</a> (int index) Remove an item from the array

byte[]	<a href="#">serialize()</a>
byte[]	<a href="#">serialize()</a> ( <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize()</a> (java.io.DataOutputStream out)
void	<a href="#">serialize()</a> (java.io.DataOutputStream out, <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize()</a> (java.io.DataOutputStream out, int objectEncoding)
byte[]	<a href="#">serialize()</a> (int objectEncoding)
void	<a href="#">set()</a> (int index, <a href="#">AMFData</a> data) Set an array item
void	<a href="#">set()</a> (int index, boolean data) Set an boolean value (will be wrapped in an AMFDataItem object)
void	<a href="#">set()</a> (int index, java.util.Date data) Set an date value (will be wrapped in an AMFDataItem object)
void	<a href="#">set()</a> (int index, double data) Set an double value (will be wrapped in an AMFDataItem object)
void	<a href="#">set()</a> (int index, int data) Set an int value (will be wrapped in an AMFDataItem object)
void	<a href="#">set()</a> (int index, long data) Set an long value (will be wrapped in an AMFDataItem object)
void	<a href="#">set()</a> (int index, String data) Set an string value (will be wrapped in an AMFDataItem object)
int	<a href="#">size()</a> Returns the number of items in array
String	<a href="#">toString()</a> Return object as formatted string

#### Methods inherited from class [com.wowza.wms.amf.AMFData](#)

[createContextDeserialize](#), [createContextDeserialize](#), [createContextSerialize](#), [createContextSerialize](#), [deserialize](#), [deserialize](#), [deserializeInnerObject](#), [getReference](#), [getType](#), [getValue](#), [isAMF3Start](#), [isArrayStart](#), [isByteArrayStart](#), [isMixedArrayStart](#), [isObjEnd](#), [isObjStart](#), [peekByte](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setType](#), [skipByte](#), [testNextByte](#), [triggerAMF3Switch](#)

#### Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

## Constructors

(continued from last page)

---

## AMFDataArray

```
public AMFDataArray()
```

Create empty AMFDataArray object

---

## AMFDataArray

```
public AMFDataArray(byte[] data)
```

Deserialize entire data array and create AMFDataArray object

**Parameters:**

data - binary data

---

## AMFDataArray

```
public AMFDataArray(byte[] data,  
                    int offset,  
                    int size)
```

Deserialize data array starting at offset for size bytes and create AMFDataArray object

**Parameters:**

data - binary data

offset - starting offset into data

size - size of data to deserialize

---

## AMFDataArray

```
public AMFDataArray(java.nio.ByteBuffer data)
```

Deserialize entire data array and create AMFDataArray object

**Parameters:**

data - binary data

---

## AMFDataArray

```
public AMFDataArray(java.nio.ByteBuffer data,  
                   AMFDataContextDeserialize context)
```

---

## Methods

### remove

```
public AMFData remove(int index)
```

Remove an item from the array

**Parameters:**

index - index

**Returns:**

delete item or null if not found

---

## size

```
public int size()
```

Returns the number of items in array

### Returns:

number of items in array

---

## add

```
public void add(AMFData data)
```

Append a new item onto the array

### Parameters:

data - AMFData object

---

## add

```
public void add(String data)
```

Append a string (will be wrapped in an AMFDataItem object)

### Parameters:

data - string value

---

## add

```
public void add(double data)
```

Append a double (will be wrapped in an AMFDataItem object)

### Parameters:

data - double value

---

## add

```
public void add(int data)
```

Append a int (will be wrapped in an AMFDataItem object)

### Parameters:

data - int value

---

## add

```
public void add(long data)
```

Append a long (will be wrapped in an AMFDataItem object)

### Parameters:

data - long value

---

## add

```
public void add(java.util.Date data)
```

---

(continued from last page)

Append a date (will be wrapped in an AMFDataItem object)

**Parameters:**

data - date value

---

**add**

```
public void add(boolean data)
```

Append a boolean (will be wrapped in an AMFDataItem object)

**Parameters:**

data - boolean value

---

**add**

```
public void add(int index,  
    AMFData data)
```

Insert an item into the array

**Parameters:**

index - index

data - AMFData object

---

**add**

```
public void add(int index,  
    String data)
```

Insert a string value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index

data - string value

---

**add**

```
public void add(int index,  
    double data)
```

Insert a double value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index

data - double value

---

**add**

```
public void add(int index,  
    int data)
```

Insert a int value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index

data - int value

---



## add

```
public void add(int index,  
                long data)
```

Insert a long value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - long value

---

## add

```
public void add(int index,  
                java.util.Date data)
```

Insert a date value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - date value

---

## add

```
public void add(int index,  
                boolean data)
```

Insert a boolean value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - boolean value

---

## set

```
public void set(int index,  
                AMFData data)
```

Set an array item

**Parameters:**

index - index  
data - AMFData object

---

## set

```
public void set(int index,  
                String data)
```

Set an string value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - string value

---

## set

```
public void set(int index,  
                double data)
```

---

(continued from last page)

Set an double value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - double value

---

**set**

```
public void set(int index,  
                int data)
```

Set an int value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - int value

---

**set**

```
public void set(int index,  
                long data)
```

Set an long value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - long value

---

**set**

```
public void set(int index,  
                java.util.Date data)
```

Set an date value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - date value

---

**set**

```
public void set(int index,  
                boolean data)
```

Set an boolean value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - boolean value

---

**get**

```
public AMFData get(int index)
```

Get item at index

**Parameters:**

index

---

---

(continued from last page)

**Returns:**

Returns AMFData object or null if out of bounds

---

## getString

```
public String getString(int index)
```

Get item at index return as String

**Parameters:**

index

**Returns:**

Return item as String or null if out of bounds

---

## getInt

```
public int getInt(int index)
```

Get item at index return as int

**Parameters:**

index

**Returns:**

Return item as int or 0 if out of bounds

---

## getLong

```
public long getLong(int index)
```

Get item at index return as long

**Parameters:**

index

**Returns:**

Return item as long or 0 if out of bounds

---

## getShort

```
public short getShort(int index)
```

Get item at index return as short

**Parameters:**

index

**Returns:**

Return item as short or 0 if out of bounds

---

## getByte

```
public byte getByte(int index)
```

Get item at index return as byte

**Parameters:**

(continued from last page)

index

**Returns:**

Return item as byte or 0 if out of bounds

---

## getBoolean

```
public boolean getBoolean(int index)
```

Get item at index return as boolean

**Parameters:**

index

**Returns:**

Return item as boolean or false if out of bounds

---

## getDate

```
public java.util.Date getDate(int index)
```

Get item at index return as Date

**Parameters:**

index

**Returns:**

Return item as Date or null if out of bounds

---

## getObject

```
public AMFDataObj getObject(int index)
```

Get item at index return as AMFDataObj

**Parameters:**

index

**Returns:**

Return item as AMFDataObj or null if out of bounds

---

## getDouble

```
public double getDouble(int index)
```

Get item at index return as double

**Parameters:**

index

**Returns:**

Return item as double or 0 if out of bounds

---

## getFloat

```
public float getFloat(int index)
```

Get item at index return as float

(continued from last page)

**Parameters:**

index

**Returns:**

Return item as float or 0 if out of bounds

---

**deserialize**

```
public void deserialize(java.nio.ByteBuffer data)
```

Deserialize data in byte buffer

---

**deserialize**

```
public void deserialize(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

---

**serialize**

```
public void serialize(java.io.DataOutputStream out)
```

Serialize object to output stream

---

**serialize**

```
public void serialize(java.io.DataOutputStream out,  
    int objectEncoding)
```

Serialize object to output stream

---

**serialize**

```
public void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context)
```

Serialize object to output stream

---

**serialize**

```
public byte[] serialize()
```

Serial object to byte array

---

**serialize**

```
public byte[] serialize(int objectEncoding)
```

Serial object to byte array

---

**serialize**

```
public byte[] serialize(AMFDataContextSerialize context)
```

Serial object to byte array

(continued from last page)

## **getValue**

```
public Object getValue()
```

Convert object to Java native class

---

## **toString**


```
public String toString()
```

Return object as formatted string

## com.wowza.wms.amf

### Class AMFDataByteArray

java.lang.Object



public class **AMFDataByteArray**  
 extends [AMFData](#)

AMFDataByteArray: class for marshalling data between Wowza Pro server and Flash client. This class is a simple byte array.

#### Fields inherited from class [com.wowza.wms.amf.AMFData](#)

[AMF\\_LEVEL0](#), [AMF\\_LEVEL3](#), [DATA\\_TYPE\\_AMF3](#), [DATA\\_TYPE\\_AMF3\\_ARRAY](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_FALSE](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_TRUE](#), [DATA\\_TYPE\\_AMF3\\_BYTEARRAY](#), [DATA\\_TYPE\\_AMF3\\_DATE](#), [DATA\\_TYPE\\_AMF3\\_INTEGER](#), [DATA\\_TYPE\\_AMF3\\_NULL](#), [DATA\\_TYPE\\_AMF3\\_NUMBER](#), [DATA\\_TYPE\\_AMF3\\_OBJECT](#), [DATA\\_TYPE\\_AMF3\\_STRING](#), [DATA\\_TYPE\\_AMF3\\_UNDEFINED](#), [DATA\\_TYPE\\_AMF3\\_XML\\_LEGACY](#), [DATA\\_TYPE\\_AMF3\\_XML\\_TOP](#), [DATA\\_TYPE\\_ARRAY](#), [DATA\\_TYPE\\_AS\\_OBJECT](#), [DATA\\_TYPE\\_BOOLEAN](#), [DATA\\_TYPE\\_BYTEARRAY](#), [DATA\\_TYPE\\_CUSTOM\\_CLASS](#), [DATA\\_TYPE\\_DATE](#), [DATA\\_TYPE\\_INTEGER](#), [DATA\\_TYPE\\_LONG\\_STRING](#), [DATA\\_TYPE\\_MIXED\\_ARRAY](#), [DATA\\_TYPE\\_MOVIE\\_CLIP](#), [DATA\\_TYPE\\_NULL](#), [DATA\\_TYPE\\_NUMBER](#), [DATA\\_TYPE\\_OBJECT](#), [DATA\\_TYPE\\_OBJECT\\_END](#), [DATA\\_TYPE\\_RECORDSET](#), [DATA\\_TYPE\\_REFERENCE\\_OBJECT](#), [DATA\\_TYPE\\_STRING](#), [DATA\\_TYPE\\_UNDEFINED](#), [DATA\\_TYPE\\_UNKNOWN](#), [DATA\\_TYPE\\_XML](#), [DATA\\_TYPE\\_XML\\_TOP](#), [MILLS\\_PER\\_HOUR](#), [type](#)

#### Constructor Summary

public	<a href="#">AMFDataByteArray()</a> Create empty AMFDataByteArray object
public	<a href="#">AMFDataByteArray(byte[] data)</a> Deserialize entire byte array and create AMFDataByteArray object.
public	<a href="#">AMFDataByteArray(byte[] data, int offset, int size)</a> Deserialize data array starting at offset for size bytes and create AMFDataByteArray object.
public	<a href="#">AMFDataByteArray(java.nio.ByteBuffer data)</a> Deserialize entire data array and create AMFDataByteArray object.
public	<a href="#">AMFDataByteArray(java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)</a> Deserialize entire data array and create AMFDataByteArray object.

#### Method Summary

int	<a href="#">compress()</a> Compress the internal buffer using the ZLIB compression library
int	<a href="#">decompress()</a> Decompress the internal buffer using the ZLIB compression library
void	<a href="#">deserialize(java.nio.ByteBuffer data)</a>

void	<a href="#">deserialize</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)
Object	<a href="#">getValue</a> () Returns the underlying byte[] data buffer
byte[]	<a href="#">serialize</a> ()
byte[]	<a href="#">serialize</a> ( <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize</a> (java.io.DataOutputStream out)
void	<a href="#">serialize</a> (java.io.DataOutputStream out, <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize</a> (java.io.DataOutputStream out, int objectEncoding)
byte[]	<a href="#">serialize</a> (int objectEncoding)
int	<a href="#">size</a> () Returns the number of bytes in the byte array
byte[]	<a href="#">toArray</a> () Returns the underlying data buffer (not a copy)
java.nio.ByteBuffer	<a href="#">toByteBuffer</a> () Wraps the underlying data buffer with a ByteBuffer object.
String	<a href="#">toString</a> () Return object as formatted string
static <a href="#">AMFDataByteArray</a>	<a href="#">wrap</a> (byte[] data) Wraps a byte[] into a AMFDataByteArray.
static <a href="#">AMFDataByteArray</a>	<a href="#">wrap</a> (java.nio.ByteBuffer data) Wraps a ByteBuffer into a AMFDataByteArray.

#### Methods inherited from class [com.wowza.wms.amf.AMFData](#)

[createContextDeserialize](#), [createContextDeserialize](#), [createContextSerialize](#), [createContextSerialize](#), [deserialize](#), [deserialize](#), [deserializeInnerObject](#), [getReference](#), [getType](#), [getValue](#), [isAMF3Start](#), [isArrayStart](#), [isByteArrayStart](#), [isMixedArrayStart](#), [isObjEnd](#), [isObjStart](#), [peekByte](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setType](#), [skipByte](#), [testNextByte](#), [triggerAMF3Switch](#)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors



(continued from last page)

## AMFDataByteArray

```
public AMFDataByteArray( )
```

Create empty AMFDataByteArray object

---

## AMFDataByteArray

```
public AMFDataByteArray(byte[] data)
```

Deserialize entire byte array and create AMFDataByteArray object. Note: This is for AMF3 deserialization and cannot be used to create an AMFDataByteArray with the passed in data. To create a new AMFDataByteArray from either a byte[] or ByteBuffer, use the static wrap method.

**Parameters:**

data - binary data

---

## AMFDataByteArray

```
public AMFDataByteArray(byte[] data,  
                        int offset,  
                        int size)
```

Deserialize data array starting at offset for size bytes and create AMFDataByteArray object. Note: This is for AMF3 deserialization and cannot be used to create an AMFDataByteArray with the passed in data. To create a new AMFDataByteArray from either a byte[] or ByteBuffer, use the static wrap method.

**Parameters:**

data - binary data

offset - starting offset into data

size - size of data to deserialize

---

## AMFDataByteArray

```
public AMFDataByteArray( java.nio.ByteBuffer data)
```

Deserialize entire data array and create AMFDataByteArray object. Note: This is for AMF3 deserialization and cannot be used to create an AMFDataByteArray with the passed in data. To create a new AMFDataByteArray from either a byte[] or ByteBuffer, use the static wrap method.

**Parameters:**

data - binary data

---

## AMFDataByteArray

```
public AMFDataByteArray( java.nio.ByteBuffer data,  
                        AMFDataContextDeserialize context)
```

Deserialize entire data array and create AMFDataByteArray object. Note: This is for AMF3 deserialization and cannot be used to create an AMFDataByteArray with the passed in data. To create a new AMFDataByteArray from either a byte[] or ByteBuffer, use the static wrap method.

**Parameters:**

data - binary data

context - deserialization context (used for AMF3 decoding)

## Methods

(continued from last page)

## size

```
public int size()
```

Returns the number of bytes in the byte array

**Returns:**

number of bytes in the array

---

## toArray

```
public byte[] toArray()
```

Returns the underlying data buffer (not a copy)

**Returns:**

data buffer (not a copy)

---

## toByteBuffer

```
public java.nio.ByteBuffer toByteBuffer()
```

Wraps the underlying data buffer with a ByteBuffer object.

**Returns:**

byte[] wrapped as ByteBuffer

---

## wrap

```
public static AMFDataByteArray wrap(byte[] data)
```

Wraps a byte[] into a AMFDataByteArray. Note: This method does not copy the array.

**Parameters:**

data - byte[] data

**Returns:**

wrapped byte[]

---

## wrap

```
public static AMFDataByteArray wrap(java.nio.ByteBuffer data)
```

Wraps a ByteBuffer into a AMFDataByteArray. Note: This method only copies the ByteBuffer data if the ByteBuffer.array() method fails.

**Parameters:**

data - ByteBuffer data

**Returns:**

wrapped ByteBuffer

---

## getValue

```
public Object getValue()
```

Returns the underlying byte[] data buffer

## deserialize

```
public void deserialize(java.nio.ByteBuffer data)
```

Deserialize data in byte buffer

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

---

## serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    int objectEncoding)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context)
```

Serialize object to output stream

---

## serialize

```
public byte[] serialize()
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(int objectEncoding)
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(AMFDataContextSerialize context)
```

Serial object to byte array

---

## compress

```
public int compress()
```

Compress the internal buffer using the ZLIB compression library

**Returns:**

---

(continued from last page)

size of compressed buffer

---

## decompress

```
public int decompress()
```

Decompress the internal buffer using the ZLIB compression library

**Returns:**

size of decompressed buffer

---

## toString

```
public String toString()
```

Return object as formatted string

## com.wowza.wms.amf

### Class AMFDataContextDeserialize

java.lang.Object

└─com.wowza.wms.amf.AMFDataContextDeserialize

public class **AMFDataContextDeserialize**  
extends Object

AMF context used for deserialization

#### Constructor Summary

public	<a href="#">AMFDataContextDeserialize()</a> Constructor
public	<a href="#">AMFDataContextDeserialize(int objectEncoding)</a> Constructor with encoding

#### Method Summary

void	<a href="#">addObject(Object obj)</a> Add an object to the object cache
void	<a href="#">addString(String str)</a> Add a string to the string cache
void	<a href="#">addTrait(AMFDataTrait obj)</a> Add a trait to the trait cache
int	<a href="#">clearIntData()</a> Internal use, get and clear int data
int	<a href="#">getIntData()</a> Internal use, get int data
Object	<a href="#">getObject(int index)</a> Get an object from the object cache
int	<a href="#">getObjectEncoding()</a> Get object encoding, see AMFData.AMF_LEVEL*
String	<a href="#">getString(int index)</a> Get a string from the string cache
<a href="#">AMFDataTrait</a>	<a href="#">getTrait(int index)</a> Get a trait from the trait cache
boolean	<a href="#">isAMF0()</a> Is context AMF0
boolean	<a href="#">isAMF3()</a> Is context AMF3

boolean	<a href="#"><code>isIntData()</code></a> Internal use, get int data
void	<a href="#"><code>setIntData(int intData)</code></a> Internal use, set int data
void	<a href="#"><code>setObjectEncoding(int objectEncoding)</code></a> Set object encoding, see <code>AMFData.AMF_LEVEL*</code>

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### AMFDataContextDeserialize

```
public AMFDataContextDeserialize()
```

Constructor

### AMFDataContextDeserialize

```
public AMFDataContextDeserialize(int objectEncoding)
```

Constructor with encoding

#### Parameters:

`objectEncoding` - object encoding, see `AMFData.AMF_LEVEL*`

## Methods

### isIntData

```
public boolean isIntData()
```

Internal use, get int data

#### Returns:

returns true if pending int data

### setIntData

```
public void setIntData(int intData)
```

Internal use, set int data

#### Parameters:

`intData` - int data

### getIntData

```
public int getIntData()
```

Internal use, get int data

(continued from last page)

**Returns:**

int data

---

**clearIntData**

```
public int clearIntData()
```

Internal use, get and clear int data

**Returns:**

int data

---

**getObjectEncoding**

```
public int getObjectEncoding()
```

Get object encoding, see AMFData.AMF\_LEVEL\*

**Returns:**

object encoding, see AMFData.AMF\_LEVEL\*

---

**setObjectEncoding**

```
public void setObjectEncoding(int objectEncoding)
```

Set object encoding, see AMFData.AMF\_LEVEL\*

**Parameters:**

objectEncoding - object encoding, see AMFData.AMF\_LEVEL\*

---

**isAMF3**

```
public boolean isAMF3()
```

Is context AMF3

**Returns:**

true, if AMF3

---

**isAMF0**

```
public boolean isAMF0()
```

Is context AMF0

**Returns:**

true, if AMF0

---

**addString**

```
public void addString(String str)
```

Add a string to the string cache

**Parameters:**

str - string value

## getString

```
public String getString(int index)  
    throws IndexOutOfBoundsException
```

Get a string from the string cache

**Parameters:**

index - index

**Returns:**

string value

**Throws:**

IndexOutOfBoundsException

---

## addObject

```
public void addObject(Object obj)
```

Add an object to the object cache

**Parameters:**

obj - object value

---

## getObject

```
public Object getObject(int index)  
    throws IndexOutOfBoundsException
```

Get an object from the object cache

**Parameters:**

index - index

**Returns:**

object value

**Throws:**

IndexOutOfBoundsException

---

## addTrait

```
public void addTrait(AMFDataTrait obj)
```

Add a trait to the trait cache

**Parameters:**

obj - trait object

---

## getTrait

```
public AMFDataTrait getTrait(int index)  
    throws IndexOutOfBoundsException
```

Get a trait from the trait cache

**Parameters:**

---



(continued from last page)

index - index

**Returns:**

trait object

**Throws:**

IndexOutOfBoundsException

## com.wowza.wms.amf

### Class AMFDataContextSerialize

java.lang.Object

└─com.wowza.wms.amf.AMFDataContextSerialize

public class **AMFDataContextSerialize**  
extends Object

AMF context used for serialization

#### Constructor Summary

public	<a href="#">AMFDataContextSerialize()</a> Constructor
public	<a href="#">AMFDataContextSerialize(int objectEncoding)</a> Constructor with object encoding, see AMFData.AMF_LEVEL*

#### Method Summary

int	<a href="#">getObjectEncoding()</a> Get object encoding, see AMFData.AMF_LEVEL*
int	<a href="#">getObjectReference(Object obj)</a> Get index of object in object cache
int	<a href="#">getStringReference(String str)</a> Get index of string item in string cache
int	<a href="#">getTargetEncoding()</a> Get target encoding, see AMFData.AMF_LEVEL*
int	<a href="#">getTraitReference(AMFDataTrait obj)</a> Get index of trait object in trait cache
boolean	<a href="#">isAMF0()</a> Is context AMF0
boolean	<a href="#">isAMF3()</a> Is context AMF3
void	<a href="#">setObjectEncoding(int objectEncoding)</a> Set object encoding, see AMFData.AMF_LEVEL*
void	<a href="#">setTargetEncoding(int targetEncoding)</a> Set target encoding, , see AMFData.AMF_LEVEL*
void	<a href="#">writeString(java.io.DataOutputStream out, String str)</a> Write a stream to the output buffer

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

---

## Constructors

### AMFDataContextSerialize

```
public AMFDataContextSerialize()
```

Constructor

---

### AMFDataContextSerialize

```
public AMFDataContextSerialize(int objectEncoding)
```

Constructor with object encoding, see AMFData.AMF\_LEVEL\*

**Parameters:**

objectEncoding - object encoding, see AMFData.AMF\_LEVEL\*

---

## Methods

### getObjectEncoding

```
public int getObjectEncoding()
```

Get object encoding, see AMFData.AMF\_LEVEL\*

**Returns:**

object encoding, see AMFData.AMF\_LEVEL\*

---

### setObjectEncoding

```
public void setObjectEncoding(int objectEncoding)
```

Set object encoding, see AMFData.AMF\_LEVEL\*

**Parameters:**

objectEncoding - object encoding, see AMFData.AMF\_LEVEL\*

---

### getTargetEncoding

```
public int getTargetEncoding()
```

Get target encoding, see AMFData.AMF\_LEVEL\*

**Returns:**

target encoding, see AMFData.AMF\_LEVEL\*

---

### setTargetEncoding

```
public void setTargetEncoding(int targetEncoding)
```

Set target encoding, , see AMFData.AMF\_LEVEL\*

---

(continued from last page)

**Parameters:**

targetEncoding - target encoding, , see AMFData.AMF\_LEVEL\*

---

**isAMF3**

```
public boolean isAMF3()
```

Is context AMF3

**Returns:**

true, if AMF3

---

**isAMF0**

```
public boolean isAMF0()
```

Is context AMF0

**Returns:**

true, if AMF0

---

**getStringReference**

```
public int getStringReference(String str)
```

Get index of string item in string cache

**Parameters:**

str - string value

**Returns:**

index

---

**getObjectReference**

```
public int getObjectReference(Object obj)
```

Get index of object in object cache

**Parameters:**

obj - object value

**Returns:**

index

---

**getTraitReference**

```
public int getTraitReference(AMFDataTrait obj)
```

Get index of trait object in trait cache

**Parameters:**

obj - trait object

**Returns:**

index

(continued from last page)

## writeString

```
public void writeString(java.io.DataOutputStream out,  
    String str)
```

Write a stream to the output buffer

### Parameters:

out - output buffer

str - string value

## com.wowza.wms.amf

### Class AMFDataItem

```
java.lang.Object
  |
  +--com.wowza.wms.amf.AMFData
        |
        +--com.wowza.wms.amf.AMFDataItem
```

```
public class AMFDataItem
extends AMFData
```

AMFDataItem: class for marshalling data between Wowza Pro server and Flash client. The type wraps native Java data types.

- DATA\_TYPE\_NUMBER = int, long, short, double, float
- DATA\_TYPE\_STRING = String
- DATA\_TYPE\_BOOLEAN = boolean
- DATA\_TYPE\_DATE = Date
- DATA\_TYPE\_NULL = 'null'

### Create Native Java Types

```
AMFDataItem amfDataString = new AMFDataItem("here is my string"); // String
AMFDataItem amfDataLong = new AMFDataItem(1234L); // long
AMFDataItem amfDataDouble = new AMFDataItem(1.234); // double
AMFDataItem amfDataBoolean = new AMFDataItem(true); // boolean
AMFDataItem amfDataNull = new AMFDataItem(); // null
```

### Get Native Java Types

```
String dataString = amfDataString.getType()==AMFData.DATA_TYPE_LONG_STRING?
    amfDataString.toString():"";

long dataLong = amfDataLong.getType()==AMFData.DATA_TYPE_NUMBER?
    amfDataLong.longValue():0;

double dataDouble = amfDataDouble.getType()==AMFData.DATA_TYPE_NUMBER?
    amfDataLong.doubleValue():0.0;

boolean dataBoolean = amfDataBoolean.getType()==AMFData.DATA_TYPE_BOOLEAN?
    amfDataLong.booleanValue():false;

Object dataNull = amfDataNull.getType()==AMFData.DATA_TYPE_NULL?
    null:null;
```

## Field Summary

public static final	<a href="#">DATEFORMAT</a> Value: <b>EEE, dd MMM yyyy HH:mm:ss</b>
protected	<a href="#">fastDateFormat</a>

### Fields inherited from class [com.wowza.wms.amf.AMFData](#)

[AMF\\_LEVEL0](#), [AMF\\_LEVEL3](#), [DATA\\_TYPE\\_AMF3](#), [DATA\\_TYPE\\_AMF3\\_ARRAY](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_FALSE](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_TRUE](#), [DATA\\_TYPE\\_AMF3\\_BYTEARRAY](#), [DATA\\_TYPE\\_AMF3\\_DATE](#), [DATA\\_TYPE\\_AMF3\\_INTEGER](#), [DATA\\_TYPE\\_AMF3\\_NULL](#), [DATA\\_TYPE\\_AMF3\\_NUMBER](#), [DATA\\_TYPE\\_AMF3\\_OBJECT](#), [DATA\\_TYPE\\_AMF3\\_STRING](#), [DATA\\_TYPE\\_AMF3\\_UNDEFINED](#), [DATA\\_TYPE\\_AMF3\\_XML\\_LEGACY](#), [DATA\\_TYPE\\_AMF3\\_XML\\_TOP](#), [DATA\\_TYPE\\_ARRAY](#), [DATA\\_TYPE\\_AS\\_OBJECT](#), [DATA\\_TYPE\\_BOOLEAN](#), [DATA\\_TYPE\\_BYTEARRAY](#), [DATA\\_TYPE\\_CUSTOM\\_CLASS](#), [DATA\\_TYPE\\_DATE](#), [DATA\\_TYPE\\_INTEGER](#), [DATA\\_TYPE\\_LONG\\_STRING](#), [DATA\\_TYPE\\_MIXED\\_ARRAY](#), [DATA\\_TYPE\\_MOVIE\\_CLIP](#), [DATA\\_TYPE\\_NULL](#), [DATA\\_TYPE\\_NUMBER](#), [DATA\\_TYPE\\_OBJECT](#), [DATA\\_TYPE\\_OBJECT\\_END](#), [DATA\\_TYPE\\_RECORDSET](#), [DATA\\_TYPE\\_REFERENCE\\_OBJECT](#), [DATA\\_TYPE\\_STRING](#), [DATA\\_TYPE\\_UNDEFINED](#), [DATA\\_TYPE\\_UNKNOWN](#), [DATA\\_TYPE\\_XML](#), [DATA\\_TYPE\\_XML\\_TOP](#), [MILLS\\_PER\\_HOUR](#), [type](#)

## Constructor Summary

public	<a href="#">AMFDataItem</a> () Construct AMF type DATA_TYPE_NULL object
public	<a href="#">AMFDataItem</a> (String value) Construct AMF type DATA_TYPE_STRING object
public	<a href="#">AMFDataItem</a> (int value) Construct AMF type DATA_TYPE_NUMBER object
public	<a href="#">AMFDataItem</a> (long value) Construct AMF type DATA_TYPE_NUMBER object
public	<a href="#">AMFDataItem</a> (double value) Construct AMF type DATA_TYPE_NUMBER object
public	<a href="#">AMFDataItem</a> (boolean value) Construct AMF type DATA_TYPE_BOOLEAN
public	<a href="#">AMFDataItem</a> (java.util.Date value) Construct AMF type DATA_TYPE_DATE
public	<a href="#">AMFDataItem</a> (byte[] data) Deserialize entire data array and create AMFDataItem object
public	<a href="#">AMFDataItem</a> (byte[] data, int offset, int size) Deserialize data array starting at offset for size bytes and create AMFDataItem object
public	<a href="#">AMFDataItem</a> (java.nio.ByteBuffer data) Deserialize entire data array and create AMFDataItem object
public	<a href="#">AMFDataItem</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)

## Method Summary

boolean	<a href="#">booleanValue()</a> Return object as boolean.
byte	<a href="#">byteValue()</a> Return object as byte.
java.util.Date	<a href="#">dateValue()</a> Return object as Date.
void	<a href="#">deserialize()</a> (java.nio.ByteBuffer data)
void	<a href="#">deserialize()</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)
double	<a href="#">doubleValue()</a> Return object as double.
float	<a href="#">floatValue()</a> Return object as float.
Object	<a href="#">getValue()</a> Return value as Java class
int	<a href="#">intValue()</a> Return object as int.
long	<a href="#">longValue()</a> Return object as long.
byte[]	<a href="#">serialize()</a>
byte[]	<a href="#">serialize()</a> ( <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize()</a> (java.io.DataOutputStream out)
void	<a href="#">serialize()</a> (java.io.DataOutputStream out, <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize()</a> (java.io.DataOutputStream out, int objectEncoding)
byte[]	<a href="#">serialize()</a> (int objectEncoding)
short	<a href="#">shortValue()</a> Return object as short.
String	<a href="#">toString()</a> Return object as formatted string

Methods inherited from class [com.wowza.wms.amf.AMFData](#)



[createContextDeserialize](#), [createContextDeserialize](#), [createContextSerialize](#), [createContextSerialize](#), [deserialize](#), [deserialize](#), [deserializeInnerObject](#), [getReference](#), [getType](#), [getValue](#), [isAMF3Start](#), [isArrayStart](#), [isByteArrayStart](#), [isMixedArrayStart](#), [isObjEnd](#), [isObjStart](#), [peekByte](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setType](#), [skipByte](#), [testNextByte](#), [triggerAMF3Switch](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Fields

### DATEFORMAT

`public static final java.lang.String` **DATEFORMAT**

Constant value: **EEE, dd MMM yyyy HH:mm:ss**

### fastDateFormat

`protected org.apache.commons.lang.time.FastDateFormat` **fastDateFormat**

## Constructors

### AMFDataItem

`public` **AMFDataItem**()

Construct AMF type DATA\_TYPE\_NULL object

### AMFDataItem

`public` **AMFDataItem**(String value)

Construct AMF type DATA\_TYPE\_STRING object

#### Parameters:

value - String value

### AMFDataItem

`public` **AMFDataItem**(int value)

Construct AMF type DATA\_TYPE\_NUMBER object

#### Parameters:

value - int value

### AMFDataItem

`public` **AMFDataItem**(long value)

(continued from last page)

Construct AMF type DATA\_TYPE\_NUMBER object

**Parameters:**

value - long value

---

## AMFDataItem

```
public AMFDataItem(double value)
```

Construct AMF type DATA\_TYPE\_NUMBER object

**Parameters:**

value - double value

---

## AMFDataItem

```
public AMFDataItem(boolean value)
```

Construct AMF type DATA\_TYPE\_BOOLEAN

**Parameters:**

value - boolean value

---

## AMFDataItem

```
public AMFDataItem(java.util.Date value)
```

Construct AMF type DATA\_TYPE\_DATE

**Parameters:**

value - Date value

---

## AMFDataItem

```
public AMFDataItem(byte[] data)
```

Deserialize entire data array and create AMFDataItem object

**Parameters:**

data - binary data

---

## AMFDataItem

```
public AMFDataItem(byte[] data,  
                   int offset,  
                   int size)
```

Deserialize data array starting at offset for size bytes and create AMFDataItem object

**Parameters:**

data - binary data

offset - starting offset into data

size - size of data to deserialize

---

## AMFDataItem

```
public AMFDataItem(java.nio.ByteBuffer data)
```

(continued from last page)

Deserialize entire data array and create AMFDataItem object

**Parameters:**

data - binary data

---

## AMFDataItem

```
public AMFDataItem(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

## Methods

### longValue

```
public long longValue()
```

Return object as long. Valid object types are DATA\_TYPE\_NUMBER and DATA\_TYPE\_STRING.

**Returns:**

long value or 0 if failure

---

### intValue

```
public int intValue()
```

Return object as int. Valid object types are DATA\_TYPE\_NUMBER and DATA\_TYPE\_STRING.

**Returns:**

int value or 0 if failure

---

### doubleValue

```
public double doubleValue()
```

Return object as double. Valid object types are DATA\_TYPE\_NUMBER and DATA\_TYPE\_STRING.

**Returns:**

double value or 0 if failure

---

### floatValue

```
public float floatValue()
```

Return object as float. Valid object types are DATA\_TYPE\_NUMBER and DATA\_TYPE\_STRING.

**Returns:**

float value or 0 if failure

---

### shortValue

```
public short shortValue()
```

Return object as short. Valid object types are DATA\_TYPE\_NUMBER and DATA\_TYPE\_STRING.

**Returns:**

short value or 0 if failure

## byteValue

```
public byte byteValue()
```

Return object as byte. Valid object types are DATA\_TYPE\_NUMBER and DATA\_TYPE\_STRING.

**Returns:**

byte value or 0 if failure

---

## dateValue

```
public java.util.Date dateValue()
```

Return object as Date. Valid object types are DATA\_TYPE\_DATE.

**Returns:**

Date value or null if failure

---

## booleanValue

```
public boolean booleanValue()
```

Return object as boolean. Valid object types are DATA\_TYPE\_BOOLEAN and DATA\_TYPE\_STRING.

**Returns:**

boolean value or false if failure

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data)
```

Deserialize data in byte buffer

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

---

## getValue

```
public Object getValue()
```

Return value as Java class

---

## toString

```
public String toString()
```

Return object as formatted string

---

## serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize object to output stream

---

**serialize**

```
public void serialize(java.io.DataOutputStream out,  
    int objectEncoding)
```

Serialize object to output stream

---

**serialize**

```
public void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context)
```

Serialize object to output stream

---

**serialize**

```
public byte[] serialize()
```

Serial object to byte array

---

**serialize**

```
public byte[] serialize(int objectEncoding)
```

Serial object to byte array

---

**serialize**

```
public byte[] serialize(AMFDataContextSerialize context)
```


Serial object to byte array

---

## com.wowza.wms.amf

### Class AMFDataList

java.lang.Object



public class **AMFDataList**  
 extends [AMFData](#)

AMFDataItem: class for marshalling data between Wowza Pro server and Flash client. This class is for internal server marshalling of AMF event messages between the Flash client and Wowza Pro server.

**NOTE:** There is a slight difference between this class and AMFDataArray. This class when serialized/deserialized does NOT include the DATA\_TYPE\_ARRAY header (byte) and array size (int). AMF formatted functions use this class since they do not include these elements.

#### Fields inherited from class [com.wowza.wms.amf.AMFData](#)

[AMF\\_LEVEL0](#), [AMF\\_LEVEL3](#), [DATA\\_TYPE\\_AMF3](#), [DATA\\_TYPE\\_AMF3\\_ARRAY](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_FALSE](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_TRUE](#), [DATA\\_TYPE\\_AMF3\\_BYTEARRAY](#), [DATA\\_TYPE\\_AMF3\\_DATE](#), [DATA\\_TYPE\\_AMF3\\_INTEGER](#), [DATA\\_TYPE\\_AMF3\\_NULL](#), [DATA\\_TYPE\\_AMF3\\_NUMBER](#), [DATA\\_TYPE\\_AMF3\\_OBJECT](#), [DATA\\_TYPE\\_AMF3\\_STRING](#), [DATA\\_TYPE\\_AMF3\\_UNDEFINED](#), [DATA\\_TYPE\\_AMF3\\_XML\\_LEGACY](#), [DATA\\_TYPE\\_AMF3\\_XML\\_TOP](#), [DATA\\_TYPE\\_ARRAY](#), [DATA\\_TYPE\\_AS\\_OBJECT](#), [DATA\\_TYPE\\_BOOLEAN](#), [DATA\\_TYPE\\_BYTEARRAY](#), [DATA\\_TYPE\\_CUSTOM\\_CLASS](#), [DATA\\_TYPE\\_DATE](#), [DATA\\_TYPE\\_INTEGER](#), [DATA\\_TYPE\\_LONG\\_STRING](#), [DATA\\_TYPE\\_MIXED\\_ARRAY](#), [DATA\\_TYPE\\_MOVIE\\_CLIP](#), [DATA\\_TYPE\\_NULL](#), [DATA\\_TYPE\\_NUMBER](#), [DATA\\_TYPE\\_OBJECT](#), [DATA\\_TYPE\\_OBJECT\\_END](#), [DATA\\_TYPE\\_RECORDSET](#), [DATA\\_TYPE\\_REFERENCE\\_OBJECT](#), [DATA\\_TYPE\\_STRING](#), [DATA\\_TYPE\\_UNDEFINED](#), [DATA\\_TYPE\\_UNKNOWN](#), [DATA\\_TYPE\\_XML](#), [DATA\\_TYPE\\_XML\\_TOP](#), [MILLS\\_PER\\_HOUR](#), [type](#)

### Constructor Summary

public	<a href="#">AMFDataList</a> () Create empty AMFDataList object
public	<a href="#">AMFDataList</a> (byte[] data) Deserialize entire data array and create AMFDataList object
public	<a href="#">AMFDataList</a> (byte[] data, int offset, int size) Deserialize data array starting at offset for size bytes and create AMFDataList object
public	<a href="#">AMFDataList</a> (java.nio.ByteBuffer data) Deserialize entire data array and create AMFDataList object
public	<a href="#">AMFDataList</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)

### Method Summary

void	<a href="#">add</a> ( <a href="#">AMFData</a> data) Append a new item onto the array
------	---

void	<a href="#">add</a> (boolean data) Append a boolean (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (java.util.Date data) Append a date (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (double data) Append a double (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int data) Append a int (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, <a href="#">AMFData</a> data) Insert an item into the array
void	<a href="#">add</a> (int index, boolean data) Insert a boolean value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, java.util.Date data) Insert a date value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, double data) Insert a double value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, int data) Insert a int value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, long data) Insert a long value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (int index, String data) Insert a string value (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (long data) Append a long (will be wrapped in an AMFDataItem object)
void	<a href="#">add</a> (String data) Append a string (will be wrapped in an AMFDataItem object)
void	<a href="#">deserialize</a> (java.nio.ByteBuffer data)
void	<a href="#">deserialize</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)
<a href="#">AMFData</a>	<a href="#">get</a> (int index) Get item at index
boolean	<a href="#">getBoolean</a> (int index) Get item at index return as boolean
byte	<a href="#">getBytes</a> (int index) Get item at index return as byte
java.util.Date	<a href="#">getDate</a> (int index) Get item at index return as Date
double	<a href="#">getDouble</a> (int index) Get item at index return as double

float	<a href="#"><code>getFloat(int index)</code></a> Get item at index return as float
int	<a href="#"><code>getInt(int index)</code></a> Get item at index return as int
long	<a href="#"><code>getLong(int index)</code></a> Get item at index return as long
<a href="#"><code>AMFDataObj</code></a>	<a href="#"><code>getObject(int index)</code></a> Get item at index return as AMFDataObj
short	<a href="#"><code>getShort(int index)</code></a> Get item at index return as short
String	<a href="#"><code>getString(int index)</code></a> Get item at index return as String
int	<a href="#"><code>getType(int index)</code></a> Get type of item at index.
Object	<a href="#"><code>getValue()</code></a>
<a href="#"><code>AMFData</code></a>	<a href="#"><code>remove(int index)</code></a> Remove an element from the AMFDataList object
byte[]	<a href="#"><code>serialize()</code></a>
byte[]	<a href="#"><code>serialize(AMFDataContextSerialize context)</code></a>
byte[]	<a href="#"><code>serialize(AMFDataContextSerialize context, byte[] prepend)</code></a>
void	<a href="#"><code>serialize(java.io.DataOutputStream out)</code></a>
void	<a href="#"><code>serialize(java.io.DataOutputStream out, AMFDataContextSerialize context)</code></a>
void	<a href="#"><code>serialize(java.io.DataOutputStream out, AMFDataContextSerialize context, byte[] prepend)</code></a>
void	<a href="#"><code>serialize(java.io.DataOutputStream out, int objectEncoding)</code></a>
byte[]	<a href="#"><code>serialize(int objectEncoding)</code></a>
void	<a href="#"><code>set(int index, AMFData data)</code></a> Set an array item
void	<a href="#"><code>set(int index, boolean data)</code></a> Set an boolean value (will be wrapped in an AMFDataItem object)
void	<a href="#"><code>set(int index, java.util.Date data)</code></a> Set an date value (will be wrapped in an AMFDataItem object)
void	<a href="#"><code>set(int index, double data)</code></a> Set an double value (will be wrapped in an AMFDataItem object)



void	<a href="#"><u>set</u></a> (int index, int data) Set an int value (will be wrapped in an AMFDataItem object)
void	<a href="#"><u>set</u></a> (int index, long data) Set an long value (will be wrapped in an AMFDataItem object)
void	<a href="#"><u>set</u></a> (int index, String data) Set an string value (will be wrapped in an AMFDataItem object)
int	<a href="#"><u>size</u></a> () Returns the number of items in array
String	<a href="#"><u>toString</u></a> () Return object as formatted string

#### Methods inherited from class [com.wowza.wms.amf.AMFData](#)

[createContextDeserialize](#), [createContextDeserialize](#), [createContextSerialize](#), [createContextSerialize](#), [deserialize](#), [deserialize](#), [deserializeInnerObject](#), [getReference](#), [getType](#), [getValue](#), [isAMF3Start](#), [isArrayStart](#), [isByteArrayStart](#), [isMixedArrayStart](#), [isObjEnd](#), [isObjStart](#), [peekByte](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setType](#), [skipByte](#), [testNextByte](#), [triggerAMF3Switch](#)

#### Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

## Constructors

### AMFDataList

```
public AMFDataList()
```

Create empty AMFDataList object

### AMFDataList

```
public AMFDataList(byte[] data)
```

Deserialize entire data array and create AMFDataList object

#### Parameters:

data - binary data

### AMFDataList

```
public AMFDataList(byte[] data,  
                   int offset,  
                   int size)
```

Deserialize data array starting at offset for size bytes and create AMFDataList object

#### Parameters:

data - binary data

offset - starting offset into data

(continued from last page)

size - size of data to deserialize

---

## AMFDataList

```
public AMFDataList(java.nio.ByteBuffer data)
```

Deserialize entire data array and create AMFDataList object

**Parameters:**

data - binary data

---

## AMFDataList

```
public AMFDataList(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

## Methods

### remove

```
public AMFData remove(int index)
```

Remove an element from the AMFDataList object

**Parameters:**

index - index

**Returns:**

removed element

---

### size

```
public int size()
```

Returns the number of items in array

**Returns:**

number of items in array

---

### add

```
public void add(AMFData data)
```

Append a new item onto the array

**Parameters:**

data - AMFData object

---

### add

```
public void add(String data)
```

Append a string (will be wrapped in an AMFDataItem object)

**Parameters:**

data - string value

---

## add

```
public void add(double data)
```

Append a double (will be wrapped in an AMFDataItem object)

**Parameters:**

data - double value

---

## add

```
public void add(int data)
```

Append a int (will be wrapped in an AMFDataItem object)

**Parameters:**

data - int value

---

## add

```
public void add(long data)
```

Append a long (will be wrapped in an AMFDataItem object)

**Parameters:**

data - long value

---

## add

```
public void add(java.util.Date data)
```

Append a date (will be wrapped in an AMFDataItem object)

**Parameters:**

data - date value

---

## add

```
public void add(boolean data)
```

Append a boolean (will be wrapped in an AMFDataItem object)

**Parameters:**

data - boolean value

---

## add

```
public void add(int index,  
    AMFData data)
```

Insert an item into the array

**Parameters:**

index - index

data - AMFData object

---

(continued from last page)

---

## add

```
public void add(int index,  
                String data)
```

Insert a string value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - string value

---

## add

```
public void add(int index,  
                double data)
```

Insert a double value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - double value

---

## add

```
public void add(int index,  
                int data)
```

Insert a int value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - int value

---

## add

```
public void add(int index,  
                long data)
```

Insert a long value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - long value

---

## add

```
public void add(int index,  
                java.util.Date data)
```

Insert a date value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - date value

---

## add

```
public void add(int index,  
                boolean data)
```

---

(continued from last page)

Insert a boolean value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - boolean value

---

**set**

```
public void set(int index,  
    AMFData data)
```

Set an array item

**Parameters:**

data - AMFData object

---

**set**

```
public void set(int index,  
    String data)
```

Set an string value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - string value

---

**set**

```
public void set(int index,  
    double data)
```

Set an double value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - double value

---

**set**

```
public void set(int index,  
    int data)
```

Set an int value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - int value

---

**set**

```
public void set(int index,  
    long data)
```

Set an long value (will be wrapped in an AMFDataItem object)

**Parameters:**

index - index  
data - long value

## set

```
public void set(int index,  
                java.util.Date data)
```

Set an date value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - date value

---

## set

```
public void set(int index,  
                boolean data)
```

Set an boolean value (will be wrapped in an AMFDataItem object)

### Parameters:

index - index  
data - boolean value

---

## getType

```
public int getType(int index)
```

Get type of item at index. Return AMFData.DATA\_TYPE\_UNKNOWN if item does not exist

### Parameters:

index

### Returns:

type of item at index

---

## get

```
public AMFData get(int index)
```

Get item at index

### Parameters:

index

### Returns:

Returns AMFData object or null if out of bounds

---

## getString

```
public String getString(int index)
```

Get item at index return as String

### Parameters:

index

### Returns:

Return item as String or null if out of bounds

---

## getInt

```
public int getInt(int index)
```

Get item at index return as int

**Parameters:**

index

**Returns:**

Return item as int or 0 if out of bounds

---

## getLong

```
public long getLong(int index)
```

Get item at index return as long

**Parameters:**

index

**Returns:**

Return item as long or 0 if out of bounds

---

## getDouble

```
public double getDouble(int index)
```

Get item at index return as double

**Parameters:**

index

**Returns:**

Return item as double or 0 if out of bounds

---

## getFloat

```
public float getFloat(int index)
```

Get item at index return as float

**Parameters:**

index

**Returns:**

Return item as float or 0 if out of bounds

---

## getShort

```
public short getShort(int index)
```

Get item at index return as short

**Parameters:**

index

---

(continued from last page)

**Returns:**

Return item as short or 0 if out of bounds

---

## getBytes

```
public byte getBytes(int index)
```

Get item at index return as byte

**Parameters:**

index

**Returns:**

Return item as byte or 0 if out of bounds

---

## getBoolean

```
public boolean getBoolean(int index)
```

Get item at index return as boolean

**Parameters:**

index

**Returns:**

Return item as boolean or false if out of bounds

---

## getDate

```
public java.util.Date getDate(int index)
```

Get item at index return as Date

**Parameters:**

index

**Returns:**

Return item as Date or null if out of bounds

---

## getObject

```
public AMFDataObj getObject(int index)
```

Get item at index return as AMFDataObj

**Parameters:**

index

**Returns:**

Return item as AMFDataObj or null if out of bounds

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data)
```

Deserialize data in byte buffer



(continued from last page)

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

---

## serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    int objectEncoding)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context,  
    byte[] prepend)
```

---

## serialize

```
public byte[] serialize()
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(int objectEncoding)
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(AMFDataContextSerialize context)
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(AMFDataContextSerialize context,  
    byte[] prepend)
```

---

## getValue

```
public Object getValue()
```

Convert object to Java native class

---

## toString

```
public String toString()
```

Return object as formatted string

## com.wowza.wms.amf

### Class AMFDataMixedArray

```

java.lang.Object
|
+-com.wowza.wms.amf.AMFData
|   |
|   +-com.wowza.wms.amf.AMFDataObj
|       |
|       +-com.wowza.wms.amf.AMFDataMixedArray
  
```

All Implemented Interfaces:

[IAMFDataObj](#)

```

public class AMFDataMixedArray
extends AMFDataObj
  
```

AMFDataMixedArray: class for marshalling data between Wowza Pro server and Flash client. Array of mixed data types. An Array object created in the Flash client is wrapped in this data type when sent to the Wowza Pro server.

### Create Array of Strings

```

AMFDataMixedArray amfDataMixedArray = new AMFDataMixedArray();

amfDataMixedArray.put("0", "item1");
amfDataMixedArray.put("1", "item2");
amfDataMixedArray.put("2", "item3");
  
```

### Iterate Mixed Array

```

AMFDataMixedArray amfDataMixedArray;

int len = amfDataMixedArray.size();
for(int i=0;i<len;i++)
{
    String value = amfDataMixedArray.getString(i);
    int itemType = amfDataMixedArray.getType(i);
    WMSLoggerFactory.getLogger(null).debug("item:
["+i+": "+amfDataMixedArray.getKey(i)+"]="+value+" type:"+itemType);
}
  
```

**NOTE:** A AMFDataMixedArray is exactly the same as a AMFDataObj except its type is DATA\_TYPE\_MIXED\_ARRAY.

This objects acts like a Map and a List at the same time. As items are added by key the order and position of each object is recorded. Objects can be retrieved either by key or by index.

#### Fields inherited from class [com.wowza.wms.amf.AMFDataObj](#)

[DECODE\\_OBJ\\_REF](#), [DECODE\\_TRAITS](#), [DECODE\\_TRAITS\\_EXT](#), [DECODE\\_TRAITS\\_REF](#), [DECODE\\_UNDEFINED](#), [members](#), [order](#), [trait](#)

#### Fields inherited from class [com.wowza.wms.amf.AMFData](#)

[AMF\\_LEVEL0](#), [AMF\\_LEVEL3](#), [DATA\\_TYPE\\_AMF3](#), [DATA\\_TYPE\\_AMF3\\_ARRAY](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_FALSE](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_TRUE](#), [DATA\\_TYPE\\_AMF3\\_BYTEARRAY](#), [DATA\\_TYPE\\_AMF3\\_DATE](#), [DATA\\_TYPE\\_AMF3\\_INTEGER](#), [DATA\\_TYPE\\_AMF3\\_NULL](#), [DATA\\_TYPE\\_AMF3\\_NUMBER](#), [DATA\\_TYPE\\_AMF3\\_OBJECT](#), [DATA\\_TYPE\\_AMF3\\_STRING](#), [DATA\\_TYPE\\_AMF3\\_UNDEFINED](#), [DATA\\_TYPE\\_AMF3\\_XML\\_LEGACY](#), [DATA\\_TYPE\\_AMF3\\_XML\\_TOP](#), [DATA\\_TYPE\\_ARRAY](#), [DATA\\_TYPE\\_AS\\_OBJECT](#), [DATA\\_TYPE\\_BOOLEAN](#), [DATA\\_TYPE\\_BYTEARRAY](#), [DATA\\_TYPE\\_CUSTOM\\_CLASS](#), [DATA\\_TYPE\\_DATE](#), [DATA\\_TYPE\\_INTEGER](#), [DATA\\_TYPE\\_LONG\\_STRING](#), [DATA\\_TYPE\\_MIXED\\_ARRAY](#), [DATA\\_TYPE\\_MOVIE\\_CLIP](#), [DATA\\_TYPE\\_NULL](#), [DATA\\_TYPE\\_NUMBER](#), [DATA\\_TYPE\\_OBJECT](#), [DATA\\_TYPE\\_OBJECT\\_END](#), [DATA\\_TYPE\\_RECORDSET](#), [DATA\\_TYPE\\_REFERENCE\\_OBJECT](#), [DATA\\_TYPE\\_STRING](#), [DATA\\_TYPE\\_UNDEFINED](#), [DATA\\_TYPE\\_UNKNOWN](#), [DATA\\_TYPE\\_XML](#), [DATA\\_TYPE\\_XML\\_TOP](#), [MILLS\\_PER\\_HOUR](#), [type](#)

## Constructor Summary

public	<a href="#">AMFDataMixedArray()</a> Create empty AMFDataMixedArray object
public	<a href="#">AMFDataMixedArray</a> (byte[] data) Deserialize entire data array and create AMFDataMixedArray object
public	<a href="#">AMFDataMixedArray</a> (byte[] data, int offset, int size) Deserialize data array starting at offset for size bytes and create AMFDataMixedArray object
public	<a href="#">AMFDataMixedArray</a> (java.nio.ByteBuffer data) Deserialize entire data array and create AMFDataMixedArray object
public	<a href="#">AMFDataMixedArray</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)

## Method Summary

void	<a href="#">deserialize</a> (java.nio.ByteBuffer data)
void	<a href="#">deserialize</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)
void	<a href="#">serialize</a> (java.io.DataOutputStream out)
void	<a href="#">serialize</a> (java.io.DataOutputStream out, <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize</a> (java.io.DataOutputStream out, int objectEncoding)
String	<a href="#">toString</a> () Return object as formatted string

**Methods inherited from class [com.wowza.wms.amf.AMFDataObj](#)**

[containsKey](#), [deserialize](#), [deserialize](#), [get](#), [get](#), [getBoolean](#), [getBoolean](#), [getBytes](#), [getBytes](#), [getClassName](#), [getDate](#), [getDate](#), [getDouble](#), [getDouble](#), [getFloat](#), [getFloat](#), [getInt](#), [getInt](#), [getKey](#), [getKeys](#), [getLong](#), [getLong](#), [getObject](#), [getObject](#), [getShort](#), [getShort](#), [getString](#), [getString](#), [getTrait](#), [getValue](#), [put](#), [put](#), [put](#), [put](#), [put](#), [put](#), [put](#), [remove](#), [remove](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setClassName](#), [size](#), [toString](#)

**Methods inherited from class [com.wowza.wms.amf.AMFData](#)**

[createContextDeserialize](#), [createContextDeserialize](#), [createContextSerialize](#), [createContextSerialize](#), [deserialize](#), [deserialize](#), [deserializeInnerObject](#), [getReference](#), [getType](#), [getValue](#), [isAMF3Start](#), [isArrayStart](#), [isByteArrayStart](#), [isMixedArrayStart](#), [isObjEnd](#), [isObjStart](#), [peekByte](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setType](#), [skipByte](#), [testNextByte](#), [triggerAMF3Switch](#)

**Methods inherited from class [java.lang.Object](#)**

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

**Methods inherited from interface [com.wowza.wms.amf.IAMFDataObj](#)**

[containsKey](#), [get](#), [get](#), [getBoolean](#), [getBoolean](#), [getBytes](#), [getBytes](#), [getDate](#), [getDate](#), [getDouble](#), [getDouble](#), [getFloat](#), [getFloat](#), [getInt](#), [getInt](#), [getKey](#), [getKeys](#), [getLong](#), [getLong](#), [getObject](#), [getObject](#), [getShort](#), [getShort](#), [getString](#), [getString](#), [put](#), [put](#), [put](#), [put](#), [put](#), [put](#), [remove](#), [remove](#)

## Constructors

### AMFDataMixedArray

```
public AMFDataMixedArray()
```

Create empty AMFDataMixedArray object

### AMFDataMixedArray

```
public AMFDataMixedArray(byte[] data)
```

Deserialize entire data array and create AMFDataMixedArray object

**Parameters:**

data - binary data

### AMFDataMixedArray

```
public AMFDataMixedArray(byte[] data,  
                           int offset,  
                           int size)
```

Deserialize data array starting at offset for size bytes and create AMFDataMixedArray object

**Parameters:**

data - binary data

(continued from last page)

offset - starting offset into data  
size - size of data to deserialize

---

## AMFDataMixedArray

```
public AMFDataMixedArray( java.nio.ByteBuffer data)
```

Deserialize entire data array and create AMFDataMixedArray object

### Parameters:

data - binary data

---

## AMFDataMixedArray

```
public AMFDataMixedArray( java.nio.ByteBuffer data,  
                           AMFDataContextDeserialize context)
```

---

## Methods

### deserialize

```
public void deserialize( java.nio.ByteBuffer data)
```

Deserialize data in byte buffer

---

### deserialize

```
public void deserialize( java.nio.ByteBuffer data,  
                           AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

---

### serialize

```
public void serialize( java.io.DataOutputStream out)
```

Serialize object to output stream

---

### serialize

```
public void serialize( java.io.DataOutputStream out,  
                       int objectEncoding)
```

Serialize object to output stream

---

### serialize

```
public void serialize( java.io.DataOutputStream out,  
                           AMFDataContextSerialize context)
```

Serialize object to output stream

---

### toString

```
public String toString()
```

Return object as formatted string

---

## com.wowza.wms.amf Class AMFDataObj

```
java.lang.Object
|
+-com.wowza.wms.amf.AMFData
|
+-com.wowza.wms.amf.AMFDataObj
```

All Implemented Interfaces:

[IAMFDataObj](#)

Direct Known Subclasses:

[AMFDataMixedArray](#)

```
public class AMFDataObj
extends AMFData
implements IAMFDataObj
```

AMFDataObj: class for marshalling data between Wowza Pro server and Flash client. Object with attributes. Implementation is very similar to a java.util.Map. Each parameter is an item in the map.

### Create AMFDataObj

```
AMFDataObj amfDataObj = new AMFDataObj();

amfDataObj.put("key1", "item1");
amfDataObj.put("key2", "item2");
amfDataObj.put("key3", "item3");
```

### Iterate AMFDataObj

```
AMFDataObj amfDataObj;

List keys = amfDataObj.getKeys();
Iterator iter = keys.iterator();
while(iter.hasNext())
{
    String key = (String)iter.next();
    AMFData value = amfDataObj.get(key);
    int itemType = value.getType();
    WMSLoggerFactory.getLogger(null).debug(key+"="+value.toString()+"
(type:"+itemType+")");
}
```

## Direct Access To Attributes

```
AMFDataObj amfDataObj;

// If you know the type you can access it directly
String dataString = amfDataObj.getString("stringData");
long dataLong = amfDataObj.getLong("longData");
double dataDouble = amfDataObj.getDouble("doubleData");
boolean dataBoolean = amfDataObj.getBoolean("booleanData");

// This illustrate how to decode the value if
// you don't know the type
AMFData myItemKey1 = amfDataObj.get("theData");
switch (myItemKey1.getType())
{
default:
case AMFDataItem.DATA_TYPE_UNDEFINED:
case AMFDataItem.DATA_TYPE_UNKNOWN:
case AMFDataItem.DATA_TYPE_NULL:
    // the value is null or undefined
    break;
case AMFDataItem.DATA_TYPE_NUMBER:
    double amfDataDouble = ((AMFDataItem)myItemKey1).doubleValue();
    break;
case AMFDataItem.DATA_TYPE_BOOLEAN:
    boolean amfDataBoolean = ((AMFDataItem)myItemKey1).booleanValue();
    break;
case AMFDataItem.DATA_TYPE_STRING:
    String amfDataString = ((AMFDataItem)myItemKey1).toString();
    break;
case AMFDataItem.DATA_TYPE_DATE:
    Date amfDataDate = ((AMFDataItem)myItemKey1).dateValue();
    break;
case AMFDataItem.DATA_TYPE_OBJECT:
    AMFDataObj amfDataValObj = (AMFDataObj)myItemKey1;
    break;
case AMFDataItem.DATA_TYPE_MIXED_ARRAY:
    AMFDataMixedArray amfDataMixedArray = (AMFDataMixedArray)myItemKey1;
    break;
case AMFDataItem.DATA_TYPE_ARRAY:
    AMFDataArray amfDataArray = (AMFDataArray)myItemKey1;
    break;
}
```

**NOTE:** A AMFDataObj is exactly the same as a AMFDataMixedArray except its type is DATA\_TYPE\_OBJECT.



## Field Summary

public static final	<a href="#">DECODE_OBJ_REF</a> Value: <b>1</b>
public static final	<a href="#">DECODE_TRAITS</a> Value: <b>4</b>
public static final	<a href="#">DECODE_TRAITS_EXT</a> Value: <b>3</b>
public static final	<a href="#">DECODE_TRAITS_REF</a> Value: <b>2</b>
public static final	<a href="#">DECODE_UNDEFINED</a> Value: <b>0</b>
protected	<a href="#">members</a>
protected	<a href="#">order</a>
protected	<a href="#">trait</a>

### Fields inherited from class [com.wowza.wms.amf.AMFData](#)

[AMF\\_LEVEL0](#), [AMF\\_LEVEL3](#), [DATA\\_TYPE\\_AMF3](#), [DATA\\_TYPE\\_AMF3\\_ARRAY](#), [DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_FALSE](#),  
[DATA\\_TYPE\\_AMF3\\_BOOLEAN\\_TRUE](#), [DATA\\_TYPE\\_AMF3\\_BYTEARRAY](#), [DATA\\_TYPE\\_AMF3\\_DATE](#),  
[DATA\\_TYPE\\_AMF3\\_INTEGER](#), [DATA\\_TYPE\\_AMF3\\_NULL](#), [DATA\\_TYPE\\_AMF3\\_NUMBER](#), [DATA\\_TYPE\\_AMF3\\_OBJECT](#),  
[DATA\\_TYPE\\_AMF3\\_STRING](#), [DATA\\_TYPE\\_AMF3\\_UNDEFINED](#), [DATA\\_TYPE\\_AMF3\\_XML\\_LEGACY](#),  
[DATA\\_TYPE\\_AMF3\\_XML\\_TOP](#), [DATA\\_TYPE\\_ARRAY](#), [DATA\\_TYPE\\_AS\\_OBJECT](#), [DATA\\_TYPE\\_BOOLEAN](#),  
[DATA\\_TYPE\\_BYTEARRAY](#), [DATA\\_TYPE\\_CUSTOM\\_CLASS](#), [DATA\\_TYPE\\_DATE](#), [DATA\\_TYPE\\_INTEGER](#),  
[DATA\\_TYPE\\_LONG\\_STRING](#), [DATA\\_TYPE\\_MIXED\\_ARRAY](#), [DATA\\_TYPE\\_MOVIE\\_CLIP](#), [DATA\\_TYPE\\_NULL](#),  
[DATA\\_TYPE\\_NUMBER](#), [DATA\\_TYPE\\_OBJECT](#), [DATA\\_TYPE\\_OBJECT\\_END](#), [DATA\\_TYPE\\_RECORDSET](#),  
[DATA\\_TYPE\\_REFERENCE\\_OBJECT](#), [DATA\\_TYPE\\_STRING](#), [DATA\\_TYPE\\_UNDEFINED](#), [DATA\\_TYPE\\_UNKNOWN](#),  
[DATA\\_TYPE\\_XML](#), [DATA\\_TYPE\\_XML\\_TOP](#), [MILLS\\_PER\\_HOUR](#), [type](#)

## Constructor Summary

public	<a href="#">AMFDataObj</a> () Create empty AMFDataObj object
public	<a href="#">AMFDataObj</a> (byte[] data) Deserialize entire data array and create AMFDataObj object
public	<a href="#">AMFDataObj</a> (byte[] data, int offset, int size) Deserialize data array starting at offset for size bytes and create AMFDataObj object
public	<a href="#">AMFDataObj</a> (java.nio.ByteBuffer data) Deserialize entire data array and create AMFDataObj object
public	<a href="#">AMFDataObj</a> (java.nio.ByteBuffer data, <a href="#">AMFDataContextDeserialize</a> context)

## Method Summary

boolean	<a href="#"><u>containsKey</u></a> (String name)
void	<a href="#"><u>deserialize</u></a> (java.nio.ByteBuffer data)
void	<a href="#"><u>deserialize</u></a> (java.nio.ByteBuffer data, <a href="#"><u>AMFDataContextDeserialize</u></a> context)
<a href="#"><u>AMFData</u></a>	<a href="#"><u>get</u></a> (int index)
<a href="#"><u>AMFData</u></a>	<a href="#"><u>get</u></a> (String name)
boolean	<a href="#"><u>getBoolean</u></a> (int index)
boolean	<a href="#"><u>getBoolean</u></a> (String name)
byte	<a href="#"><u>getBytes</u></a> (int index)
byte	<a href="#"><u>getBytes</u></a> (String name)
String	<a href="#"><u>getClassName</u></a> ()
java.util.Date	<a href="#"><u>getDate</u></a> (int index)
java.util.Date	<a href="#"><u>getDate</u></a> (String name)
double	<a href="#"><u>getDouble</u></a> (int index)
double	<a href="#"><u>getDouble</u></a> (String name)
float	<a href="#"><u>getFloat</u></a> (int index)
float	<a href="#"><u>getFloat</u></a> (String name)
int	<a href="#"><u>getInt</u></a> (int index)
int	<a href="#"><u>getInt</u></a> (String name)
String	<a href="#"><u>getKey</u></a> (int index)
java.util.List	<a href="#"><u>getKeys</u></a> ()
long	<a href="#"><u>getLong</u></a> (int index)
long	<a href="#"><u>getLong</u></a> (String name)
<a href="#"><u>AMFDataObj</u></a>	<a href="#"><u>getObject</u></a> (int index)

<a href="#">AMFDataObj</a>	<a href="#">getObject</a> (String name)
short	<a href="#">getShort</a> (int index)
short	<a href="#">getShort</a> (String name)
String	<a href="#">getString</a> (int index)
String	<a href="#">getString</a> (String name)
<a href="#">AMFDataTrait</a>	<a href="#">getTrait</a> ()
Object	<a href="#">getValue</a> ()
void	<a href="#">put</a> (String name, <a href="#">AMFData</a> data)
void	<a href="#">put</a> (String name, boolean data)
void	<a href="#">put</a> (String name, java.util.Date data)
void	<a href="#">put</a> (String name, double data)
void	<a href="#">put</a> (String name, int data)
void	<a href="#">put</a> (String name, long data)
void	<a href="#">put</a> (String name, String data)
<a href="#">AMFData</a>	<a href="#">remove</a> (int index)
<a href="#">AMFData</a>	<a href="#">remove</a> (String name)
byte[]	<a href="#">serialize</a> ()
byte[]	<a href="#">serialize</a> ( <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize</a> (java.io.DataOutputStream out)
void	<a href="#">serialize</a> (java.io.DataOutputStream out, <a href="#">AMFDataContextSerialize</a> context)
void	<a href="#">serialize</a> (java.io.DataOutputStream out, int objectEncoding)
byte[]	<a href="#">serialize</a> (int objectEncoding)
void	<a href="#">setClassName</a> (String className)
int	<a href="#">size</a> () Return the number of members of this object/array

String	<a href="#">toString()</a> Return object as formatted string
--------	---

Methods inherited from class [com.wowza.wms.amf.AMFData](#)

[createContextDeserialize](#), [createContextDeserialize](#), [createContextSerialize](#), [createContextSerialize](#), [deserialize](#), [deserialize](#), [deserializeInnerObject](#), [getReference](#), [getType](#), [getValue](#), [isAMF3Start](#), [isArrayStart](#), [isByteArrayStart](#), [isMixedArrayStart](#), [isObjEnd](#), [isObjStart](#), [peekByte](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [serialize](#), [setType](#), [skipByte](#), [testNextByte](#), [triggerAMF3Switch](#)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface [com.wowza.wms.amf.IAMFDataObj](#)

[containsKey](#), [get](#), [get](#), [getBoolean](#), [getBoolean](#), [getBytes](#), [getBytes](#), [getDate](#), [getDate](#), [getDouble](#), [getDouble](#), [getFloat](#), [getFloat](#), [getInt](#), [getInt](#), [getKey](#), [getKeys](#), [getLong](#), [getLong](#), [getObject](#), [getObject](#), [getShort](#), [getShort](#), [getString](#), [getString](#), [put](#), [put](#), [put](#), [put](#), [put](#), [put](#), [remove](#), [remove](#)

Fields

DECODE\_UNDEFINED

public static final int **DECODE\_UNDEFINED**

Constant value: 0

DECODE\_OBJ\_REF

public static final int **DECODE\_OBJ\_REF**

Constant value: 1

DECODE\_TRAITS\_REF

public static final int **DECODE\_TRAITS\_REF**

Constant value: 2

DECODE\_TRAITS\_EXT

public static final int **DECODE\_TRAITS\_EXT**

Constant value: 3

DECODE\_TRAITS

public static final int **DECODE\_TRAITS**

(continued from last page)

Constant value: **4**

---

## members

protected java.util.Map **members**

---

## order

protected java.util.List **order**

---

## trait

protected com.wowza.wms.amf.AMFDataTrait **trait**

---

## Constructors

### AMFDataObj

```
public AMFDataObj()
```

Create empty AMFDataObj object

---

### AMFDataObj

```
public AMFDataObj(byte[] data)
```

Deserialize entire data array and create AMFDataObj object

**Parameters:**

data - binary data

---

### AMFDataObj

```
public AMFDataObj(byte[] data,  
                  int offset,  
                  int size)
```

Deserialize data array starting at offset for size bytes and create AMFDataObj object

**Parameters:**

data - binary data

offset - starting offset into data

size - size of data to deserialize

---

### AMFDataObj

```
public AMFDataObj(java.nio.ByteBuffer data)
```

Deserialize entire data array and create AMFDataObj object

**Parameters:**

(continued from last page)

data - binary data

---

## AMFDataObj

```
public AMFDataObj(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

## Methods

### size

```
public int size()
```

Return the number of members of this object/array

**Returns:**

number of members

---

### containsKey

```
public boolean containsKey(String name)
```

---

### put

```
public void put(String name,  
    AMFData data)
```

---

### put

```
public void put(String name,  
    String data)
```

---

### put

```
public void put(String name,  
    double data)
```

---

### put

```
public void put(String name,  
    int data)
```

---

### put

```
public void put(String name,  
    long data)
```

---

(continued from last page)

---

**put**

```
public void put(String name,  
               java.util.Date data)
```

---

**put**

```
public void put(String name,  
               boolean data)
```

---

**getKeys**

```
public java.util.List getKeys()
```

---

**getKey**

```
public String getKey(int index)
```

---

**get**

```
public AMFData get(String name)
```

---

**get**

```
public AMFData get(int index)
```

---

**remove**

```
public AMFData remove(String name)
```

---

**remove**

```
public AMFData remove(int index)
```

---

**getString**

```
public String getString(String name)
```

---

## getInt

```
public int getInt(String name)
```

---

## getLong

```
public long getLong(String name)
```

---

## getShort

```
public short getShort(String name)
```

---

## getDouble

```
public double getDouble(String name)
```

---

## getFloat

```
public float getFloat(String name)
```

---

## getByte

```
public byte getByte(String name)
```

---

## getBoolean

```
public boolean getBoolean(String name)
```

---

## getDate

```
public java.util.Date getDate(String name)
```

---

## getObject

```
public AMFDataObj getObject(String name)
```

---

## getString

```
public String getString(int index)
```

---



(continued from last page)

---

### getInt

```
public int getInt(int index)
```

---

### getLong

```
public long getLong(int index)
```

---

### getShort

```
public short getShort(int index)
```

---

### getBytes

```
public byte getBytes(int index)
```

---

### getDouble

```
public double getDouble(int index)
```

---

### getFloat

```
public float getFloat(int index)
```

---

### getBoolean

```
public boolean getBoolean(int index)
```

---

### getDate

```
public java.util.Date getDate(int index)
```

---

### getObject

```
public AMFDataObj getObject(int index)
```

---

(continued from last page)

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data)
```

Deserialize data in byte buffer

---

## deserialize

```
public void deserialize(java.nio.ByteBuffer data,  
    AMFDataContextDeserialize context)
```

Deserialize data in byte buffer

---

## serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    int objectEncoding)
```

Serialize object to output stream

---

## serialize

```
public void serialize(java.io.DataOutputStream out,  
    AMFDataContextSerialize context)
```

Serialize object to output stream

---

## serialize

```
public byte[] serialize()
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(int objectEncoding)
```

Serial object to byte array

---

## serialize

```
public byte[] serialize(AMFDataContextSerialize context)
```

Serial object to byte array

---

## getValue

```
public Object getValue()
```

Convert object to Java native class

---

(continued from last page)

## toString

```
public String toString()
```

Return object as formatted string

---

## getClassName

```
public String getClassName()
```

---

## setClassName

```
public void setClassName(String className)
```

---

## getTrait

```
public AMFDataTrait getTrait()
```

## com.wowza.wms.amf

### Class AMFDataTrait

java.lang.Object

└─com.wowza.wms.amf.AMFDataTrait

public class **AMFDataTrait**  
extends Object

AMF trait used to describe an AMF class in AMF3

### Constructor Summary

public	<a href="#">AMFDataTrait</a> ( ) Constructor
--------	---

### Method Summary

void	<a href="#">addMember</a> (String member) Add a member
<a href="#">AMFDataTrait</a>	<a href="#">clone</a> ( ) clone the trait
String	<a href="#">getClassName</a> ( ) Get class name
<a href="#">AMFData</a>	<a href="#">getInnerObj</a> ( ) Get inner object
String	<a href="#">getMember</a> (int i) Get member by index
int	<a href="#">getMemberCount</a> ( ) Get the number of members
java.util.List	<a href="#">getMembers</a> ( ) Get a list of trait members
boolean	<a href="#">isDynamic</a> ( ) Is class dynamic
boolean	<a href="#">isMember</a> (String member) Return true if member of this trait
void	<a href="#">setClassName</a> (String className) Set class name
void	<a href="#">setDynamic</a> (boolean isDynamic) Set isDynamic
void	<a href="#">setInnerObj</a> ( <a href="#">AMFData</a> innerObj) Set inner object

**Methods inherited from class** `java.lang.Object`

`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

## Constructors

### AMFDataTrait

```
public AMFDataTrait()
```

Constructor

## Methods

### clone

```
public AMFDataTrait clone()
```

clone the trait

### addMember

```
public void addMember(String member)
```

Add a member

**Parameters:**

member - member name

### isMember

```
public boolean isMember(String member)
```

Return true if member of this trait

**Parameters:**

member - member name

**Returns:**

true, if member

### getMembers

```
public java.util.List getMembers()
```

Get a list of trait members

**Returns:**

list of trait members

### getMemberCount

```
public int getMemberCount()
```

(continued from last page)

Get the number of members

**Returns:**

number of members

---

## getMember

```
public String getMember(int i)
```

Get member by index

**Parameters:**

i - index

**Returns:**

member name

---

## getClassName

```
public String getClassName()
```

Get class name

**Returns:**

class name

---

## setClassName

```
public void setClassName(String className)
```

Set class name

**Parameters:**

className - class name

---

## isDynamic

```
public boolean isDynamic()
```

Is class dynamic

**Returns:**

true, if dynamic

---

## setDynamic

```
public void setDynamic(boolean isDynamic)
```

Set isDynamic

**Parameters:**

isDynamic - true, if dynamic

---

## getInnerObj

```
public AMFData getInnerObj()
```

Get inner object

(continued from last page)

**Returns:**

inner object

---

**setInnerObj**

```
public void setInnerObj(AMFData innerObj)
```

Set inner object

**Parameters:**

innerObj - inner object

## com.wowza.wms.amf

### Class AMFObj

java.lang.Object

└─com.wowza.wms.amf.AMFObj

```
public class AMFObj
extends Object
```

AMFObj: class that stores the state of channel between the client and the server.

#### Field Summary

public static final	<a href="#">AMFDEBUGHEADERSIZE</a> Value: <b>false</b>
public static final	<a href="#">WOWZDEBUGHEADERSIZE</a> Value: <b>false</b>

#### Constructor Summary

public	<a href="#">AMFObj</a> (int id) Create new AMFObj for a given channel (id)
public	<a href="#">AMFObj</a> (int id, int objectEncoding) Create new AMFObj for a given channel (id)

#### Method Summary

void	<a href="#">addChunk</a> (byte[] buffer, int offset, int len) Add a chunk to the chunk list
void	<a href="#">clearByteContainer</a> () Clear the byte container
long	<a href="#">getAbsTimecode</a> () Get the absolute time code
int	<a href="#">getByteContainerLevel</a> () Fake container for processing
long	<a href="#">getChunkCounter</a> ()
java.util.List	<a href="#">getChunks</a> () Get the chunks that make up this packet
int	<a href="#">getId</a> () Get channel id
int	<a href="#">getObjectEncoding</a> ()



int	<a href="#"><u>getSize()</u></a> Get packet size
int	<a href="#"><u>getSrc()</u></a> Get stream id (0 if not stream data)
long	<a href="#"><u>getTimecode()</u></a> Get timecode (milliseconds) sometimes relative
int	<a href="#"><u>getType()</u></a> Get content type IVHost.CONTENTTYPE_*
long	<a href="#"><u>incAbsTimecode(long absTimecode)</u></a> Increment the absolute timecode
void	<a href="#"><u>incByteContainerLevel(int byteContainerLevel)</u></a> Fake container for processing
boolean	<a href="#"><u>isByteContainerEmpty()</u></a> Fake container for processing
boolean	<a href="#"><u>isByteContainerFull()</u></a> Fake container for processing
boolean	<a href="#"><u>isLastSentAbsTimecode()</u></a>
boolean	<a href="#"><u>isLongTimecode()</u></a> Get is a 32 bit timecode
boolean	<a href="#"><u>isNew()</u></a> Is this a new packet.
boolean	<a href="#"><u>isObjectEncodingAMF0()</u></a>
boolean	<a href="#"><u>isObjectEncodingAMF3()</u></a>
long	<a href="#"><u>setAbsTimecodeLong(long absTimecode)</u></a> Set the absolute timecode
long	<a href="#"><u>setAbsTimecodeShort(long absTimecode)</u></a> Set the absolute timecode
void	<a href="#"><u>setByteContainerLevel(int byteContainerLevel)</u></a> Fake container for processing
void	<a href="#"><u>setChunkCounter(long chunkCounter)</u></a>
void	<a href="#"><u>setId(int id)</u></a> Set channel id
void	<a href="#"><u>setLastSentAbsTimecode(boolean isLastSentAbsTimecode)</u></a>
void	<a href="#"><u>setLongTimecode(boolean isLongTimecode)</u></a> Set is a 32 bit timecode
void	<a href="#"><u>setNew(boolean isNew)</u></a> Set is new packet

void	<a href="#"><code>setObjectEncoding</code></a> (int objectEncoding)
void	<a href="#"><code>setSize</code></a> (int size) Set packet size
void	<a href="#"><code>setSrc</code></a> (int src) Set stream id (0 if not stream data)
void	<a href="#"><code>setTimecode</code></a> (long timecode) Set timecode (milliseconds) sometimes relative
void	<a href="#"><code>setType</code></a> (int type) Set content type IVHost.CONTENT_TYPE_*
String	<a href="#"><code>toString</code></a> () Return object as formatted string

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Fields

### AMFDEBUGHEADERSIZE

```
public static final boolean AMFDEBUGHEADERSIZE
```

Constant value: **false**

### WOWZDEBUGHEADERSIZE

```
public static final boolean WOWZDEBUGHEADERSIZE
```

Constant value: **false**

## Constructors

### AMFObj

```
public AMFObj(int id)
```

Create new AMFObj for a given channel (id)

#### Parameters:

id - channel id

### AMFObj

```
public AMFObj(int id,  
               int objectEncoding)
```

Create new AMFObj for a given channel (id)

(continued from last page)

**Parameters:**

id - channel id  
objectEncoding - object encoding level (AMF0 or AMF3)

## Methods

### getChunks

```
public java.util.List getChunks()
```

Get the chunks that make up this packet

**Returns:**

chunks that make up this packet

---

### addChunk

```
public void addChunk(byte[] buffer,  
    int offset,  
    int len)
```

Add a chunk to the chunk list

**Parameters:**

buffer - buffer  
offset - offset  
len - length

---

### getId

```
public int getId()
```

Get channel id

**Returns:**

channel id

---

### setId

```
public void setId(int id)
```

Set channel id

**Parameters:**

id - channel id

---

### getSize

```
public int getSize()
```

Get packet size

**Returns:**

packet size

---

### setSize

```
public void setSize(int size)
```

---

(continued from last page)

Set packet size

**Parameters:**

size - packet size

---

## getType

```
public int getType()
```

Get content type IVHost.CONTENTTYPE\_\*

**Returns:**

content type

---

## setType

```
public void setType(int type)
```

Set content type IVHost.CONTENTTYPE\_\*

**Parameters:**

type - content type

---

## getSrc

```
public int getSrc()
```

Get stream id (0 if not stream data)

**Returns:**

stream id

---

## setSrc

```
public void setSrc(int src)
```

Set stream id (0 if not stream data)

**Parameters:**

src - stream id

---

## toString

```
public String toString()
```

Return object as formatted string

---

## getTimecode

```
public long getTimecode()
```

Get timecode (milliseconds) sometimes relative

**Returns:**

timecode (milliseconds)

(continued from last page)

---

## setTimecode

```
public void setTimecode(long timecode)
```

Set timecode (milliseconds) sometimes relative

### Parameters:

timecode - timecode (milliseconds)

---

## isNew

```
public boolean isNew()
```

Is this a new packet. If new entire packet header needs to be sent

### Returns:

is new packet

---

## setNew

```
public void setNew(boolean isNew)
```

Set is new packet

### Parameters:

isNew - is new packet

---

## getAbsTimecode

```
public long getAbsTimecode()
```

Get the absolute time code

### Returns:

absolute timecode

---

## setAbsTimecodeLong

```
public long setAbsTimecodeLong(long absTimecode)
```

Set the absolute timecode

### Parameters:

absTimecode - absolute timecode

### Returns:

absolute timecode

---

## setAbsTimecodeShort

```
public long setAbsTimecodeShort(long absTimecode)
```

Set the absolute timecode

### Parameters:

absTimecode

### Returns:

(continued from last page)

absolute timecode

---

## incAbsTimecode

```
public long incAbsTimecode(long absTimecode)
```

Increment the absolute timecode

**Parameters:**

absTimecode - absolute timecode

**Returns:**

absolute timecode

---

## getByteContainerLevel

```
public int getByteContainerLevel()
```

Fake container for processing

**Returns:**

current container level

---

## clearByteContainer

```
public void clearByteContainer()
```

Clear the byte container

---

## setByteContainerLevel

```
public void setByteContainerLevel(int byteContainerLevel)
```

Fake container for processing

**Parameters:**

byteContainerLevel - current container level

---

## incByteContainerLevel

```
public void incByteContainerLevel(int byteContainerLevel)
```

Fake container for processing

**Parameters:**

byteContainerLevel - current container level

---

## isByteContainerEmpty

```
public boolean isByteContainerEmpty()
```

Fake container for processing

**Returns:**

is container full

---

(continued from last page)

## isByteContainerFull

```
public boolean isByteContainerFull()
```

Fake container for processing

**Returns:**

is container full

---

## isLongTimecode

```
public boolean isLongTimecode()
```

Get is a 32 bit timecode

**Returns:**

true if 32 bit timecode

---

## setLongTimecode

```
public void setLongTimecode(boolean isLongTimecode)
```

Set is a 32 bit timecode

**Parameters:**

isLongTimecode - is a 32 bit timecode

---

## isLastSentAbsTimecode

```
public boolean isLastSentAbsTimecode()
```

---

## setLastSentAbsTimecode

```
public void setLastSentAbsTimecode(boolean isLastSentAbsTimecode)
```

---

## isObjectEncodingAMF3

```
public boolean isObjectEncodingAMF3()
```

---

## isObjectEncodingAMF0

```
public boolean isObjectEncodingAMF0()
```

---

## setObjectEncoding

```
public void setObjectEncoding(int objectEncoding)
```

---

(continued from last page)

**getObjectEncoding**

```
public int getObjectEncoding()
```

---

**getChunkCounter**

```
public long getChunkCounter()
```

---

**setChunkCounter**

```
public void setChunkCounter(long chunkCounter)
```



## com.wowza.wms.amf Class AMFObjChunk

java.lang.Object

└─com.wowza.wms.amf.AMFObjChunk

```
public class AMFObjChunk
    extends Object
```

### Field Summary

public	<a href="#">buffer</a>
public	<a href="#">len</a>
public	<a href="#">offset</a>

### Constructor Summary

public	<a href="#">AMFObjChunk</a> (byte[] buffer, int offset, int len)
--------	--

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Fields

#### buffer

```
public byte buffer
```

#### offset

```
public int offset
```

#### len

```
public int len
```

### Constructors

(continued from last page)

## AMFObjChunk

```
public AMFObjChunk(byte[] buffer,  
                  int offset,  
                  int len)
```

## com.wowza.wms.amf

### Class AMPacket

java.lang.Object

└─com.wowza.wms.amf.AMPacket

public class **AMFPacket**  
extends Object

AMFPacket: data container for data being transferred to and from the server from the Flash client. AMFPacket is also used to store data read/written to/from an flv file.

### Constructor Summary

public	<a href="#">AMFPacket()</a> Create new empty packet
public	<a href="#">AMFPacket(int type, int src, int size)</a> Create new packet with given values

### Method Summary

int	<a href="#">addData(byte[] data, int offset, int size)</a> Add data to the packet
int	<a href="#">addDataEx(byte[] srcData, int srcOffset, int destOffset, int srcBytes)</a> Add data to the packet
static int	<a href="#">calcTotalPacketSize(int packetSize, int headerSize, int chunkSize, int amfNumber, boolean isLongTimecode)</a> Calculate the total packet size for given packet parameters
<a href="#">AMFPacket</a>	<a href="#">clone()</a>
long	<a href="#">getAbsTimecode()</a> Get absolute timecode (milliseconds)
byte[]	<a href="#">getData()</a> Get data as byte[]
java.nio.ByteBuffer	<a href="#">getDataBuffer()</a> Get data as ByteBuffer
int	<a href="#">getFirstByte()</a> Get first byte of data (used to peek into packet)
int	<a href="#">getMissing()</a> Get the number of bytes remaining unfilled in the packet
int	<a href="#">getSecondByte()</a> Get second byte of data (used to peek into packet)

long	<a href="#"><code>getSeq()</code></a> Get packet sequence number.
int	<a href="#"><code>getSize()</code></a> Get packet size
int	<a href="#"><code>getSrc()</code></a> Get stream id (0 if not stream data)
long	<a href="#"><code>getTimecode()</code></a> Get timecode (milliseconds) relative to the <i>previous</i> packet.
int	<a href="#"><code>getType()</code></a> Get content type IVHost.CONTENTTYPE_*
boolean	<a href="#"><code>isAudio()</code></a> Is this an audio packet IVHost.CONTENTTYPE_AUDIO
boolean	<a href="#"><code>isVideo()</code></a> Is this an audio packet IVHost.CONTENTTYPE_VIDEO
void	<a href="#"><code>setAbsTimecode(long absTimecode)</code></a> Set absolute timecode (milliseconds)
void	<a href="#"><code>setDataBuffer(byte[] data)</code></a> Set the data buffer to a byte array
void	<a href="#"><code>setDataBuffer(java.nio.ByteBuffer data)</code></a> Set the data for this packet
void	<a href="#"><code>setSeq(long seq)</code></a> Set packet sequence.
void	<a href="#"><code>setSize(int size)</code></a> Set packet size
void	<a href="#"><code>setSrc(int src)</code></a> Set stream id (0 if not stream data)
void	<a href="#"><code>setTimecode(long timecode)</code></a> Set timecode (milliseconds) relative,
void	<a href="#"><code>setTimecodes(long timecode, long absTimecode)</code></a> Set both relative and absolute timecode in one call (milliseconds)
void	<a href="#"><code>setType(int type)</code></a> Set content type IVHost.CONTENTTYPE_*
String	<a href="#"><code>toString()</code></a> Return object as formatted string
void	<a href="#"><code>truncatePacket(int newSize)</code></a>

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### AMFPacket

```
public AMFPacket()
```

Create new empty packet

---

### AMFPacket

```
public AMFPacket(int type,  
                 int src,  
                 int size)
```

Create new packet with given values

**Parameters:**

type - packet content type: IVHost.CONTENT\*TYPE\_\*

src - stream id

size - packet size (bytes)

## Methods

### clone

```
public AMFPacket clone()
```

---

### getSize

```
public int getSize()
```

Get packet size

**Returns:**

packet size

---

### setSize

```
public void setSize(int size)
```

Set packet size

**Parameters:**

size - packet size

---

### truncatePacket

```
public void truncatePacket(int newSize)
```

---

### getMissing

```
public int getMissing()
```

---

(continued from last page)

Get the number of bytes remaining unfilled in the packet

**Returns:**

number of bytes unfilled in packet

---

## setDataBuffer

```
public void setDataBuffer(java.nio.ByteBuffer data)
```

Set the data for this packet

**Parameters:**

data - byte buffer that holds packet data

---

## setDataBuffer

```
public void setDataBuffer(byte[] data)
```

Set the data buffer to a byte array

**Parameters:**

data - data buffer byte array

---

## addData

```
public int addData(byte[] data,  
                  int offset,  
                  int size)
```

Add data to the packet

**Parameters:**

data - byte buffer with data  
offset - offset in byte buffer  
size - size of data

**Returns:**

number of bytes unfilled in packet

---

## getType

```
public int getType()
```

Get content type IVHost.CONTENTTYPE\_\*

**Returns:**

content type

---

## setType

```
public void setType(int type)
```

Set content type IVHost.CONTENTTYPE\_\*

**Parameters:**

type - content type

---

(continued from last page)

## getSrc

```
public int getSrc()
```

Get stream id (0 if not stream data)

**Returns:**

stream id

---

## setSrc

```
public void setSrc(int src)
```

Set stream id (0 if not stream data)

**Parameters:**

src - stream id

---

## toString

```
public String toString()
```

Return object as formatted string

---

## getTimecode

```
public long getTimecode()
```

Get timecode (milliseconds) relative to the *previous* packet.

**Returns:**

timecode (milliseconds)

---

## setTimecodes

```
public void setTimecodes(long timecode,  
    long absTimecode)
```

Set both relative and absolute timecode in one call (milliseconds)

Note this time is relative to the *previous* packet.

**Parameters:**

timecode - relative timecode (milliseconds)

absTimecode - absolute timecode (milliseconds)

---

## setTimecode

```
public void setTimecode(long timecode)
```

Set timecode (milliseconds) relative,

Note this time is relative to the *previous* packet.

**Parameters:**

timecode - timecode (milliseconds)

(continued from last page)

## getAbsTimecode

```
public long getAbsTimecode()
```

Get absolute timecode (milliseconds)

**Returns:**

absolute timecode

---

## setAbsTimecode

```
public void setAbsTimecode(long absTimecode)
```

Set absolute timecode (milliseconds)

**Parameters:**

absTimecode - absolute timecode

---

## getSeq

```
public long getSeq()
```

Get packet sequence number. Used for live streams to keep track of packet ordering.

**Returns:**

packet sequence

---

## setSeq

```
public void setSeq(long seq)
```

Set packet sequence. Used for live streams to keep track of packet ordering.

**Parameters:**

seq - packet sequence

---

## isAudio

```
public boolean isAudio()
```

Is this an audio packet IVHost.CONTENTTYPE\_AUDIO

**Returns:**

true if audio packet

---

## isVideo

```
public boolean isVideo()
```

Is this an audio packet IVHost.CONTENTTYPE\_VIDEO

**Returns:**

true if video packet

---

## getDataBuffer

```
public java.nio.ByteBuffer getDataBuffer()
```



(continued from last page)

Get data as ByteBuffer

**Returns:**

data as ByteBuffer

---

## getData

```
public byte[] getData()
```

Get data as byte[]

**Returns:**

data as byte[] null if no data

---

## getFirstByte

```
public int getFirstByte()
```

Get first byte of data (used to peek into packet)

**Returns:**

first byte of data in packet

---

## getSecondByte

```
public int getSecondByte()
```

Get second byte of data (used to peek into packet)

**Returns:**

second byte of data in packet

---

## calcTotalPacketSize

```
public static int calcTotalPacketSize(int packetSize,  
    int headerSize,  
    int chunkSize,  
    int amfNumber,  
    boolean isLongTimecode)
```

Calculate the total packet size for given packet parameters

**Parameters:**

packetSize - data size  
headerSize - header size  
chunkSize - chunk size  
amfNumber - amf number  
isLongTimecode - is long timecode

**Returns:**

total bytes

---

## addDataEx

```
public int addDataEx(byte[] srcData,  
    int srcOffset,  
    int destOffset,  
    int srcBytes)
```

Add data to the packet

(continued from last page)

**Parameters:**

srcData -- source byte buffer with data  
srcOffset -- start copying from source buffer at this offset  
destOffset -- copy into destination buffer from this offset  
srcBytes -- size of data to copy

**Returns:**

number of bytes unfilled in packet

## com.wowza.wms.amf Interface IAMFDataObj

All Known Implementing Classes:

[AMFDataObj](#)

public interface **IAMFDataObj**  
extends

### Method Summary

boolean	<a href="#"><code>containsKey</code></a> (String name) Return true if the object/array contains key
<a href="#">AMFData</a>	<a href="#"><code>get</code></a> (int index) Return the object at a particular index.
<a href="#">AMFData</a>	<a href="#"><code>get</code></a> (String name) Return the object at a particular key.
boolean	<a href="#"><code>getBoolean</code></a> (int index) Get item at index return as boolean
boolean	<a href="#"><code>getBoolean</code></a> (String name) Get item at key return as boolean
byte	<a href="#"><code>getByte</code></a> (int index) Get item at index return as byte
byte	<a href="#"><code>getByte</code></a> (String name) Get item at key return as byte
java.util.Date	<a href="#"><code>getDate</code></a> (int index) Get item at index return as Date
java.util.Date	<a href="#"><code>getDate</code></a> (String name) Get item at key return as Date
double	<a href="#"><code>getDouble</code></a> (int index) Get item at index return as double
double	<a href="#"><code>getDouble</code></a> (String name) Get item at key return as double
float	<a href="#"><code>getFloat</code></a> (int index) Get item at index return as float
float	<a href="#"><code>getFloat</code></a> (String name) Get item at key return as float
int	<a href="#"><code>getInt</code></a> (int index) Get item at index return as int
int	<a href="#"><code>getInt</code></a> (String name) Get item at key return as int

String	<a href="#"><u>getKey</u></a> (int index) Return the key at a particular index.
java.util.List	<a href="#"><u>getKeys</u></a> () Return a list of all the keys (the list is a copy)
long	<a href="#"><u>getLong</u></a> (int index) Get item at index return as long
long	<a href="#"><u>getLong</u></a> (String name) Get item at key return as long
<a href="#"><u>AMFDataObj</u></a>	<a href="#"><u>getObject</u></a> (int index) Get item at index return as AMFDataObj
<a href="#"><u>AMFDataObj</u></a>	<a href="#"><u>getObject</u></a> (String name) Get item at key return as AMFDataObj
short	<a href="#"><u>getShort</u></a> (int index) Get item at index return as short
short	<a href="#"><u>getShort</u></a> (String name) Get item at key return as short
String	<a href="#"><u>getString</u></a> (int index) Get item at index return as String
String	<a href="#"><u>getString</u></a> (String name) Get item at key return as String
void	<a href="#"><u>put</u></a> (String name, <a href="#"><u>AMFData</u></a> data) Put or replace object at key
void	<a href="#"><u>put</u></a> (String name, boolean data) Put or replace boolean value at key (data will be wrapped in an AMFDataItem object)
void	<a href="#"><u>put</u></a> (String name, java.util.Date data) Put or replace date value at key (data will be wrapped in an AMFDataItem object)
void	<a href="#"><u>put</u></a> (String name, double data) Put or replace double value at key (data will be wrapped in an AMFDataItem object)
void	<a href="#"><u>put</u></a> (String name, int data) Put or replace int value at key (data will be wrapped in an AMFDataItem object)
void	<a href="#"><u>put</u></a> (String name, long data) Put or replace long value at key (data will be wrapped in an AMFDataItem object)
void	<a href="#"><u>put</u></a> (String name, String data) Put or replace string value at key (data will be wrapped in an AMFDataItem object)
<a href="#"><u>AMFData</u></a>	<a href="#"><u>remove</u></a> (int index) Remove element by index
<a href="#"><u>AMFData</u></a>	<a href="#"><u>remove</u></a> (String name) Remove element by key

(continued from last page)

## Methods

### containsKey

```
public boolean containsKey(String name)
```

Return true if the object/array contains key

**Parameters:**

name - key

**Returns:**

Return true the object/array contains key

---

### put

```
public void put(String name,  
    AMFData data)
```

Put or replace object at key

**Parameters:**

name - key

data - object

---

### put

```
public void put(String name,  
    String data)
```

Put or replace string value at key (data will be wrapped in an AMFDataItem object)

**Parameters:**

name - key

data - string value

---

### put

```
public void put(String name,  
    double data)
```

Put or replace double value at key (data will be wrapped in an AMFDataItem object)

**Parameters:**

name - key

data - double value

---

### put

```
public void put(String name,  
    int data)
```

Put or replace int value at key (data will be wrapped in an AMFDataItem object)

**Parameters:**

name - key

data - int value

## put

```
public void put(String name,  
               long data)
```

Put or replace long value at key (data will be wrapped in an AMFDataItem object)

**Parameters:**

name - key  
data - long value

---

## put

```
public void put(String name,  
               java.util.Date data)
```

Put or replace date value at key (data will be wrapped in an AMFDataItem object)

**Parameters:**

name - key  
data - date value

---

## put

```
public void put(String name,  
               boolean data)
```

Put or replace boolean value at key (data will be wrapped in an AMFDataItem object)

**Parameters:**

name - key  
data - boolean value

---

## getKeys

```
public java.util.List getKeys()
```

Return a list of all the keys (the list is a copy)

**Returns:**

new list that contains one entry for each key

---

## getKey

```
public String getKey(int index)
```

Return the key at a particular index.

**Parameters:**

index

**Returns:**

Return key at index or null if out of bounds

---

## get

```
public AMFData get(String name)
```

---

(continued from last page)

Return the object at a particular key.

**Parameters:**

name - key

**Returns:**

Return object or null if out of bounds

---

**get**

```
public AMFData get(int index)
```

Return the object at a particular index.

**Parameters:**

index - index

**Returns:**

Return object or null if out of bounds

---

**remove**

```
public AMFData remove(String name)
```

Remove element by key

**Parameters:**

name - key

**Returns:**

removed object or null if not found

---

**remove**

```
public AMFData remove(int index)
```

Remove element by index

**Parameters:**

index - index

**Returns:**

removed object or null if not found

---

**getString**

```
public String getString(String name)
```

Get item at key return as String

**Parameters:**

name - key

**Returns:**

Return item as String or null if out of bounds

---

(continued from last page)

## getInt

```
public int getInt(String name)
```

Get item at key return as int

**Parameters:**

name - key

**Returns:**

Return item as int or 0 if out of bounds

---

## getLong

```
public long getLong(String name)
```

Get item at key return as long

**Parameters:**

name - key

**Returns:**

Return item as long or 0 if out of bounds

---

## getShort

```
public short getShort(String name)
```

Get item at key return as short

**Parameters:**

name - key

**Returns:**

Return item as short or 0 if out of bounds

---

## getDouble

```
public double getDouble(String name)
```

Get item at key return as double

**Parameters:**

name - key

**Returns:**

Return item as double or 0 if out of bounds

---

## getFloat

```
public float getFloat(String name)
```

Get item at key return as float

**Parameters:**

name - key

**Returns:**

Return item as float or 0 if out of bounds



## getBytes

```
public byte getBytes(String name)
```

Get item at key return as byte

**Parameters:**

name - key

**Returns:**

Return item as byte or 0 if out of bounds

---

## getBoolean

```
public boolean getBoolean(String name)
```

Get item at key return as boolean

**Parameters:**

name - key

**Returns:**

Return item as boolean or false if out of bounds

---

## getDate

```
public java.util.Date getDate(String name)
```

Get item at key return as Date

**Parameters:**

name - key

**Returns:**

Return item as Date or null if out of bounds

---

## getObject

```
public AMFDataObj getObject(String name)
```

Get item at key return as AMFDataObj

**Parameters:**

name - key

**Returns:**

Return item as AMFDataObj or null if out of bounds

---

## getString

```
public String getString(int index)
```

Get item at index return as String

**Parameters:**

index - index

---

(continued from last page)

**Returns:**

Return item as String or null if out of bounds

---

**getInt**

```
public int getInt(int index)
```

Get item at index return as int

**Parameters:**

index - index

**Returns:**

Return item as int or 0 if out of bounds

---

**getLong**

```
public long getLong(int index)
```

Get item at index return as long

**Parameters:**

index - index

**Returns:**

Return item as long or 0 if out of bounds

---

**getShort**

```
public short getShort(int index)
```

Get item at index return as short

**Parameters:**

index - index

**Returns:**

Return item as short or 0 if out of bounds

---

**getByte**

```
public byte getByte(int index)
```

Get item at index return as byte

**Parameters:**

index - index

**Returns:**

Return item as byte or 0 if out of bounds

---

**getDouble**

```
public double getDouble(int index)
```

Get item at index return as double

**Parameters:**

(continued from last page)

index - index

**Returns:**

Return item as double or 0 if out of bounds

---

## getFloat

```
public float getFloat(int index)
```

Get item at index return as float

**Parameters:**

index - index

**Returns:**

Return item as float or 0 if out of bounds

---

## getBoolean

```
public boolean getBoolean(int index)
```

Get item at index return as boolean

**Parameters:**

index - index

**Returns:**

Return item as boolean or false if out of bounds

---

## getDate

```
public java.util.Date getDate(int index)
```

Get item at index return as Date

**Parameters:**

index - index

**Returns:**

Return item as Date or null if out of bounds

---

## getObject

```
public AMFDataObj getObject(int index)
```

Get item at index return as AMFDataObj

**Parameters:**

index - index

**Returns:**

Return item as AMFDataObj or null if out of bounds

---

Package

**com.wowza.wms.application**

## com.wowza.wms.application Interface IApplication

public interface **IApplication**  
extends

IApplication: public interface to Application object

### Field Summary

public static final	<a href="#"><u>DEFAULT_APPLICATION_NAME</u></a> Value: <b>_defapp_</b>
---------------------	---

### Method Summary

void	<a href="#"><u>addApplicationInstanceListener</u></a> ( <a href="#"><u>IApplicationInstanceNotify</u></a> applicationInstanceListener) Add applicationInstance listener.
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance</u></a> (String name) Get applicationInstance object by name
java.util.List	<a href="#"><u>getAppInstanceNames</u></a> ( ) Get a list of application instance names
String	<a href="#"><u>getApplicationPath</u></a> ( ) Get the root path for application
String	<a href="#"><u>getConfigPath</u></a> ( ) Get full path to Application.xml file
<a href="#"><u>ConnectionCounter</u></a>	<a href="#"><u>getConnectionCounter</u></a> ( ) Get the connectionCounter for application
ConnectionCounterSimple	<a href="#"><u>getConnectionCounter</u></a> (int counterIndex) Get the connectionCounter for application for application for a specific technology (see IVHost.COUNTER_*)
String	<a href="#"><u>getDateStarted</u></a> ( ) Get date application started
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getIoPerformanceCounter</u></a> ( ) Get the performance counter for application
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getIoPerformanceCounter</u></a> (int counterIndex) Get the performance counter for application for a specific technology (see IVHost.COUNTER_*)
String	<a href="#"><u>getName</u></a> ( ) Get the name of application
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties</u></a> ( ) Get application properties

void	<a href="#"><code>getProtocolUsage</code></a> (boolean[] protocolsInUse) Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE_*)
String	<a href="#"><code>getTimeRunning</code></a> () Get time application running
double	<a href="#"><code>getTimeRunningSeconds</code></a> () Get time running in seconds
<a href="#"><code>IVHost</code></a>	<a href="#"><code>getVHost</code></a> () Get the parent vHost object
boolean	<a href="#"><code>isAppInstanceLoaded</code></a> (String name) Return true if application instance is loaded
String	<a href="#"><code>readAppConfig</code></a> (String sName) Method to read xml config file..
void	<a href="#"><code>removeAppInstance</code></a> ( <a href="#"><code>IApplicationInstance</code></a> appInstance) Disconnect all clients connected to an application instance and remove it from the IApplication application list.
void	<a href="#"><code>removeApplicationInstanceListener</code></a> ( <a href="#"><code>IApplicationInstanceNotify</code></a> applicationInstanceListener) Remove applicationInstance listener.
void	<a href="#"><code>setName</code></a> (String name) Set name of application
void	<a href="#"><code>shutdown</code></a> (boolean isServerShutdown) shutdown application
void	<a href="#"><code>shutdownAppInstance</code></a> (String appInstanceName) Shutdown an application instance by name.
boolean	<a href="#"><code>writeAppConfig</code></a> (String sName, String data) Method to write xml config file..

## Fields

### DEFAULT\_APPLICATION\_NAME

public static final java.lang.String **DEFAULT\_APPLICATION\_NAME**

Constant value: **\_defapp\_**

## Methods

### shutdown

public void **shutdown**(boolean isServerShutdown)

shutdown application

#### Parameters:

isServerShutdown - true if due to shutdown of server

## getApplicationPath

```
public String getApplicationPath()
```

Get the root path for application

**Returns:**

root path for application

---

## getConfigPath

```
public String getConfigPath()
```

Get full path to Application.xml file

**Returns:**

full path to Application.xml file

---

## getAppInstance

```
public IApplicationInstance getAppInstance(String name)
```

Get applicationInstance object by name

**Parameters:**

name - applicationInstance name

**Returns:**

appliationInstance object

---

## isAppInstanceLoaded

```
public boolean isAppInstanceLoaded(String name)
```

Return true if application instance is loaded

**Parameters:**

name - applicationInstance name

**Returns:**

true if application instance is loaded

---

## getName

```
public String getName()
```

Get the name of application

**Returns:**

name of application

---

## setName

```
public void setName(String name)
```

Set name of application

---

(continued from last page)

**Parameters:**

name - name of application

---

**getVHost**

```
public IVHost getVHost ( )
```

Get the parent vHost object

**Returns:**

parent vHost

---

**getProperties**

```
public WMSProperties getProperties ( )
```

Get application properties

**Returns:**

application properties

---

**addApplicationInstanceListener**

```
public void addApplicationInstanceListener ( IApplicationInstanceNotify  
applicationInstanceListener )
```

Add applicationInstance listener. Will be invoked each time applicationInstance created/deleted

**Parameters:**

applicationInstanceListener - applicationInstance listener

---

**removeApplicationInstanceListener**

```
public void removeApplicationInstanceListener ( IApplicationInstanceNotify  
applicationInstanceListener )
```

Remove applicationInstance listener. Will be invoked each time applicationInstance created/deleted

**Parameters:**

applicationInstanceListener - applicationInstance listener

---

**getConnectionCounter**

```
public ConnectionCounter getConnectionCounter ( )
```

Get the connectionCounter for application

**Returns:**

connectionCounter for application

---

**getConnectionCounter**

```
public ConnectionCounterSimple getConnectionCounter (int counterIndex)
```

Get the connectionCounter for application for application for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index (see IVHost.COUNTER\_\*)



(continued from last page)

**Returns:**

connection ocunter

---

## getIoPerformanceCounter

```
public IoPerformanceCounter getIoPerformanceCounter()
```

Get the performance counter for application

**Returns:**

performance counter for application

---

## getIoPerformanceCounter

```
public IoPerformanceCounter getIoPerformanceCounter(int counterIndex)
```

Get the performance counter for application for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index (see IVHost.COUNTER\_\*)

**Returns:**

performance counter

---

## getDateStarted

```
public String getDateStarted()
```

Get date application started

**Returns:**

date application started

---

## getTimeRunning

```
public String getTimeRunning()
```

Get time application running

**Returns:**

time application running

---

## getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

Get time running in seconds

**Returns:**

time running in seconds

---

## getAppInstanceNames

```
public java.util.List getAppInstanceNames()
```

Get a list of application instance names

**Returns:**

(continued from last page)

list of application instance names

---

## removeAppInstance

```
public void removeAppInstance(IApplicationInstance appInstance)
```

Disconnect all clients connected to an application instance and remove it from the IApplication application list. The proper way to call this is:

```
public void shutdownAppInstance(IApplicationInstance appInstance)
{
    IVHost vhost = appInstance.getVHost();
    IApplication app = appInstance.getApplication();

    WMSReadWriteLock appLock = vhost.getApplicationLock();
    appLock.writeLock().lock();
    try
    {
        app.removeAppInstance(appInstance);
    }
    catch (Exception e)
    {
        WMSLoggerFactory.getLogger(Application.class).error("Application.shutdownAppInstance: "+
        e.toString());
    }
    finally
    {
        appLock.writeLock().unlock();
    }
}
```

### Parameters:

appInstance - application instance to remove

---

## shutdownAppInstance

```
public void shutdownAppInstance(String appInstanceName)
```

Shutdown an application instance by name. This will disconnect all clients connected to this application instance.

### Parameters:

appInstanceName - application instance name

---

## readAppConfig

```
public String readAppConfig(String sName)
```

Method to read xml config file..

---

## **writeAppConfig**

```
public boolean writeAppConfig(String sName,  
                               String data)
```

Method to write xml config file..

---

## **getProtocolUsage**

```
public void getProtocolUsage(boolean[] protocolsInUse)
```

Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE\_\*)

## com.wowza.wms.application Interface IApplicationInstance

public interface **IApplicationInstance**  
extends

IApplicationInstance: public interface to ApplicationInstance object

### Field Summary

public static final	<a href="#"><u>DEFAULT_APPINSTANCE_NAME</u></a> Value: <b>_definst_</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_CUPERTINO</u></a> Value: <b>7</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_MPEGDASH</u></a> Value: <b>10</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_ORIGINCUPERTINO</u></a> Value: <b>15</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_ORIGINMPEGDASH</u></a> Value: <b>18</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_ORIGINSANJOSE</u></a> Value: <b>17</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_ORIGINSMOOTH</u></a> Value: <b>16</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_RTMP</u></a> Value: <b>0</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_RTMP_E</u></a> Value: <b>4</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_RTMP_S</u></a> Value: <b>2</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_RTMP_T</u></a> Value: <b>1</b>
public static final	<a href="#"><u>PROTOCOLUSAGE_RTMP_T_E</u></a> Value: <b>5</b>

public static final	<a href="#">PROTOCOLUSAGE_RTPTS</a> Value: <b>3</b>
public static final	<a href="#">PROTOCOLUSAGE_RTP</a> Value: <b>6</b>
public static final	<a href="#">PROTOCOLUSAGE_SANJOSE</a> Value: <b>9</b>
public static final	<a href="#">PROTOCOLUSAGE_SMOOTH</a> Value: <b>8</b>
public static final	<a href="#">PROTOCOLUSAGE_TOTAL</a> Value: <b>19</b>
public static final	<a href="#">PROTOCOLUSAGE_WEBM</a> Value: <b>11</b>
public static final	<a href="#">PROTOCOLUSAGE_WOWZ</a> Value: <b>12</b>
public static final	<a href="#">PROTOCOLUSAGE_WOWZE</a> Value: <b>13</b>
public static final	<a href="#">PROTOCOLUSAGE_WOWZS</a> Value: <b>14</b>

## Method Summary

void	<a href="#">addClientListener</a> ( <a href="#">IClientNotify</a> clientListener) Add client listener.
void	<a href="#">addDvrRecorderListener</a> ( <a href="#">ILiveStreamDvrRecorderActionNotify</a> listener) Add a Dvr Recorder listener (see: <a href="#">ILiveStreamDvrRecorderActionNotify</a> )
void	<a href="#">addDvrStreamManagerListener</a> ( <a href="#">IDvrStreamManagerActionNotify</a> listener) Add a Dvr Application Store Manager listener (see: <a href="#">IDvrStoreActionNotify</a> )
void	<a href="#">addHTTPStreamerSession</a> ( <a href="#">IHTTPStreamerSession</a> httpStreamerSession) Add a HTTPStreamerSession to this application instance
void	<a href="#">addLiveStreamPacketizerListener</a> ( <a href="#">ILiveStreamPacketizerActionNotify</a> <a href="#">LiveStreamPacketizerListener</a> ) Add a Live Stream Packetizer listener (see: <a href="#">ILiveStreamPacketizerActionNotify</a> )
void	<a href="#">addLiveStreamTranscoderListener</a> ( <a href="#">ILiveStreamTranscoderNotify</a> <a href="#">LiveStreamTranscoderListener</a> ) Add a live stream transcoder listener
void	<a href="#">addMediaCasterListener</a> ( <a href="#">IMediaCasterNotify</a> mediaCasterListener) Add mediaCaster listener.

void	<a href="#"><u>addMediaCasterListener</u></a> ( <a href="#"><u>IMediaCasterNotify2</u></a> mediaCasterListener) Add mediaCaster listener.
void	<a href="#"><u>addMediaReaderListener</u></a> ( <a href="#"><u>IMediaReaderActionNotify</u></a> mediaReaderListener) Add media reader listener.
void	<a href="#"><u>addMediaStreamListener</u></a> ( <a href="#"><u>IMediaStreamNotify</u></a> mediaStreamListener) Add mediaStream listener.
void	<a href="#"><u>addMediaWriterListener</u></a> ( <a href="#"><u>IMediaWriterActionNotify</u></a> listener) Add a MediaWriter listener class.
void	<a href="#"><u>addModuleListener</u></a> ( <a href="#"><u>IModuleNotify</u></a> moduleListener) Add module listener.
void	<a href="#"><u>addPlayStreamByName</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String name) Add a media stream to the list of streams that are listening for a published stream
void	<a href="#"><u>addPublisher</u></a> ( <a href="#"><u>Publisher</u></a> publisher) Add a server side publisher to this application instance
void	<a href="#"><u>addRTPIncomingDatagramPortAll</u></a> () Allow all incoming RTP UDP ports for this application instance
void	<a href="#"><u>addRTPIncomingDatagramPortRange</u></a> (int startPort, int endPort) Add a port range to the list of valid incoming RTP UDP ports
void	<a href="#"><u>addRTPSession</u></a> ( <a href="#"><u>RTPSession</u></a> rtpSession) Add an RTP session to this application instance
void	<a href="#"><u>addSharedObjectListener</u></a> ( <a href="#"><u>ISharedObjectNotify</u></a> sharedObjectListener, boolean isPersistent) Add sharedObject listener.
void	<a href="#"><u>broadcastMsg</u></a> (java.util.List clientList, String handlerName) Broadcast a message to a specific list of clients connected to this application instance
void	<a href="#"><u>broadcastMsg</u></a> (java.util.List clientList, String handlerName, Object[] params) Broadcast a message to a specific list of clients connected to this application instance
void	<a href="#"><u>broadcastMsg</u></a> (String handlerName, Object[] params) Broadcast a message to all clients connected to this applicationInstance
boolean	<a href="#"><u>containsDvrRecorder</u></a> (String dvrRecorder) Does this application instance contain a references to this DVR recorder.
boolean	<a href="#"><u>containsHTTPStreamer</u></a> (String httpStreamer) Does this application instance allow streaming of a given HTTPStreamer
boolean	<a href="#"><u>containsLiveStreamPacketizer</u></a> (String liveStreamPacketizer) Does this application instance contain a references to this live stream packetizer.
boolean	<a href="#"><u>containsLiveStreamTranscoder</u></a> (String liveStreamTranscoder) Return true if this application instance contains the transcoder name
String	<a href="#"><u>decodeStorageDir</u></a> (String storageDir) This function will take a storage path that uses variables and expand the variables based on the context.

String[]	<a href="#"><u>getAllowDomains()</u></a> Get the list of domain names used to control access to this application.
<a href="#"><u>IApplication</u></a>	<a href="#"><u>getApplication()</u></a> Get parent application
int	<a href="#"><u>getApplicationInstanceTouchTimeout()</u></a> Get the application instance touch timeout (milliseconds).
int	<a href="#"><u>getApplicationTimeout()</u></a> Get application timeout (milliseconds)
<a href="#"><u>IClient</u></a>	<a href="#"><u>getClient(int index)</u></a> <b>Deprecated.</b> Get the client connection at index. This method is deprecated. It is best to use <a href="#"><u>getClient()</u></a> to return a List objects.
<a href="#"><u>IClient</u></a>	<a href="#"><u>getClientById(int index)</u></a> Get a client connection by the client Id
int	<a href="#"><u>getClientCount()</u></a> Get number of client connections currently connected to applicationInstance
int	<a href="#"><u>getClientCountTotal()</u></a> Get number of client connections in total that have connected to this applicationInstance
int	<a href="#"><u>getClientIdleFrequency()</u></a> Get default client idle frequency (milliseconds)
java.util.List	<a href="#"><u>getClients()</u></a> Get the set of clients currently connected to this application instance (replaces getClient(index))
edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock	<a href="#"><u>getClientsLockObj()</u></a> Get the read/write lock for this application instance
<a href="#"><u>ConnectionCounter</u></a>	<a href="#"><u>getConnectionCounter()</u></a> Get the connectionCounter for applicationInstance
ConnectionCounterSimple	<a href="#"><u>getConnectionCounter(int counterIndex)</u></a> Get the connectionCounter for applicationInstance for a specific technology (see IVHost.COUNTER_*)
String	<a href="#"><u>getContextStr()</u></a> Returns the application context string in the form [application]/[appInstance].
String	<a href="#"><u>getDateStarted()</u></a> Get date applicationInstance started
DvrApplicationContext	<a href="#"><u>getDvrApplicationContext()</u></a> Get live stream dvr application context
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getDvrProperties()</u></a> Get the property collection of DVR settings that are specific to this application instance.
String	<a href="#"><u>getDvrRecorderList()</u></a> Get the comma separated list of Dvr Recorder names being used by this application (see conf/Dvr.xml)

<a href="#"><u>IHTTPStreamerApplicationContext</u></a>	<a href="#"><u>getHTTPStreamerApplicationContext</u></a> (String httpStreamName, boolean doCreate) Get the HTTPStreamer application context for a given HTTPStreamer adapter
String	<a href="#"><u>getHTTPStreamerList</u></a> () Get the comma separated list of HTTPStreamers names being used by this application (see conf/HTTPStreamers.xml)
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getHTTPStreamerProperties</u></a> () Get the property collection of HTTPStreamer settings that are specific to this application instance
int	<a href="#"><u>getHTTPStreamerSessionCount</u></a> () Get the current number of HTTPStreamerSessions associated with this application instance
int	<a href="#"><u>getHTTPStreamerSessionCount</u></a> (int protocol) Get the current number of HTTPStreamerSessions associated with this application instance by protocol.
int	<a href="#"><u>getHTTPStreamerSessionCount</u></a> (int protocol, String streamName) Get the current number of HTTPStreamerSessions associated with this application instance and stream name by protocol .
int	<a href="#"><u>getHTTPStreamerSessionCount</u></a> (String streamName) Get the current number of HTTPStreamerSessions associated with this application instance and stream name
java.util.Map	<a href="#"><u>getHTTPStreamerSessionCountsByName</u></a> (int protocol) Get a map of session counts by name for a given protocol
java.util.List	<a href="#"><u>getHTTPStreamerSessions</u></a> () Get the HTTPStreamerSessions associated with this application instance
java.util.List	<a href="#"><u>getHTTPStreamerSessions</u></a> (int protocol) Get the HTTPStreamerSessions associated with this application instance by protocol.
java.util.List	<a href="#"><u>getHTTPStreamerSessions</u></a> (int protocol, String streamName) Get the HTTPStreamerSessions associated with this application instance for a stream name by protocol.
java.util.List	<a href="#"><u>getHTTPStreamerSessions</u></a> (String streamName) Get the HTTPStreamerSessions associated with this application instance for a stream name
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getIOPerformanceCounter</u></a> () Get the performance counter for applicationInstance
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getIOPerformanceCounter</u></a> (int counterIndex) Get the performance counter for applicationInstance for a specific technology (see IVHost.COUNTER_*)
long	<a href="#"><u>getLastTouchTime</u></a> () Get the last time the instance was touched (milliseconds)
<a href="#"><u>ILiveStreamDvrRecorderControl</u></a>	<a href="#"><u>getLiveStreamDvrRecorderControl</u></a> () Get the Live Stream DVR Recorder Controller.
<a href="#"><u>ILiveStreamPacketizerControl</u></a>	<a href="#"><u>getLiveStreamPacketizerControl</u></a> () Get the Live Stream Packetizer Controller.



String	<a href="#">getLiveStreamPacketizerList()</a> Get the comma separated list of LiveStreamPacketizers names being used by this application (see conf/LiveStreamPacketizers.xml)
<a href="#">WMSProperties</a>	<a href="#">getLiveStreamPacketizerProperties()</a> Get the property collection of LiveStreamPacketizer settings that are specific to this application instance
<a href="#">ILiveStreamTranscoderControl</a>	<a href="#">getLiveStreamTranscoderControl()</a> Get the Live Stream Transcoder Contoller.
String	<a href="#">getLiveStreamTranscoderList()</a> Get comma separated list of transcoders to use for this application instance
int	<a href="#">getMaximumPendingReadBytes()</a> Set maximum number of bytes a client connection can have waiting to be written before the connection is terminated.
int	<a href="#">getMaximumPendingWriteBytes()</a> Get maximum number a bytes a client connection can have waiting to be sent before the connection is terminated.
int	<a href="#">getMaximumSetBufferTime()</a> Get maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call.
int	<a href="#">getMaxStorageDirDepth()</a> Maximum folder depth allowed for the StreamStorageDir and SharedObjectStorageDir paths
<a href="#">WMSProperties</a>	<a href="#">getMediaCasterProperties()</a> Get the property collection of media caster settings that are specific to this application instance
int	<a href="#">getMediacasterRTPRTSPRTPTTransportMode()</a> RTP MediaCaster RTSP/RTP transport mode.
<a href="#">MediaCasterStreamMap</a>	<a href="#">getMediaCasterStreams()</a> Get the media caster streams attached to this application instance
<a href="#">IMediaCasterValidateMediaCaster</a>	<a href="#">getMediaCasterValidator()</a> Get the MediaCaster validator interface for this application instance
<a href="#">IMediaListProvider</a>	<a href="#">getMediaListProvider()</a> Get the current media list provider.
int	<a href="#">getMediaReaderContentType(String mediaType)</a> Get the content type of a media stream name prefix (see IMediaReader.CONTENTTYPE_*)
<a href="#">WMSProperties</a>	<a href="#">getMediaReaderProperties()</a> Get the property collection of media reader settings that are specific to this application instance
<a href="#">WMSProperties</a>	<a href="#">getMediaWriterProperties()</a> Get the property collection of media reader settings that are specific to this application instance
ModuleFunctions	<a href="#">getModFunctions()</a> Get list of application modules
Object	<a href="#">getModuleInstance(String name)</a> Get the instance of the module class for this application instance.
ModuleList	<a href="#">getModuleList()</a> Get the list of loaded modules.

String	<a href="#"><u>getName()</u></a> Get applicationInstance name
int	<a href="#"><u>getPingTimeout()</u></a> Get ping timeout (milliseconds)
int	<a href="#"><u>getPlayStreamCount(String streamName)</u></a> Get the number of Flash players playing a given stream name
java.util.Map	<a href="#"><u>getPlayStreamCountsByName()</u></a> Get a map of stream names to number of Flash players playing the stream name
java.util.List	<a href="#"><u>getPlayStreamsByName(String name)</u></a> Get a list of media streams that are listening for published stream.
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties()</u></a> Get applicationInstance properties
boolean[]	<a href="#"><u>getProtocolUsage()</u></a> Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE_*)
void	<a href="#"><u>getProtocolUsage(boolean[] protocolsInUse)</u></a> Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE_*)
int	<a href="#"><u>getPublisherCount()</u></a> Get the current number of server side publishers
java.util.List	<a href="#"><u>getPublishers()</u></a> Get the set of server side publishers
java.util.List	<a href="#"><u>getPublishStreamNames()</u></a> Get the list of live stream names currently being published.
String	<a href="#"><u>getRepeaterOriginUrl()</u></a> Get the Repeater Origin URL used by the Live Stream Repeater
String	<a href="#"><u>getRepeaterQueryString()</u></a> Get the Repeater query string that is used to connect to the origin.
String	<a href="#"><u>getRsoStorageDir()</u></a> Get remote shared object storage path
String	<a href="#"><u>getRsoStoragePath()</u></a> Get the resolved storage path to the shared objects
int	<a href="#"><u>getRTPAVSyncMethod()</u></a> Get RTP audio/video sync method (RTPStream.AVSYNCMETHODS_SENDERREPORT, RTPStream.AVSYNCMETHODS_SYSTEMCLOCK, RTPStream.AVSYNCMETHODS_RTPTIMECODE)
int	<a href="#"><u>getRTPIdleFrequency()</u></a> Set the default RTP idle frequency (milliseconds)
int	<a href="#"><u>getRTPMaxRTCPWaitTime()</u></a> Get the maximum time to wait for RTCP packets (milliseconds)
String	<a href="#"><u>getRTPPlayAuthenticationMethod()</u></a> Get the RTP play authentication method (as defined in conf/Authentication.xml)

<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getRTPProperties()</u></a> Get the property collection of RTP settings that are specific to this application instance
String	<a href="#"><u>getRTPPublishAuthenticationMethod()</u></a> Get the RTP publish authentication method (as defined in conf/Authentication.xml)
int	<a href="#"><u>getRTPSessionCount()</u></a> Get the number of RTP sessions running under this application instance
int	<a href="#"><u>getRTPSessionCount(String streamName)</u></a> Get the number of RTP player streams playing a given stream name
java.util.Map	<a href="#"><u>getRTPSessionCountsByName()</u></a> Get a map of stream names and session counts of RTP sessions
java.util.List	<a href="#"><u>getRTPSessions()</u></a> Get a list of RTP sessions running under this application instance
java.util.List	<a href="#"><u>getRTPSessions(String streamName)</u></a> Get a list of RTP sessions running under this application instance playing a given stream name
String	<a href="#"><u>getRTSPBindIpAddress()</u></a> Set the IP address to which UDP ports will be bound for RTSP/RTP sessions
String	<a href="#"><u>getRTSPConnectionAddressType()</u></a> Get the connection IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session
String	<a href="#"><u>getRTSPConnectionIpAddress()</u></a> Get the connection IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session
int	<a href="#"><u>getRTSPMaximumPendingWriteBytes()</u></a> Get the maximum number of pending write bytes for an RTSP session
String	<a href="#"><u>getRTSPOriginAddressType()</u></a> Get the origin IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session
String	<a href="#"><u>getRTSPOriginIpAddress()</u></a> Get the origin IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session
int	<a href="#"><u>getRTSPSessionTimeout()</u></a> Get the RTSP session timeout (milliseconds)
String	<a href="#"><u>getSharedObjectReadAccess()</u></a> Get the default shared object read access
<a href="#"><u>ISharedObjects</u></a>	<a href="#"><u>getSharedObjects()</u></a> Get non-persistent shared object collection
<a href="#"><u>ISharedObjects</u></a>	<a href="#"><u>getSharedObjects(boolean isPersistent)</u></a> Get either persistent or non-persistent shared object collection
String	<a href="#"><u>getSharedObjectWriteAccess()</u></a> Get the default shared object write access
String	<a href="#"><u>getStreamAudioSampleAccess()</u></a> Get the default stream audio sample access

int	<a href="#"><u>getStreamCount()</u></a> Get the total number of open streams attached to this application instance
<a href="#"><u>IMediaStreamFileMapper</u></a>	<a href="#"><u>getStreamFileMapper()</u></a> Get the stream file mapper.
String	<a href="#"><u>getStreamKeyDir()</u></a> Get the stream key path
String	<a href="#"><u>getStreamKeyPath()</u></a> Get the resolved key path to the MediaStreams encryption keys
<a href="#"><u>IMediaStreamNameAliasProvider</u></a>	<a href="#"><u>getStreamNameAliasProvider()</u></a> Get the stream name alias provider
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getStreamProperties()</u></a> Get the property collection of stream settings that are specific to this application instance
String	<a href="#"><u>getStreamReadAccess()</u></a> Get the default stream read access
<a href="#"><u>MediaStreamMap</u></a>	<a href="#"><u>getStreams()</u></a> Get all the mediaStream objects attached to this applicationInstance
String	<a href="#"><u>getStreamStorageDir()</u></a> Get stream storage path
String	<a href="#"><u>getStreamStoragePath()</u></a> Get the resolved storage path to the MediaStreams
String	<a href="#"><u>getStreamType()</u></a> Get default streamType for application.
String	<a href="#"><u>getStreamVideoSampleAccess()</u></a> Get the default stream video sample access
String	<a href="#"><u>getStreamWriteAccess()</u></a> Get the default stream write access
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getTimedTextProperties()</u></a> Get the property collection of timed text settings that are specific to this application instance.
String	<a href="#"><u>getTimeRunning()</u></a> Get time applicationInstance running
double	<a href="#"><u>getTimeRunningSeconds()</u></a> Get time running in seconds
LiveStreamTranscoderApplicationContext	<a href="#"><u>getTranscoderApplicationContext()</u></a> Get live stream transcoder application context
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getTranscoderProperties()</u></a> Get the property collection of Transcoder settings that are specific to this application instance
int	<a href="#"><u>getValidationFrequency()</u></a> Get time between validation pings (milliseconds)
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost()</u></a> Get parent vHost

String	<a href="#"><u>getVODTimedTextProviderList()</u></a> Get the comma separated list of VODTimedTextProvider names being used by this application (see conf/TimedTextProviders.xml)
java.util.List	<a href="#"><u>getVODTimedTextProviderSet()</u></a>
void	<a href="#"><u>incClientCountTotal()</u></a> Increment the total number of connected client counter by one
boolean	<a href="#"><u>isAcceptConnection()</u></a> Is auto accept connection on/off
boolean	<a href="#"><u>isDebugAppTimeout()</u></a> If true appTimeout processing will be logged.
boolean	<a href="#"><u>isRTPIncomingDatagramPortValid(int port)</u></a> Check a port number to be sure it is a valid RTP UDP port for this application instance
boolean	<a href="#"><u>isValidateFMLEConnections()</u></a> Returns true if validating FMLE connection (default is false)
void	<a href="#"><u>notifyDvrStreamManagerCreate(IDvrStreamManager dvrStoreManager)</u></a> Notify listeners that Dvr Application Store Manager has been created.
void	<a href="#"><u>notifyDvrStreamManagerDestroy(IDvrStreamManager dvrManager)</u></a> Notify listeners that Dvr Application Store Manager has been destroyed.
void	<a href="#"><u>notifyDvrStreamManagerInit(IDvrStreamManager dvrStoreManager)</u></a> Notify listeners that Dvr Application Store Manager has been initialized.
void	<a href="#"><u>notifyLiveStreamDvrRecorderCreate(ILiveStreamDvrRecorder dvr, String streamName)</u></a> Notify Dvr Recorder Create
void	<a href="#"><u>notifyLiveStreamDvrRecorderDestroy(ILiveStreamDvrRecorder dvr)</u></a> Notify DVR Recorder has been destroyed.
void	<a href="#"><u>notifyLiveStreamDvrRecorderInit(ILiveStreamDvrRecorder dvr, String streamName)</u></a> Notify DVR Recorder has been initialized.
void	<a href="#"><u>notifyLiveStreamPacketizerCreate(ILiveStreamPacketizer liveStreamPacketizer, String streamName)</u></a> Notify Live Stream Packetizer Create
void	<a href="#"><u>notifyLiveStreamPacketizerDestroy(ILiveStreamPacketizer liveStreamPacketizer)</u></a> Notify Live Stream Packetizer Destory
void	<a href="#"><u>notifyLiveStreamPacketizerInit(ILiveStreamPacketizer liveStreamPacketizer, String streamName)</u></a> Notify Live Stream Packetizer Init
void	<a href="#"><u>notifyLiveStreamTranscoderCreate(ILiveStreamTranscoder liveStreamTranscoder, IMediaStream stream)</u></a> Notify live stream transcoder create
void	<a href="#"><u>notifyLiveStreamTranscoderDestroy(ILiveStreamTranscoder liveStreamTranscoder, IMediaStream stream)</u></a> Notify live stream transcoder destroy

void	<a href="#"><u>notifyLiveStreamTranscoderInit</u></a> ( <a href="#"><u>ILiveStreamTranscoder</u></a> liveStreamTranscoder, <a href="#"><u>IMediaStream</u></a> stream) Notify live stream transcoder init
void	<a href="#"><u>notifyMediaReaderClose</u></a> ( <a href="#"><u>IMediaReader</u></a> mediaReader, <a href="#"><u>IMediaStream</u></a> stream) Notify media reader notifyMediaReaderClose
void	<a href="#"><u>notifyMediaReaderCreate</u></a> ( <a href="#"><u>IMediaReader</u></a> mediaReader) Notify media reader notifyMediaReaderCreate
void	<a href="#"><u>notifyMediaReaderExtractMetaData</u></a> ( <a href="#"><u>IMediaReader</u></a> mediaReader, <a href="#"><u>IMediaStream</u></a> stream) Notify media reader notifyMediaReaderExtractMetaData
void	<a href="#"><u>notifyMediaReaderInit</u></a> ( <a href="#"><u>IMediaReader</u></a> mediaReader, <a href="#"><u>IMediaStream</u></a> stream) Notify media reader notifyMediaReaderInit
void	<a href="#"><u>notifyMediaReaderOpen</u></a> ( <a href="#"><u>IMediaReader</u></a> mediaReader, <a href="#"><u>IMediaStream</u></a> stream) Notify media reader notifyMediaReaderOpen
void	<a href="#"><u>notifyMediaWriterOnFLVAddMetadata</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, java.util.Map extraMetadata) Notify all MediaWriter listeners of onFLVAddMetadata
void	<a href="#"><u>notifyMediaWriterOnWriteComplete</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, java.io.File file) Notify all MediaWriter listeners of onWriteComplete
void	<a href="#"><u>parseAllowDomains</u></a> (String domainFilterStr) Parse a comma delimited list of domain names used to control access to this application.
String	<a href="#"><u>readAppInstConfig</u></a> (String sName) Method to read xml config file..
void	<a href="#"><u>registerPlayRTPSession</u></a> ( <a href="#"><u>RTPSession</u></a> rtpSession) Register an RTP session as a play session
void	<a href="#"><u>removeClientListener</u></a> ( <a href="#"><u>IClientNotify</u></a> clientListener) Remove client listener.
void	<a href="#"><u>removeDvrRecorderListener</u></a> ( <a href="#"><u>ILiveStreamDvrRecorderActionNotify</u></a> listener) Remove a Dvr Recorder listener (see: <a href="#"><u>ILiveStreamDvrRecorderActionNotify</u></a> )
void	<a href="#"><u>removeDvrStreamManagerListener</u></a> ( <a href="#"><u>IDvrStreamManagerActionNotify</u></a> listener) Remove a Dvr Application Store Manager listener (see: <a href="#"><u>IDvrStoreActionNotify</u></a> )
void	<a href="#"><u>removeHTTPStreamerSession</u></a> ( <a href="#"><u>IHTTPStreamerSession</u></a> httpStreamerSession) Remove a HTTPStreamerSession from this application instance
void	<a href="#"><u>removeLiveStreamPacketizerListener</u></a> ( <a href="#"><u>ILiveStreamPacketizerActionNotify</u></a> liveStreamPacketizerListener) Remove a Live Stream Packetizer listener (see: <a href="#"><u>ILiveStreamPacketizerActionNotify</u></a> )
void	<a href="#"><u>removeLiveStreamTranscoderListener</u></a> ( <a href="#"><u>ILiveStreamTranscoderNotify</u></a> liveStreamTranscoderListener) Remove a live stream transcoder listener
void	<a href="#"><u>removeMediaCasterListener</u></a> ( <a href="#"><u>IMediaCasterNotify</u></a> mediaCasterListener) Remove mediaCaster listener.

void	<a href="#"><u>removeMediaReaderListener</u></a> ( <a href="#"><u>IMediaReaderActionNotify</u></a> mediaReaderListener) Remove media reader listener.
void	<a href="#"><u>removeMediaStreamListener</u></a> ( <a href="#"><u>IMediaStreamNotify</u></a> mediaStreamListener) Remove mediaStream listener.
void	<a href="#"><u>removeMediaWriterListener</u></a> ( <a href="#"><u>IMediaWriterActionNotify</u></a> listener) remove MediaWriter listener class.
void	<a href="#"><u>removeModuleListener</u></a> ( <a href="#"><u>IModuleNotify</u></a> moduleListener) Remove module listener
void	<a href="#"><u>removePlayStreamByName</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Remove media stream from the list of streams that are listening for a published stream
void	<a href="#"><u>removePublisher</u></a> ( <a href="#"><u>Publisher</u></a> publisher) Remove a server side publisher from this application instance
void	<a href="#"><u>removeRTPSession</u></a> ( <a href="#"><u>RTPSession</u></a> rtpSession) Remove an RTP session from this application instance
void	<a href="#"><u>removeSharedObjectListener</u></a> ( <a href="#"><u>ISharedObjectNotify</u></a> sharedObjectListener, boolean isPersistent) Remove sharedObject listener.
boolean	<a href="#"><u>resetMediaCasterStream</u></a> (String streamName) Reset a media caster stream
boolean	<a href="#"><u>resetMediaCasterStream</u></a> (String streamName, String streamExt) Reset a media caster stream
void	<a href="#"><u>setAcceptConnection</u></a> (boolean acceptConnection) Set is auto accept connection
void	<a href="#"><u>setAllowDomains</u></a> (String[] domainFilter) Set the list of domain names used to control access to this application.
void	<a href="#"><u>setApplicationInstanceTouchTimeout</u></a> (int applicationInstanceTouchTimeout) Set the application instance touch timeout (milliseconds).
void	<a href="#"><u>setApplicationTimeout</u></a> (int applicationTimeout) Set application timeout (milliseconds)
void	<a href="#"><u>setClientIdleFrequency</u></a> (int clientIdleFrequency) Set default client idle frequency (milliseconds)
void	<a href="#"><u>setDebugAppTimeout</u></a> (boolean debugAppTimeout) If true appTimeout processing will be logged.
void	<a href="#"><u>setDvrRecorderList</u></a> (String recorderList) Set the comma separated list of Dvr Recorder names being used by this application (see conf/Dvr.xml)
void	<a href="#"><u>setHTTPStreamerList</u></a> (String httpStreamerList) Set the comma separated list of HTTPStreamer names being used by this application (see conf/HTTPStreamers.xml)
void	<a href="#"><u>setLiveStreamDvrRecorderControl</u></a> ( <a href="#"><u>ILiveStreamDvrRecorderControl</u></a> controller) Set the Live Stream DVR Controller.

void	<a href="#"><u>setLiveStreamPacketizerControl</u></a> ( <a href="#"><u>ILiveStreamPacketizerControl</u></a> liveStreamPacketizerControl) Set the Live Stream Packetizer Contoller.
void	<a href="#"><u>setLiveStreamPacketizerList</u></a> (String liveStreamPacketizerList) Set the comma separated list of LiveStreamPacketizers names being used by this application (see conf/LiveStreamPacketizers.xml)
void	<a href="#"><u>setLiveStreamTranscoderControl</u></a> ( <a href="#"><u>ILiveStreamTranscoderControl</u></a> liveStreamTranscoderControl) Set the Live Stream Transcoder Contoller.
void	<a href="#"><u>setLiveStreamTranscoderList</u></a> (String liveStreamTranscoderList) Set comma separated list of transcoders to use for this application instance
void	<a href="#"><u>setMaximumPendingReadBytes</u></a> (int maximumPendingReaderBytes) Get maximum number of bytes a client connection can have waiting to be written before the connection is terminated.
void	<a href="#"><u>setMaximumPendingWriteBytes</u></a> (int maximumPendingWriteBytes) Set maximum number a bytes a client connection can have waiting to be sent before the connection is terminated.
void	<a href="#"><u>setMaximumSetBufferTime</u></a> (int maximumSetBufferTime) Set maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call.
void	<a href="#"><u>setMaxStorageDirDepth</u></a> (int maxStorageDirDepth) Maximum folder depth allowed for the StreamStorageDir and SharedObjectStorageDir paths
void	<a href="#"><u>setMediacasterRTPRTSPRTPTransportMode</u></a> (int mediacasterRTPRTSPRTPTransportMode) RTP MediaCaster RTSP/RTP transport mode.
void	<a href="#"><u>setMediaCasterValidator</u></a> ( <a href="#"><u>IMediaCasterValidateMediaCaster</u></a> mediaCasterValidator) Set the MediaCaster validator interface for this application instance
void	<a href="#"><u>setMediaListProvider</u></a> ( <a href="#"><u>IMediaListProvider</u></a> mediaListProvider) Set the current media list provider.
void	<a href="#"><u>setName</u></a> (String name) Set applicationInstance name
void	<a href="#"><u>setPingTimeout</u></a> (int pingTimeout) Set ping timeout (milliseconds)
void	<a href="#"><u>setRepeaterOriginUrl</u></a> (String repeaterOriginUrl) Set the Repeater Origin URL used by the Live Stream Repeater
void	<a href="#"><u>setRepeaterQueryString</u></a> (String repeaterQueryString) Set the Repeater query string that is used to connect to the origin.
void	<a href="#"><u>setRsoStorageDir</u></a> (String rsoStorageDir) Set remote shared object storage path
void	<a href="#"><u>setRTPAVSyncMethod</u></a> (int rtpAVSyncMethod) Set RTP audio/video sync method (RTPStream.AVSYNCMETHODS_SENDERREPORT, RTPStream.AVSYNCMETHODS_SYSTEMCLOCK, RTPStream.AVSYNCMETHODS_RTPTIMECODE)



void	<a href="#"><u>setRTPIIdleFrequency</u></a> (int rtspIdleFrequency) Get the default RTP idle frequency (milliseconds)
void	<a href="#"><u>setRTSPMaxRTCPWaitTime</u></a> (int rtpMaxRTCPWaitTime) Set the maximum time to wait for RTCP packets (milliseconds)
void	<a href="#"><u>setRTSPPlayAuthenticationMethod</u></a> (String rtpPlayAuthenticationMethod) Set the RTP play authentication method (as defined in conf/Authentication.xml)
void	<a href="#"><u>setRTSPPublishAuthenticationMethod</u></a> (String rtpPublishAuthenticationMethod) Set the RTP publish authentication method (as defined in conf/Authentication.xml)
void	<a href="#"><u>setRTSPBindIpAddress</u></a> (String rtspBindIpAddress) Get the IP address to which UDP ports will be bound for RTSP/RTP sessions
void	<a href="#"><u>setRTSPConnectionAddressType</u></a> (String rtspConnectionAddressType) Set the connection IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session
void	<a href="#"><u>setRTSPConnectionIpAddress</u></a> (String rtspConnectionIpAddress) Set the connection IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session
void	<a href="#"><u>setRTSPMaximumPendingWriteBytes</u></a> (int rtspMaximumPendingWriteBytes) Set the maximum number of pending write bytes for an RTSP session
void	<a href="#"><u>setRTSPOriginAddressType</u></a> (String rtspOriginAddressType) Set the origin IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session
void	<a href="#"><u>setRTSPOriginIpAddress</u></a> (String rtspOriginIpAddress) Set the origin IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session
void	<a href="#"><u>setRTSPSessionTimeout</u></a> (int rtspSessionTimeout) Set the RTSP session timeout (milliseconds)
void	<a href="#"><u>setSharedObjectReadAccess</u></a> (String sharedObjectReadAccess) Set the default shared object read access
void	<a href="#"><u>setSharedObjectWriteAccess</u></a> (String sharedObjectWriteAccess) Set the default shared object write access
void	<a href="#"><u>setStreamAudioSampleAccess</u></a> (String streamAudioSampleAccess) Set the default stream audio sample access
void	<a href="#"><u>setStreamFileMapper</u></a> ( <a href="#"><u>IMediaStreamFileMapper</u></a> streamFileMapper) Set the stream file mapper.
void	<a href="#"><u>setStreamKeyDir</u></a> (String keyStorageDir) Set the stream key path
void	<a href="#"><u>setStreamNameAliasProvider</u></a> ( <a href="#"><u>IMediaStreamNameAliasProvider</u></a> streamNameAliasProvider) Set the stream name alias provider
void	<a href="#"><u>setStreamReadAccess</u></a> (String streamReadAccess) Set the default stream read access

void	<a href="#"><code>setStreamStorageDir</code></a> (String streamStorageDir) Set stream storage path
void	<a href="#"><code>setStreamType</code></a> (String streamType) Set default stream type for application.
void	<a href="#"><code>setStreamVideoSampleAccess</code></a> (String streamVideoSampleAccess) Set the default stream video sample access
void	<a href="#"><code>setStreamWriteAccess</code></a> (String streamWriteAccess) Set the default stream write access
void	<a href="#"><code>setValidateFMLEConnections</code></a> (boolean validateFMLEConnections) Returns true if validating FMLE connection (default is false)
void	<a href="#"><code>setValidationFrequency</code></a> (int validationFrequency) Set time between validation pings (milliseconds)
void	<a href="#"><code>setVODTimedTextProviderList</code></a> (String timedTextProviderList) Set the comma separated list of VODTimedTextProvider names being used by this application (see conf/TimedTextProviders.xml)
void	<a href="#"><code>shutdown</code></a> (boolean isServerShutdown, boolean isAppShutdown) shutdown applicationInstance
void	<a href="#"><code>shutdownClient</code></a> ( <a href="#"><code>IClient</code></a> client) shutdown a client connection immediately
boolean	<a href="#"><code>startMediaCasterStream</code></a> (String streamName, String mediaCasterType) Start a media caster stream
boolean	<a href="#"><code>startMediaCasterStream</code></a> (String streamName, String streamExt, String mediaCasterType) Start a media caster stream
void	<a href="#"><code>stopMediaCasterStream</code></a> (String streamName) Stop a media caster stream
void	<a href="#"><code>touch</code></a> () Touch the application instance so that it stays loaded for at least applicationInstanceTouchTimeout
boolean	<a href="#"><code>writeAppInstConfig</code></a> (String sName, String data) Method to write xml config file..

## Fields

### PROTOCOLUSAGE\_RTMP

```
public static final int PROTOCOLUSAGE_RTMP
```

Constant value: 0

### PROTOCOLUSAGE\_RTMPT

```
public static final int PROTOCOLUSAGE_RTMPT
```

(continued from last page)

Constant value: **1**

---

**PROTOCOLUSAGE\_RTMPS**

```
public static final int PROTOCOLUSAGE_RTMPS
```

Constant value: **2**

---

**PROTOCOLUSAGE\_RTMPTS**

```
public static final int PROTOCOLUSAGE_RTMPTS
```

Constant value: **3**

---

**PROTOCOLUSAGE\_RTMPE**

```
public static final int PROTOCOLUSAGE_RTMPE
```

Constant value: **4**

---

**PROTOCOLUSAGE\_RTMPTE**

```
public static final int PROTOCOLUSAGE_RTMPTE
```

Constant value: **5**

---

**PROTOCOLUSAGE\_RTP**

```
public static final int PROTOCOLUSAGE_RTP
```

Constant value: **6**

---

**PROTOCOLUSAGE\_CUPERTINO**

```
public static final int PROTOCOLUSAGE_CUPERTINO
```

Constant value: **7**

---

**PROTOCOLUSAGE\_SMOOTH**

```
public static final int PROTOCOLUSAGE_SMOOTH
```

Constant value: **8**

---

**PROTOCOLUSAGE\_SANJOSE**

```
public static final int PROTOCOLUSAGE_SANJOSE
```

Constant value: **9**

(continued from last page)

---

## PROTOCOLUSAGE\_MPEGDASH

```
public static final int PROTOCOLUSAGE_MPEGDASH
```

Constant value: **10**

---

## PROTOCOLUSAGE\_WEBM

```
public static final int PROTOCOLUSAGE_WEBM
```

Constant value: **11**

---

## PROTOCOLUSAGE\_WOWZ

```
public static final int PROTOCOLUSAGE_WOWZ
```

Constant value: **12**

---

## PROTOCOLUSAGE\_WOWZE

```
public static final int PROTOCOLUSAGE_WOWZE
```

Constant value: **13**

---

## PROTOCOLUSAGE\_WOWZS

```
public static final int PROTOCOLUSAGE_WOWZS
```

Constant value: **14**

---

## PROTOCOLUSAGE\_ORIGINCUPERTINO

```
public static final int PROTOCOLUSAGE_ORIGINCUPERTINO
```

Constant value: **15**

---

## PROTOCOLUSAGE\_ORIGINSMOOTH

```
public static final int PROTOCOLUSAGE_ORIGINSMOOTH
```

Constant value: **16**

---

## PROTOCOLUSAGE\_ORIGINSANJOSE

```
public static final int PROTOCOLUSAGE_ORIGINSANJOSE
```

Constant value: **17**

---

## PROTOCOLUSAGE\_ORIGINMPEGDASH

```
public static final int PROTOCOLUSAGE_ORIGINMPEGDASH
```

---

(continued from last page)

Constant value: **18**

---

## PROTOCOLUSAGE\_TOTAL

```
public static final int PROTOCOLUSAGE_TOTAL
```

Constant value: **19**

---

## DEFAULT\_APPINSTANCE\_NAME

```
public static final java.lang.String DEFAULT_APPINSTANCE_NAME
```

Constant value: **\_definst\_**

## Methods

### shutdownClient

```
public void shutdownClient(IClient client)
```

shutdown a client connection immediately

**Parameters:**

client - client connection

---

### shutdown

```
public void shutdown(boolean isServerShutdown,  
    boolean isAppShutdown)
```

shutdown applicationInstance

**Parameters:**

isServerShutdown - true if due to shutdown of server

isAppShutdown - true if due to shutdown of application

---

### getApplication

```
public IApplication getApplication()
```

Get parent application

**Returns:**

parent application

---

### getName

```
public String getName()
```

Get applicationInstance name

**Returns:**

applicationInstance name

---

(continued from last page)

## setName

```
public void setName(String name)
```

Set applicationInstance name

**Parameters:**

name - applicationInstance name

---

## getStreams

```
public MediaStreamMap getStreams()
```

Get all the mediaStream objects attached to this applicationInstance

## Get Stream By StreamId

```
IClient client;  
int streamId;  
  
MediaStreamMap streams = client.getAppInstance().getStreams();  
IMediaStream stream = streams.getStream((IClient)null, streamId);
```

**Returns:**

collection of mediaStream objects

---

## getVHost

```
public IVHost getVHost()
```

Get parent vHost

**Returns:**

parent vHost

---

## getProperties

```
public WMSPProperties getProperties()
```

Get applicationInstance properties

**Returns:**

applicationInstance properties

---

## getStreamType

```
public String getStreamType()
```

Get default streamType for application.

(continued from last page)

**Returns:**

streamType name

---

**setStreamType**

```
public void setStreamType(String streamType)
```

Set default stream type for application.

**Parameters:**

streamType - streamType name

---

**isAcceptConnection**

```
public boolean isAcceptConnection()
```

Is auto accept connection on/off

**Returns:**

auto accept connection

---

**setAcceptConnection**

```
public void setAcceptConnection(boolean acceptConnection)
```

Set is auto accept connection

**Parameters:**

acceptConnection - auto accept connection

---

**getClientCountTotal**

```
public int getClientCountTotal()
```

Get number of client connections in total that have connected to this applicationInstance

**Returns:**

number of client connections

---

**incClientCountTotal**

```
public void incClientCountTotal()
```

Increment the total number of connected client counter by one

---

**getClientCount**

```
public int getClientCount()
```

Get number of client connections currently connected to applicationInstance

**Returns:**

number of client connections

---

**getClientById**

```
public IClient getClientById(int index)
```

(continued from last page)

Get a client connection by the client Id

**Parameters:**

index - client Id

**Returns:**

client connection

---

## getClients

```
public java.util.List getClients()
```

Get the set of clients currently connected to this application instance (replaces getClient(index))

**Returns:**

set of clients

---

## getClient

```
public IClient getClient(int index)
```

**Deprecated.** Get the client connection at index. This method is deprecated. It is best to use getClient() to return a List objects.

**Parameters:**

index - index

**Returns:**

client connection

---

## getSharedObjects

```
public ISharedObjects getSharedObjects()
```

Get non-persistent shared object collection

**Returns:**

collection of non-persistent shared objects

---

## getSharedObjects

```
public ISharedObjects getSharedObjects(boolean isPersistent)
```

Get either persistent or non-persistent shared object collection

**Parameters:**

isPersistent

**Returns:**

collection of shared objects

---

## addClientListener

```
public void addClientListener(IClientNotify clientListener)
```



(continued from last page)

Add client listener. Listens for connects, disconnect, accepts and reject

## Add a Client Listener

```
IApplicationInstance appInstance;

class ClientListener implements IClientNotify
{
    public void onClientConnect(IClient client)
    {
        WMSLoggerFactory.getLogger(null).debug("onClientConnect: "+
            client.getClientId());
    }

    public void onClientDisconnect(IClient client)
    {
        WMSLoggerFactory.getLogger(null).debug("onClientDisconnect: "+
            client.getClientId());
    }

    public void onClientAccept(IClient client)
    {
        WMSLoggerFactory.getLogger(null).debug("onClientAccept: "+
            client.getClientId());
    }

    public void onClientReject(IClient client)
    {
        WMSLoggerFactory.getLogger(null).debug("onClientReject: "+
            client.getClientId());
    }
}

appInstance.addClientListener(new ClientListener());
```

### Parameters:

clientListener - client listener

---

## removeClientListener

```
public void removeClientListener(IClientNotify clientListener)
```

Remove client listener. Listens for connects, disconnect, accepts and reject

### Parameters:

clientListener - client listener

## addMediaStreamListener

public void **addMediaStreamListener**([IMediaStreamNotify](#) mediaStreamListener)

Add mediaStream listener. Listens for create and destroy

### Add a MediaStream Listener

```
IApplicationInstance appInstance;

class MediaStreamListener implements IMediaStreamNotify
{
    public void onMediaStreamCreate(IMediaStream stream)
    {
        WMSLoggerFactory.getLogger(null).debug("onMediaStreamCreate: "+
            stream.getSrc());
    }

    public void onMediaStreamDestroy(IMediaStream stream)
    {
        WMSLoggerFactory.getLogger(null).debug("onMediaStreamDestroy: "+
            stream.getSrc());
    }
}

appInstance.addMediaStreamListener(new MediaStreamListener());
```

#### Parameters:

mediaStreamListener - mediaStream listener

---

## removeMediaStreamListener

public void **removeMediaStreamListener**([IMediaStreamNotify](#) mediaStreamListener)

Remove mediaStream listener. Listens for create and destroy

#### Parameters:

mediaStreamListener - mediaStream listener

---

## addSharedObjectListener

public void **addSharedObjectListener**([ISharedObjectNotify](#) sharedObjectListener,  
boolean isPersistent)

(continued from last page)

Add sharedObject listener. Listens for create, destroy, clientConnect, clientDisconnect

## Add SharedObject Listener

```
IApplicationInstance appInstance;

class SharedObjectListener implements ISharedObjectNotify
{
    public void onSharedObjectCreate(ISharedObject sharedObject)
    {
        WMSLoggerFactory.getLogger(null).debug("onSharedObjectCreate: "+
            sharedObject.getName());
    }

    public void onSharedObjectDestroy(ISharedObject sharedObject)
    {
        WMSLoggerFactory.getLogger(null).debug("onSharedObjectDestroy: "+
            sharedObject.getName());
    }

    public void onSharedObjectConnect(ISharedObject sharedObject, IClient client)
    {
        WMSLoggerFactory.getLogger(null).debug("onSharedObjectConnect: "+
            sharedObject.getName());
    }

    public void onSharedObjectDisconnect(ISharedObject sharedObject, IClient client)
    {
        WMSLoggerFactory.getLogger(null).debug("onSharedObjectDisconnect: "+
            sharedObject.getName());
    }
}

appInstance.addSharedObjectListener(new SharedObjectListener(), false);
```

### Parameters:

sharedObjectListener - sharedObject listener  
isPersistent

---

## removeSharedObjectListener

```
public void removeSharedObjectListener(ISharedObjectNotify sharedObjectListener,
    boolean isPersistent)
```

Remove sharedObject listener. Listens for create, destroy, clientConnect, clientDisconnect

### Parameters:

(continued from last page)

sharedObjectListener - sharedObject listener  
isPersistent

---

## addMediaCasterListener

```
public void addMediaCasterListener(IMediaCasterNotify mediaCasterListener)
```

Add mediaCaster listener. Listens for create, destroy, registerPlayer, unregisterPlayer, setSourceStream

**Parameters:**

mediaCasterListener

---

## addMediaCasterListener

```
public void addMediaCasterListener(IMediaCasterNotify2 mediaCasterListener)
```

Add mediaCaster listener. Listens for create, destroy, registerPlayer, unregisterPlayer, setSourceStream

**Parameters:**

mediaCasterListener

---

## removeMediaCasterListener

```
public void removeMediaCasterListener(IMediaCasterNotify mediaCasterListener)
```

Remove mediaCaster listener. Listens for create, destroy, registerPlayer, unregisterPlayer, setSourceStream

**Parameters:**

mediaCasterListener

---

## getConnectionCounter

```
public ConnectionCounter getConnectionCounter( )
```

Get the connectionCounter for applicationInstance

**Returns:**

connection counter

---

## getConnectionCounter

```
public ConnectionCounterSimple getConnectionCounter(int counterIndex)
```

Get the connectionCounter for applicationInstance for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index

**Returns:**

connection counter

---

## getDateStarted

```
public String getDateStarted( )
```

Get date applicationInstance started

**Returns:**

(continued from last page)

date applicationInstance started

---

## getTimeRunning

```
public String getTimeRunning()
```

Get time applicationInstance running

**Returns:**

time applicationInstance running

---

## getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

Get time running in seconds

**Returns:**

time running in seconds

---

## broadcastMsg

```
public void broadcastMsg(java.util.List clientList,  
    String handlerName)
```

Broadcast a message to a specific list of clients connected to this application instance

**Parameters:**

clientList - list of client

handlerName - handler name

---

## broadcastMsg

```
public void broadcastMsg(java.util.List clientList,  
    String handlerName,  
    Object[] params)
```

Broadcast a message to a specific list of clients connected to this application instance

**Parameters:**

clientList - list of client

handlerName - handler name

params - parameters

---

## broadcastMsg

```
public void broadcastMsg(String handlerName,  
    Object[] params)
```

(continued from last page)

Broadcast a message to all clients connected to this applicationInstance

## Broadcast Message to All Clients

```
IApplicationInstance appInstance;
appInstance.broadcastMsg("onNotify", "Hello World", 1.2345, false, new Date());
```

### Parameters:

handlerName - handler name

params - variable list of arguments (Java primitive and Strings will be wrapped in AMFData objects)

---

## getIOPerformanceCounter

```
public IOPerformanceCounter getIOPerformanceCounter()
```

Get the performance counter for applicationInstance

### Returns:

io performance counter

---

## getIOPerformanceCounter

```
public IOPerformanceCounter getIOPerformanceCounter(int counterIndex)
```

Get the performance counter for applicationInstance for a specific technology (see IVHost.COUNTER\_\*)

### Parameters:

counterIndex - counter index (see IVHost.COUNTER\_\*)

### Returns:

connection counter

---

## addPlayStreamByName

```
public void addPlayStreamByName(IMediaStream stream,
    String name)
```

Add a media stream to the list of streams that are listening for a published stream

### Parameters:

stream - media stream

name - stream name

---

## removePlayStreamByName

```
public void removePlayStreamByName(IMediaStream stream)
```

Remove media stream from the list of streams that are listening for a published stream

### Parameters:

(continued from last page)

stream - media stream

---

## getPlayStreamCountsByName

```
public java.util.Map getPlayStreamCountsByName( )
```

Get a map of stream names to number of Flash players playing the stream name

**Returns:**

map of stream names to number of Flash players playing the stream name

---

## getPlayStreamCount

```
public int getPlayStreamCount(String streamName)
```

Get the number of Flash players playing a given stream name

**Parameters:**

streamName - stream name

**Returns:**

number of players

---

## getPlayStreamsByName

```
public java.util.List getPlayStreamsByName(String name)
```

Get a list of media streams that are listening for published stream.

**Parameters:**

name - stream name

**Returns:**

list of streams or null if no listeners

---

## getMediaCasterStreams

```
public MediaCasterStreamMap getMediaCasterStreams( )
```

Get the media caster streams attached to this application instance

**Returns:**

media caster streams attached to this application instance

---

## getStreamCount

```
public int getStreamCount( )
```

Get the total number of open streams attached to this application instance

**Returns:**

the total number of open streams attached to this application instance

---

## getModFunctions

```
public ModuleFunctions getModFunctions( )
```

Get list of application modules

---

(continued from last page)

**Returns:**

list of application modules

---

**addModuleListener**

```
public void addModuleListener(IModuleNotify moduleListener)
```

Add module listener. Listens for onModuleLoad and onModuleUnload events. See IModuleNotify.

**Parameters:**

moduleListener - module listener

---

**removeModuleListener**

```
public void removeModuleListener(IModuleNotify moduleListener)
```

Remove module listener

**Parameters:**

moduleListener - module listener

---

**getModuleList**

```
public ModuleList getModuleList()
```

Get the list of loaded modules.

**Returns:**

list of loaded modules

---

**getModuleInstance**

```
public Object getModuleInstance(String name)
```

Get the instance of the module class for this application instance.

**Parameters:**

name - module name as defined in Application.xml

**Returns:**

instance of class for this application instance

---

**getApplicationTimeout**

```
public int getApplicationTimeout()
```

Get application timeout (milliseconds)

**Returns:**

application timeout (milliseconds)

---

**setApplicationTimeout**

```
public void setApplicationTimeout(int applicationTimeout)
```

Set application timeout (milliseconds)



(continued from last page)

**Parameters:**

applicationTimeout - application timeout (milliseconds)

---

**getPingTimeout**

```
public int getPingTimeout()
```

Get ping timeout (milliseconds)

**Returns:**

ping timeout (milliseconds)

---

**setPingTimeout**

```
public void setPingTimeout(int pingTimeout)
```

Set ping timeout (milliseconds)

**Parameters:**

pingTimeout - ping timeout (milliseconds)

---

**getValidationFrequency**

```
public int getValidationFrequency()
```

Get time between validation pings (milliseconds)

**Returns:**

time between validation pings (milliseconds)

---

**setValidationFrequency**

```
public void setValidationFrequency(int validationFrequency)
```

Set time between validation pings (milliseconds)

**Parameters:**

validationFrequency - time between validation pings (milliseconds)

---

**getMaximumPendingWriteBytes**

```
public int getMaximumPendingWriteBytes()
```

Get maximum number a bytes a client connection can have waiting to be sent before the connection is terminated. If set to zero this feature is turned off.

**Returns:**

maximum number a bytes a client connection can have waiting to be sent before the connection is terminated

---

**setMaximumPendingWriteBytes**

```
public void setMaximumPendingWriteBytes(int maximumPendingWriteBytes)
```

Set maximum number a bytes a client connection can have waiting to be sent before the connection is terminated. If set to zero this feature is turned off.

**Parameters:**

maximumPendingWriteBytes - maximum number a bytes a client connection can have waiting to be sent before the connection is terminated

## getMaximumPendingReadBytes

```
public int getMaximumPendingReadBytes()
```

Set maximum number of bytes a client connection can have waiting to be written before the connection is terminated. If set to zero this feature is off.

**Returns:**

maximum number of bytes a client connection can have waiting to be written before the connection is terminated

---

## setMaximumPendingReadBytes

```
public void setMaximumPendingReadBytes(int maximumPendingReaderBytes)
```

Get maximum number of bytes a client connection can have waiting to be written before the connection is terminated. If set to zero this feature is off.

**Parameters:**

maximumPendingReaderBytes - maximum number of bytes a client connection can have waiting to be written before the connection is terminated

---

## setMaximumSetBufferTime

```
public void setMaximumSetBufferTime(int maximumSetBufferTime)
```

Set maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call. If set to zero this feature is turned off.

**Parameters:**

maximumSetBufferTime - maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call

---

## getMaximumSetBufferTime

```
public int getMaximumSetBufferTime()
```

Get maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call. If set to zero this feature is turned off.

**Returns:**

maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call

---

## getRepeaterOriginUrl

```
public String getRepeaterOriginUrl()
```

Get the Repeater Origin URL used by the Live Stream Repeater

**Returns:**

URL used by the Live Stream Repeater

---

## setRepeaterOriginUrl

```
public void setRepeaterOriginUrl(String repeaterOriginUrl)
```

Set the Repeater Origin URL used by the Live Stream Repeater

**Parameters:**

repeaterOriginUrl - URL used by the Live Stream Repeater

---

## getRepeaterQueryString

```
public String getRepeaterQueryString()
```

Get the Repeater query string that is used to connect to the origin. This value can be used to pass secure URL parameters to the origin for security validation.

**Returns:**

Repeater query string

---

## setRepeaterQueryString

```
public void setRepeaterQueryString(String repeaterQueryString)
```

Set the Repeater query string that is used to connect to the origin. This value can be used to pass secure URL parameters to the origin for security validation.

**Parameters:**

repeaterQueryString - Repeater query string

---

## getAllowDomains

```
public String[] getAllowDomains()
```

Get the list of domain names used to control access to this application. Upon connection, if this list is non-null the client.referrer value is checked to make sure the referrer is from a domain in this list.

**Returns:**

list of domain names used to control access to this application

---

## setAllowDomains

```
public void setAllowDomains(String[] domainFilter)
```

Set the list of domain names used to control access to this application. Upon connection, if this list is non-null the client.referrer value is checked to make sure the referrer is from a domain in this list.

**Parameters:**

domainFilter - list of domain names used to control access to this application

---

## parseAllowDomains

```
public void parseAllowDomains(String domainFilterStr)
```

Parse a comma delimited list of domain names used to control access to this application. Upon connection, if this list is non-null the client.referrer value is checked to make sure the referrer is from a domain in this list.

**Parameters:**

domainFilterStr - comma delimited list of domain names

---

## getClientIdleFrequency

```
public int getClientIdleFrequency()
```

Get default client idle frequency (milliseconds)

**Returns:**

default client idle frequency (milliseconds)

---

---

## setClientIdleFrequency

```
public void setClientIdleFrequency(int clientIdleFrequency)
```

Set default client idle frequency (milliseconds)

**Parameters:**

clientIdleFrequency - default client idle frequency (milliseconds)

---

## getRTPIdeFrequency

```
public int getRTPIdeFrequency( )
```

Set the default RTP idle frequency (milliseconds)

**Returns:**

default RTP idle frequency (milliseconds)

---

## setRTPIdeFrequency

```
public void setRTPIdeFrequency(int rtspIdleFrequency)
```

Get the default RTP idle frequency (milliseconds)

**Parameters:**

rtspIdleFrequency - default RTP idle frequency (milliseconds)

---

## getStreamStorageDir

```
public String getStreamStorageDir( )
```

Get stream storage path

**Returns:**

stream storage path

---

## setStreamStorageDir

```
public void setStreamStorageDir(String streamStorageDir)
```

Set stream storage path

**Parameters:**

streamStorageDir - stream storage path

---

## getStreamKeyDir

```
public String getStreamKeyDir( )
```

Get the stream key path

**Returns:**

stream key path

---

## setStreamKeyDir

```
public void setStreamKeyDir(String keyStorageDir)
```

---

(continued from last page)

Set the stream key path

**Parameters:**

keyStorageDir - stream key path

---

## getRsoStorageDir

```
public String getRsoStorageDir()
```

Get remote shared object storage path

**Returns:**

remote shared object storage path

---

## setRsoStorageDir

```
public void setRsoStorageDir(String rsoStorageDir)
```

Set remote shared object storage path

**Parameters:**

rsoStorageDir - remote shared object storage path

---

## getStreamKeyPath

```
public String getStreamKeyPath()
```

Get the resolved key path to the MediaStreams encryption keys

**Returns:**

resolved key path to the MediaStreams encryption keys

---

## getStreamStoragePath

```
public String getStreamStoragePath()
```

Get the resolved storage path to the MediaStreams

**Returns:**

resolved storage path to the MediaStreams

---

## getRsoStoragePath

```
public String getRsoStoragePath()
```

Get the resolved storage path to the shared objects

**Returns:**

resolved storage path to the shared objects

---

## getStreamVideoSampleAccess

```
public String getStreamVideoSampleAccess()
```

Get the default stream video sample access

**Returns:**

default stream video sample access

(continued from last page)

See Also:

[IClient.getStreamVideoSampleAccess\(\)](#)

---

## setStreamVideoSampleAccess

```
public void setStreamVideoSampleAccess(String streamVideoSampleAccess)
```

Set the default stream video sample access

**Parameters:**

streamVideoSampleAccess - default stream video sample access

See Also:

[IClient.setStreamVideoSampleAccess\(String\)](#)

---

## getStreamAudioSampleAccess

```
public String getStreamAudioSampleAccess()
```

Get the default stream audio sample access

**Returns:**

default stream audio sample access

See Also:

[IClient.getStreamAudioSampleAccess\(\)](#)

---

## setStreamAudioSampleAccess

```
public void setStreamAudioSampleAccess(String streamAudioSampleAccess)
```

Set the default stream audio sample access

**Parameters:**

streamAudioSampleAccess

See Also:

[IClient.setStreamAudioSampleAccess\(String\)](#)

---

## getStreamReadAccess

```
public String getStreamReadAccess()
```

Get the default stream read access

**Returns:**

default stream read access

See Also:

[IClient.getStreamReadAccess\(\)](#)

---

## setStreamReadAccess

```
public void setStreamReadAccess(String streamReadAccess)
```

Set the default stream read access

(continued from last page)

**Parameters:**

streamReadAccess - default stream read access

**See Also:**[IClient.setStreamReadAccess\(String\)](#)

---

## getStreamWriteAccess

```
public String getStreamWriteAccess()
```

Get the default stream write access

**Returns:**

default stream write access

**See Also:**[IClient.getStreamWriteAccess\(\)](#)

---

## setStreamWriteAccess

```
public void setStreamWriteAccess(String streamWriteAccess)
```

Set the default stream write access

**Parameters:**

streamWriteAccess - default stream write access

**See Also:**[IClient.setStreamWriteAccess\(String\)](#)

---

## getSharedObjectReadAccess

```
public String getSharedObjectReadAccess()
```

Get the default shared object read access

**Returns:**

default shared object read access

**See Also:**[IClient.getSharedObjectReadAccess\(\)](#)

---

## setSharedObjectReadAccess

```
public void setSharedObjectReadAccess(String sharedObjectReadAccess)
```

Set the default shared object read access

**Parameters:**

sharedObjectReadAccess - default shared object read access

**See Also:**[IClient.setSharedObjectReadAccess\(String\)](#)

---

## getSharedObjectWriteAccess

```
public String getSharedObjectWriteAccess()
```

(continued from last page)

Get the default shared object write access

**Returns:**

default shared object write access

**See Also:**

[IClient.getSharedObjectWriteAccess\(\)](#)

---

## setSharedObjectWriteAccess

```
public void setSharedObjectWriteAccess(String sharedObjectWriteAccess)
```

Set the default shared object write access

**Parameters:**

sharedObjectWriteAccess - default shared object write access

**See Also:**

[IClient.setSharedObjectWriteAccess\(String\)](#)

---

## getRTPPublishAuthenticationMethod

```
public String getRTPPublishAuthenticationMethod()
```

Get the RTP publish authentication method (as defined in conf/Authentication.xml)

**Returns:**

RTP publish authentication method

---

## setRTPPublishAuthenticationMethod

```
public void setRTPPublishAuthenticationMethod(String rtpPublishAuthenticationMethod)
```

Set the RTP publish authentication method (as defined in conf/Authentication.xml)

**Parameters:**

rtpPublishAuthenticationMethod - RTP publish authentication method

---

## getRTPPlayAuthenticationMethod

```
public String getRTPPlayAuthenticationMethod()
```

Get the RTP play authentication method (as defined in conf/Authentication.xml)

**Returns:**

RTP play authentication method

---

## setRTPPlayAuthenticationMethod

```
public void setRTPPlayAuthenticationMethod(String rtpPlayAuthenticationMethod)
```

Set the RTP play authentication method (as defined in conf/Authentication.xml)

**Parameters:**

rtpPlayAuthenticationMethod - RTP play authentication method



(continued from last page)

## getRTPAVSyncMethod

```
public int getRTPAVSyncMethod( )
```

Get RTP audio/video sync method (RTPStream.AVSYNCMETHODS\_SENDERREPORT, RTPStream.AVSYNCMETHODS\_SYSTEMCLOCK, RTPStream.AVSYNCMETHODS\_RTPTIMECODE)

**Returns:**

RTP audio/video sync method

---

## setRTPAVSyncMethod

```
public void setRTPAVSyncMethod(int rtpAVSyncMethod)
```

Set RTP audio/video sync method (RTPStream.AVSYNCMETHODS\_SENDERREPORT, RTPStream.AVSYNCMETHODS\_SYSTEMCLOCK, RTPStream.AVSYNCMETHODS\_RTPTIMECODE)

**Parameters:**

rtpAVSyncMethod - RTP audio/video sync method

---

## getRTPMaxRTCPWaitTime

```
public int getRTPMaxRTCPWaitTime( )
```

Get the maximum time to wait for RTCP packets (milliseconds)

**Returns:**

maximum time to wait for RTCP packets (milliseconds)

---

## setRTPMaxRTCPWaitTime

```
public void setRTPMaxRTCPWaitTime(int rtpMaxRTCPWaitTime)
```

Set the maximum time to wait for RTCP packets (milliseconds)

**Parameters:**

rtpMaxRTCPWaitTime - maximum time to wait for RTCP packets (milliseconds)

---

## getRTPSessions

```
public java.util.List getRTPSessions(String streamName)
```

Get a list of RTP sessions running under this application instance playing a given stream name

**Parameters:**

streamName - stream name

**Returns:**

list of RTP sessions running under this application instance playing a given stream name

---

## getRTPSessions

```
public java.util.List getRTPSessions( )
```

Get a list of RTP sessions running under this application instance

**Returns:**

list of RTP sessions running under this application instance

## getRTPSessionCountsByName

```
public java.util.Map getRTPSessionCountsByName()
```

Get a map of stream names and session counts of RTP sessions

**Returns:**

map of stream names and session counts

---

## getRTPSessionCount

```
public int getRTPSessionCount(String streamName)
```

Get the number of RTP player streams playing a given stream name

**Parameters:**

streamName - stream name

**Returns:**

the number of RTP sessions

---

## getRTPSessionCount

```
public int getRTPSessionCount()
```

Get the number of RTP sessions running under this application instance

**Returns:**

the number of RTP sessions running under this application instance

---

## addRTPSession

```
public void addRTPSession(RTPSession rtpSession)
```

Add an RTP session to this application instance

**Parameters:**

rtpSession - RTP session to add

---

## registerPlayRTPSession

```
public void registerPlayRTPSession(RTPSession rtpSession)
```

Register an RTP session as a play session

**Parameters:**

rtpSession - RTP session to register

---

## removeRTPSession

```
public void removeRTPSession(RTPSession rtpSession)
```

Remove an RTP session from this application instance

**Parameters:**

rtpSession - RTP session to remove

---

## getClientsLockObj

```
public edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock  
getClientsLockObj()
```

Get the read/write lock for this application instance

**Returns:**

read/write lock for this application instance

---

## getStreamProperties

```
public WMSProperties getStreamProperties()
```

Get the property collection of stream settings that are specific to this application instance

**Returns:**

property collection of stream settings

---

## getMediaCasterProperties

```
public WMSProperties getMediaCasterProperties()
```

Get the property collection of media caster settings that are specific to this application instance

**Returns:**

property collection of media caster settings

---

## getMediaReaderProperties

```
public WMSProperties getMediaReaderProperties()
```

Get the property collection of media reader settings that are specific to this application instance

**Returns:**

property collection of media reader settings

---

## getMediaWriterProperties

```
public WMSProperties getMediaWriterProperties()
```

Get the property collection of media reader settings that are specific to this application instance

**Returns:**

property collection of media reader settings

---

## getRTPProperties

```
public WMSProperties getRTPProperties()
```

Get the property collection of RTP settings that are specific to this application instance

**Returns:**

property collection of RTP settings

---

(continued from last page)

---

## getLiveStreamPacketizerProperties

```
public WMSProperties getLiveStreamPacketizerProperties()
```

Get the property collection of LiveStreamPacketizer settings that are specific to this application instance

**Returns:**

property collection of LiveStreamPacketizer settings

---

## getTranscoderProperties

```
public WMSProperties getTranscoderProperties()
```

Get the property collection of Transcoder settings that are specific to this application instance

**Returns:**

property collection of Transcoder settings

---

## getHTTPStreamerProperties

```
public WMSProperties getHTTPStreamerProperties()
```

Get the property collection of HTTPStreamer settings that are specific to this application instance

**Returns:**

property collection of HTTPStreamer settings

---

## getMaxStorageDirDepth

```
public int getMaxStorageDirDepth()
```

Maximum folder depth allowed for the StreamStorageDir and SharedObjectStorageDir paths

**Returns:**

folder depth

---

## setMaxStorageDirDepth

```
public void setMaxStorageDirDepth(int maxStorageDirDepth)
```

Maximum folder depth allowed for the StreamStorageDir and SharedObjectStorageDir paths

**Parameters:**

maxStorageDirDepth - folder depth

---

## getStreamFileMapper

```
public IMediaStreamFileMapper getStreamFileMapper()
```

Get the stream file mapper. See IMediaStreamFileMapper

**Returns:**

streamFileMapper stream file mapper

---

## setStreamFileMapper

```
public void setStreamFileMapper(IMediaStreamFileMapper streamFileMapper)
```

---

(continued from last page)

Set the stream file mapper. See IMediaStreamFileMapper

**Parameters:**

streamFileMapper - stream file mapper

---

## decodeStorageDir

```
public String decodeStorageDir(String storageDir)
```

This function will take a storage path that uses variables and expand the variables based on the context. It supports the following variables (as well as any system variables): `${com.wowza.wms.AppHome}`: Application home directory `${com.wowza.wms.ConfigHome}`: Configuration home directory `${com.wowza.wms.context.VHostConfigHome}`: Virtual configuration path `${com.wowza.wms.context.VHost}`: Virtual host name `${com.wowza.wms.context.Application}`: Application name `${com.wowza.wms.context.ApplicationInstance}`: Application instance name

---

## getLiveStreamPacketizerList

```
public String getLiveStreamPacketizerList()
```

Get the comma separated list of LiveStreamPacketizers names being used by this application (see conf/LiveStreamPacketizers.xml)

**Returns:**

comma separated list of LiveStreamPacketizers names

---

## getHTTPStreamerList

```
public String getHTTPStreamerList()
```

Get the comma separated list of HTTPStreamers names being used by this application (see conf/HTTPStreamers.xml)

**Returns:**

comma separated list of HTTPStreamers names

---

## setLiveStreamPacketizerList

```
public void setLiveStreamPacketizerList(String liveStreamPacketizerList)
```

Set the comma separated list of LiveStreamPacketizers names being used by this application (see conf/LiveStreamPacketizers.xml)

**Parameters:**

liveStreamPacketizerList - comma separated list of LiveStreamPacketizers names

---

## setHTTPStreamerList

```
public void setHTTPStreamerList(String httpStreamerList)
```

Set the comma separated list of HTTPStreamer names being used by this application (see conf/HTTPStreamers.xml)

**Parameters:**

httpStreamerList - comma separated list of HTTPStreamer names

---

## containsHTTPStreamer

```
public boolean containsHTTPStreamer(String httpStreamer)
```

Does this application instance allow streaming of a given HTTPStreamer

**Parameters:**

(continued from last page)

httpStreamer - HTTP Streamer name

**Returns:**

true is this type of streaming is allowed

---

## containsLiveStreamPacketizer

```
public boolean containsLiveStreamPacketizer(String liveStreamPacketizer)
```

Does this application instance contain a references to this live stream packetizer. If it is true we consider this a live stream source for the HTTP streamer. If false then we consider this a video on demand source.

**Parameters:**

liveStreamPacketizer - live stream packetizer name

**Returns:**

true if contains reference to it

---

## containsDvrRecorder

```
public boolean containsDvrRecorder(String dvrRecorder)
```

Does this application instance contain a references to this DVR recorder. If it is true we consider this a DVR source for the HTTP streamer.

**Parameters:**

dvrRecorder - DVR recorder name

**Returns:**

true if contains reference to it

---

## getVODTimedTextProviderList

```
public String getVODTimedTextProviderList()
```

Get the comma separated list of VODTimedTextProvider names being used by this application (see conf/TimedTextProviders.xml)

**Returns:**

comma separated list of VODTimedTextProvider names

---

## setVODTimedTextProviderList

```
public void setVODTimedTextProviderList(String timedTextProviderList)
```

Set the comma separated list of VODTimedTextProvider names being used by this application (see conf/TimedTextProviders.xml)

**Parameters:**

timedTextProviderList - comma separated list of VODTimedTextProvider names

---

## getVODTimedTextProviderSet

```
public java.util.List getVODTimedTextProviderSet()
```

---

(continued from last page)

## getTimedTextProperties

```
public WMSProperties getTimedTextProperties()
```

Get the property collection of timed text settings that are specific to this application instance. These are defined in Application/TimedText/Properties tag in Application.xml

**Returns:**

property collection of Timed Text settings

---

## getStreamNameAliasProvider

```
public IMediaStreamNameAliasProvider getStreamNameAliasProvider()
```

Get the stream name alias provider

**Returns:**

stream name alias provider

---

## setStreamNameAliasProvider

```
public void setStreamNameAliasProvider(IMediaStreamNameAliasProvider  
streamNameAliasProvider)
```

Set the stream name alias provider

**Parameters:**

streamNameAliasProvider - stream name alias provider

---

## getPublishers

```
public java.util.List getPublishers()
```

Get the set of server side publishers

**Returns:**

set of server side publishers

---

## getPublisherCount

```
public int getPublisherCount()
```

Get the current number of server side publishers

**Returns:**

number of server side publishers

---

## addPublisher

```
public void addPublisher(Publisher publisher)
```

Add a server side publisher to this application instance

**Parameters:**

publisher - server side publisher

---

(continued from last page)

---

## removePublisher

```
public void removePublisher(Publisher publisher)
```

Remove a server side publisher from this application instance

**Parameters:**

publisher - server side publisher

---

## getHTTPStreamerSessions

```
public java.util.List getHTTPStreamerSessions(int protocol,  
String streamName)
```

Get the HTTPStreamerSessions associated with this application instance for a stream name by protocol. See (IHTTPStreamerSession.SESSIONPROTOCOL\_\*) for protocols

**Parameters:**

protocol - streaming protocol (IHTTPStreamerSession.SESSIONPROTOCOL\_\*)  
streamName - stream name

**Returns:**

HTTPStreamerSessions associated with this application instance

---

## getHTTPStreamerSessions

```
public java.util.List getHTTPStreamerSessions(String streamName)
```

Get the HTTPStreamerSessions associated with this application instance for a stream name

**Parameters:**

streamName - stream name

**Returns:**

HTTPStreamerSessions associated with this application instance

---

## getHTTPStreamerSessionCountsByName

```
public java.util.Map getHTTPStreamerSessionCountsByName(int protocol)
```

Get a map of session counts by name for a given protocol

**Parameters:**

protocol - streaming protocol (IHTTPStreamerSession.SESSIONPROTOCOL\_\*)

**Returns:**

map of session counts by name

---

## getHTTPStreamerSessionCount

```
public int getHTTPStreamerSessionCount(String streamName)
```

Get the current number of HTTPStreamerSessions associated with this application instance and stream name

**Parameters:**

streamName - stream name

**Returns:**

number of HTTPStreamerSessions associated with this application instance

---



## getHTTPStreamerSessionCount

```
public int getHTTPStreamerSessionCount(int protocol,  
    String streamName)
```

Get the current number of HTTPStreamerSessions associated with this application instance and stream name by protocol . See (IHTTPStreamerSession.SESSIONPROTOCOL\_\*) for protocols

**Parameters:**

protocol - streaming protocol (IHTTPStreamerSession.SESSIONPROTOCOL\_\*)  
streamName - stream name

**Returns:**

HTTPStreamerSessions associated with this application instance

---

## getHTTPStreamerSessions

```
public java.util.List getHTTPStreamerSessions()
```

Get the HTTPStreamerSessions associated with this application instance

**Returns:**

HTTPStreamerSessions associated with this application instance

---

## getHTTPStreamerSessions

```
public java.util.List getHTTPStreamerSessions(int protocol)
```

Get the HTTPStreamerSessions associated with this application instance by protocol. See (IHTTPStreamerSession.SESSIONPROTOCOL\_\*) for protocols

**Parameters:**

protocol - streaming protocol (IHTTPStreamerSession.SESSIONPROTOCOL\_\*)

**Returns:**

HTTPStreamerSessions associated with this application instance

---

## getHTTPStreamerSessionCount

```
public int getHTTPStreamerSessionCount()
```

Get the current number of HTTPStreamerSessions associated with this application instance

**Returns:**

current number of HTTPStreamerSessions associated with this application instance

---

## getHTTPStreamerSessionCount

```
public int getHTTPStreamerSessionCount(int protocol)
```

Get the current number of HTTPStreamerSessions associated with this application instance by protocol. See (IHTTPStreamerSession.SESSIONPROTOCOL\_\*) for protocols

**Parameters:**

protocol - streaming protocol (IHTTPStreamerSession.SESSIONPROTOCOL\_\*)

**Returns:**

current number of HTTPStreamerSessions associated with this application instance

---

## addHTTPStreamerSession

```
public void addHTTPStreamerSession(IHTTPStreamerSession httpStreamerSession)
```

Add a HTTPStreamerSession to this application instance

**Parameters:**

httpStreamerSession - HTTPStreamerSession

---

## removeHTTPStreamerSession

```
public void removeHTTPStreamerSession(IHTTPStreamerSession httpStreamerSession)
```

Remove a HTTPStreamerSession from this application instance

**Parameters:**

httpStreamerSession - HTTPStreamerSession

---

## getHTTPStreamerApplicationContext

```
public IHTTPStreamerApplicationContext getHTTPStreamerApplicationContext(String  
httpStreamName,  
boolean doCreate)
```

Get the HTTPStreamer application context for a given HTTPStreamer adapter

**Parameters:**

httpStreamName - HTTPStreamer adapter name  
doCreate - create if it does not exist

**Returns:**

HTTPStreamer application context

---

## addRTPIncomingDatagramPortRange

```
public void addRTPIncomingDatagramPortRange(int startPort,  
int endPort)
```

Add a port range to the list of valid incoming RTP UDP ports

**Parameters:**

startPort - starting port number  
endPort - end port number

---

## addRTPIncomingDatagramPortAll

```
public void addRTPIncomingDatagramPortAll()
```

Allow all incoming RTP UDP ports for this application instance

---

## isRTPIncomingDatagramPortValid

```
public boolean isRTPIncomingDatagramPortValid(int port)
```

Check a port number to be sure it is a valid RTP UDP port for this application instance

**Parameters:**

port - port number

---

(continued from last page)

**Returns:**

true if the port is valid

---

**readAppInstConfig**

```
public String readAppInstConfig(String sName)
```

Method to read xml config file..

---

**writeAppInstConfig**

```
public boolean writeAppInstConfig(String sName,  
    String data)
```

Method to write xml config file..

---

**getLiveStreamPacketizerControl**

```
public ILiveStreamPacketizerControl getLiveStreamPacketizerControl()
```

Get the Live Stream Packetizer Controller. This class will get called each time a stream is to be packetized using the LiveStreamPacketizer mechanism.

**Returns:**

Live Stream Packetizer Controller

---

**setLiveStreamPacketizerControl**

```
public void setLiveStreamPacketizerControl(ILiveStreamPacketizerControl  
liveStreamPacketizerControl)
```

Set the Live Stream Packetizer Controller. This class will get called each time a stream is to be packetized using the LiveStreamPacketizer mechanism.

**Parameters:**

liveStreamPacketizerControl - Live Stream Packetizer Controller

---

**resetMediaCasterStream**

```
public boolean resetMediaCasterStream(String streamName)
```

Reset a media caster stream

**Parameters:**

streamName - stream name

**Returns:**

true if successful

---

**resetMediaCasterStream**

```
public boolean resetMediaCasterStream(String streamName,  
    String streamExt)
```

Reset a media caster stream

**Parameters:**

streamName - stream name

(continued from last page)

streamExt - stream extension

**Returns:**

true if successful

---

## startMediaCasterStream

```
public boolean startMediaCasterStream(String streamName,  
    String streamExt,  
    String mediaCasterType)
```

Start a media caster stream

**Parameters:**

streamName - stream name

streamExt - stream extension

mediaCasterType - media caster stream type

**Returns:**

true if successful

---

## startMediaCasterStream

```
public boolean startMediaCasterStream(String streamName,  
    String mediaCasterType)
```

Start a media caster stream

**Parameters:**

streamName - stream name

mediaCasterType - media caster stream type

**Returns:**

true if successful

---

## stopMediaCasterStream

```
public void stopMediaCasterStream(String streamName)
```

Stop a media caster stream

**Parameters:**

streamName - stream name

---

## getContextStr

```
public String getContextStr()
```

Returns the application context string in the form [application]/[appInstance].

**Returns:**

application context string

---

## getPublishStreamNames

```
public java.util.List getPublishStreamNames()
```

Get the list of live stream names currently being published.

---

(continued from last page)

**Returns:**

list of live stream names currently being published

---

**addMediaWriterListener**

```
public void addMediaWriterListener(IMediaWriterActionNotify listener)
```

Add a MediaWriter listener class. See IMediaWriterActionNotify

**Parameters:**

listener - MediaWriter listener class

---

**removeMediaWriterListener**

```
public void removeMediaWriterListener(IMediaWriterActionNotify listener)
```

remove MediaWriter listener class. See IMediaWriterActionNotify

**Parameters:**

listener - MediaWriter listener class

---

**notifyMediaWriterOnWriteComplete**

```
public void notifyMediaWriterOnWriteComplete(IMediaStream stream,  
java.io.File file)
```

Notify all MediaWriter listeners of onWriteComplete

**Parameters:**

stream - media stream

file - file that was written

---

**notifyMediaWriterOnFLVAddMetadata**

```
public void notifyMediaWriterOnFLVAddMetadata(IMediaStream stream,  
java.util.Map extraMetadata)
```

Notify all MediaWriter listeners of onFLVAddMetadata

**Parameters:**

stream - media stream

extraMetadata - meta to add to the file

---

**getMediaCasterValidator**

```
public IMediaCasterValidateMediaCaster getMediaCasterValidator()
```

Get the MediaCaster validator interface for this application instance

**Returns:**

MediaCaster validator interface

---

**setMediaCasterValidator**

```
public void setMediaCasterValidator(IMediaCasterValidateMediaCaster  
mediaCasterValidator)
```

Set the MediaCaster validator interface for this application instance

(continued from last page)

**Parameters:**

mediaCasterValidator - MediaCaster validator interface

---

**touch**

```
public void touch()
```

Touch the application instance so that it stays loaded for at least applicationInstanceTouchTimeout

---

**getLastTouchTime**

```
public long getLastTouchTime()
```

Get the last time the instance was touched (milliseconds)

**Returns:**

last time the instance was touched (milliseconds)

---

**getApplicationInstanceTouchTimeout**

```
public int getApplicationInstanceTouchTimeout()
```

Get the application instance touch timeout (milliseconds). Default is 5000.

**Returns:**

application instance touch timeout (milliseconds)

---

**setApplicationInstanceTouchTimeout**

```
public void setApplicationInstanceTouchTimeout(int applicationInstanceTouchTimeout)
```

Set the application instance touch timeout (milliseconds). Default is 5000.

**Parameters:**

applicationInstanceTouchTimeout - application instance touch timeout (milliseconds)

---

**getRTSPSessionTimeout**

```
public int getRTSPSessionTimeout()
```

Get the RTSP session timeout (milliseconds)

**Returns:**

RTSP session timeout (milliseconds)

---

**setRTSPSessionTimeout**

```
public void setRTSPSessionTimeout(int rtspSessionTimeout)
```

Set the RTSP session timeout (milliseconds)

**Parameters:**

rtspSessionTimeout - RTSP session timeout (milliseconds)

---

**getRTSPMaximumPendingWriteBytes**

```
public int getRTSPMaximumPendingWriteBytes()
```

(continued from last page)

Get the maximum number of pending write bytes for an RTSP session

**Returns:**

maximum number of pending write bytes for an RTSP session

---

## setRTSPMaximumPendingWriteBytes

```
public void setRTSPMaximumPendingWriteBytes(int rtspMaximumPendingWriteBytes)
```

Set the maximum number of pending write bytes for an RTSP session

**Parameters:**

rtspMaximumPendingWriteBytes - maximum number of pending write bytes for an RTSP session

---

## addMediaReaderListener

```
public void addMediaReaderListener(IMediaReaderActionNotify mediaReaderListener)
```

Add media reader listener. see [IMediaReaderActionNotify](#)

**Parameters:**

mediaReaderListener - media reader listener

---

## removeMediaReaderListener

```
public void removeMediaReaderListener(IMediaReaderActionNotify mediaReaderListener)
```

Remove media reader listener. see [IMediaReaderActionNotify](#)

**Parameters:**

mediaReaderListener - media reader listener

---

## notifyMediaReaderCreate

```
public void notifyMediaReaderCreate(IMediaReader mediaReader)
```

Notify media reader notifyMediaReaderCreate

**Parameters:**

mediaReader - media reader

---

## notifyMediaReaderInit

```
public void notifyMediaReaderInit(IMediaReader mediaReader,  
    IMediaStream stream)
```

Notify media reader notifyMediaReaderInit

**Parameters:**

mediaReader - media reader

stream - media stream

---

## notifyMediaReaderOpen

```
public void notifyMediaReaderOpen(IMediaReader mediaReader,  
    IMediaStream stream)
```

Notify media reader notifyMediaReaderOpen

(continued from last page)

**Parameters:**

mediaReader - media reader  
stream - media stream

---

**notifyMediaReaderExtractMetaData**

```
public void notifyMediaReaderExtractMetaData(IMediaReader mediaReader,  
      IMediaStream stream)
```

Notify media reader notifyMediaReaderExtractMetaData

**Parameters:**

mediaReader - media reader  
stream - media stream

---

**notifyMediaReaderClose**

```
public void notifyMediaReaderClose(IMediaReader mediaReader,  
      IMediaStream stream)
```

Notify media reader notifyMediaReaderClose

**Parameters:**

mediaReader - media reader  
stream - media stream

---

**getRTSPBindIpAddress**

```
public String getRTSPBindIpAddress()
```

Set the IP address to which UDP ports will be bound for RTSP/RTP sessions

**Returns:**

IP address to which UDP ports will be bound for RTSP/RTP sessions

---

**setRTSPBindIpAddress**

```
public void setRTSPBindIpAddress(String rtspBindIpAddress)
```

Get the IP address to which UDP ports will be bound for RTSP/RTP sessions

**Parameters:**

rtspBindIpAddress - IP address to which UDP ports will be bound for RTSP/RTP sessions

---

**getRTSPConnectionIpAddress**

```
public String getRTSPConnectionIpAddress()
```

Get the connection IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Returns:**

connection IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

**setRTSPConnectionIpAddress**

```
public void setRTSPConnectionIpAddress(String rtspConnectionIpAddress)
```

Set the connection IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session



(continued from last page)

**Parameters:**

rtspConnectionIpAddress - connection IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

## getRTSPConnectionAddressType

```
public String getRTSPConnectionAddressType()
```

Get the connection IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Returns:**

the connection IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

## setRTSPConnectionAddressType

```
public void setRTSPConnectionAddressType(String rtspConnectionAddressType)
```

Set the connection IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Parameters:**

rtspConnectionAddressType

---

## getRTSPOriginIpAddress

```
public String getRTSPOriginIpAddress()
```

Get the origin IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Returns:**

origin IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

## setRTSPOriginIpAddress

```
public void setRTSPOriginIpAddress(String rtspOriginIpAddress)
```

Set the origin IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Parameters:**

rtspOriginIpAddress - origin IP address to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

## getRTSPOriginAddressType

```
public String getRTSPOriginAddressType()
```

Get the origin IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Returns:**

origin IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

## setRTSPOriginAddressType

```
public void setRTSPOriginAddressType(String rtspOriginAddressType)
```

Set the origin IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

**Parameters:**

(continued from last page)

rtspOriginAddressType - origin IP address type (IP4) to used in the Session Description Protocol data exchanged for an RTSP/RTP session

---

## addLiveStreamPacketizerListener

```
public void addLiveStreamPacketizerListener( ILiveStreamPacketizerActionNotify liveStreamPacketizerListener)
```

Add a Live Stream Packetizer listener (see: [ILiveStreamPacketizerActionNotify](#))

### Parameters:

liveStreamPacketizerListener - Live Stream Packetizer listener

---

## removeLiveStreamPacketizerListener

```
public void removeLiveStreamPacketizerListener( ILiveStreamPacketizerActionNotify liveStreamPacketizerListener)
```

Remove a Live Stream Packetizer listener (see: [ILiveStreamPacketizerActionNotify](#))

### Parameters:

liveStreamPacketizerListener - Live Stream Packetizer listener

---

## notifyLiveStreamPacketizerCreate

```
public void notifyLiveStreamPacketizerCreate( ILiveStreamPacketizer liveStreamPacketizer,  
String streamName)
```

Notify Live Stream Packetizer Create

### Parameters:

liveStreamPacketizer - Live Stream Packetizer listener

---

## notifyLiveStreamPacketizerDestroy

```
public void notifyLiveStreamPacketizerDestroy( ILiveStreamPacketizer liveStreamPacketizer)
```

Notify Live Stream Packetizer Destroy

### Parameters:

liveStreamPacketizer - Live Stream Packetizer listener

---

## notifyLiveStreamPacketizerInit

```
public void notifyLiveStreamPacketizerInit( ILiveStreamPacketizer liveStreamPacketizer,  
String streamName)
```

Notify Live Stream Packetizer Init

### Parameters:

liveStreamPacketizer - Live Stream Packetizer listener

---

## isValidFMLEConnections

```
public boolean isValidFMLEConnections()
```

Returns true if validating FMLE connection (default is false)

(continued from last page)

**Returns:**

true if validating FMLE connection

---

**setValidateFMLEConnections**

```
public void setValidateFMLEConnections(boolean validateFMLEConnections)
```

Returns true if validating FMLE connection (default is false)

**Parameters:**

validateFMLEConnections - true if validating FMLE connection

---

**addLiveStreamTranscoderListener**

```
public void addLiveStreamTranscoderListener(ILiveStreamTranscoderNotify  
liveStreamTranscoderListener)
```

Add a live stream transcoder listener

**Parameters:**

liveStreamTranscoderListener - live stream transcoder listener

---

**removeLiveStreamTranscoderListener**

```
public void removeLiveStreamTranscoderListener(ILiveStreamTranscoderNotify  
liveStreamTranscoderListener)
```

Remove a live stream transcoder listener

**Parameters:**

liveStreamTranscoderListener - live stream transcoder listener

---

**notifyLiveStreamTranscoderCreate**

```
public void notifyLiveStreamTranscoderCreate(ILiveStreamTranscoder  
liveStreamTranscoder,  
    IMediaStream stream)
```

Notify live stream transcoder create

**Parameters:**liveStreamTranscoder - live stream transcoder  
stream - stream

---

**notifyLiveStreamTranscoderDestroy**

```
public void notifyLiveStreamTranscoderDestroy(ILiveStreamTranscoder  
liveStreamTranscoder,  
    IMediaStream stream)
```

Notify live stream transcoder destroy

**Parameters:**liveStreamTranscoder - live stream transcoder  
stream - stream

(continued from last page)

## notifyLiveStreamTranscoderInit

```
public void notifyLiveStreamTranscoderInit(ILiveStreamTranscoder liveStreamTranscoder,  
      IMediaStream stream)
```

Notify live stream transcoder init

### Parameters:

liveStreamTranscoder - live stream transcoder

stream - stream

---

## containsLiveStreamTranscoder

```
public boolean containsLiveStreamTranscoder(String liveStreamTranscoder)
```

Return true if this application instance contains the transcoder name

### Parameters:

liveStreamTranscoder - transcoder name

### Returns:

true if this application instance contains the transcoder name

---

## getLiveStreamTranscoderList

```
public String getLiveStreamTranscoderList()
```

Get comma separated list of transcoders to use for this application instance

### Returns:

comma separated list of transcoders

---

## setLiveStreamTranscoderList

```
public void setLiveStreamTranscoderList(String liveStreamTranscoderList)
```

Set comma separated list of transcoders to use for this application instance

### Parameters:

liveStreamTranscoderList - comma separated list of transcoders

---

## getLiveStreamTranscoderControl

```
public ILiveStreamTranscoderControl getLiveStreamTranscoderControl()
```

Get the Live Stream Transcoder Contoller. This class will get called each time a stream is to be transcoded using the LiveStreamTranscoder mechanism.

### Returns:

Live Stream Transcoder Contoller

---

## setLiveStreamTranscoderControl

```
public void setLiveStreamTranscoderControl(ILiveStreamTranscoderControl  
liveStreamTranscoderControl)
```

Set the Live Stream Transcoder Contoller. This class will get called each time a stream is to be transcoded using the LiveStreamTranscoder mechanism.

(continued from last page)

**Parameters:**

liveStreamTranscoderControl - Live Stream Transcoder Controller

---

**getTranscoderApplicationContext**

```
public LiveStreamTranscoderApplicationContext getTranscoderApplicationContext()
```

Get live stream transcoder application context

**Returns:**

live stream transcoder application context

---

**getDvrProperties**

```
public WMSProperties getDvrProperties()
```

Get the property collection of DVR settings that are specific to this application instance. These are defined in Application/DVR/Properties tag in Application.xml

**Returns:**

property collection of DVR settings

---

**getDvrApplicationContext**

```
public DvrApplicationContext getDvrApplicationContext()
```

Get live stream dvr application context

**Returns:**

live stream dvr application context

---

**getLiveStreamDvrRecorderControl**

```
public ILiveStreamDvrRecorderControl getLiveStreamDvrRecorderControl()
```

Get the Live Stream DVR Recorder Controller. This class will get called each time a stream is to be DVR-ed.

**Returns:**

Live Stream DVR Controller

---

**setLiveStreamDvrRecorderControl**

```
public void setLiveStreamDvrRecorderControl(ILiveStreamDvrRecorderControl controller)
```

Set the Live Stream DVR Controller.

**Parameters:**

controller - Live Stream DVR Controller

---

**getDvrRecorderList**

```
public String getDvrRecorderList()
```

Get the comma separated list of Dvr Recorder names being used by this application (see conf/Dvr.xml)

**Returns:**

comma separated list of Dvr Recorder names

## setDvrRecorderList

```
public void setDvrRecorderList(String recorderList)
```

Set the comma separated list of Dvr Recorder names being used by this application (see conf/Dvr.xml)

**Parameters:**

recorderList - comma separated list of Dvr Recorder names

---

## addDvrRecorderListener

```
public void addDvrRecorderListener(ILiveStreamDvrRecorderActionNotify listener)
```

Add a Dvr Recorder listener (see: [ILiveStreamDvrRecorderActionNotify](#))

**Parameters:**

listener - Dvr Recorder listener

---

## removeDvrRecorderListener

```
public void removeDvrRecorderListener(ILiveStreamDvrRecorderActionNotify listener)
```

Remove a Dvr Recorder listener (see: [ILiveStreamDvrRecorderActionNotify](#))

**Parameters:**

listener - Dvr Recorder listener

---

## notifyLiveStreamDvrRecorderCreate

```
public void notifyLiveStreamDvrRecorderCreate(ILiveStreamDvrRecorder dvr,  
String streamName)
```

Notify Dvr Recorder Create

**Parameters:**

dvr - DVR Recorder listener  
streamName - stream Name

---

## notifyLiveStreamDvrRecorderInit

```
public void notifyLiveStreamDvrRecorderInit(ILiveStreamDvrRecorder dvr,  
String streamName)
```

Notify DVR Recorder has been initialized.

**Parameters:**

dvr - DVR Recorder listener \* @param streamName stream Name

---

## notifyLiveStreamDvrRecorderDestroy

```
public void notifyLiveStreamDvrRecorderDestroy(ILiveStreamDvrRecorder dvr)
```

Notify DVR Recorder has been destroyed.

**Parameters:**

dvr - DVR Recorder listener

---

(continued from last page)

---

## addDvrStreamManagerListener

```
public void addDvrStreamManagerListener(IDvrStreamManagerActionNotify listener)
```

Add a Dvr Application Store Manager listener (see: IDvrStoreActionNotify)

**Parameters:**

listener - Dvr Application Store Manager listener

---

## removeDvrStreamManagerListener

```
public void removeDvrStreamManagerListener(IDvrStreamManagerActionNotify listener)
```

Remove a Dvr Application Store Manager listener (see: IDvrStoreActionNotify)

**Parameters:**

listener - Dvr Application Store Manager listener

---

## notifyDvrStreamManagerCreate

```
public void notifyDvrStreamManagerCreate(IDvrStreamManager dvrStoreManager)
```

Notify listeners that Dvr Application Store Manager has been created.

**Parameters:**

dvrStoreManager - Dvr Application Store Manager

---

## notifyDvrStreamManagerInit

```
public void notifyDvrStreamManagerInit(IDvrStreamManager dvrStoreManager)
```

Notify listeners that Dvr Application Store Manager has been initialized.

**Parameters:**

dvrStoreManager - Dvr Application Store Manager

---

## notifyDvrStreamManagerDestroy

```
public void notifyDvrStreamManagerDestroy(IDvrStreamManager dvrManager)
```

Notify listeners that Dvr Application Store Manager has been destroyed.

**Parameters:**

dvrManager - Dvr Application Store Manager

---

## getMediaReaderContentType

```
public int getMediaReaderContentType(String mediaType)
```

Get the content type of a media stream name prefix (see IMediaReader.CONTENTTYPE\_\*)

**Parameters:**

mediaType - mediaType (such as flv or smil)

**Returns:**

content type (see IMediaReader.CONTENTTYPE\_\*)

---

(continued from last page)

## getMediaListProvider

```
public IMediaListProvider getMediaListProvider( )
```

Get the current media list provider. The media list provider is used to resolve amlst:streamname requests to a media list (equivalent to a SMIL file).

**Returns:**

media list provider

---

## setMediaListProvider

```
public void setMediaListProvider(IMediaListProvider mediaListProvider)
```

Set the current media list provider. The media list provider is used to resolve amlst:streamname requests to a media list (equivalent to a SMIL file).

**Parameters:**

mediaListProvider - media list provider

---

## getMediacasterRTPRTSPRTPTransportMode

```
public int getMediacasterRTPRTSPRTPTransportMode( )
```

RTP MediaCaster RTSP/RTP transport mode. See RTPMediaCaster.RTSPTRANSPORTMODE\_\*

**Returns:**

RTP MediaCaster RTSP/RTP transport mode

---

## setMediacasterRTPRTSPRTPTransportMode

```
public void setMediacasterRTPRTSPRTPTransportMode(int  
mediacasterRTPRTSPRTPTransportMode)
```

RTP MediaCaster RTSP/RTP transport mode. See RTPMediaCaster.RTSPTRANSPORTMODE\_\*

**Parameters:**

mediacasterRTPRTSPRTPTransportMode - RTP MediaCaster RTSP/RTP transport mode

---

## getProtocolUsage

```
public boolean[] getProtocolUsage( )
```

Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE\_\*)

**Returns:**

protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE\_\*)

---

## getProtocolUsage

```
public void getProtocolUsage(boolean[] protocolsInUse)
```

Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE\_\*)

---

## isDebugAppTimeout

```
public boolean isDebugAppTimeout( )
```

If true appTimeout processing will be logged.



(continued from last page)

**Returns:**

true appTimeout processing will be logged

---

**setDebugAppTimeout**

```
public void setDebugAppTimeout(boolean debugAppTimeout)
```

If true appTimeout processing will be logged.

**Parameters:**

debugAppTimeout - true appTimeout processing will be logged

## com.wowza.wms.application Interface IApplicationInstanceNotify

public interface **IApplicationInstanceNotify**  
extends

IApplicationInstanceNotify: listener interface used by IApplication addApplicationInstanceListener

### Method Summary

void	<a href="#">onApplicationInstanceCreate</a> ( <a href="#">IApplicationInstance</a> applicationInstance) Triggered when applicationInstance created
void	<a href="#">onApplicationInstanceDestroy</a> ( <a href="#">IApplicationInstance</a> applicationInstance) Triggered when applicationInstance destroyed

### Methods

#### onApplicationInstanceCreate

public void **onApplicationInstanceCreate**([IApplicationInstance](#) applicationInstance)

Triggered when applicationInstance created

**Parameters:**

applicationInstance - applicationInstance

#### onApplicationInstanceDestroy

public void **onApplicationInstanceDestroy**([IApplicationInstance](#) applicationInstance)

Triggered when applicationInstance destroyed

**Parameters:**

applicationInstance - applicationInstance

## com.wowza.wms.application Interface IApplicationNotify

public interface **IApplicationNotify**  
extends

IApplicationNotify: listener interface used by IVHost addApplicationListener

### Method Summary

void	<a href="#">onApplicationCreate</a> ( <a href="#">IApplication</a> application) Triggered when application created
void	<a href="#">onApplicationDestroy</a> ( <a href="#">IApplication</a> application) Triggered when application destroyed

### Methods

#### onApplicationCreate

public void **onApplicationCreate**([IApplication](#) application)

Triggered when application created

**Parameters:**

application - application

#### onApplicationDestroy

public void **onApplicationDestroy**([IApplication](#) application)

Triggered when application destroyed

**Parameters:**

application - application

## com.wowza.wms.application Class WMSProperties

```

java.lang.Object
  |-- java.util.AbstractMap
        |-- java.util.HashMap
              |-- com.wowza.wms.application.WMSProperties
  
```

### All Implemented Interfaces:

java.util.Map, java.io.Serializable, Cloneable, java.util.Map

```

public class WMSProperties
extends java.util.HashMap
  
```

WMSProperties: generic properties container used by many class to store extended property information. Acts like a simple Map with some simple utilities for performing type conversion.

## Constructor Summary

public	<a href="#">WMSProperties()</a>
--------	---------------------------------

## Method Summary

static void	<a href="#">cloneProperties</a> ( <a href="#">WMSProperties</a> from, <a href="#">WMSProperties</a> to) Copy all properties from "from" properties object to "to" properties object.
String[]	<a href="#">getAllAsStrings</a> () Return all properties as String[].
Object	<a href="#">getProperty</a> (String name) Get property value as generic object.
boolean	<a href="#">getPropertyBoolean</a> (String name, boolean defaultVal) Get property as boolean, return default value if does not exist.
double	<a href="#">getPropertyDouble</a> (String name, double defaultVal) Get property as double, return default value if does not exist.
int	<a href="#">getPropertyInt</a> (String name, int defaultVal) Get property as int, return default value if does not exist.
long	<a href="#">getPropertyLong</a> (String name, long defaultVal) Get property as long, return default value if does not exist.
String	<a href="#">getPropertyStr</a> (String name) Get property as String
String	<a href="#">getPropertyStr</a> (String name, String defaultVal) Get property as String, return default value if does not exist.
void	<a href="#">putAll</a> (java.util.Map m)

void	<a href="#">setProperty</a> (String name, Object value) Set property to generic object.
String	<a href="#">toString</a> ()

#### Methods inherited from class java.util.HashMap

clear, clone, containsKey, containsValue, entrySet, get, isEmpty, keySet, put, putAll, remove, size, values

#### Methods inherited from class java.util.AbstractMap

clear, clone, containsKey, containsValue, entrySet, equals, get, hashCode, isEmpty, keySet, put, putAll, remove, size, toString, values

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface java.util.Map

clear, containsKey, containsValue, entrySet, equals, get, hashCode, isEmpty, keySet, put, putAll, remove, size, values

#### Methods inherited from interface java.util.Map

clear, containsKey, containsValue, entrySet, equals, get, hashCode, isEmpty, keySet, put, putAll, remove, size, values

## Constructors

### WMSProperties

```
public WMSProperties()
```

## Methods

### putAll

```
public void putAll(java.util.Map m)
```

### cloneProperties

```
public static void cloneProperties(WMSProperties from,
WMSProperties to)
```

Copy all properties from "from" properties object to "to" properties object.

#### Parameters:

from - source properties

(continued from last page)

to - destination properties

---

## setProperty

```
public void setProperty(String name,  
                        Object value)
```

Set property to generic object.

### Parameters:

name - property name  
value - value

---

## getProperty

```
public Object getProperty(String name)
```

Get property value as generic object.

### Parameters:

name - property name

### Returns:

value, null if does not exist

---

## getPropertyStr

```
public String getPropertyStr(String name)
```

Get property as String

### Parameters:

name - property name

### Returns:

value as String, null if does not exist

---

## getPropertyStr

```
public String getPropertyStr(String name,  
                              String defaultVal)
```

Get property as String, return default value if does not exist.

### Parameters:

name - property name  
defaultVal - default value

### Returns:

value as String, defaultVal if does not exist

---

## getPropertyBoolean

```
public boolean getPropertyBoolean(String name,  
                                   boolean defaultVal)
```

Get property as boolean, return default value if does not exist.

### Parameters:

(continued from last page)

name - property name  
defaultVal - default value

**Returns:**

value as boolean, defaultVal if does not exist

---

## getPropertyInt

```
public int getPropertyInt(String name,  
    int defaultVal)
```

Get property as int, return default value if does not exist.

**Parameters:**

name - property name  
defaultVal - default value

**Returns:**

value as boolean, defaultVal if does not exist

---

## getPropertyLong

```
public long getPropertyLong(String name,  
    long defaultVal)
```

Get property as long, return default value if does not exist.

**Parameters:**

name - property name  
defaultVal - default value

**Returns:**

value as long, defaultVal if does not exist

---

## getPropertyDouble

```
public double getPropertyDouble(String name,  
    double defaultVal)
```

Get property as double, return default value if does not exist.

**Parameters:**

name - property name  
defaultVal - default value

**Returns:**

value as double, defaultVal if does not exist

---

## getAllAsStrings

```
public String[] getAllAsStrings()
```

Return all properties as String[]. Format is "key=value".

**Returns:**

all properties as String[]

---

(continued from last page)

## **toString**

```
public String toString()
```



---

Package

**com.wowza.wms.authentication**

## com.wowza.wms.authentication

### Class AuthenticateUsernamePasswordProviderBase

java.lang.Object

└--com.wowza.wms.authentication.AuthenticateUsernamePasswordProviderBase

All Implemented Interfaces:

[IAuthenticateUsernamePasswordProvider](#)

public abstract class **AuthenticateUsernamePasswordProviderBase**

extends Object

implements [IAuthenticateUsernamePasswordProvider](#)

Base class for implementing HTTP and RTSP based custom authentication class.

#### Field Summary

protected	<a href="#">client</a>
protected	<a href="#">rtpSession</a>
protected	<a href="#">vhost</a>

#### Constructor Summary

public	<a href="#">AuthenticateUsernamePasswordProviderBase()</a>
--------	--

#### Method Summary

<a href="#">IClient</a>	<a href="#">getClient()</a> Get client
<a href="#">RTPSession</a>	<a href="#">getRTPSession()</a> Get RTP Session
<a href="#">IVHost</a>	<a href="#">getVHost()</a> Get vhost
void	<a href="#">setClient(<a href="#">IClient</a> client)</a> Set client
void	<a href="#">setRTPSession(<a href="#">RTPSession</a> rtpSession)</a> Set RTP Session
void	<a href="#">setVHost(<a href="#">IVHost</a> vhost)</a> Set vhost

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface**[com.wowza.wms.authentication.IAuthenticateUsernamePasswordProvider](#)[getClient](#), [getPassword](#), [getRTPSession](#), [getVHost](#), [setClient](#), [setRTPSession](#), [setVHost](#), [userExists](#)

## Fields

**vhost**protected com.wowza.wms.vhost.IVHost **vhost****client**protected com.wowza.wms.client.IClient **client****rtpSession**protected com.wowza.wms.rtp.model.RTPSession **rtpSession**

## Constructors

**AuthenticateUsernamePasswordProviderBase**public **AuthenticateUsernamePasswordProviderBase**()

## Methods

**getVHost**public [IVHost](#) **getVHost**()

Get vhost

**Returns:**

vhost

**setVHost**public void **setVHost**([IVHost](#) vhost)

Set vhost

**Parameters:**

vhost - vhost

(continued from last page)

## getRTPSession

```
public RTPSession getRTPSession()
```

Get RTP Session

**Returns:**

RTP Session

---

## setRTPSession

```
public void setRTPSession(RTPSession rtpSession)
```

Set RTP Session

**Parameters:**

rtpSession - RTP Session

---

## getClient

```
public IClient getClient()
```

Get client

**Returns:**

client

---

## setClient

```
public void setClient(IClient client)
```

Set client

**Parameters:**

client - client

---

## com.wowza.wms.authentication Interface IAuthenticate

public interface **IAuthenticate**  
extends

IAuthenticate: HTTP and RTSP authentication interface

### Field Summary

public static final	<a href="#">PASSWORDFILEFORMAT_CLEAR</a> Value: <b>1</b>
public static final	<a href="#">PASSWORDFILEFORMAT_UNKNOWN</a> Value: <b>0</b>

### Method Summary

void	<a href="#">init</a> ( <a href="#">IApplicationInstance</a> appInstance, AuthenticationItem authenticationItem) Initialize authentication class when instantiated as part of an application instance
void	<a href="#">init</a> ( <a href="#">IVHost</a> vhost, AuthenticationItem authenticationItem) Initialize authentication class when instantiated as part of a vhost

### Fields

#### PASSWORDFILEFORMAT\_UNKNOWN

public static final int **PASSWORDFILEFORMAT\_UNKNOWN**

Constant value: **0**

#### PASSWORDFILEFORMAT\_CLEAR

public static final int **PASSWORDFILEFORMAT\_CLEAR**

Constant value: **1**

### Methods

#### init

public void **init**([IApplicationInstance](#) appInstance,  
AuthenticationItem authenticationItem)

Initialize authentication class when instantiated as part of an application instance

(continued from last page)

**Parameters:**

appInstance - application instance  
authenticationItem - authentication item

---

**init**

```
public void init(IVHost vhost,  
                AuthenticationItem authenticationItem)
```

Initialize authentication class when instantiated as part of a vhost

**Parameters:**

vhost - vhost  
authenticationItem - authentication item

com.wowza.wms.authentication  
Interface IAuthenticateHTTPProvider

public interface IAuthenticateHTTPProvider  
extends

IAuthenticateHTTPProvider: HTTP authentication provider

Method Summary	
boolean	<a href="#">authenticateHTTPProvider</a> ( <a href="#">IVHost</a> vhost, <a href="#">IHTTPRequest</a> req, <a href="#">IHTTPResponse</a> resp) Called for each HTTP authentication

Methods

authenticateHTTPProvider

public boolean **authenticateHTTPProvider**([IVHost](#) vhost, [IHTTPRequest](#) req, [IHTTPResponse](#) resp)

Called for each HTTP authentication

Parameters:

- vhost - virtual host
- req - HTTP request
- resp - HTTP response

Returns:

true if authentication was successful

## com.wowza.wms.authentication Interface IAuthenticateRTSP

public interface **IAuthenticateRTSP**  
extends

IAuthenticateRTSP: RTSP authentication provider

### Method Summary

boolean	<code><a href="#">authenticateRTSP</a>(<a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp)</code> Called for each RTSP authentication
---------	---

### Methods

#### **authenticateRTSP**

```
public boolean authenticateRTSP(RTPSession rtspSession,  
    com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Called for each RTSP authentication

##### **Parameters:**

`rtspSession` - RTP session  
`req` - RTSP request  
`resp` - RTSP response

##### **Returns:**

true if authentication was successful



## com.wowza.wms.authentication Interface IAuthenticateSIP

public interface **IAuthenticateSIP**  
extends

IAuthenticateRTSP: RTSP authentication provider

### Method Summary

boolean	<code><a href="#">authenticateSIP</a>(<a href="#">RTPSession</a> rtspSession, com.wowza.wms.sip.SIPRequestMessage req, com.wowza.wms.sip.SIPResponseMessages resp)</code> Called for each RTSP authentication
---------	--

### Methods

#### **authenticateSIP**

```
public boolean authenticateSIP(RTPSession rtspSession,  
    com.wowza.wms.sip.SIPRequestMessage req,  
    com.wowza.wms.sip.SIPResponseMessages resp)
```

Called for each RTSP authentication

##### **Parameters:**

`rtspSession` - RTP session  
`req` - RTSP request  
`resp` - RTSP response

##### **Returns:**

true if authentication was successful

## com.wowza.wms.authentication Interface IAuthenticateUsernamePasswordProvider

All Known Implementing Classes:

[AuthenticateUsernamePasswordProviderBase](#)

public interface **IAuthenticateUsernamePasswordProvider**  
extends

IAuthenticateUsernamePasswordProvider: HTTP and RTSP username/password validator interface

### Method Summary

<a href="#">IClient</a>	<a href="#">getClient()</a> Get client
String	<a href="#">getPassword(String username)</a> Get password for a given user
<a href="#">RTPSession</a>	<a href="#">getRTPSession()</a> Get RTP session
<a href="#">IVHost</a>	<a href="#">getVHost()</a> Get vhost
void	<a href="#">setClient(<a href="#">IClient</a> client)</a> Set client
void	<a href="#">setRTPSession(<a href="#">RTPSession</a> rtpSession)</a> Set RTP session
void	<a href="#">setVHost(<a href="#">IVHost</a> vhost)</a> Set vhost
boolean	<a href="#">userExists(String username)</a> Return true if user exists

### Methods

#### **userExists**

public boolean **userExists**(String username)

Return true if user exists

#### **Parameters:**

username - username

#### **Returns:**

true if user exists

(continued from last page)

## getPassword

```
public String getPassword(String username)
```

Get password for a given user

**Parameters:**

username - username

**Returns:**

password

---

## getVHost

```
public IVHost getVHost()
```

Get vhost

**Returns:**

vhost

---

## setVHost

```
public void setVHost(IVHost vhost)
```

Set vhost

**Parameters:**

vhost - vhost

---

## getClient

```
public IClient getClient()
```

Get client

**Returns:**

client

---

## setClient

```
public void setClient(IClient client)
```

Set client

**Parameters:**

client - client

---

## getRTPSession

```
public RTPSession getRTPSession()
```

Get RTP session

**Returns:**

RTP session

(continued from last page)

## setRTPSession

```
public void setRTPSession(RTPSession rtpSession)
```

Set RTP session

### Parameters:

`rtpSession` - RTP session

---

Package

**com.wowza.wms.client**

## com.wowza.wms.client Class ConnectionCounter

```
java.lang.Object
|
+-com.wowza.wms.client.ConnectionCounterBase
|
+-com.wowza.wms.client.ConnectionCounter
```

```
public class ConnectionCounter
extends ConnectionCounterBase
```

### Fields inherited from class com.wowza.wms.client.ConnectionCounterBase

DATEFORMATSTR, NEVERSTR, REJECTREASON\_APPLICATION, REJECTREASON\_COUNT, REJECTREASON\_LICENSE

### Constructor Summary

public	<a href="#">ConnectionCounter()</a> Create empty ConnectionCounter
--------	---

### Method Summary

void	<a href="#">acceptConnection</a> (ConnectionHolder connectionHolder, byte[] license) Accept a new connection.
void	<a href="#">addConnectionListener</a> (IConnectionNotify connectionNotify) Add a connection listener.
void	<a href="#">decrement</a> (ConnectionHolder connectionHolder, boolean isValid, java.util.Date date, long stamp, byte[] license) Decrement connection counters.
void	<a href="#">disconnect</a> (ConnectionHolder connectionHolder, byte[] license) Disconnect connection.
long	<a href="#">getCurrent</a> () Get total number of client currently conencted to this object.
long	<a href="#">getLastConnectAcceptedStamp</a> () Get time (milliseconds) of the last conenction to this object.
String	<a href="#">getLastConnectAcceptedStampString</a> () Get time (milliseconds) of the last conenction to this object as formatted string.
java.util.Date	<a href="#">getLastConnectAcceptedTime</a> () Get time (milliseconds) of the last accepted conenction to this object.
String	<a href="#">getLastConnectAcceptedTimeString</a> () Get time (milliseconds) of the last accepted conenction to this object as formatted string.
long	<a href="#">getLastConnectRejectedByReasonStamp</a> (int reason) Get time (milliseconds) of the last rejected conenction by reason to this object.

String	<a href="#"><code>getLastConnectRejectedByReasonStampString(int reason)</code></a> Get time (milliseconds) of the last rejected connection by reason to this object as formatted string.
java.util.Date	<a href="#"><code>getLastConnectRejectedByReasonTime(int reason)</code></a> Get date and time of last rejected connection by reason to this object as Date object.
String	<a href="#"><code>getLastConnectRejectedByReasonTimeString(int reason)</code></a> Get date and time of last rejected connection by reason to this object as formatted string.
long	<a href="#"><code>getLastConnectRejectedStamp()</code></a> Get time (milliseconds) of the last rejected connection to this object.
String	<a href="#"><code>getLastConnectRejectedStampString()</code></a> Get time (milliseconds) of the last rejected connection to this object as formatted string.
java.util.Date	<a href="#"><code>getLastConnectRejectedTime()</code></a> Get date and time of last rejected connection to this object as Date object.
String	<a href="#"><code>getLastConnectRejectedTimeString()</code></a> Get date and time of last rejected connection to this object as formatted string.
long	<a href="#"><code>getLastDisconnectStamp()</code></a> Get time (milliseconds) of the last disconnected connection to this object.
String	<a href="#"><code>getLastDisconnectStampString()</code></a> Get time (milliseconds) of the last disconnected connection to this object as formatted string.
java.util.Date	<a href="#"><code>getLastDisconnectTime()</code></a> Get date and time of last disconnected connection to this object as Date object.
String	<a href="#"><code>getLastDisconnectTimeString()</code></a> Get date and time of last disconnected connection to this object as Date object as formatted string.
long	<a href="#"><code>getTotal()</code></a> Get total number of connection attempts to this object.
long	<a href="#"><code>getTotalAccepted()</code></a> Get total number of accepted connections to this object.
long	<a href="#"><code>getTotalRejected()</code></a> Get total number of rejected connections to this object.
void	<a href="#"><code>incrementAccept(ConnectionHolder connectionHolder, java.util.Date date, long stamp, byte[] license)</code></a> Increment accepted connections.
void	<a href="#"><code>incrementReject(ConnectionHolder connectionHolder, int reason, java.util.Date date, long stamp, byte[] license)</code></a> Increment reject connection.
void	<a href="#"><code>rejectConnection(ConnectionHolder connectionHolder, int reason, byte[] license)</code></a> Reject connection.
void	<a href="#"><code>removeConnectionListener(IConnectionNotify connectionNotify)</code></a> Remove connection listener
void	<a href="#"><code>setConnectionValidator(IConnectionValidator connectionValidator)</code></a> Set the connection validator.

boolean	<a href="#">validateNewConnection</a> (ConnectionHolder connectionHolder, byte[] license) Validate a new connection.
---------	---

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### ConnectionCounter

```
public ConnectionCounter()
```

Create empty ConnectionCounter

## Methods

### addConnectionListener

```
public void addConnectionListener(IConnectionNotify connectionNotify)
```

Add a connection listener. Receives following events: `onClientConnect`, `onClientDisconnect`, `onClientAccept` and `onClientReject`.

**Parameters:**

`connectionNotify` - connection listener

### removeConnectionListener

```
public void removeConnectionListener(IConnectionNotify connectionNotify)
```

Remove connection listener

**Parameters:**

`connectionNotify` - connection listener

### setConnectionValidator

```
public void setConnectionValidator(IConnectionValidator connectionValidator)
```

Set the connection validator.

**Parameters:**

`connectionValidator` - connection validator

### validateNewConnection

```
public boolean validateNewConnection(ConnectionHolder connectionHolder,  
byte[] license)
```

Validate a new connection.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.



(continued from last page)

**Parameters:**

connectionHolder - connection holder  
license - security data

**Returns:**

true if connection is accepted

---

## acceptConnection

```
public void acceptConnection(ConnectionHolder connectionHolder,  
    byte[] license)
```

Accept a new connection.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.

**Parameters:**

connectionHolder - connection holder  
license - security data

---

## incrementAccept

```
public void incrementAccept(ConnectionHolder connectionHolder,  
    java.util.Date date,  
    long stamp,  
    byte[] license)
```

Increment accepted connections.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.

**Parameters:**

connectionHolder - connection holder  
date - date the connection occurred  
stamp - time stamp connection occurred (milliseconds)  
license - security data

---

## rejectConnection

```
public void rejectConnection(ConnectionHolder connectionHolder,  
    int reason,  
    byte[] license)
```

Reject connection.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.

**Parameters:**

connectionHolder - connection holder  
reason - reason the connection was refused. See REJECTREASON\_\*  
license - security data

---

(continued from last page)

## incrementReject

```
public void incrementReject(ConnectionHolder connectionHolder,  
    int reason,  
    java.util.Date date,  
    long stamp,  
    byte[] license)
```

Increment reject connection.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.

**Parameters:**

connectionHolder - connection holder  
reason - reason the connection was refused. See REJECTREASON\_\*  
date - date the connection occurred  
stamp - time stamp connection occurred (milliseconds)  
license - security data

---

## disconnect

```
public void disconnect(ConnectionHolder connectionHolder,  
    byte[] license)
```

Disconnect connection.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.

**Parameters:**

connectionHolder - connection holder  
license - security data

---

## decrement

```
public void decrement(ConnectionHolder connectionHolder,  
    boolean isValid,  
    java.util.Date date,  
    long stamp,  
    byte[] license)
```

Decrement connection counters.

**NOTE:** This is a private internal call. Server will not work properly if this method is not called properly using internal security mechanism.

**Parameters:**

connectionHolder - connection holder  
isValid - is a valid connection  
date - date the connection occurred  
stamp - time stamp connection occurred (milliseconds)  
license - security data

---

## getCurrent

```
public long getCurrent()
```

Get total number of client currently connected to this object.

**Returns:**

total number of client currently connected to this object

## getLastConnectAcceptedStamp

```
public long getLastConnectAcceptedStamp()
```

Get time (milliseconds) of the last conenction to this object.

**Returns:**

time (milliseconds) of the last conenction to this object

---

## getLastConnectAcceptedStampString

```
public String getLastConnectAcceptedStampString()
```

Get time (milliseconds) of the last conenction to this object as formatted string.

**Returns:**

time (milliseconds) of the last conenction to this object as formatted string

---

## getLastConnectAcceptedTime

```
public java.util.Date getLastConnectAcceptedTime()
```

Get time (milliseconds) of the last accepeted conenction to this object.

**Returns:**

time (milliseconds) of the last accepeted conenction to this object

---

## getLastConnectAcceptedTimeString

```
public String getLastConnectAcceptedTimeString()
```

Get time (milliseconds) of the last accepeted conenction to this object as formatted string.

**Returns:**

time (milliseconds) of the last accepeted conenction to this object as formatted string

---

## getLastConnectRejectedStamp

```
public long getLastConnectRejectedStamp()
```

Get time (milliseconds) of the last rejected conenction to this object.

**Returns:**

time (milliseconds) of the last rejected conenction to this object

---

## getLastConnectRejectedStampString

```
public String getLastConnectRejectedStampString()
```

Get time (milliseconds) of the last rejected conenction to this object as formatted string.

**Returns:**

time (milliseconds) of the last rejected conenction to this object as formatted string

---

## getLastConnectRejectedTime

```
public java.util.Date getLastConnectRejectedTime()
```

(continued from last page)

Get date and time of last rejected connection to this object as Date object.

**Returns:**

date and time of last reject connection to this object as Date object

---

## getLastConnectRejectedTimeString

```
public String getLastConnectRejectedTimeString()
```

Get date and time of last rejected connection to this object as formatted string.

**Returns:**

date and time of last reject connection to this object as formatted string

---

## getLastConnectRejectedByReasonStampString

```
public String getLastConnectRejectedByReasonStampString(int reason)
```

Get time (milliseconds) of the last rejected connection by reason to this object as formatted string.

**Parameters:**

reason - reason, see REJECTREASON\_\*

**Returns:**

time (milliseconds) of the last rejected connection by reason to this object as formatted string

---

## getLastConnectRejectedByReasonStamp

```
public long getLastConnectRejectedByReasonStamp(int reason)
```

Get time (milliseconds) of the last rejected connection by reason to this object.

**Parameters:**

reason - reason, see REJECTREASON\_\*

**Returns:**

time (milliseconds) of the last rejected connection by reason to this object

---

## getLastConnectRejectedByReasonTime

```
public java.util.Date getLastConnectRejectedByReasonTime(int reason)
```

Get date and time of last rejected connection by reason to this object as Date object.

**Parameters:**

reason - reason, see REJECTREASON\_\*

**Returns:**

date and time of last reject connection by reason to this object as Date object

---

## getLastConnectRejectedByReasonTimeString

```
public String getLastConnectRejectedByReasonTimeString(int reason)
```

Get date and time of last rejected connection by reason to this object as formatted string.

**Parameters:**

reason - reason, see REJECTREASON\_\*

(continued from last page)

**Returns:**

date and time of last rejected connection by reason to this object as formatted string

---

**getLastDisconnectStampString**

```
public String getLastDisconnectStampString()
```

Get time (milliseconds) of the last disconnected connection to this object as formatted string.

**Returns:**

time (milliseconds) of the last disconnected connection to this object as formatted string

---

**getLastDisconnectStamp**

```
public long getLastDisconnectStamp()
```

Get time (milliseconds) of the last disconnected connection to this object.

**Returns:**

time (milliseconds) of the last disconnected connection to this object

---

**getLastDisconnectTime**

```
public java.util.Date getLastDisconnectTime()
```

Get date and time of last disconnected connection to this object as Date object.

**Returns:**

date and time of last disconnected connection to this object as Date object

---

**getLastDisconnectTimeString**

```
public String getLastDisconnectTimeString()
```

Get date and time of last disconnected connection to this object as Date object as formatted string.

**Returns:**

date and time of last disconnected connection to this object as Date object as formatted string

---

**getTotal**

```
public long getTotal()
```

Get total number of connection attempts to this object.

**Returns:**

total number of connection attempts to this object

---

**getTotalAccepted**

```
public long getTotalAccepted()
```

Get total number of accepted connections to this object.

**Returns:**

total number of accepted connections to this object

## getTotalRejected

```
public long getTotalRejected()
```

Get total number of rejected connections to this object.

**Returns:**

total number of rejected connections to this object

## com.wowza.wms.client Interface IClient

public interface **IClient**  
extends

IClient: public interface to Client object.

### Field Summary

public static final	<a href="#"><u>AUDIOSAMPLE_ACCESS_ALL</u></a> Value: *
public static final	<a href="#"><u>AUDIOSAMPLE_ACCESS_NONE</u></a> Value:
public static final	<a href="#"><u>READ_ACCESS_ALL</u></a> Value: *
public static final	<a href="#"><u>READ_ACCESS_NONE</u></a> Value:
public static final	<a href="#"><u>VIDEOSAMPLE_ACCESS_ALL</u></a> Value: *
public static final	<a href="#"><u>VIDEOSAMPLE_ACCESS_NONE</u></a> Value:
public static final	<a href="#"><u>WRITE_ACCESS_ALL</u></a> Value: *
public static final	<a href="#"><u>WRITE_ACCESS_NONE</u></a> Value:

### Method Summary

void	<a href="#"><u>acceptConnection</u></a> ( ) Accept connection
void	<a href="#"><u>acceptConnection</u></a> ( <a href="#"><u>AMFData</u></a> successObj) Accept connection
void	<a href="#"><u>acceptConnection</u></a> (String successStr) Accept connection
void	<a href="#"><u>addAcceptConnectionAttribute</u></a> (String key, <a href="#"><u>AMFDataObj</u></a> item) Add and attribute to the resultObj that gets passed back to the client on successful connection

void	<a href="#"><u>addAcceptConnectionAttribute</u></a> (String key, String item) Add and attribute to the resultObj that gets passed back to the client on successful connection
void	<a href="#"><u>call</u></a> (String handlerName) Simplified call client method/handler call.
void	<a href="#"><u>call</u></a> (String handlerName, <a href="#"><u>IModuleCallResult</u></a> resultObj, Object[] params) Call client method/handler.
void	<a href="#"><u>clearFastPlaySettings</u></a> ( ) Force clear the fastPlay settings
void	<a href="#"><u>fcSubscribe</u></a> (String streamName) Subscribe to a live stream (for live stream repeater to start start from edge to origin)
void	<a href="#"><u>fcSubscribe</u></a> (String streamName, String mediaCasterType) Subscribe to a live stream (use a particular mediaCasterType)
void	<a href="#"><u>fcUnSubscribe</u></a> (String streamName) UnSubscribe from a stream
void	<a href="#"><u>fcUnSubscribeAll</u></a> ( ) UnSubscribe to all streams that this client is current subscribed to
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance</u></a> ( ) Get parent applicationInstance.
<a href="#"><u>IApplication</u></a>	<a href="#"><u>getApplication</u></a> ( ) Get parent application.
int	<a href="#"><u>getBufferTime</u></a> ( ) Get default buffer time for newly created mediaStream objects
int	<a href="#"><u>getClientId</u></a> ( ) Get client id.
long	<a href="#"><u>getConnectTime</u></a> ( ) Get time in milliseconds the client connected to the server.
String	<a href="#"><u>getDateStarted</u></a> ( ) Get date and time of client connection
<a href="#"><u>ElapsedTimer</u></a>	<a href="#"><u>getElapsedTime</u></a> ( ) Get elapsed time client has been connected.
<a href="#"><u>FastPlaySettings</u></a>	<a href="#"><u>getFastPlaySettings</u></a> ( ) Get the current fastPlay settings.
String	<a href="#"><u>getFlashVer</u></a> ( ) Get client flash version (same as FMS getAgent())
int	<a href="#"><u>getIdleFrequency</u></a> ( ) Get client idle frequency (milliseconds)
String	<a href="#"><u>getIp</u></a> ( ) Client ip address
long	<a href="#"><u>getLastValidateTime</u></a> ( ) Get last time (millisecond) the connection was validated with a ping



int	<a href="#"><u>getLiveRepeaterCapabilities()</u></a> Get the live repeater capabilities of this connection
String	<a href="#"><u>getLiveStreamPacketizerList()</u></a> Get the comma separated list of LiveStreamPacketizers names being used by this client (see conf/LiveStreamPacketizers.xml)
String	<a href="#"><u>getLiveStreamTranscoderList()</u></a> Get the comma separated list of LiveStreamTranscoders names being used by this client (see conf/LiveStreamTranscoders.xml)
int	<a href="#"><u>getMaximumPendingWriteBytes()</u></a> Get maximum number a bytes a client connection can have waiting to be sent before the connection is terminated.
int	<a href="#"><u>getMaximumSetBufferTime()</u></a> Get maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call.
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getMediaIOPerformanceCounter()</u></a> Get performance counter for media bytes transferred to this client.
int	<a href="#"><u>getObjectEncoding()</u></a> Get the object encoding level
String	<a href="#"><u>getPageUrl()</u></a> Get the pageUrl for this connection.
long	<a href="#"><u>getPingRoundTripTime()</u></a> Get turn around time (milliseconds) of last ping request
int	<a href="#"><u>getPingTimeout()</u></a> Get the ping timeout (milliseconds)
java.util.List	<a href="#"><u>getPlayStreams()</u></a> Get a collection of all play streams.
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties()</u></a> Get client properties
int	<a href="#"><u>getProtocol()</u></a> Get connection protocol (1 = RTMP, 3 = RTMPT)
java.util.List	<a href="#"><u>getPublishStreams()</u></a> Get a collection of publish streams.
String	<a href="#"><u>getQueryStr()</u></a> Get the query string part of the connection string.
String	<a href="#"><u>getReferrer()</u></a> Get the referrer data for this connection.
String	<a href="#"><u>getRepeaterOriginUrl()</u></a> Get the origin URL used by the Live Stream Repeater
<a href="#"><u>AMFObj</u></a>	<a href="#"><u>getRespAMFAudioObj()</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Get the audio response AMFObj for a given mediaStream
<a href="#"><u>AMFObj</u></a>	<a href="#"><u>getRespAMFDataObj()</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Get the data response AMFObj for a given mediaStream

<a href="#">AMFObj</a>	<a href="#">getRespAMFVideoObj</a> ( <a href="#">IMediaStream</a> stream) Get the video response AMFObj for a given mediaStream
<a href="#">ResponseFunctions</a>	<a href="#">getRespFunctions</a> () Get client responseFunctions object.
<a href="#">AMFObj</a>	<a href="#">getResponseAMFObj</a> (int index) Get the response channel AMFObj for channel index.
<a href="#">RTPStream</a>	<a href="#">getRTPStream</a> () If this client was created due to an RTP connection to the server return the underlying RTPStream object
<a href="#">HostPort</a>	<a href="#">getServerHostPort</a> () Get the hostPort object for the connection that is servicing this client
String	<a href="#">getSharedObjectReadAccess</a> () Get the shared object read access value.
String	<a href="#">getSharedObjectWriteAccess</a> () Get the shared object write access value.
String	<a href="#">getStreamAudioSampleAccess</a> () Get the audio sample access value.
java.io.File	<a href="#">getStreamFile</a> (String streamName) Get File object for stream with given name.
java.io.File	<a href="#">getStreamFile</a> (String streamName, String streamExt) Get File object for stream with given name and extension.
java.io.File	<a href="#">getStreamFile</a> (String streamName, String streamExt, boolean doCreateFolder) Get File object for stream with given name and extension.
String	<a href="#">getStreamReadAccess</a> () Get the stream read access value.
String	<a href="#">getStreamType</a> () Get default streamType
String	<a href="#">getStreamVideoSampleAccess</a> () Get the video sample access value.
String	<a href="#">getStreamWriteAccess</a> () Get the stream write access value.
String	<a href="#">getTimeRunning</a> () Get elapsed time of connection
double	<a href="#">getTimeRunningSeconds</a> () Get time running in seconds
<a href="#">IOPerformanceCounter</a>	<a href="#">getTotalIOPerformanceCounter</a> () Get performance counter for all bytes transferred to this client.
String	<a href="#">getUri</a> () Get the full URI of the connection string

<a href="#">IVHost</a>	<a href="#">getVHost()</a> Get parent vHost
com.wowza.wms.protocol.WOWZSession	<a href="#">getWowzSession()</a>
ClientWriteListener	<a href="#">getWriteListener()</a> Object that tracks write operations
boolean	<a href="#">isAcceptConnection()</a> Is auto accept connection
boolean	<a href="#">isConnected()</a> Is this client connected
boolean	<a href="#">isEncrypted()</a> Is this connection encrypted (RTMPE or RTMPTE)
boolean	<a href="#">isFlashMediaLiveEncoder()</a> Returns true if this connection is the Flash Media Live Encoder
boolean	<a href="#">isFlashVersion10()</a> Returns true if the Flash version is equal or greater than 10.x.x.x
boolean	<a href="#">isFlashVersion90115()</a> Returns true if the Flash version is equal or greater than 9.0.115.x
boolean	<a href="#">isFlashVersionH264Capable()</a> Returns true if the connected client is capable of playing H.264 video (Flash player 9.0.45.x or greater)
boolean	<a href="#">isLiveRepeater()</a> Returns true if this connection is from the live stream repeater
boolean	<a href="#">isObjectEncodingAMF0()</a> Is the object encoding for this client AMF0
boolean	<a href="#">isObjectEncodingAMF3()</a> Is the object encoding for this client AMF3
boolean	<a href="#">isSecure()</a> Is this connection protected by either SSL or encryption (RTMPE, RTMPTE, RTMPS)
boolean	<a href="#">isSSL()</a> Is this connection SSL (RTMPS)
boolean	<a href="#">isValidFMLEConnections()</a> Returns true if validating FMLE connection (default is false)
int	<a href="#">ping(IModulePingResult pingResult)</a> Ping client.
void	<a href="#">redirectConnection(String url)</a> Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302)
void	<a href="#">redirectConnection(String url, String description)</a> Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302)

void	<a href="#"><u>redirectConnection</u></a> (String url, String description, <a href="#"><u>AMFData</u></a> errorObj) Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302).
void	<a href="#"><u>redirectConnection</u></a> (String url, String description, String errorStr) Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302)
void	<a href="#"><u>rejectConnection</u></a> () Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)
void	<a href="#"><u>rejectConnection</u></a> ( <a href="#"><u>AMFData</u></a> errorObj) Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)
void	<a href="#"><u>rejectConnection</u></a> (String errorStr) Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)
void	<a href="#"><u>rejectConnection</u></a> (String description, <a href="#"><u>AMFData</u></a> errorObj) Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)
void	<a href="#"><u>rejectConnection</u></a> (String description, String errorStr) Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)
void	<a href="#"><u>reparentClient</u></a> ( <a href="#"><u>IVHost</u></a> vhost) Move a client object to a new vhost.
void	<a href="#"><u>setAcceptConnection</u></a> (boolean acceptConnection) Set the default for accept connection
void	<a href="#"><u>setAcceptConnectionDescription</u></a> (String description) Call this method from onConnect to set the info.description property returned in NetConnection onStatus handler
void	<a href="#"><u>setAcceptConnectionExObj</u></a> ( <a href="#"><u>AMFDataObj</u></a> acceptConnectionExObj) Call this method from onConnect to set the info.ex property returned in NetConnection onStatus handler
void	<a href="#"><u>setAcceptConnectionObj</u></a> ( <a href="#"><u>AMFData</u></a> acceptConnectionObj) Call this method from onConnect to add an "application" property to the info object that is passed back to the Flash client in the onStatus handler.
void	<a href="#"><u>setBufferTime</u></a> (int bufferTime) Set default buffer time for newly created mediaStream objects
void	<a href="#"><u>setFastPlaySettings</u></a> ( <a href="#"><u>FastPlaySettings</u></a> fastPlaySettings) Set fastPlay settings
void	<a href="#"><u>setFlashVer</u></a> (String flashVer) Set client flash version
void	<a href="#"><u>setIdleFrequency</u></a> (int idleFrequency) Set client idle frequency (milliseconds)
void	<a href="#"><u>setLastValidateTime</u></a> (long lastValidateTime) Set the last time (milliseconds) the connection was validated with ping

void	<a href="#"><u>setLiveRepeaterCapabilities</u></a> (int liveRepeaterCapabilities) Set the live repeater capabilities of this connection
void	<a href="#"><u>setLiveStreamPacketizerList</u></a> (String liveStreamPacketizerList) Set the comma separated list of LiveStreamPacketizers names being used by this client (see conf/LiveStreamPacketizers.xml)
void	<a href="#"><u>setLiveStreamTranscoderList</u></a> (String liveStreamTranscoderList) Set the comma separated list of LiveStreamTranscoders names being used by this client (see conf/LiveStreamTranscoders.xml)
void	<a href="#"><u>setObjectEncoding</u></a> (int objectEncoding) Set the object encoding level
void	<a href="#"><u>setRepeaterOriginUrl</u></a> (String repeaterOriginUrl) Set the origin URL used by the Live Stream Repeater
void	<a href="#"><u>setSharedObjectReadAccess</u></a> (String sharedObjectReadAccess) Set the shared object read access value.
void	<a href="#"><u>setSharedObjectWriteAccess</u></a> (String sharedObjectWriteAccess) Set the shared object write access value.
void	<a href="#"><u>setShutdownClient</u></a> (boolean shutdownClient) Gracefully and forcefully shutdown a client.
void	<a href="#"><u>setStreamAudioSampleAccess</u></a> (String audioSampleAccess) Set the stream audio sample access value.
void	<a href="#"><u>setStreamReadAccess</u></a> (String streamReadAccess) Set the stream object read access value.
void	<a href="#"><u>setStreamType</u></a> (String streamType) Set default streamType
void	<a href="#"><u>setStreamVideoSampleAccess</u></a> (String videoSampleAccess) Set the stream video sample access value.
void	<a href="#"><u>setStreamWriteAccess</u></a> (String streamWriteAccess) Set the stream object write access value.
void	<a href="#"><u>setThreadContext</u></a> ( ) Set the thread logging context to this client
void	<a href="#"><u>setValidateFMLEConnections</u></a> (boolean validateFMLEConnections) Returns true if validating FMLE connection (default is false)
void	<a href="#"><u>setWowzSession</u></a> (com.wowza.wms.protocol.wowz.WOWZSession wowzSession)
void	<a href="#"><u>shutdownClient</u></a> ( ) Gracefully shutdown a client.
int	<a href="#"><u>testFlashVersion</u></a> (int[] version) Test to see if the connected client flash version is equal to or greater than a given value.
void	<a href="#"><u>touch</u></a> ( ) Update the last touch time for client

(continued from last page)

## Fields

### VIDEOSAMPLE\_ACCESS\_ALL

```
public static final java.lang.String VIDEOSAMPLE_ACCESS_ALL
```

Constant value: \*

### VIDEOSAMPLE\_ACCESS\_NONE

```
public static final java.lang.String VIDEOSAMPLE_ACCESS_NONE
```

Constant value:

### AUDIOSAMPLE\_ACCESS\_ALL

```
public static final java.lang.String AUDIOSAMPLE_ACCESS_ALL
```

Constant value: \*

### AUDIOSAMPLE\_ACCESS\_NONE

```
public static final java.lang.String AUDIOSAMPLE_ACCESS_NONE
```

Constant value:

### READ\_ACCESS\_ALL

```
public static final java.lang.String READ_ACCESS_ALL
```

Constant value: \*

### READ\_ACCESS\_NONE

```
public static final java.lang.String READ_ACCESS_NONE
```

Constant value:

### WRITE\_ACCESS\_ALL

```
public static final java.lang.String WRITE_ACCESS_ALL
```

Constant value: \*

### WRITE\_ACCESS\_NONE

```
public static final java.lang.String WRITE_ACCESS_NONE
```

Constant value:

(continued from last page)

## Methods

### getClientId

```
public int getClientId()
```

Get client id. Assigned by server and connection time.

**Returns:**

client id

### getFlashVer

```
public String getFlashVer()
```

Get client flash version (same as FMS getAgent())

**Returns:**

client flash version string

### setFlashVer

```
public void setFlashVer(String flashVer)
```

Set client flash version

**Parameters:**

flashVer - client flash version string

### getTotalIOPerformanceCounter

```
public IOPerformanceCounter getTotalIOPerformanceCounter()
```

Get performance counter for all bytes transferred to this client. This includes function calls.

**Returns:**

performance counter

### getMediaIOPerformanceCounter

```
public IOPerformanceCounter getMediaIOPerformanceCounter()
```

Get performance counter for media bytes transferred to this client. Only includes bytes to mediaStream objects

**Returns:**

performance counter

### getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get parent applicationInstance. Is null if connection reject or before accepted.

**Returns:**

parent applicationInstance

(continued from last page)

## getApplication

```
public IApplication getApplication()
```

Get parent application. Is null if connection reject or before accepted.

**Returns:**

application

---

## getPlayStreams

```
public java.util.List getPlayStreams()
```

Get a collection of all play streams. Play streams are streams that are created due to a call to play.

## Iterate Play Streams

```
IClient client;

List playStreams = client.getPlayStreams();
Iterator iter = playStreams.iterator();
while(iter.hasNext())
{
    IMediaStream stream = (IMediaStream)iter.next();
    WMSLoggerFactory.getLogger(null).debug("stream: "+stream.getName());
}
```

**Returns:**

collection of play streams

---

## getPublishStreams

```
public java.util.List getPublishStreams()
```



(continued from last page)

Get a collection of publish streams. Publish streams are streams that are created due to a call to publish.

## Iterate Public Streams

```
IClient client;

List publishStreams = client.getPublishStreams();
Iterator iter = publishStreams.iterator();
while(iter.hasNext())
{
    IMediaStream stream = (IMediaStream)iter.next();
    WMSLoggerFactory.getLogger(null).debug("stream: "+stream.getName());
}
```

**Returns:**

collection of publish stream

---

## shutdownClient

```
public void shutdownClient()
```

Gracefully shutdown a client. Only use this method to shutdown a client if you know the client is connected to Wowza Pro. If the client may be disconnected from Wowza Pro, use `IClient.setShutdownClient(true)`

---

## touch

```
public void touch()
```

Update the last touch time for client

---

## isConnected

```
public boolean isConnected()
```

Is this client connected

**Returns:**

is connected

---

## getProperties

```
public WMSProperties getProperties()
```

Get client properties

**Returns:**

collection of client properties

---

(continued from last page)

## getStreamType

```
public String getStreamType()
```

Get default streamType

**Returns:**

streamType

---

## setStreamType

```
public void setStreamType(String streamType)
```

Set default streamType

**Parameters:**

streamType - streamType

---

## isAcceptConnection

```
public boolean isAcceptConnection()
```

Is auto accept connection

**Returns:**

auto accept connection

---

## acceptConnection

```
public void acceptConnection()
```

Accept connection

---

## acceptConnection

```
public void acceptConnection(String successStr)
```

Accept connection

**Parameters:**

successStr - application property value added to NetConnection.Connect.Success event object

---

## acceptConnection

```
public void acceptConnection(AMFData successObj)
```

Accept connection

**Parameters:**

successObj - application property value added to NetConnection.Connect.Success event object

---

## rejectConnection

```
public void rejectConnection()
```

Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)

(continued from last page)

## rejectConnection

```
public void rejectConnection(String errorStr)
```

Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)

**Parameters:**

errorStr - error (returned in onStatus handler in info.application parameter)

---

## rejectConnection

```
public void rejectConnection(AMFData errorObj)
```

Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)

**Parameters:**

errorObj - error AMFData (returned in onStatus handler in info.application parameter)

---

## rejectConnection

```
public void rejectConnection(String description,  
    String errorStr)
```

Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)

**Parameters:**

description - description (returned in onStatus handler in info.description parameter)

errorStr - error (returned in onStatus handler in info.application parameter)

---

## rejectConnection

```
public void rejectConnection(String description,  
    AMFData errorObj)
```

Reject connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected)

**Parameters:**

description - description (returned in onStatus handler in info.description parameter)

errorObj - error AMFData (returned in onStatus handler in info.application parameter)

---

## redirectConnection

```
public void redirectConnection(String url)
```

Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302)

**Parameters:**

url - url (returned in onStatus handler in info.ex.redirect parameter)

---

## redirectConnection

```
public void redirectConnection(String url,  
    String description)
```

Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302)

**Parameters:**

(continued from last page)

url - url (returned in onStatus handler in info.ex.redirect parameter)

description - description (returned in onStatus handler in info.description parameter)

---

## redirectConnection

```
public void redirectConnection(String url,
    String description,
    String errorStr)
```

Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302)

**Parameters:**

url - url (returned in onStatus handler in info.ex.redirect parameter)

description - description (returned in onStatus handler in info.description parameter)

errorStr - error (returned in onStatus handler in info.application parameter)

---

## redirectConnection

```
public void redirectConnection(String url,
    String description,
    AMFData errorObj)
```

Redirection connection (NetConnection.onStatus handler returns info.code of NetConnection.Connect.Rejected and info.ex.code of 302). Code must be added client side to capture the NetConnection.Connect.Rejected message, look for the info.ex.code value of 302 and attempt a reconnect to the info.ex.redirect url. Client side example:

```
public function ncOnStatus(infoObject:NetStatusEvent)
{
    if (infoObject.info.code == "NetConnection.Connect.Rejected")
    {
        if (infoObject.info.ex.code == 302)
        {
            trace("Connection redirected: "+infoObject.info.ex.redirect);
            nc.connect(infoObject.info.ex.redirect);
        }
        else
            trace("Connection rejected");
    }
}
nc.addEventListener(NetStatusEvent.NET_STATUS, ncOnStatus);
```

**Parameters:**

url - url (returned in onStatus handler in info.ex.redirect parameter)

description - description (returned in onStatus handler in info.description parameter)

errorObj - error AMFData (returned in onStatus handler in info.application parameter)

---

## getVHost

```
public IVHost getVHost( )
```

Get parent vHost

(continued from last page)

**Returns:**

vHost object

---

**call**

```
public void call(String handlerName,  
    IModuleCallResult resultObj,  
    Object[] params)
```

Call client method/handler. You can call any method/handler attached to NetConnection object. Such as netConnection.myFunc

## Call Client Handler Method With Result Object

```
IClient client;  
  
class ReturnObj implements IModuleCallResult  
{  
    public void onResult(IClient client, RequestFunction function,  
        AMFDataList params)  
    {  
        WMSLoggerFactory.getLogger(null).debug("onResult");  
    }  
}  
  
client.call("onCustomMethod", new ReturnObj(), "param1", 1.2345, false, new Date());
```

**Parameters:**

handlerName - handler name

resultObj - if client method returns data this object will receive callback, null if don't care or no return on client method/handler.

params - variable list of argument. Will be automatically wrapped in AMFData objects

---

**call**

```
public void call(String handlerName)
```

Simplified call client method/handler call. No resultObj. No parameters

**Parameters:**

handlerName - handler name

---

**ping**

```
public int ping(IModulePingResult pingResult)
```

(continued from last page)

Ping client. Unlike FMS this ping is asynchronous. pingResult object will be notified of successful response by client or timeout.

## Ping Client and Kill Connection If Client Has Died

```
class PingResult implements IModulePingResult
{
    public void onResult(IClient client, long pingTime, int pingId, boolean result)
    {
        WMSLogger log = WMSLoggerFactory.getLogger(null);
        log.debug("onResult: result:"+result);
        if (!result)
        {
            // client has died lets kill it
            client.getAppInstance().shutdownClient(client);
        }
        else
            log.debug("lastPingTime: "+client.getPingRoundTripTime());
    }
}
client.ping(new PingResult());
```

### Parameters:

pingResult - ping result object. Will receive callback on result of ping or timeout. Can be null.

### Returns:

ping id

---

## getIp

```
public String getIp()
```

Client ip address

### Returns:

client ip address

---

## getFastPlaySettings

```
public FastPlaySettings getFastPlaySettings()
```

Get the current fastPlay settings. FastPlay settings when set from the client are immediately cleared on the next call to seek/unpause/play.

### Returns:

fastPlay settings

---

(continued from last page)

## setFastPlaySettings

```
public void setFastPlaySettings(FastPlaySettings fastPlaySettings)
```

Set fastPlay settings

### Parameters:

fastPlaySettings - fastPlay settings

---

## clearFastPlaySettings

```
public void clearFastPlaySettings()
```

Force clear the fastPlay settings

---

## getRespFunctions

```
public ResponseFunctions getRespFunctions()
```

Get client responseFunctions object. The responseFunctions object is the method by which events are sent to the client. This code snippet shows how to send an onStatus event for a mediaStream (stream) to the client.

## Send Status Message to Client

```
ResponseFunctions respFunctions = client.getRespFunctions();

ResponseFunction resp = new ResponseFunction();
resp.createDefaultMessage("onStatus", 0.0);
resp.setRetAMFObj(stream.getRespAMFDataObj());
resp.setSrc(stream.getSrc());

AMFDataObj data = new AMFDataObj();
data.put("level", new AMFDataItem("status"));
data.put("code", new AMFDataItem("NetStream.Publish.Success"));
data.put("description", new AMFDataItem(stream.getName()+" is now unpublished.));
data.put("clientid", new AMFDataItem(clientID));
resp.addBody(data);

respFunctions.add(resp);
```

### Returns:

responseFunctions object

---

## getConnectTime

```
public long getConnectTime()
```

(continued from last page)

Get time in milliseconds the client connected to the server. To get the duration of time in milliseconds that the client has been connected to the server us the following formula: `(System.currentTimeMillis() - client.getConnectTime())`

**Returns:**

duration connected (milliseconds)

---

## getPingRoundTripTime

```
public long getPingRoundTripTime()
```

Get turn around time (milliseconds) of last ping request

**Returns:**

time (milliseconds)

---

## getDateStarted

```
public String getDateStarted()
```

Get date and time of client connection

**Returns:**

date and time of connection

---

## getTimeRunning

```
public String getTimeRunning()
```

Get elapsed time of connection

**Returns:**

elapsed time of connection

---

## getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

Get time running in seconds

**Returns:**

time running in seconds

---

## getStreamFile

```
public java.io.File getStreamFile(String streamName)
```

Get File object for stream with given name. Assumes file extension is .flv.

**Parameters:**

streamName - stream name

**Returns:**

file

---

## getStreamFile

```
public java.io.File getStreamFile(String streamName,  
    String streamExt)
```

---



(continued from last page)

Get File object for stream with given name and extension. For example test.flv would be `getStreamFile("test", "flv");`

## Get File Descriptor

```
IClient client;
File file = client.getStreamFile("test", "flv");
WMSLogger log = WMSLoggerFactory.getLogger(null);
if (file != null)
{
    if (file.exists())
        log.debug("getStreamFile: " + file.getPath());
}
```

### Parameters:

streamName - stream name  
streamExt - stream extension

### Returns:

file

---

## getStreamFile

```
public java.io.File getStreamFile(String streamName,
    String streamExt,
    boolean doCreateFolder)
```

Get File object for stream with given name and extension. If doCreateFolder is true, create folder necessary to make path exist. For example test.flv would be `getStreamFile("test", "flv");`

### Parameters:

streamName - stream name  
streamExt - stream extension  
doCreateFolder - create folders if needed

### Returns:

file

---

## getBufferTime

```
public int getBufferTime()
```

Get default buffer time for newly created mediaStream objects

### Returns:

default buffer time (milliseconds)

---

## setBufferTime

```
public void setBufferTime(int bufferTime)
```

(continued from last page)

Set default buffer time for newly created mediaStream objects

**Parameters:**

bufferTime - bufer time (milliseconds)

---

## getResponseAMFObj

```
public AMFObj getResponseAMFObj(int index)
```

Get the response channel AMFObj for channel index.

**Parameters:**

index - channel index

**Returns:**

AMFObj

---

## getRespAMFAudioObj

```
public AMFObj getRespAMFAudioObj(IMediaStream stream)
```

Get the audio response AMFObj for a given mediaStream

**Parameters:**

stream - mediaStream

**Returns:**

response channel AMFObj

---

## getRespAMFVideoObj

```
public AMFObj getRespAMFVideoObj(IMediaStream stream)
```

Get the video response AMFObj for a given mediaStream

**Parameters:**

stream - mediaStream

**Returns:**

response channel AMFObj

---

## getRespAMFDataObj

```
public AMFObj getRespAMFDataObj(IMediaStream stream)
```

Get the data response AMFObj for a given mediaStream

**Parameters:**

stream - mediaStream

**Returns:**

response channel AMFObj

---

## getQueryStr

```
public String getQueryStr()
```

(continued from last page)

Get the query string part of the connection string. If the connection string where:  
rtmp://localhost/app/appInst?data1=myData1&data2=myData2, then query string would be  
data1=myData1&data2=myData2

**Returns:**query string

---

## getReferrer

```
public String getReferrer()
```

Get the referrer data for this connection. The referrer in Wowza Media Server terms is the full url to the Flash movie that connected to the server. Checking referre upon connection is a great way to secure server connections and only allow your Flash movies to connect to the server.

## Only Allow Your .swf Files to Connect to Wowza Pro server

```
public class MyModule extends ModuleBase
{
    static public void onConnect(IClient client, RequestFunction function,
        AMFDataList params)
    {
        String referrer = client.getReferrer();

        if (referrer.indexOf("www.mycompany.com") >= 0 &&
            referrer.indexOf("mycoolflash.swf") >= 0)
            client.acceptConnection("valid referrer");
        else
            client.rejectConnection("invalid referrer: "+referrer);
    }
}
```

**Returns:**referrer

---

## getPageUrl

```
public String getPageUrl()
```

Get the pageUrl for this connection.

**Returns:**pageUrl for this connection

---

## getUri

```
public String getUri()
```

Get the full URI of the connection string

(continued from last page)

**Returns:**

URI of connection string

---

**getProtocol**

```
public int getProtocol()
```

Get connection protocol (1 = RTMP, 3 = RTMPT)

**Returns:**

connection protocol (1 = RTMP, 3 = RTMPT)

---

**getServerHostPort**

```
public HostPort getServerHostPort()
```

Get the hostPort object for the connection that is servicing this client

**Returns:**

vHost hostPort servicing request

---

**isSecure**

```
public boolean isSecure()
```

Is this connection protected by either SSL or encryption (RTMPE, RTMPTE, RTMPS)

**Returns:**

is connection protected by either SSL or encryption (RTMPE, RTMPTE, RTMPS)

---

**isSSL**

```
public boolean isSSL()
```

Is this connection SSL (RTMPS)

**Returns:**

is connection (RTMPS)

---

**isEncrypted**

```
public boolean isEncrypted()
```

Is this connection encrypted (RTMPE or RTMPTE)

**Returns:**

is connection encrypted (RTMPE or RTMPTE)

---

**getIdleFrequency**

```
public int getIdleFrequency()
```

Get client idle frequency (milliseconds)

**Returns:**

client idle frequency (milliseconds)

## setIdleFrequency

```
public void setIdleFrequency(int idleFrequency)
```

Set client idle frequency (milliseconds)

**Parameters:**

idleFrequency - client idle frequency (milliseconds)

---

## getSharedObjectReadAccess

```
public String getSharedObjectReadAccess()
```

Get the shared object read access value. see setSharedObjectReadAccess for more information.

**Returns:**

shared object read access value

---

## setSharedObjectReadAccess

```
public void setSharedObjectReadAccess(String sharedObjectReadAccess)
```

Set the shared object read access value. This list is a semi-colon delimited list of shared objects that this client has access to. By default the value is set to IClient.READ\_ACCESS\_ALL which indicates this client can read all shared objects. If you want to disable read access to all shared objects set this value to IClient.READ\_ACCESS\_NONE. If this value is set to anything other than IClient.READ\_ACCESS\_ALL or IClient.READ\_ACCESS\_NONE then each item in the semi-color delimited list is compared against incoming shared object read requests. If any item in the list completely matches the shared object name or the start of the shared object name, then access is allowed. For example, if the sharedObjectReadAccess list is set to "testa/testb;testc" then the following requests would be granted the following access:

- testc: Granted Access
- testc/test: Granted Access
- testC/test: Denied Access (incorrect case)
- testa/testb: Granted Access
- testa/testb123: Granted Access
- testa/testb/file123: Granted Access
- testa/test: Denied Access (incomplete match)

Values in this list are always case sensitive.

**Parameters:**

sharedObjectReadAccess - shared object read access value

---

## getSharedObjectWriteAccess

```
public String getSharedObjectWriteAccess()
```

Get the shared object write access value. see setSharedObjectWriteAccess for more information.

**Returns:**

shared object write access value

---

## setSharedObjectWriteAccess

```
public void setSharedObjectWriteAccess(String sharedObjectWriteAccess)
```

(continued from last page)

Set the shared object write access value. This list is a semi-colon delimited list of shared objects that this client has access to. By default the value is set to IClient.WRITE\_ACCESS\_ALL which indicates this client can write all shared objects. If you want to disable write access to all shared objects set this value to IClient.WRITE\_ACCESS\_NONE. If this value is set to anything other than IClient.WRITE\_ACCESS\_ALL or IClient.WRITE\_ACCESS\_NONE then each item in the semi-color delimited list is compared against incoming shared object write requests. If any item in the list completely matches the shared object name or the start of the shared object name, then access is allowed. For example, if the sharedObjectWriteAccess list is set to "testa/testb;testc" then the following requests would be granted the following access:

- testc: Granted Access
- testc/test: Granted Access
- testC/test: Denied Access (incorrect case)
- testa/testb: Granted Access
- testa/testb123: Granted Access
- testa/testb/file123: Granted Access
- testa/test: Denied Access (incomplete match)

Values in this list are always case sensitive.

**Parameters:**

sharedObjectWriteAccess

## getStreamVideoSampleAccess

```
public String getStreamVideoSampleAccess()
```

Get the video sample access value. see setVideoStreamAccess for more information.

**Returns:**

video sample access

## setStreamVideoSampleAccess

```
public void setStreamVideoSampleAccess(String videoSampleAccess)
```

Set the stream video sample access value. This list is a semi-colon delimited list of stream names that this client has access to. By default the value is set to IClient.VIDEOSTREAM\_ACCESS\_NONE which indicates this client can access no stream data client side. If you want to enable access to all stream names set this value to IClient.VIDEOSTREAM\_ACCESS\_ALL. If this value is set to anything other than IClient.VIDEOSTREAM\_ACCESS\_ALL or IClient.VIDEOSTREAM\_ACCESS\_NONE then each item in the semi-color delimited list is compared against incoming stream play requests. If any item in the list completely matches the stream name or the start of the stream name, then access is allowed. For example, if the streamVideoSampleAccess list is set to "testa/testb;testc" then the following play requests would be granted the following access:

- testc: Granted Access
- testc/test: Granted Access
- testC/test: Denied Access (incorrect case)
- testa/testb: Granted Access
- testa/testb123: Granted Access
- testa/testb/file123: Granted Access
- testa/test: Denied Access (incomplete match)

Values in this list are always case sensitive.

**Parameters:**

videoSampleAccess

## getStreamAudioSampleAccess

```
public String getStreamAudioSampleAccess()
```

Get the audio sample access value. see setVideoStreamAccess for more information.

**Returns:**

(continued from last page)

audio sample access

---

## setStreamAudioSampleAccess

```
public void setStreamAudioSampleAccess(String audioSampleAccess)
```

Set the stream audio sample access value. This list is a semi-colon delimited list of stream names that this client has access to. By default the value is set to IClient.AUDIOSTREAM\_ACCESS\_NONE which indicates this client can access no stream data client side. If you want to enable access to all stream names set this value to IClient.AUDIOSTREAM\_ACCESS\_ALL. If this value is set to anything other than IClient.AUDIOSTREAM\_ACCESS\_ALL or IClient.AUDIOSTREAM\_ACCESS\_NONE then each item in the semi-color delimited list is compared against incoming stream play requests. If any item in the list completely matches the stream name or the start of the stream name, then access is allowed. For example, if the streamAudioSampleAccess list is set to "testa/testb;testc" then the following play requests would be granted the following access:

- testc: Granted Access
- testc/test: Granted Access
- testC/test: Denied Access (incorrect case)
- testa/testb: Granted Access
- testa/testb123: Granted Access
- testa/testb/file123: Granted Access
- testa/test: Denied Access (incomplete match)

Values in this list are always case sensitive.

### Parameters:

audioSampleAccess

---

## getStreamReadAccess

```
public String getStreamReadAccess()
```

Get the stream read access value. see setStreamReadAccess for more information.

### Returns:

stream read access value

---

## setStreamReadAccess

```
public void setStreamReadAccess(String streamReadAccess)
```

Set the stream object read access value. This list is a semi-colon delimited list of stream names that this client has access to. By default the value is set to IClient.READ\_ACCESS\_ALL which indicates this client can play all streams. If you want to disable read access to all stream names set this value to IClient.READ\_ACCESS\_NONE. If this value is set to anything other than IClient.READ\_ACCESS\_ALL or IClient.READ\_ACCESS\_NONE then each item in the semi-color delimited list is compared against incoming stream play requests. If any item in the list completely matches the stream name or the start of the stream name, then access is allowed. For example, if the streamReadAccess list is set to "testa/testb;testc" then the following play requests would be granted the following access:

- testc: Granted Access
- testc/test: Granted Access
- testC/test: Denied Access (incorrect case)
- testa/testb: Granted Access
- testa/testb123: Granted Access
- testa/testb/file123: Granted Access
- testa/test: Denied Access (incomplete match)

Values in this list are always case sensitive.

### Parameters:

streamReadAccess - shared object read access value

## getStreamWriteAccess

```
public String getStreamWriteAccess()
```

Get the stream write access value. see setStreamWriteAccess for more information.

**Returns:**

stream write access value

---

## setStreamWriteAccess

```
public void setStreamWriteAccess(String streamWriteAccess)
```

Set the stream object write access value. This list is a semi-colon delimited list of stream names that this client has access to. By default the value is set to IClient.WRITE\_ACCESS\_ALL which indicates this client can play all streams. If you want to disable write access to all stream names set this value to IClient.WRITE\_ACCESS\_NONE. If this value is set to anything other than IClient.WRITE\_ACCESS\_ALL or IClient.WRITE\_ACCESS\_NONE then each item in the semi-color delimited list is compared against incoming stream play requests. If any item in the list completely matches the stream name or the start of the stream name, then access is allowed. For example, if the streamWriteAccess list is set to "testa/testb;testc" then the following play requests would be granted the following access:

- testc: Granted Access
- testc/test: Granted Access
- testC/test: Denied Access (incorrect case)
- testa/testb: Granted Access
- testa/testb123: Granted Access
- testa/testb/file123: Granted Access
- testa/test: Denied Access (incomplete match)

Values in this list are always case sensitive.

**Parameters:**

streamWriteAccess - shared object read access value

---

## getWriteListener

```
public ClientWriteListener getWriteListener()
```

Object that tracks write operations

**Returns:**

Object that tracks write operations

---

## addAcceptConnectionAttribute

```
public void addAcceptConnectionAttribute(String key,  
    AMFDataObj item)
```

Add and attribute to the resultObj that gets passed back to the client on successful connection

**Parameters:**

key - key  
item - item to add

---

## addAcceptConnectionAttribute

```
public void addAcceptConnectionAttribute(String key,  
    String item)
```

Add and attribute to the resultObj that gets passed back to the client on successful connection

---



(continued from last page)

**Parameters:**

key - key  
item - item to add

---

**getRepeaterOriginUrl**

```
public String getRepeaterOriginUrl()
```

Get the origin URL used by the Live Stream Repeater

**Returns:**

URL used by the Live Stream Repeater

---

**setRepeaterOriginUrl**

```
public void setRepeaterOriginUrl(String repeaterOriginUrl)
```

Set the origin URL used by the Live Stream Repeater

**Parameters:**

repeaterOriginUrl - URL used by the Live Stream Repeater

---

**getLastValidateTime**

```
public long getLastValidateTime()
```

Get last time (millisecond) the connection was validated with a ping

**Returns:**

last time (millisecond) the connection was validated with a ping

---

**setLastValidateTime**

```
public void setLastValidateTime(long lastValidateTime)
```

Set the last time (milliseconds) the connection was validated with ping

**Parameters:**

lastValidateTime - last time (milliseconds) the connection was validated with ping

---

**getPingTimeout**

```
public int getPingTimeout()
```

Get the ping timeout (milliseconds)

**Returns:**

ping timeout (milliseconds)

---

**isLiveRepeater**

```
public boolean isLiveRepeater()
```

Returns true if this connection is from the live stream repeater

**Returns:**

true if this connection is from the live stream repeater

## isFlashVersionH264Capable

```
public boolean isFlashVersionH264Capable()
```

Returns true if the connected client is capable of playing H.264 video (Flash player 9.0.45.x or greater)

**Returns:**

returns true if the connected client is capable of playing H.264 video (Flash player 9.0.45.x or greater)

---

## isFlashVersion90115

```
public boolean isFlashVersion90115()
```

Returns true if the Flash version is equal or greater than 9.0.115.x

**Returns:**

returns true if the Flash version is equal or greater than 9.0.115.x

---

## isFlashVersion10

```
public boolean isFlashVersion10()
```

Returns true if the Flash version is equal or greater than 10.x.x.x

**Returns:**

returns true if the Flash version is equal or greater than 10.x.x.x

---

## isFlashMediaLiveEncoder

```
public boolean isFlashMediaLiveEncoder()
```

Returns true if this connection is the Flash Media Live Encoder

**Returns:**

true if this connection is the Flash Media Live Encoder

---

## testFlashVersion

```
public int testFlashVersion(int[] version)
```

Test to see if the connected client flash version is equal to or greater than a given value. Example: int isGood = testFlashVersion( { 9, 0, 5, 12} );

**Parameters:**

version - array of version values

**Returns:**

1 if greater, 0 if equal, -1 if less than

---

## isObjectEncodingAMF3

```
public boolean isObjectEncodingAMF3()
```

Is the object encoding for this client AMF3

**Returns:**

true of the object encoding for this client is AMF3

---

## isObjectEncodingAMF0

```
public boolean isObjectEncodingAMF0()
```

Is the object encoding for this client AMF0

**Returns:**

true of the object encoding for this client is AMF0

---

## setObjectEncoding

```
public void setObjectEncoding(int objectEncoding)
```

Set the object encoding level

**Parameters:**

objectEncoding - object encoding level

---

## getObjectEncoding

```
public int getObjectEncoding()
```

Get the object encoding level

**Returns:**

object encoding level

---

## setAcceptConnectionObj

```
public void setAcceptConnectionObj(AMFData acceptConnectionObj)
```

Call this method from onConnect to add an "application" property to the info object that is passed back to the Flash client in the onStatus handler.

**Parameters:**

acceptConnectionObj - connection object

---

## setAcceptConnectionDescription

```
public void setAcceptConnectionDescription(String description)
```

Call this method from onConnect to set the info.description property returned in NetConnection onStatus handler

**Parameters:**

description - description

---

## setAcceptConnectionExObj

```
public void setAcceptConnectionExObj(AMFDataObj acceptConnectionExObj)
```

Call this method from onConnect to set the info.ex property returned in NetConnection onStatus handler

**Parameters:**

acceptConnectionExObj - exObj AMFData item return in info.ex property of NetConnection onStatus handler

---

(continued from last page)

## getRTPStream

```
public RTPStream getRTPStream( )
```

If this client was created due to an RTP connection to the server return the underlying RTPStream object

**Returns:**

underlying RTPStream object

---

## setAcceptConnection

```
public void setAcceptConnection(boolean acceptConnection)
```

Set the default for accept connection

**Parameters:**

acceptConnection - default for accept connection

---

## setShutdownClient

```
public void setShutdownClient(boolean shutdownClient)
```

Gracefully and forcefully shutdown a client.

**Parameters:**

shutdownClient - set to true to gracefully and forcefully shutdown a client

---

## reparentClient

```
public void reparentClient(IVHost vhost)
```

Move a client object to a new vhost. This can only be done right after the handshake process has completed. See IVHostNotify.onVHostClientConnect.

**Parameters:**

vhost - new vhost

---

## getMaximumSetBufferTime

```
public int getMaximumSetBufferTime( )
```

Get maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call. If set to zero this feature is turned off.

**Returns:**

maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call

---

## getMaximumPendingWriteBytes

```
public int getMaximumPendingWriteBytes( )
```

Get maximum number a bytes a client connection can have waiting to be sent before the connection is terminated. If set to zero this feature is turned off.

**Returns:**

maximum number a bytes a client connection can have waiting to be sent before the connection is terminated

(continued from last page)

---

## getLiveStreamPacketizerList

```
public String getLiveStreamPacketizerList()
```

Get the comma separated list of LiveStreamPacketizers names being used by this client (see conf/LiveStreamPacketizers.xml)

**Returns:**

comma separated list of LiveStreamPacketizers names

---

## setLiveStreamPacketizerList

```
public void setLiveStreamPacketizerList(String liveStreamPacketizerList)
```

Set the comma separated list of LiveStreamPacketizers names being used by this client (see conf/LiveStreamPacketizers.xml)

**Parameters:**

liveStreamPacketizerList - comma separated list of LiveStreamPacketizers names

---

## getLiveStreamTranscoderList

```
public String getLiveStreamTranscoderList()
```

Get the comma separated list of LiveStreamTranscoders names being used by this client (see conf/LiveStreamTranscoders.xml)

**Returns:**

comma separated list of LiveStreamTranscoders names

---

## setLiveStreamTranscoderList

```
public void setLiveStreamTranscoderList(String liveStreamTranscoderList)
```

Set the comma separated list of LiveStreamTranscoders names being used by this client (see conf/LiveStreamTranscoders.xml)

**Parameters:**

liveStreamTranscoderList - comma separated list of LiveStreamTranscoders names

---

## getElapsedTime

```
public ElapsedTimer getElapsedTime()
```

Get elapsed time client has been connected.

**Returns:**

elapsed time client has been connected.

---

## getLiveRepeaterCapabilities

```
public int getLiveRepeaterCapabilities()
```

Get the live repeater capabilities of this connection

**Returns:**

live repeater capabilities of this connection

---

## setLiveRepeaterCapabilities

```
public void setLiveRepeaterCapabilities(int liveRepeaterCapabilities)
```

(continued from last page)

Set the live repeater capabilities of this connection

**Parameters:**

liveRepeaterCapabilities - live repeater capabilities of this connection

---

## fcSubscribe

```
public void fcSubscribe(String streamName)
```

Subscribe to a live stream (for live stream repeater to start start from edge to origin)

**Parameters:**

streamName - stream name

---

## fcSubscribe

```
public void fcSubscribe(String streamName,  
    String mediaCasterType)
```

Subscribe to a live stream (use a particular mediaCasterType)

**Parameters:**

streamName - stream name

mediaCasterType - media caster type name

---

## fcUnSubscribeAll

```
public void fcUnSubscribeAll()
```

UnSubscribe to all streams that this client is current subscribed to

---

## fcUnSubscribe

```
public void fcUnSubscribe(String streamName)
```

UnSubscribe from a stream

**Parameters:**

streamName - stream name

---

## isValidateFMLEConnections

```
public boolean isValidateFMLEConnections()
```

Returns true if validating FMLE connection (default is false)

**Returns:**

true if validating FMLE connection

---

## setValidateFMLEConnections

```
public void setValidateFMLEConnections(boolean validateFMLEConnections)
```

Returns true if validating FMLE connection (default is false)

**Parameters:**

validateFMLEConnections - true if validating FMLE connection

(continued from last page)

## setThreadContext

```
public void setThreadContext()
```

Set the thread logging context to this client

---

## getWowzSession

```
public com.wowza.wms.protocol.wowz.WOWZSession getWowzSession()
```

---

## setWowzSession

```
public void setWowzSession(com.wowza.wms.protocol.wowz.WOWZSession wowzSession)
```

## com.wowza.wms.client Interface IClientNotify

public interface **IClientNotify**  
extends

IClientNotify: listener interface used by [IApplicationInstance.addClientListener\(IClientNotify\)](#)

See Also:

[IApplicationInstance.addClientListener\(IClientNotify\)](#)

### Method Summary

void	<a href="#">onClientAccept</a> ( <a href="#">IClient</a> client) Triggered when client connection accepted
void	<a href="#">onClientConnect</a> ( <a href="#">IClient</a> client) Triggered when client attempt connection
void	<a href="#">onClientDisconnect</a> ( <a href="#">IClient</a> client) Triggered when client disconnected
void	<a href="#">onClientReject</a> ( <a href="#">IClient</a> client) Triggered when client connection rejected

### Methods

#### onClientConnect

public void **onClientConnect**([IClient](#) client)

Triggered when client attempt connection

**Parameters:**

client - client

#### onClientDisconnect

public void **onClientDisconnect**([IClient](#) client)

Triggered when client disconnected

**Parameters:**

client - client

#### onClientAccept

public void **onClientAccept**([IClient](#) client)

Triggered when client connection accepted

**Parameters:**

client - client



## onClientReject

```
public void onClientReject(IClient client)
```

Triggered when client connection rejected

**Parameters:**

client - client

## com.wowza.wms.client Interface IConnectionNotify

public interface **IConnectionNotify**  
extends

IConnectionNotify: internal class to manage connection counting

### Method Summary

void	<a href="#">onAcceptConnection</a> ( <a href="#">ConnectionCounter</a> connectionCounter, <a href="#">ConnectionHolder</a> connectionHolder, java.util.Date date, long stamp) Triggered when client connection accepted
void	<a href="#">onDisconnect</a> ( <a href="#">ConnectionCounter</a> connectionCounter, <a href="#">ConnectionHolder</a> connectionHolder, boolean isValid, java.util.Date date, long stamp) Triggered when client disconnected
void	<a href="#">onRejectConnection</a> ( <a href="#">ConnectionCounter</a> connectionCounter, <a href="#">ConnectionHolder</a> connectionHolder, int reason, java.util.Date date, long stamp) Triggered when client connection rejected

### Methods

#### onAcceptConnection

```
public void onAcceptConnection(ConnectionCounter connectionCounter,  
    ConnectionHolder connectionHolder,  
    java.util.Date date,  
    long stamp)
```

Triggered when client connection accepted

**Parameters:**

connectionCounter  
connectionHolder  
date  
stamp

#### onRejectConnection

```
public void onRejectConnection(ConnectionCounter connectionCounter,  
    ConnectionHolder connectionHolder,  
    int reason,  
    java.util.Date date,  
    long stamp)
```

Triggered when client connection rejected

**Parameters:**

connectionCounter  
connectionHolder  
reason

(continued from last page)

date  
stamp

---

## onDisconnect

```
public void onDisconnect(ConnectionCounter connectionCounter,  
    ConnectionHolder connectionHolder,  
    boolean isValid,  
    java.util.Date date,  
    long stamp)
```

Triggered when client disconnected

### Parameters:

connectionCounter  
connectionHolder  
isValid  
date  
stamp

---

Package

**com.wowza.wms.dvr**

## com.wowza.wms.dvr

# Class DefaultDvrStreamVersionHandler

java.lang.Object

└─com.wowza.wms.dvr.DefaultDvrStreamVersionHandler

All Implemented Interfaces:

[IDvrStreamVersionHandler](#)

public class **DefaultDvrStreamVersionHandler**  
 extends Object  
 implements [IDvrStreamVersionHandler](#)

Default stream Version Handler. May be sub-classed

## Constructor Summary

public	<a href="#">DefaultDvrStreamVersionHandler()</a>
--------	--

## Method Summary

<a href="#">IDvrStreamStore</a>	<a href="#">determineExistingStoreForPlaying</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, String baseStreamName)
<a href="#">IDvrStreamStore</a>	<a href="#">determineExistingStoreForRecording</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, String baseStreamName)
String	<a href="#">getArchiveStrategy</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, String baseStreamName)
boolean	<a href="#">handleArchivedStream</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, String baseStreamName, String vStreamName, java.util.SortedSet versions, DvrManifestHolder manifestHolder)
boolean	<a href="#">shouldDeleteArchivedStream</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, <a href="#">IDvrStreamStore</a> store)
boolean	<a href="#">shouldLoadArchivedStream</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, String baseStreamName, String vStreamName, java.util.SortedSet versions, DvrManifestHolder manifest)

## Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Methods inherited from interface [com.wowza.wms.dvr.IDvrStreamVersionHandler](#)

[determineExistingStoreForPlaying](#), [determineExistingStoreForRecording](#), [getArchiveStrategy](#), [handleArchivedStream](#), [shouldDeleteArchivedStream](#), [shouldLoadArchivedStream](#)

## Constructors

### DefaultDvrStreamVersionHandler

```
public DefaultDvrStreamVersionHandler()
```

## Methods

### getArchiveStrategy

```
public String getArchiveStrategy(IDvrStreamManager dvrMgr,  
    String baseStreamName)
```

### determineExistingStoreForRecording

```
public IDvrStreamStore determineExistingStoreForRecording(IDvrStreamManager dvrMgr,  
    String baseStreamName)
```

### determineExistingStoreForPlaying

```
public IDvrStreamStore determineExistingStoreForPlaying(IDvrStreamManager dvrMgr,  
    String baseStreamName)
```

### handleArchivedStream

```
public boolean handleArchivedStream(IDvrStreamManager dvrMgr,  
    String baseStreamName,  
    String vStreamName,  
    java.util.SortedSet versions,  
    DvrManifestHolder manifestHolder)
```

### shouldLoadArchivedStream

```
public boolean shouldLoadArchivedStream(IDvrStreamManager dvrMgr,  
    String baseStreamName,  
    String vStreamName,  
    java.util.SortedSet versions,  
    DvrManifestHolder manifest)
```


### shouldDeleteArchivedStream

```
public boolean shouldDeleteArchivedStream(IDvrStreamManager dvrMgr,  
    IDvrStreamStore store)
```

## com.wowza.wms.dvr

### Class DvrManifestChunkEntry

java.lang.Object



public class **DvrManifestChunkEntry**  
 extends [DvrManifestEntry](#)

Entry in DVR manifest that contains an associated chunk.

#### Field Summary

protected	<a href="#">artifact</a>
protected	<a href="#">encryptions</a>

#### Fields inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[dvrStart](#), [dvrStop](#), [index](#), [MANIFESTFILE\\_KEY\\_ARTIFACT](#), [MANIFESTFILE\\_KEY\\_AUDIO\\_CODEC](#), [MANIFESTFILE\\_KEY\\_CHUNKINDEX](#), [MANIFESTFILE\\_KEY\\_DVRTIME](#), [MANIFESTFILE\\_KEY\\_ENCRYPTIONS](#), [MANIFESTFILE\\_KEY\\_INDEX](#), [MANIFESTFILE\\_KEY\\_METADATA](#), [MANIFESTFILE\\_KEY\\_NAME](#), [MANIFESTFILE\\_KEY\\_PACKETTIME](#), [MANIFESTFILE\\_KEY\\_SIZE](#), [MANIFESTFILE\\_KEY\\_START](#), [MANIFESTFILE\\_KEY\\_STOP](#), [MANIFESTFILE\\_KEY\\_TYPE](#), [MANIFESTFILE\\_KEY\\_UTCTIME](#), [MANIFESTFILE\\_KEY\\_VIDEO\\_CODEC](#), [packetTime](#), [SERIALIZE\\_CURRENT\\_VERSION](#), [type](#), [utcTime](#)

#### Constructor Summary

public	<a href="#">DvrManifestChunkEntry</a> (int type, int index, long dvrStart, long dvrStop, long packetTime, long utcTime, DvrChunkArtifact artifact) Constructor
public	<a href="#">DvrManifestChunkEntry</a> (int type, int index, long dvrStart, long dvrStop, long packetTime, long utcTime, DvrChunkArtifact artifact, DvrEncryptionInfoHolder encryptions) Constructor

#### Method Summary

String	<a href="#">getArtifactsTextRepresentation</a> ()
DvrChunkArtifact	<a href="#">getDvrArtifact</a> () Get DVR artifact reference.
DvrEncryptionInfoHolder	<a href="#">getEncryptions</a> () Get associated encryptions.
String	<a href="#">getEncryptionsTextRepresentation</a> ()
String	<a href="#">getManifestRepresentation</a> ()

void	<a href="#"><code>serialize</code></a> (java.io.DataOutputStream out)
void	<a href="#"><code>setEncryptions</code></a> (DvrEncryptionInfoHolder encryptions) Set associated encryptions.
String	<a href="#"><code>toString</code></a> ()

Methods inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[encodeBytes](#), [getCommonInitialTextRepString](#), [getDuration](#), [getIndex](#),  
[getManifestRepresentation](#), [getPacketStartTime](#), [getStartTimecode](#), [getStopTimecode](#),  
[getType](#), [getUtcStartTime](#), [serialize](#), [serialize](#)

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`,  
`wait`

## Fields

### artifact

protected com.wowza.wms.dvr.DvrChunkArtifact **artifact**

### encryptions

protected com.wowza.wms.dvr.DvrEncryptionInfoHolder **encryptions**

## Constructors

### DvrManifestChunkEntry

```
public DvrManifestChunkEntry(int type,
                             int index,
                             long dvrStart,
                             long dvrStop,
                             long packetTime,
                             long utcTime,
                             DvrChunkArtifact artifact)
```

Constructor

#### Parameters:

type - type  
index - manifest index  
dvrStart - start time (ms in DVR time scale)  
dvrStop - stop time (ms in DVR time scale)  
utcTime  
packetTime  
artifact - reference to the chunk artifact



(continued from last page)

## DvrManifestChunkEntry

```
public DvrManifestChunkEntry(int type,
                             int index,
                             long dvrStart,
                             long dvrStop,
                             long packetTime,
                             long utcTime,
                             DvrChunkArtifact artifact,
                             DvrEncryptionInfoHolder encryptions)
```

Constructor

### Parameters:

type - type  
index - manifest index  
dvrStart - start time (ms in DVR time scale)  
dvrStop - stop time (ms in DVR time scale)  
utcTime  
packetTime  
artifact - reference to the chunk artifact  
encryptions - associated encryptions

## Methods

### getDvrArtifact

```
public DvrChunkArtifact getDvrArtifact()
```

Get DVR artifact reference.

### Returns:

DVR artifact reference.

### setEncryptions

```
public void setEncryptions(DvrEncryptionInfoHolder encryptions)
```

Set associated encryptions.

### Parameters:

encryptions - encryptions

### getEncryptions

```
public DvrEncryptionInfoHolder getEncryptions()
```

Get associated encryptions.

### Returns:

encryptions

### serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize manifest record.

---

(continued from last page)

## **getManifestRepresentation**

```
public String getManifestRepresentation()
```

Get textual representation of record for textual manifest usage.

---

## **getEncryptionsTextRepresentation**

```
protected String getEncryptionsTextRepresentation()
```

---

## **getArtifactsTextRepresentation**

```
protected String getArtifactsTextRepresentation()
```


---

## **toString**

```
public String toString()
```

## com.wowza.wms.dvr Class DvrManifestCodecEntry

java.lang.Object



public class **DvrManifestCodecEntry**  
extends [DvrManifestEntry](#)

Entry in DVR manifest that contains codec information

### Fields inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[dvrStart](#), [dvrStop](#), [index](#), [MANIFESTFILE\\_KEY\\_ARTIFACT](#), [MANIFESTFILE\\_KEY\\_AUDIO\\_CODEC](#), [MANIFESTFILE\\_KEY\\_CHUNKINDEX](#), [MANIFESTFILE\\_KEY\\_DVRTIME](#), [MANIFESTFILE\\_KEY\\_ENCRYPTIONS](#), [MANIFESTFILE\\_KEY\\_INDEX](#), [MANIFESTFILE\\_KEY\\_METADATA](#), [MANIFESTFILE\\_KEY\\_NAME](#), [MANIFESTFILE\\_KEY\\_PACKETTIME](#), [MANIFESTFILE\\_KEY\\_SIZE](#), [MANIFESTFILE\\_KEY\\_START](#), [MANIFESTFILE\\_KEY\\_STOP](#), [MANIFESTFILE\\_KEY\\_TYPE](#), [MANIFESTFILE\\_KEY\\_UTCTIME](#), [MANIFESTFILE\\_KEY\\_VIDEO\\_CODEC](#), [packetTime](#), [SERIALIZE\\_CURRENT\\_VERSION](#), [type](#), [utcTime](#)

### Constructor Summary

public	<a href="#">DvrManifestCodecEntry</a> (int index, long dvrStart, long packetTime, long utcTime, com.wowza.wms.media.model.MediaCodecInfoAudio audioCodec, com.wowza.wms.media.model.MediaCodecInfoVideo videoCodec) Constructor
--------	--

### Method Summary

com.wowza.wms.media.model.MediaCodecInfoAudio	<a href="#">getAudioCodec</a> () Get audio codec information
String	<a href="#">getManifestRepresentation</a> ()
com.wowza.wms.media.model.MediaCodecInfoVideo	<a href="#">getVideoCodec</a> () Get video codec information
void	<a href="#">serialize</a> (java.io.DataOutputStream out)
String	<a href="#">toString</a> ()

### Methods inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[encodeBytes](#), [getCommonInitialTextRepString](#), [getDuration](#), [getIndex](#), [getManifestRepresentation](#), [getPacketStartTime](#), [getStartTimecode](#), [getStopTimecode](#), [getType](#), [getUtcStartTime](#), [serialize](#), [serialize](#)

### Methods inherited from class java.lang.Object

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait
```

## Constructors

### DvrManifestCodecEntry

```
public DvrManifestCodecEntry(int index,
                             long dvrStart,
                             long packetTime,
                             long utcTime,
                             com.wowza.wms.media.model.MediaCodecInfoAudio audioCodec,
                             com.wowza.wms.media.model.MediaCodecInfoVideo videoCodec)
```

Constructor

#### Parameters:

index - manifest index  
dvrStart - start time (ms in DVR time scale)  
audioCodec - audio codec info  
videoCodec - video codec info

## Methods

### getVideoCodec

```
public com.wowza.wms.media.model.MediaCodecInfoVideo getVideoCodec()
```

Get video codec information

#### Returns:

video codec information

### getAudioCodec

```
public com.wowza.wms.media.model.MediaCodecInfoAudio getAudioCodec()
```

Get audio codec information

#### Returns:

audio codec information

### serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize manifest record.

### getManifestRepresentation

```
public String getManifestRepresentation()
```

Get textual representation of record for textual manifest usage.

(continued from last page)

## **toString**

```
public String toString()
```

## com.wowza.wms.dvr Class DvrManifestEntry

java.lang.Object

└─com.wowza.wms.dvr.DvrManifestEntry

Direct Known Subclasses:

[DvrManifestTimeMapEntry](#), [DvrManifestOnMetadataEntry](#), [DvrManifestCodecEntry](#), [DvrManifestChunkEntry](#)

public abstract class **DvrManifestEntry**  
extends Object

Abstract class representing entry in DVR manifest.

### Field Summary

protected	<a href="#">dvrStart</a>
protected	<a href="#">dvrStop</a>
protected	<a href="#">index</a>
public static final	<a href="#">MANIFESTFILE_KEY_ARTIFACT</a> Value: <b>artifact</b>
public static final	<a href="#">MANIFESTFILE_KEY_AUDIO_CODEC</a> Value: <b>aCodec</b>
public static final	<a href="#">MANIFESTFILE_KEY_CHUNKINDEX</a> Value: <b>chunkIndex</b>
public static final	<a href="#">MANIFESTFILE_KEY_DVRTIME</a> Value: <b>dvrTime</b>
public static final	<a href="#">MANIFESTFILE_KEY_ENCRYPTIONS</a> Value: <b>enc</b>
public static final	<a href="#">MANIFESTFILE_KEY_INDEX</a> Value: <b>index</b>
public static final	<a href="#">MANIFESTFILE_KEY_METADATA</a> Value: <b>metadata</b>
public static final	<a href="#">MANIFESTFILE_KEY_NAME</a> Value: <b>name</b>

public static final	<a href="#">MANIFESTFILE_KEY_PACKETTIME</a> Value: <b>packetTime</b>
public static final	<a href="#">MANIFESTFILE_KEY_SIZE</a> Value: <b>size</b>
public static final	<a href="#">MANIFESTFILE_KEY_START</a> Value: <b>start</b>
public static final	<a href="#">MANIFESTFILE_KEY_STOP</a> Value: <b>stop</b>
public static final	<a href="#">MANIFESTFILE_KEY_TYPE</a> Value: <b>type</b>
public static final	<a href="#">MANIFESTFILE_KEY_UTCTIME</a> Value: <b>utcTime</b>
public static final	<a href="#">MANIFESTFILE_KEY_VIDEO_CODEC</a> Value: <b>vCodec</b>
protected	<a href="#">packetTime</a>
protected static final	<a href="#">SERIALIZE_CURRENT_VERSION</a> Value: <b>2</b>
protected	<a href="#">type</a>
protected	<a href="#">utcTime</a>

## Constructor Summary

public	<a href="#">DvrManifestEntry</a> (int type, int index, long dvrStart, long dvrStop, long packetTime, long utcTime) Constructor Valid types include: <a href="#">IVHost.CONTENTTYPE_AUDIO</a> , <a href="#">IVHost.CONTENTTYPE_VIDEO</a> , <a href="#">IVHost.CONTENTTYPE_DATA</a> , <a href="#">IDvrManifest.ON_METADATA_TYPE</a> , <a href="#">IDvrManifest.CODEC_TYPE</a> , or <a href="#">IDvrManifest.TIME_MAP_TYPE</a>
--------	--

## Method Summary

String	<a href="#">encodeBytes</a> (byte[] bytes) Encode string of bytes as Base64.
String	<a href="#">getCommonInitialTextRepString</a> ()
long	<a href="#">getDuration</a> () Get duration
int	<a href="#">getIndex</a> () Get manifest index.

abstract String	<a href="#"><code>getManifestRepresentation()</code></a> Get textual representation of record for textual manifest usage.
long	<a href="#"><code>getPacketStartTime()</code></a> Get chunk start timecode in packetTime units.
long	<a href="#"><code>getStartTimecode()</code></a> Get start timecode.
long	<a href="#"><code>getStopTimecode()</code></a> Get stop timecode.
int	<a href="#"><code>getType()</code></a> Get type of manifest record.
long	<a href="#"><code>getUtcStartTime()</code></a> Get chunk start timecode in UTC units.
byte[]	<a href="#"><code>serialize()</code></a> Serialize manifest record.
abstract void	<a href="#"><code>serialize(java.io.DataOutputStream out)</code></a> Serialize manifest record.

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Fields

### MANIFESTFILE\_KEY\_INDEX

```
public static final java.lang.String MANIFESTFILE_KEY_INDEX
```

Constant value: **index**

### MANIFESTFILE\_KEY\_TYPE

```
public static final java.lang.String MANIFESTFILE_KEY_TYPE
```

Constant value: **type**

### MANIFESTFILE\_KEY\_START

```
public static final java.lang.String MANIFESTFILE_KEY_START
```

Constant value: **start**

### MANIFESTFILE\_KEY\_STOP

```
public static final java.lang.String MANIFESTFILE_KEY_STOP
```



(continued from last page)

Constant value: **stop**

---

## MANIFESTFILE\_KEY\_SIZE

```
public static final java.lang.String MANIFESTFILE_KEY_SIZE
```

Constant value: **size**

---

## MANIFESTFILE\_KEY\_ARTIFACT

```
public static final java.lang.String MANIFESTFILE_KEY_ARTIFACT
```

Constant value: **artifact**

---

## MANIFESTFILE\_KEY\_DVRTIME

```
public static final java.lang.String MANIFESTFILE_KEY_DVRTIME
```

Constant value: **dvrTime**

---

## MANIFESTFILE\_KEY\_CHUNKINDEX

```
public static final java.lang.String MANIFESTFILE_KEY_CHUNKINDEX
```

Constant value: **chunkIndex**

---

## MANIFESTFILE\_KEY\_PACKETTIME

```
public static final java.lang.String MANIFESTFILE_KEY_PACKETTIME
```

Constant value: **packetTime**

---

## MANIFESTFILE\_KEY\_UTCTIME

```
public static final java.lang.String MANIFESTFILE_KEY_UTCTIME
```

Constant value: **utcTime**

---

## MANIFESTFILE\_KEY\_NAME

```
public static final java.lang.String MANIFESTFILE_KEY_NAME
```

Constant value: **name**

---

## MANIFESTFILE\_KEY\_AUDIO\_CODEC

```
public static final java.lang.String MANIFESTFILE_KEY_AUDIO_CODEC
```

Constant value: **aCodec**

(continued from last page)

---

## MANIFESTFILE\_KEY\_VIDEO\_CODEC

```
public static final java.lang.String MANIFESTFILE_KEY_VIDEO_CODEC
```

Constant value: **vCodec**

---

## MANIFESTFILE\_KEY\_ENCRYPTIONS

```
public static final java.lang.String MANIFESTFILE_KEY_ENCRYPTIONS
```

Constant value: **enc**

---

## MANIFESTFILE\_KEY\_METADATA

```
public static final java.lang.String MANIFESTFILE_KEY_METADATA
```

Constant value: **metadata**

---

## SERIALIZE\_CURRENT\_VERSION

```
protected static final byte SERIALIZE_CURRENT_VERSION
```

Constant value: **2**

---

## dvrStart

```
protected long dvrStart
```

---

## dvrStop

```
protected long dvrStop
```

---

## packetTime

```
protected long packetTime
```

---

## utcTime

```
protected long utcTime
```

---

## index

```
protected int index
```

---

(continued from last page)

## type

protected int **type**

## Constructors

### DvrManifestEntry

```
public DvrManifestEntry(int type,  
                        int index,  
                        long dvrStart,  
                        long dvrStop,  
                        long packetTime,  
                        long utcTime)
```

Constructor Valid types include: [IVHost.CONTENTTYPE\\_AUDIO](#), [IVHost.CONTENTTYPE\\_VIDEO](#), [IVHost.CONTENTTYPE\\_DATA](#), [IDvrManifest.ON\\_METADATA\\_TYPE](#), [IDvrManifest.CODEC\\_TYPE](#), or [IDvrManifest.TIME\\_MAP\\_TYPE](#)

#### Parameters:

type - type  
index - manifest index  
dvrStart - start time (ms in DVR time scale)  
dvrStop - stop time (ms in DVR time scale)  
packetTime  
utcTime

## Methods

### getStartTimecode

```
public long getStartTimecode()
```

Get start timecode. In milliseconds, DVR time base.

#### Returns:

start time

### getStopTimecode

```
public long getStopTimecode()
```

Get stop timecode. In milliseconds, DVR time base.

#### Returns:

stop time

### getPacketStartTime

```
public long getPacketStartTime()
```

Get chunk start timecode in packetTime units. In milliseconds.

#### Returns:

packet start time

(continued from last page)

---

## getUtcStartTime

```
public long getUtcStartTime()
```

Get chunk start timecode in UTC units. In milliseconds.

**Returns:**

UTC start time

---

## getDuration

```
public long getDuration()
```

Get duration

**Returns:**

duration in ms

---

## getType

```
public int getType()
```

Get type of manifest record. Valid types include: [IVHost.CONTENTTYPE\\_AUDIO](#), [IVHost.CONTENTTYPE\\_VIDEO](#), [IVHost.CONTENTTYPE\\_DATA](#), [IDvrManifest.ON\\_METADATA\\_TYPE](#), [IDvrManifest.CODEC\\_TYPE](#), or [IDvrManifest.TIME\\_MAP\\_TYPE](#)

**Returns:**

type

---

## getIndex

```
public int getIndex()
```

Get manifest index.

**Returns:**

index

---

## serialize

```
public abstract void serialize(java.io.DataOutputStream out)
```

Serialize manifest record.

**Parameters:**

out - output stream

---

## serialize

```
public byte[] serialize()
```

Serialize manifest record.

**Returns:**

serialized data

---

---

(continued from last page)

## getManifestRepresentation

```
public abstract String getManifestRepresentation()
```

Get textual representation of record for textual manifest usage.

**Returns:**

textual representation of entry

---

## getCommonInitialTextRepString

```
protected String getCommonInitialTextRepString()
```

---

## encodeBytes

```
protected String encodeBytes(byte[] bytes)
```

Encode string of bytes as Base64. Provides check for null buffer or empty buffer.

**Parameters:**


bytes - buffer to encode.

**Returns:**

Base64 encoding or "".

com.wowza.wms.dvr

# Class DvrManifestEntryFactory



```
public class DvrManifestEntryFactory
extends Object
```

Deserialize manifest entry blobs.

## Constructor Summary

public	<a href="#">DvrManifestEntryFactory()</a>
--------	---

## Method Summary

static <a href="#">DvrManifestEntry</a>	<a href="#">deserialize</a> (byte[] data)
static <a href="#">DvrManifestEntry</a>	<a href="#">deserialize</a> (java.nio.ByteBuffer buffer)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### DvrManifestEntryFactory

```
public DvrManifestEntryFactory()
```

## Methods

### deserialize

```
public static DvrManifestEntry deserialize(byte[] data)
```

### deserialize

```
public static DvrManifestEntry deserialize(java.nio.ByteBuffer buffer)
```

## com.wowza.wms.dvr Class DvrManifestEntryRange

java.lang.Object

└─com.wowza.wms.dvr.DvrManifestEntryRange

public class **DvrManifestEntryRange**  
extends Object

Class that compactly represents a range of indices of a certain manifest type.

### Constructor Summary

public	<a href="#"><u>DvrManifestEntryRange</u></a> (int type, int startIndex, int endIndex) Construct a range of a given type.
--------	---

### Method Summary

void	<a href="#"><u>deserialize</u></a> (byte[] data) Deserialize.
int	<a href="#"><u>getEndIndex</u></a> () Get end index.
IndexRange	<a href="#"><u>getRange</u></a> () Get index range.
int	<a href="#"><u>getStartIndex</u></a> () Get start index.
int	<a href="#"><u>getType</u></a> () Get range type
boolean	<a href="#"><u>isEmpty</u></a> ()
boolean	<a href="#"><u>isInRange</u></a> (int index) Is index in range.
byte[]	<a href="#"><u>serialize</u></a> () Serialize range.
void	<a href="#"><u>setRange</u></a> (IndexRange range) Set index range.
String	<a href="#"><u>toString</u></a> ()

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

(continued from last page)

## Constructors

### DvrManifestEntryRange

```
public DvrManifestEntryRange(int type,  
                             int startIndex,  
                             int endIndex)
```

Construct a range of a given type.

**Parameters:**

type - manifest type

startIndex - initial member of range

endIndex - final member of range

## Methods

### getType

```
public int getType()
```

Get range type

**Returns:**

type.

### getRange

```
public IndexRange getRange()
```

Get index range.

**Returns:**

index range

### setRange

```
public void setRange(IndexRange range)
```

Set index range.

**Parameters:**

range - index range.

### getStartIndex

```
public int getStartIndex()
```

Get start index.

**Returns:**

start index (or -1 if undefined)

### getEndIndex

```
public int getEndIndex()
```

Get end index.



(continued from last page)

**Returns:**

end index (or -1 if undefined)

---

**isInRange**

```
public boolean isInRange(int index)
```

Is index in range.

**Parameters:**

index - index in question.

**Returns:**

true if part of range.

---

**serialize**

```
public byte[] serialize()
```

Serialize range.

**Returns:**

out buffer containing serialized range.

---

**deserialize**

```
public void deserialize(byte[] data)
```

Deserialize. Called after no-op constructor.

**Parameters:**

data - buffer to deserialize.

---

**isEmpty**

```
public boolean isEmpty()
```

---

**toString**

```
public String toString()
```

## com.wowza.wms.dvr

# Class DvrManifestEntryRangeGroup

java.lang.Object

└─com.wowza.wms.dvr.DvrManifestEntryRangeGroup

```
public class DvrManifestEntryRangeGroup
    extends Object
```

A group of Manifest Ranges. The group may contain ranges of different types.

## Field Summary

public	<a href="#">ranges</a>
--------	------------------------

## Constructor Summary

public	<a href="#">DvrManifestEntryRangeGroup()</a>
--------	--

## Method Summary

void	<a href="#">addRange(DvrManifestEntryRange range)</a> Add an index range to the group.
void	<a href="#">deserialize(byte[] data)</a> Deserialize.
boolean	<a href="#">isEmpty()</a> Determine if group of ranges is empty
boolean	<a href="#">isInRange(int type, int index)</a> Determine if index of given type is contained in the group of ranges.
byte[]	<a href="#">serialize()</a> Serialize range group
String	<a href="#">toString()</a>

## Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### **ranges**

```
public java.util.List ranges
```

## Constructors

### DvrManifestEntryRangeGroup

```
public DvrManifestEntryRangeGroup()
```

## Methods

### addRange

```
public void addRange(DvrManifestEntryRange range)
```

Add an index range to the group.

**Parameters:**

range

---

### isInRange

```
public boolean isInRange(int type,  
                        int index)
```

Determine if index of given type is contained in the group of ranges.

**Parameters:**

type - range type

index - index in question

**Returns:**

true iof in range.

---

### isEmpty

```
public boolean isEmpty()
```

Determine if group of ranges is empty

**Returns:**

true if empty

---

### serialize

```
public byte[] serialize()
```

Serialize range group

**Returns:**

bytes representing range group

---

### deserialize

```
public void deserialize(byte[] data)
```

Deserialize. Called after no-op constructor.

(continued from last page)

**Parameters:**

data - buffer to deserialize.

---


**toString**

```
public String toString()
```

## com.wowza.wms.dvr

### Class DvrManifestOnMetadataEntry

java.lang.Object



public class **DvrManifestOnMetadataEntry**  
 extends [DvrManifestEntry](#)

Entry in DVR manifest that contains onMetadata information and associated onMetadata chunk.

#### Field Summary

protected	<a href="#">artifact</a>
protected	<a href="#">data</a>

#### Fields inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[dvrStart](#), [dvrStop](#), [index](#), [MANIFESTFILE\\_KEY\\_ARTIFACT](#), [MANIFESTFILE\\_KEY\\_AUDIO\\_CODEC](#), [MANIFESTFILE\\_KEY\\_CHUNKINDEX](#), [MANIFESTFILE\\_KEY\\_DVRTIME](#), [MANIFESTFILE\\_KEY\\_ENCRYPTIONS](#), [MANIFESTFILE\\_KEY\\_INDEX](#), [MANIFESTFILE\\_KEY\\_METADATA](#), [MANIFESTFILE\\_KEY\\_NAME](#), [MANIFESTFILE\\_KEY\\_PACKETTIME](#), [MANIFESTFILE\\_KEY\\_SIZE](#), [MANIFESTFILE\\_KEY\\_START](#), [MANIFESTFILE\\_KEY\\_STOP](#), [MANIFESTFILE\\_KEY\\_TYPE](#), [MANIFESTFILE\\_KEY\\_UTCTIME](#), [MANIFESTFILE\\_KEY\\_VIDEO\\_CODEC](#), [packetTime](#), [SERIALIZE\\_CURRENT\\_VERSION](#), [type](#), [utcTime](#)

#### Constructor Summary

public	<a href="#">DvrManifestOnMetadataEntry</a> (int index, long start, long packetTime, long utcTime, <a href="#">DvrChunkArtifact</a> artifact, byte[] data) Constructor
--------	--

#### Method Summary

String	<a href="#">getArtifactsTextRepresentation()</a>
byte[]	<a href="#">getData()</a> Get onMetadata information.
<a href="#">DvrChunkArtifact</a>	<a href="#">getDvrArtifact()</a>
String	<a href="#">getManifestRepresentation()</a>
void	<a href="#">serialize</a> (java.io.DataOutputStream out)
String	<a href="#">toString()</a>

#### Methods inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[getBytes](#), [getCommonInitialTextRepString](#), [getDuration](#), [getIndex](#),  
[getManifestRepresentation](#), [getPacketStartTime](#), [getStartTimecode](#), [getStopTimecode](#),  
[getType](#), [getUtcStartTime](#), [serialize](#), [serialize](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`,  
`wait`

## Fields

### artifact

protected `com.wowza.wms.dvr.DvrChunkArtifact` **artifact**

### data

protected `byte` **data**

## Constructors

### DvrManifestOnMetadataEntry

```
public DvrManifestOnMetadataEntry(int index,
                                   long start,
                                   long packetTime,
                                   long utcTime,
                                   DvrChunkArtifact artifact,
                                   byte[] data)
```

Constructor

#### Parameters:

`index` - manifest index  
`start` - start time (ms in DVR time scale)  
`utcTime`  
`packetTime`  
`artifact` - reference to the chunk artifact  
`data` - buffer of onMetadata information

## Methods

### getDvrArtifact

```
public DvrChunkArtifact getDvrArtifact()
```

### getData

```
public byte[] getData()
```

---

(continued from last page)

Get onMetadata information.

**Returns:**

onMetadata information.

---

## **serialize**

```
public void serialize(java.io.DataOutputStream out)
```

Serialize manifest record.

---

## **getManifestRepresentation**

```
public String getManifestRepresentation()
```

Get textual representation of record for textual manifest usage.

---

## **getArtifactsTextRepresentation**

```
protected String getArtifactsTextRepresentation()
```

---


## **toString**

```
public String toString()
```

## com.wowza.wms.dvr

# Class DvrManifestTimeMapEntry

java.lang.Object



public class **DvrManifestTimeMapEntry**  
 extends [DvrManifestEntry](#)

Entry in DVR manifest that contains time map information.

### Fields inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[dvrStart](#), [dvrStop](#), [index](#), [MANIFESTFILE\\_KEY\\_ARTIFACT](#), [MANIFESTFILE\\_KEY\\_AUDIO\\_CODEC](#), [MANIFESTFILE\\_KEY\\_CHUNKINDEX](#), [MANIFESTFILE\\_KEY\\_DVRTIME](#), [MANIFESTFILE\\_KEY\\_ENCRYPTIONS](#), [MANIFESTFILE\\_KEY\\_INDEX](#), [MANIFESTFILE\\_KEY\\_METADATA](#), [MANIFESTFILE\\_KEY\\_NAME](#), [MANIFESTFILE\\_KEY\\_PACKETTIME](#), [MANIFESTFILE\\_KEY\\_SIZE](#), [MANIFESTFILE\\_KEY\\_START](#), [MANIFESTFILE\\_KEY\\_STOP](#), [MANIFESTFILE\\_KEY\\_TYPE](#), [MANIFESTFILE\\_KEY\\_UTCTIME](#), [MANIFESTFILE\\_KEY\\_VIDEO\\_CODEC](#), [packetTime](#), [SERIALIZE\\_CURRENT\\_VERSION](#), [type](#), [utcTime](#)

## Constructor Summary

public	<a href="#">DvrManifestTimeMapEntry</a> (int index, int chunkIndex, long start, long packetTime, long utcTime, TimeMapRecord timeMap) Constructor
--------	--

## Method Summary

int	<a href="#">getChunkIndex</a> () Get chunk index that correlates to this time mapping
String	<a href="#">getManifestRepresentation</a> ()
TimeMapRecord	<a href="#">getTimeMapping</a> () Get time map record.
void	<a href="#">serialize</a> (java.io.DataOutputStream out)
String	<a href="#">toString</a> ()

### Methods inherited from class [com.wowza.wms.dvr.DvrManifestEntry](#)

[encodeBytes](#), [getCommonInitialTextRepString](#), [getDuration](#), [getIndex](#), [getManifestRepresentation](#), [getPacketStartTime](#), [getStartTimecode](#), [getStopTimecode](#), [getType](#), [getUtcStartTime](#), [serialize](#), [serialize](#)

### Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)



## Constructors

### DvrManifestTimeMapEntry

```
public DvrManifestTimeMapEntry(int index,
                               int chunkIndex,
                               long start,
                               long packetTime,
                               long utcTime,
                               TimeMapRecord timeMap)
```

Constructor

**Parameters:**

index - manifest index  
start - start time (ms in DVR time scale)  
timeMap - time map record

## Methods

### getTimeMapping

```
public TimeMapRecord getTimeMapping()
```

Get time map record.

**Returns:**

time map record

### getChunkIndex

```
public int getChunkIndex()
```

Get chunk index that correlates to this time mapping

**Returns:**

chunk index

### getManifestRepresentation

```
public String getManifestRepresentation()
```

Get textual representation of record for textual manifest usage.

### serialize

```
public void serialize(java.io.DataOutputStream out)
```

Serialize manifest record.

### toString

```
public String toString()
```

## com.wowza.wms.dvr Interface IDvrChannelManifest

All Subinterfaces:

[IDvrTimeMap](#)

public interface **IDvrChannelManifest**  
extends

### Method Summary

long	<a href="#">expandEndTime</a> (long dvrEndTime)
long	<a href="#">expandStartTime</a> (long dvrStartTime)
long	<a href="#">getClosestStartTime</a> (long t)
<a href="#">DvrManifestEntry</a>	<a href="#">getFirstEntry</a> ()
int	<a href="#">getFirstIndex</a> ()
java.util.Map	<a href="#">getIndexMap</a> ()
<a href="#">DvrManifestEntry</a>	<a href="#">getLastLiveEntry</a> ()
<a href="#">DvrManifestEntry</a>	<a href="#">getLastRecordedEntry</a> ()
int	<a href="#">getLastRecordedIndex</a> ()
long	<a href="#">getLiveDuration</a> ()
java.util.List	<a href="#">getLiveEntries</a> ()
java.util.List	<a href="#">getLiveEntries</a> (long startTime)
java.util.List	<a href="#">getLiveEntriesWithLimit</a> (long t, int limit)
<a href="#">DvrManifestEntryRange</a>	<a href="#">getLiveRangeEndingBeforeTime</a> (long time)
<a href="#">DvrManifestEntryRange</a>	<a href="#">getLiveRangeEndingBeforeTime</a> (long time, boolean skipFirst)
java.util.List	<a href="#">getLiveTailEntries</a> (int index)
int	<a href="#">getNumberLiveEntries</a> (long dvrStart)
int	<a href="#">getNumberLiveEntries</a> (long dvrStart, long dvrEnd)

int	<a href="#"><u>getNumberRecordedEntries</u></a> (long dvrStart)
int	<a href="#"><u>getNumberRecordedEntries</u></a> (long dvrStart, long dvrEnd)
long	<a href="#"><u>getRecordedDuration</u></a> ()
java.util.List	<a href="#"><u>getRecordedEntries</u></a> ()
java.util.List	<a href="#"><u>getRecordedEntries</u></a> (long dvrStartTime)
java.util.List	<a href="#"><u>getRecordedEntries</u></a> (long dvrStartTime, long dvrEndTime)
java.util.List	<a href="#"><u>getRecordedEntriesInRange</u></a> (int startIndex, int endIndex)
java.util.List	<a href="#"><u>getRecordedEntriesWithLimit</u></a> (long t, int limit)
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryByIndex</u></a> (int index)
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryByTimeKey</u></a> (long t)
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryStartingBeforeTime</u></a> (long t, boolean inclusive)
int	<a href="#"><u>getType</u></a> ()
boolean	<a href="#"><u>isEmpty</u></a> ()

## Methods

### isEmpty

```
public boolean isEmpty()
```

### getType

```
public int getType()
```

### getLastRecordedIndex

```
public int getLastRecordedIndex()
```

### getRecordedEntries

```
public java.util.List getRecordedEntries()
```

(continued from last page)

---

## getRecordedEntriesInRange

```
public java.util.List getRecordedEntriesInRange(int startIndex,  
int endIndex)
```

---

## getIndexMap

```
public java.util.Map getIndexMap()
```

---

## getRecordedEntryByTimeKey

```
public DvrManifestEntry getRecordedEntryByTimeKey(long t)
```

---

## getRecordedEntryByIndex

```
public DvrManifestEntry getRecordedEntryByIndex(int index)
```

---

## getRecordedEntryStartingBeforeTime

```
public DvrManifestEntry getRecordedEntryStartingBeforeTime(long t,  
boolean inclusive)
```

---

## getRecordedEntries

```
public java.util.List getRecordedEntries(long dvrStartTime)
```

---

## getRecordedEntries

```
public java.util.List getRecordedEntries(long dvrStartTime,  
long dvrEndTime)
```

---

## getRecordedEntriesWithLimit

```
public java.util.List getRecordedEntriesWithLimit(long t,  
int limit)
```

---

## getRecordedDuration

```
public long getRecordedDuration()
```

---

### getLiveDuration

```
public long getLiveDuration()
```

---

---

### getClosestStartTime

```
public long getClosestStartTime(long t)
```

---

---

### getLiveEntries

```
public java.util.List getLiveEntries()
```

---

---

### getLiveTailEntries

```
public java.util.List getLiveTailEntries(int index)
```

---

---

### getNumberLiveEntries

```
public int getNumberLiveEntries(long dvrStart)
```

---

---

### getNumberLiveEntries

```
public int getNumberLiveEntries(long dvrStart,  
                                long dvrEnd)
```

---

---

### getNumberRecordedEntries

```
public int getNumberRecordedEntries(long dvrStart)
```

---

---

### getNumberRecordedEntries

```
public int getNumberRecordedEntries(long dvrStart,  
                                long dvrEnd)
```

---

---

### getLiveEntries

```
public java.util.List getLiveEntries(long startTime)
```

---

(continued from last page)

---

### getLiveEntriesWithLimit

```
public java.util.List getLiveEntriesWithLimit(long t,  
int limit)
```

---

### getFirstIndex

```
public int getFirstIndex()
```

---

### getFirstEntry

```
public DvrManifestEntry getFirstEntry()
```

---

### getLastLiveEntry

```
public DvrManifestEntry getLastLiveEntry()
```

---

### getLastRecordedEntry

```
public DvrManifestEntry getLastRecordedEntry()
```

---

### getLiveRangeEndingBeforeTime

```
public DvrManifestEntryRange getLiveRangeEndingBeforeTime(long time)
```

---

### getLiveRangeEndingBeforeTime

```
public DvrManifestEntryRange getLiveRangeEndingBeforeTime(long time,  
boolean skipFirst)
```

---

### expandStartTime

```
public long expandStartTime(long dvrStartTime)
```

---

### expandEndTime

```
public long expandEndTime(long dvrEndTime)
```

---

## com.wowza.wms.dvr Interface IDvrChunker

public interface **IDvrChunker**  
extends

### Method Summary

long	<a href="#"><code>calculateChunkGroupTime</code></a> (long dvrTime)
String	<a href="#"><code>determineChunkGroupIdentifier</code></a> (long dvrTime)
int	<a href="#"><code>getChunkGroupDuration</code></a> ()
void	<a href="#"><code>setChunkGroupDuration</code></a> (int chunkGrouping)

### Methods

#### `getChunkGroupDuration`

public int **getChunkGroupDuration**()

#### `determineChunkGroupIdentifier`

public String **determineChunkGroupIdentifier**(long dvrTime)

#### `calculateChunkGroupTime`

public long **calculateChunkGroupTime**(long dvrTime)

#### `setChunkGroupDuration`

public void **setChunkGroupDuration**(int chunkGrouping)

## com.wowza.wms.dvr Interface IDvrChunkMemoryCache

All Superinterfaces:

[IDvrRawChunkProvider](#)

public interface **IDvrChunkMemoryCache**  
extends [IDvrRawChunkProvider](#)

Interface for managing in-memory cache of chunks. The implementor is responsible for implementing the desired algorithm for keeping DVR chunks in memory.

### Method Summary

void	<a href="#">addToCache</a> ( <a href="#">DvrManifestChunkEntry</a> entry, DvrChunk chunk) Provide in-memory cache the opportunity to add the DVR chunk to its cache.
void	<a href="#">init</a> ( <a href="#">IDvrStreamStore</a> store) Called to initialize the in-memory cache.
DvrChunk	<a href="#">retrieveRawChunk</a> ( <a href="#">DvrManifestChunkEntry</a> entry)

Methods inherited from interface [com.wowza.wms.dvr.IDvrRawChunkProvider](#)

[retrieveRawChunk](#)

### Methods

#### **init**

public void **init**([IDvrStreamStore](#) store)

Called to initialize the in-memory cache.

**Parameters:**

store - The DVR stream store associated with this cache.

#### **retrieveRawChunk**

public DvrChunk **retrieveRawChunk**([DvrManifestChunkEntry](#) entry)

#### **addToCache**

public void **addToCache**([DvrManifestChunkEntry](#) entry,  
DvrChunk chunk)

Provide in-memory cache the opportunity to add the DVR chunk to its cache. The implementation may choose to cache the chunk or ignore it.

**Parameters:**



(continued from last page)

entry - DVR manifest entry  
chunk - the chunk.

## com.wowza.wms.dvr Interface IDvrChunkUtcDelegate

public interface **IDvrChunkUtcDelegate**  
extends

Delegate class for determining utc time of DVR chunk.

### Method Summary

long	<a href="#">determineUtcTime</a> (long currentUtc, long aChunkStartUtc, long aFirstPacketUtc, <a href="#">AMFPacket</a> aFirstPacket, long vChunkStartUtc, long vFirstPacketUtc, <a href="#">AMFPacket</a> vFirstPacket)
void	<a href="#">init</a> ( <a href="#">IDvrStreamStore</a> store)

### Methods

#### **init**

public void **init**([IDvrStreamStore](#) store)

#### **determineUtcTime**

```
public long determineUtcTime(long currentUtc,  
    long aChunkStartUtc,  
    long aFirstPacketUtc,  
    AMFPacket aFirstPacket,  
    long vChunkStartUtc,  
    long vFirstPacketUtc,  
    AMFPacket vFirstPacket)
```

## com.wowza.wms.dvr Interface IDvrConstants

public interface **IDvrConstants**  
extends IDvrPrivateConstants

### Nested Class Summary

class	<a href="#">IDvrConstants.DvrTimeScale</a> IDvrConstants.DvrTimeScale
-------	--

### Field Summary

public static final	<a href="#">ARCHIVE_STRATEGY_APPEND</a> Value: <b>append</b>
public static final	<a href="#">ARCHIVE_STRATEGY_DELETE</a> Value: <b>delete</b>
public static final	<a href="#">ARCHIVE_STRATEGY_VERSION</a> Value: <b>version</b>
public static final	<a href="#">DEFAULT_CHUNK_MEMORY_CACHESIZE</a> Default value for DVR Property "chunkMemoryCacheSize". Value: <b>10</b>
public static final	<a href="#">DEFAULT_CUPERTINO_PLAYLIST_GZIP_THRESHOLD</a> Default value for property "dvrCupertinoPlaylistGzipThreshold" #see <a href="#">PROPERTY_CUPERTINO_PLAYLIST_GZIP_THRESHOLD</a> Value: <b>4000</b>
public static final	<a href="#">DEFAULT_PROPERTY_ALLOWABLE_AV_PACKET_DELTA</a> Default value for DVR Property "dvrAllowableAVPacketDelta". Value: <b>2000</b>
public static final	<a href="#">DEFAULT_PROPERTY_APPEND_DISCONTINUITY_DELTA</a> Default value for DVR Property "dvrAppendDiscontinuityDelta". Value: <b>0</b>
public static final	<a href="#">DEFAULT_PROPERTY_AUDIO_ONLY_CHUNK_TARGET_DURATION</a> Default value for DVR Property "dvrAudioOnlyChunkTargetDuration". Value: <b>2000</b>
public static final	<a href="#">DEFAULT_PROPERTY_BREAK_ON_PTS</a> Default value for DVR Property "dvrChunkBreakOnPTS". Value: <b>true</b>
public static final	<a href="#">DEFAULT_PROPERTY_CHUNK_CACHE_CLASS</a> Default value for DVR Property "dvrChunkMemoryCacheClass". Value: <b>com.wowza.wms.dvr.impl.DvrDefaultChunkMemoryCache</b>

public static final	<a href="#">DEFAULT_PROPERTY_CHUNK_DURATION_MINIMUM</a> Default value for DVR Property "dvrChunkDurationMinimum". Value: <b>1500</b>
public static final	<a href="#">DEFAULT_PROPERTY_CHUNK_GROUPING_SECONDS</a> Default value for DVR Property "dvrChunkGroupingSeconds". Value: <b>600</b>
public static final	<a href="#">DEFAULT_PROPERTY_CHUNK_READER_CLASS</a> Default value for DVR Property "dvrChunkReaderClass". Value: <b>com.wowza.wms.dvr.impl.io.DvrFileChunkReader</b>
public static final	<a href="#">DEFAULT_PROPERTY_CHUNK_WRITER_CLASS</a> Default value for DVR Property "dvrChunkWriterClass". Value: <b>com.wowza.wms.dvr.impl.io.DvrFileChunkWriter</b>
public static final	<a href="#">DEFAULT_PROPERTY_DEBUG_MAX_INVALID_CHUNKS_LOGGED</a> Default value for DVR Property "dvrMaxInvalidChunksLogged". Value: <b>10</b>
public static final	<a href="#">DEFAULT_PROPERTY_DEBUG_MAX_RAW_PACKETS</a> Default value for DVR Property "dvrDebugMaximumRawPackets". Value: <b>200</b>
public static final	<a href="#">DEFAULT_PROPERTY_DEBUG_MAX_VALID_CHUNKS_LOGGED</a> Default value for DVR Property "dvrMaxValidChunksLogged". Value: <b>10</b>
public static final	<a href="#">DEFAULT_PROPERTY_DEBUG_RAW_PACKETS</a> Default value for DVR Property "dvrDebugRawPackets". Value: <b>false</b>
public static final	<a href="#">DEFAULT_PROPERTY_DVR_MAX_CHUNK_LOG</a> Default value for DVR Property "dvrMaxChunkLogCount". Value: <b>10</b>
public static final	<a href="#">DEFAULT_PROPERTY_FILE_SYSTEM_CLASS</a> Default value for DVR Property "dvrFileSystemClass". Value: <b>com.wowza.wms.dvr.impl.io.DvrDefaultFileSystem</b>
public static final	<a href="#">DEFAULT_PROPERTY_MANIFEST_PERSISTER_CLASS</a> Default value for DVR Property "dvrManifestPersisterClass". Value: <b>com.wowza.wms.dvr.impl.DvrManifestPersister</b>
public static final	<a href="#">DEFAULT_PROPERTY_MAX_RECALC_DURATION_LOG</a> Default value for DVR Property "dvrMaxRecountDurationLogCount". Value: <b>30</b>
public static final	<a href="#">DEFAULT_PROPERTY_MAX_RECORDING_LENGTH</a> Default value for DVR Property "dvrMaximumRecordingLength". Value: <b>108000</b>
public static final	<a href="#">DEFAULT_PROPERTY_MBR_ALTERNATIVE_MATCH_DELTA</a> Default value for DVR Property "dvrMbrAlternateMatchDelta". Value: <b>1000</b>

public static final	<a href="#">DEFAULT_PROPERTY_MBR_MINIMUM_PACKETTIME_GAP_SIZE</a> Default value for DVR Property "dvrMbrMinimumPacketTimeGapSize". Value: <b>100</b>
public static final	<a href="#">DEFAULT_PROPERTY_MBR_MINIMUM_UTCTIME_GAP_SIZE</a> Default value for DVR Property "dvrMbrMinimumPacketTimeGapSize". Value: <b>750</b>
public static final	<a href="#">DEFAULT_PROPERTY_MEDIACACHE_READER_CLASS</a> Default value for DVR Property "dvrMediaCacheReaderClass". Value: <b>com.wowza.wms.plugin.mediacache.impl.MediaCacheRandomAccessReader</b>
public static final	<a href="#">DEFAULT_PROPERTY_PACKET_DELTA_TO_NOTIFY</a> Value: <b>200</b>
public static final	<a href="#">DEFAULT_PROPERTY_PACKET_DELTA_TO_RESET_TIME</a> Default value for DVR Property "dvrResetTimePacketDelta". Value: <b>200</b>
public static final	<a href="#">DEFAULT_PROPERTY_PACKET_DURATION_MAXIMUM</a> Default value for DVR Property "dvrChunkDurationMinimum". Value: <b>5000</b>
public static final	<a href="#">DEFAULT_PROPERTY_PACKET_SORT_TIME</a> Default value for DVR Property "dvrPacketSortTime". Value: <b>0</b>
public static final	<a href="#">DEFAULT_PROPERTY_RECORDINGS_LOADER_CLASS</a> Default value for DVR Property "dvrRecordingsLoaderClass". Value: <b>com.wowza.wms.dvr.DvrRecordingsLoader</b>
public static final	<a href="#">DEFAULT_PROPERTY_REPEATER_HEARTBEAT_DURATION</a> Value: <b>4000</b>
public static final	<a href="#">DEFAULT_PROPERTY_SANJOSE_ABST_DURATION_TOLERANCE</a> Default value for property "dvrSanJosePlaylistAbstDurationTolerance" #see <a href="#">PROPERTY_SANJOSE_ABST_DURATION_TOLERANCE</a> Value: <b>50</b>
public static final	<a href="#">DEFAULT_PROPERTY_SANJOSE_ABST_TIMESCALE</a> Default value for property "dvrSanJosePlaylistAbstTimescale" #see <a href="#">PROPERTY_SANJOSE_ABST_TIMESCALE</a> Value: <b>1000</b>
public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_PAUSE</a> Value: <b>true</b>
public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_SEEK</a> Value: <b>true</b>
public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_MAJOR_VERSION</a> Value: <b>2</b>

public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_MINOR_VERSION</a> Value: <b>1</b>
public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_PAUSE</a> Value: <b>true</b>
public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_SEEK</a> Value: <b>true</b>
public static final	<a href="#">DEFAULT_PROPERTY_SMOOTH_MANIFEST_RECORDED_SPECIFY_DURATION</a> Value: <b>true</b>
public static final	<a href="#">DEFAULT_PROPERTY_STORAGE_DIRECTORY</a> Default value for DVR Property "dvrStorageDirectory". Value: <b><code>\${com.wowza.wms.context.VHostConfigHome}/dvr</code></b>
public static final	<a href="#">DEFAULT_PROPERTY_TEXT_READER_CLASS</a> Default value for DVR Property "dvrTextReaderClass". Value: <b><code>com.wowza.wms.dvr.impl.io.DvrTextFileReader</code></b>
public static final	<a href="#">DEFAULT_PROPERTY_TEXT_WRITER_CLASS</a> Default value for DVR Property "dvrTextWriterClass". Value: <b><code>com.wowza.wms.dvr.impl.io.DvrTextFileWriter</code></b>
public static final	<a href="#">DVR_DEFAULT_FILESTORE</a> The default DVR store ID: "dvrfilestorage". Value: <b><code>dvrfilestorage</code></b>
public static final	<a href="#">DVR_DEFAULT_RECORDER_ID</a> The default DVR recorder ID: "dvrrecorder". Value: <b><code>dvrrecorder</code></b>
public static final	<a href="#">DVR_REPEATER_PACKETIZER_ID</a> The default DVR streaming repeater ID: "dvrstreamingrepeater". Value: <b><code>dvrstreamingrepeater</code></b>
public static final	<a href="#">DVR_STREAMING_PACKETIZER_ID</a> The default DVR streaming packetizer ID: "dvrstreamingpacketizer". Value: <b><code>dvrstreamingpacketizer</code></b>
public static final	<a href="#">DVR_WINDOW_DURATION_UNLIMITED</a> Value: <b>0</b>
public static final	<a href="#">MEDIACACHE_PREFIX</a> The MediaCache prefix for dvr repeater Value: <b><code>dvrorigin</code></b>
public static final	<a href="#">MIMETYPE_VIDEO_MP4</a> Constant for mime type "video/mp4" Value: <b><code>video/mp4</code></b>

public static final	<a href="#"><u>PROPERTY_ALLOWABLE_AV_PACKET_DELTA</u></a> DVR Property "dvrAllowableAVPacketDelta": for specifying how much audio and video packets may diverge before triggering an error. Value: <b>dvrAllowableAVPacketDelta</b>
public static final	<a href="#"><u>PROPERTY_APPEND_DISCONTINUITY_DELTA</u></a> DVR Property "dvrAppendDiscontinuityDelta": for specifying how many milliseconds of empty space are put between individual recordings that when in append mode. Value: <b>dvrAppendDiscontinuityDelta</b>
public static final	<a href="#"><u>PROPERTY_ARCHIVE_STRATEGY</u></a> DVR Property "dvrArchiveStrategy": for specifying the DVR archive strategy. Value: <b>dvrArchiveStrategy</b>
public static final	<a href="#"><u>PROPERTY_AUDIO_ONLY_CHUNK_TARGET_DURATION</u></a> DVR Property "dvrAudioOnlyChunkTargetDuration": for target duration when recording audio-only. Value: <b>dvrAudioOnlyChunkTargetDuration</b>
public static final	<a href="#"><u>PROPERTY_BREAK_ON_PTS</u></a> DVR Property "dvrChunkBreakOnPTS": for specifying that DVR should be broken on PTS. Value: <b>dvrChunkBreakOnPTS</b>
public static final	<a href="#"><u>PROPERTY_CHUNK_CACHE_CLASS</u></a> DVR Property "dvrChunkMemoryCacheClass": for controlling the class responsible for caching DVR chunks in memory. Value: <b>dvrChunkMemoryCacheClass</b>
public static final	<a href="#"><u>PROPERTY_CHUNK_DURATION_MINIMUM</u></a> DVR Property "dvrChunkDurationMinimum": for minimum chunk duration, in milliseconds. Value: <b>dvrChunkDurationMinimum</b>
public static final	<a href="#"><u>PROPERTY_CHUNK_GROUPING_SECONDS</u></a> DVR Property "dvrChunkGroupingSeconds": for determining how many seconds of DVR are stored in each stores sub-folder. Value: <b>dvrChunkGroupingSeconds</b>
public static final	<a href="#"><u>PROPERTY_CHUNK_MEMORY_CACHESIZE</u></a> DVR Property "chunkMemoryCacheSize": used by DvrDefaultChunkMemoryCache to set number of chunks stored in DVR in-memory cache. Value: <b>chunkMemoryCacheSize</b>
public static final	<a href="#"><u>PROPERTY_CHUNK_READER_CLASS</u></a> DVR Property "dvrChunkReaderClass": for controlling the class responsible for reading DVR Chunks. Value: <b>dvrChunkReaderClass</b>
public static final	<a href="#"><u>PROPERTY_CHUNK_WRITER_CLASS</u></a> DVR Property "dvrChunkWriterClass": for controlling the class responsible for writing DVR Chunks. Value: <b>dvrChunkWriterClass</b>
public static final	<a href="#"><u>PROPERTY_CUPERTINO_ON_CHUNK_START_RESET_COUNTER</u></a> DVR Property "dvrCupertinoOnChunkStartResetCounter": when a new chunk starts, reset internal tsPacketizer counters Value: <b>dvrCupertinoOnChunkStartResetCounter</b>

public static final	<a href="#"><u>PROPERTY_CUPERTINO_PLAYLIST_ALLOW_CACHING</u></a> DVR Property "dvrCupertinoPlaylistAllowCaching": used to force Cupertino playlist to set #EXT-X-ALLOW-CACHE: value Value: <b>dvrCupertinoPlaylistAllowCaching</b>
public static final	<a href="#"><u>PROPERTY_CUPERTINO_PLAYLIST_FORCE_LIVE</u></a> DVR Property "dvrCupertinoPlaylistForceLive": used to override playlist request delegate logic that determines if playlist is live. Value: <b>dvrCupertinoPlaylistForceLive</b>
public static final	<a href="#"><u>PROPERTY_CUPERTINO_PLAYLIST_FORCE_NONLIVE</u></a> DVR Property "dvrCupertinoPlaylistForceLive": used to override playlist request delegate logic that determines if playlist is live versus non-live. Value: <b>dvrCupertinoPlaylistForceNonLive</b>
public static final	<a href="#"><u>PROPERTY_CUPERTINO_PLAYLIST_GZIP_THRESHOLD</u></a> DVR Property "dvrCupertinoPlaylistGzipThreshold": when playlist is larger than this number of bytes, and gzip is enabled and accepted, the playlist will be compressed Value: <b>dvrCupertinoPlaylistGzipThreshold</b>
public static final	<a href="#"><u>PROPERTY_CUPERTINO_PLAYLIST_USE_GZIP</u></a> DVR Property "dvrCupertinoPlaylistUseGzip": used to force Cupertino playlist to use gzip if it is accepted Value: <b>dvrCupertinoPlaylistUseGzip</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_CHUNK_RETRIEVALS</u></a> DVR Property "dvrDebugChunkRetrievals": for logging each chunk retrieval Value: <b>dvrDebugChunkRetrievals</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_CUPERTINO_PLAYER_ADAPTER</u></a> HTTP Streamer Property "dvrDebugCupertinoPlayerAdapter": for turning on DVR Player Cupertino Adapter debug logging. Value: <b>dvrDebugCupertinoPlayerAdapter</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_FAILED_CHUNK_RETRIEVALS</u></a> DVR Property "dvrDebugFailedChunkRetrievals": for logging info about each failed chunk retrieval Value: <b>dvrDebugFailedChunkRetrievals</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_LOG_INVALID_CHUNK_DETAILS</u></a> DVR Property "dvrLogInvalidChunkDetails": to control detailed logging information of DVR invalid chunks Value: <b>dvrLogInvalidChunkDetails</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_LOG_INVALID_CHUNK_MATCHER</u></a> DVR Property "dvrLogInvalidChunkMatcher": for matching stream names that will log chunk packets Value: <b>dvrLogInvalidChunkMatcher</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_LOG_VALID_CHUNK_DETAILS</u></a> DVR Property "dvrLogValidChunkDetails": to control detailed logging information of DVR valid chunks Value: <b>dvrLogValidChunkDetails</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_LOG_VALID_CHUNK_MATCHER</u></a> DVR Property "dvrLogValidChunkMatcher": for matching stream names that will log chunk packets Value: <b>dvrLogValidChunkMatcher</b>



public static final	<a href="#"><u>PROPERTY_DEBUG_MAX_INVALID_CHUNKS_LOGGED</u></a> DVR Property "dvrMaxInvalidChunksLogged": for controlling maximum number of invalid DVR chunks logged. Value: <b>dvrMaxInvalidChunksLogged</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MAX_VALID_CHUNKS_LOGGED</u></a> DVR Property "dvrMaxValidChunksLogged": for controlling maximum number of valid DVR chunks logged. Value: <b>dvrMaxValidChunksLogged</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MAXIMUM_RAW_PACKETS</u></a> DVR Property "dvrDebugMaximumRawPackets": for setting maximum number of logged raw packets. Value: <b>dvrDebugMaximumRawPackets</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MBR_ALIGNMENT</u></a> HTTP Streamer or DVR Property "dvrDebugMbrAlignment": for turning on logging of mbr alignment Value: <b>dvrDebugMbrAlignment</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MBR_ALIGNMENT_RESOLUTION</u></a> DVR Property "dvrDebugMbrAlignmentResolution": for turning on logging of mbr alignment resolution (requested to actual) Value: <b>dvrDebugMbrAlignmentResolution</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MBR_DETAILS_WHEN_RECORD_DNE</u></a> HTTP Streamer or DVR Property "dvrDebugMbrDetailsWhenRecordDNE": for turning on DVR MBR Player Adapter debug logging. Value: <b>dvrDebugMbrDetailsWhenRecordDNE</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MBR_PLAYER_ADAPTER</u></a> HTTP Streamer or DVR Property "dvrDebugMbrPlayerAdapter": for turning on DVR MBR Player Adapter debug logging. Value: <b>dvrDebugMbrPlayerAdapter</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_MBR_PLAYER_ADAPTER_IF_SHIFTED_EMPTY</u></a> HTTP Streamer or DVR Property "dvrDebugMbrPlayerAdapter": for turning on DVR MBR Player Adapter debug logging when null shifted entries is returned. Value: <b>dvrDebugMbrPlayerAdapterWhenShiftedEmpty</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_METHODS</u></a> DVR Property "dvrDebugManagerLogMethods": for turning on DVR Manager debug logging. Value: <b>dvrDebugManagerLogMethods</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_PLAYER_ADAPTER</u></a> HTTP Streamer Property "dvrDebugPlayerAdapter": for turning on DVR Player Adapter debug logging for all streamer types. Value: <b>dvrDebugPlayerAdapter</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_PLAYLIST_REQUEST</u></a> DVR Property "dvrDebugPlaylistRequest": for turning on logging of DVR playlist requests. Value: <b>dvrDebugPlaylistRequest</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_RAW_PACKETS</u></a> DVR Property "dvrDebugRawPackets": for turning on logging of incoming raw packets. Value: <b>dvrDebugRawPackets</b>

public static final	<a href="#"><u>PROPERTY_DEBUG_RAW_PACKETS_MATCHER</u></a> DVR Property "dvrDebugRawPacketsMatcher": for matching stream names that will dump raw packet. Value: <b>dvrDebugRawPacketsMatcher</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_REPEATER</u></a> DVR Property "dvrDebugRepeater": for turning on logging of DVR repeater Value: <b>dvrDebugRepeater</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_SANJOSE_PLAYER_ADAPTER</u></a> HTTP Streamer Property "dvrDebugSanJosePlayerAdapter": for turning on DVR Player San Jose Adapter debug logging. Value: <b>dvrDebugSanJosePlayerAdapter</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_SMOOTH_PLAYER_ADAPTER</u></a> HTTP Streamer Property "dvrDebugSmoothPlayerAdapter": for turning on DVR Player Smooth Adapter debug logging. Value: <b>dvrDebugSmoothPlayerAdapter</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_STATE_CHANGE</u></a> DVR Property "dvrDebugStateChange": for logging state changes of DVR store. Value: <b>dvrDebugStateChange</b>
public static final	<a href="#"><u>PROPERTY_DEBUG_TOSSED_HOLDERS</u></a> DVR Property "dvrDebugTossedHolders": for turning on logging of packets that are being tossed. Value: <b>dvrDebugTossedHolders</b>
public static final	<a href="#"><u>PROPERTY_ENCRYPTION_INFO_DELEGATE</u></a> DVR Property "dvrPlaylistEncryptionInfoDelegate": used to over-ride the encryption info on the playback side. Value: <b>dvrPlaylistEncryptionInfoDelegate</b>
public static final	<a href="#"><u>PROPERTY_FILE_SYSTEM_CLASS</u></a> DVR Property "dvrFileSystemClass": for controlling the class responsible for managing the DVR File System. Value: <b>dvrFileSystemClass</b>
public static final	<a href="#"><u>PROPERTY_MANIFEST_PERSISTER_CLASS</u></a> DVR Property "dvrManifestPersisterClass": for controlling the class responsible for persisting the manifest files. Value: <b>dvrManifestPersisterClass</b>
public static final	<a href="#"><u>PROPERTY_MAX_CHUNK_LOG</u></a> DVR Property "dvrMaxChunkLogCount": for maximum number of DVR chunks to log. Value: <b>dvrMaxChunkLogCount</b>
public static final	<a href="#"><u>PROPERTY_MAX_RECALC_DURATION_LOG</u></a> DVR Property "dvrMaxRecountDurationLogCount": for maximum number of messages to log regarding recalculating DVR chunk duration Value: <b>dvrMaxRecountDurationLogCount</b>
public static final	<a href="#"><u>PROPERTY_MAX_RECORDING_LENGTH</u></a> DVR Property "dvrMaximumRecordingLength": The maximum recording length in seconds. Value: <b>dvrMaximumRecordingLength</b>

public static final	<a href="#"><u>PROPERTY_MBR_ALTERNATIVE_MATCH_DELTA</u></a> DVR Property "dvrMbrAlternateMatchDelta": when finding alternative for a MBR gap, an alternate is considered a match is within this many ms of the gap in question. Value: <b>dvrMbrAlternateMatchDelta</b>
public static final	<a href="#"><u>PROPERTY_MBR_MINIMUM_PACKETTIME_GAP_SIZE</u></a> DVR Property "dvrMbrMinimumPacketTimeGapSize": when doing mbr alignment gaps smaller than this are ignored. Value: <b>dvrMbrMinimumPacketTimeGapSize</b>
public static final	<a href="#"><u>PROPERTY_MBR_MINIMUM_UTCTIME_GAP_SIZE</u></a> DVR Property "dvrMbrMinimumUtcTimeGapSize": when doing mbr alignment gaps smaller than this are ignored. Value: <b>dvrMbrMinimumUtcTimeGapSize</b>
public static final	<a href="#"><u>PROPERTY_MBR_USE_UTC_FOR_ALIGNMENT</u></a> DVR Property "dvrMbrUseUtcForAlignment": when doing mbr alignment use utc time for alignment Value: <b>dvrMbrUseUtcForAlignment</b>
public static final	<a href="#"><u>PROPERTY_MEDIACACHE_ENABLED</u></a> DVR Property "dvrMediaCacheEnabled" Value: <b>dvrMediaCacheEnabled</b>
public static final	<a href="#"><u>PROPERTY_MEDIACACHE_READER_CLASS</u></a> DVR Property "dvrMediaCacheReaderClass" Value: <b>dvrMediaCacheReaderClass</b>
public static final	<a href="#"><u>PROPERTY_PACKET_DELTA_TO_NOTIFY</u></a> Value: <b>dvrPacketDeltaToNotify</b>
public static final	<a href="#"><u>PROPERTY_PACKET_DELTA_TO_RESET_TIME</u></a> DVR Property "dvrResetTimePacketDelta": for controlling how much Chunk start times must diverge from last chunk's end time before the DVR time gets reset. Value: <b>dvrResetTimePacketDelta</b>
public static final	<a href="#"><u>PROPERTY_PACKET_DURATION_MAXIMUM</u></a> DVR Property "dvrPacketDurationMaximum": for maximum packet duration, in milliseconds. Value: <b>dvrPacketDurationMaximum</b>
public static final	<a href="#"><u>PROPERTY_PACKET_SORT_TIME</u></a> DVR Property "dvrPacketSortTime": for sorting incoming packets. Value: <b>dvrPacketSortTime</b>
public static final	<a href="#"><u>PROPERTY_PLAYLIST_REQUEST_DELEGATE</u></a> DVR Property "dvrPlaylistRequestDelegate": used to over-ride the class that generates a playlist request. Value: <b>dvrPlaylistRequestDelegate</b>
public static final	<a href="#"><u>PROPERTY_RECORD_AUDIO</u></a> DVR Property "recordAudio": for determining if audio should be recorded. Value: <b>recordAudio</b>
public static final	<a href="#"><u>PROPERTY_RECORD_DATA</u></a> DVR Property "recordData": for determining if data should be recorded. Value: <b>recordData</b>

public static final	<a href="#">PROPERTY_RECORD_VIDEO</a> DVR Property "recordVideo": for determining if video should be recorded. Value: <b>recordVideo</b>
public static final	<a href="#">PROPERTY_RECORDINGS_LOADER_CLASS</a> DVR Property "dvrRecordingsLoaderClass": for controlling the class responsible for loading DVR recordings. Value: <b>dvrRecordingsLoaderClass</b>
public static final	<a href="#">PROPERTY_REPEATER_HEARTBEAT_DURATION</a> DVR Property "dvrRepeaterHeartbeatDuration": for time in ms that origin pings edges Value: <b>dvrRepeaterHeartbeatDuration</b>
public static final	<a href="#">PROPERTY_REPEATER_SHARED_SECRET</a> DVR Property "dvrEncryptionSharedSecret": for encryption shared secret between origins and edges. Value: <b>dvrEncryptionSharedSecret</b>
public static final	<a href="#">PROPERTY_SANJOSE_ABST_DURATION_TOLERANCE</a> DVR Property "dvrSanJosePlaylistAbstDurationEqualityTolerance": used to over-ride the tolerance when determining equal chunks lengths. Value: <b>dvrSanJosePlaylistAbstDurationTolerance</b>
public static final	<a href="#">PROPERTY_SANJOSE_ABST_TIMESCALE</a> DVR Property "dvrSanJosePlaylistAbstTimescale": used to over-ride the time-scale for abst files. Value: <b>dvrSanJosePlaylistAbstTimescale</b>
public static final	<a href="#">PROPERTY_SANJOSE_PLAYLIST_DELIVERYTYPE</a> DVR Property "dvrSanJosePlaylistDeliveryType": used to over-ride the mime type for DVR San Jose F4m playlists. Value: <b>dvrSanJosePlaylistDeliveryType</b>
public static final	<a href="#">PROPERTY_SANJOSE_PLAYLIST_LIVE_STREAMTYPE</a> DVR Property "dvrSanJosePlaylistLiveStreamType": used to over-ride the stream type for live DVR in San Jose f4m playlists. Value: <b>dvrSanJosePlaylistLiveStreamType</b>
public static final	<a href="#">PROPERTY_SANJOSE_PLAYLIST_MIMETYPE</a> DVR Property "dvrSanJosePlaylistMimeType": used to over-ride the mime type for DVR San Jose F4m playlists. Value: <b>dvrSanJosePlaylistMimeType</b>
public static final	<a href="#">PROPERTY_SANJOSE_PLAYLIST_RECORDED_STREAMTYPE</a> DVR Property "dvrSanJosePlaylistRecordedStreamType": used to over-ride the stream type for non-live (recorded) DVR in San Jose f4m playlists. Value: <b>dvrSanJosePlaylistRecordedStreamType</b>
public static final	<a href="#">PROPERTY_SANJOSE_PLAYLIST_VERSION</a> DVR Property "dvrSanJosePlaylistVersion": used to over-ride the version of the San Jose f4m playlist. Value: <b>dvrSanJosePlaylistVersion</b>
public static final	<a href="#">PROPERTY_SMOOTH_MANIFEST_H264_CODEC</a> DVR Property "dvrSmoothManifestH264Codec": used to force Smooth Manifest to use this as its FourCC H264 codec info. Value: <b>dvrSmoothManifestH264Codec</b>

public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_PAUSE</u></a> DVR Property "dvrSmoothManifestLiveCanPause": used to determine is CanPause is enabled in smooth Manifest. Value: <b>dvrSmoothManifestLiveCanPause</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_SEEK</u></a> DVR Property "dvrSmoothManifestLiveCanSeek": used to determine is CanSeek is enabled in smooth Manifest. Value: <b>dvrSmoothManifestLiveCanSeek</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_MAJOR_VERSION</u></a> DVR Property "dvrSmoothManifestMajorVersion": used to determine Smooth manifest major version Value: <b>dvrSmoothManifestMajorVersion</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_MINOR_VERSION</u></a> DVR Property "dvrSmoothManifestMinorVersion": used to determine Smooth manifest major version Value: <b>dvrSmoothManifestMinorVersion</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_PAUSE</u></a> DVR Property "dvrSmoothManifestRecordedCanPause": used to determine is CanPause is enabled in smooth Manifest. Value: <b>dvrSmoothManifestRecordedCanPause</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_SEEK</u></a> DVR Property "dvrSmoothManifestRecordedCanSeek": used to determine is CanSeek is enabled in smooth Manifest. Value: <b>dvrSmoothManifestRecordedCanSeek</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_RECORDED_SPECIFY_DURATION</u></a> DVR Property "dvrSmoothManifestRecordedSpecifyDuration": used to determine if duration is specified. Value: <b>dvrSmoothManifestRecordedSpecifyDuration</b>
public static final	<a href="#"><u>PROPERTY_SMOOTH_MANIFEST_VERBOSE_DURATION</u></a> DVR Property "dvrSmoothManifestVerboseDuration": used to force Smooth Manifest to include durations for each record Value: <b>dvrSmoothManifestVerboseDuration</b>
public static final	<a href="#"><u>PROPERTY_START_RECORDING_ON_STARTUP</u></a> DVR Property "startRecordingOnStartup": for determining if DVR recorder should start recording immediately. Value: <b>startRecordingOnStartup</b>
public static final	<a href="#"><u>PROPERTY_STORAGE_DIRECTORY</u></a> DVR Property "dvrStorageDirectory": for overriding the DVR storage directory location Typically this is defined application-wide in Application.xml under Application/DVR/StorageDirectory. Value: <b>dvrStorageDirectory</b>
public static final	<a href="#"><u>PROPERTY_TEXT_READER_CLASS</u></a> DVR Property "dvrTextReaderClass": for controlling the class responsible for reading DVR text files. Value: <b>dvrTextReaderClass</b>

public static final	<a href="#">PROPERTY_TEXT_WRITER_CLASS</a> DVR Property "dvrTextWriterClass": for controlling the class responsible for writing DVR text files. Value: <b>dvrTextWriterClass</b>
public static final	<a href="#">PROPERTY_WINDOW_DURATION</a> DVR Property "dvrWindowDuration": for specifying the DVR window duration, in seconds. Value: <b>dvrWindowDuration</b>
public static final	<a href="#">SANJOSE_F4M_STREAMINGTYPE_STREAMING</a> Constant for San Jose streaming type "streaming" Value: <b>streaming</b>
public static final	<a href="#">SANJOSE_F4M_STREAMTYPE_DVR</a> Constant for San Jose stream type "dvr". Value: <b>dvr</b>
public static final	<a href="#">SANJOSE_F4M_STREAMTYPE_LIVE</a> Constant for San Jose stream type "live". Value: <b>live</b>
public static final	<a href="#">SANJOSE_F4M_STREAMTYPE_LIVEORRECORDED</a> Constant for San Jose stream type "liveOrRecorded". Value: <b>liveOrRecorded</b>
public static final	<a href="#">SANJOSE_F4M_STREAMTYPE_RECORDED</a> Constant for San Jose stream type "recorded". Value: <b>recorded</b>
public static final	<a href="#">SANJOSE_F4M_VERSION_1_0</a> Constant for San Jose f4m version "1.0". Value: <b>1.0</b>
public static final	<a href="#">SANJOSE_F4M_VERSION_2_0</a> Constant for San Jose f4m version "2.0". Value: <b>2.0</b>

Fields inherited from interface `com.wowza.wms.dvr.IDvrPrivateConstants`

```

CHUNK_FILENAME_FORMAT_AUDIO,CHUNK_FILENAME_FORMAT_DATA,CHUNK_FILENAME_FORMAT_METADATA,
CHUNK_FILENAME_FORMAT_VIDEO,CHUNK_FOLDER_FORMAT,DEFAULT_PROPERTY_AUDIO_GROUP_COUNT,
DEFAULT_PROPERTY_MANIFEST_PURGE_SIZE,DEFAULT_PROPERTY_MAX_ALLOWABLE_CHUNK_DURATION,
DEFAULT_PROPERTY_MAX_SAVE_HOLDER_SIZE,DEFAULT_PROPERTY_MINIMUM_AVAILABLE_CHUNKS,
DEFAULT_PROPERTY_PURGE_CONTROL_CLASS,
DEFAULT_PROPERTY_RECALC_DURATION_MAX_AV_DIFFERENCE_TRIGGER,
DEFAULT_PROPERTY_RECALC_DURATION_TRIGGER_SIZE,DEFAULT_PROPERTY_STREAM_IDLE_TIMEOUT,
DEFAULT_PROPERTY_STREAM_STARTUP_TIMEOUT,DEFAULT_PROPERTY_UTC_ALIGN_TO_AUDIO,
DEFAULT_PROPERTY_UTC_USE_WOWZA_PACKET_ARRIVAL,DEFAULT_PROPERTY_WAIT_FOR_CODEC_TIME,
PROPERTY_AUDIO_GROUP_COUNT,PROPERTY_DEBUG_MBR_RESOLVER,
PROPERTY_DEBUG_MBR_RESOLVER_GAP_DETAILS,
PROPERTY_DEBUG_MBR_RESOLVER_INTERSECTION_DETAILS,PROPERTY_INTERCEPTOR_CHUNK_DELEGATE,
PROPERTY_MANIFEST_PURGE_CACHE_SIZE,PROPERTY_MAX_ALLOWABLE_CHUNK_DURATION,
PROPERTY_MAX_SAVE_HOLDER_SIZE,PROPERTY_MBR_USE_SIMPLEALIGNMENT,
PROPERTY_MINIMUM_AVAILABLE_CHUNKS,PROPERTY_PURGE_CONTROL_CLASS,
PROPERTY_RECALC_DURATION_MAX_AV_DIFFERENCE_TRIGGER,
PROPERTY_RECALC_DURATION_TRIGGER_SIZE,PROPERTY_UTC_ALIGN_TO_AUDIO,
PROPERTY_UTC_DELEGATE_CLASS,PROPERTY_UTC_USE_WOWZA_PACKET_ARRIVAL,
PROPERTY_VERIFY_CHUNK_EXISTENCE_ON_MANIFEST_LOAD,PROPERTY_WAIT_FOR_CODEC_TIME

```

## Fields

### DVR\_STREAMING\_PACKETIZER\_ID

```
public static final java.lang.String DVR_STREAMING_PACKETIZER_ID
```

The default DVR streaming packetizer ID: "dvrstreamingpacketizer".

See DVR.xml and Application.xml.

Constant value: **dvrstreamingpacketizer**

### DVR\_REPEATER\_PACKETIZER\_ID

```
public static final java.lang.String DVR_REPEATER_PACKETIZER_ID
```

The default DVR streaming repeater ID: "dvrstreamingrepeater".

See DVR.xml and Application.xml.

Constant value: **dvrstreamingrepeater**

### DVR\_DEFAULT\_RECORDER\_ID

```
public static final java.lang.String DVR_DEFAULT_RECORDER_ID
```

The default DVR recorder ID: "dvrrecorder".

See DVR.xml and Application.xml.

Constant value: **dvrrecorder**

### DVR\_DEFAULT\_FILESTORE

```
public static final java.lang.String DVR_DEFAULT_FILESTORE
```

The default DVR store ID: "dvrfilestorage".

See DVR.xml and Application.xml.

Constant value: **dvrfilestorage**

---

## MEDIACACHE\_PREFIX

```
public static final java.lang.String MEDIACACHE_PREFIX
```

The MediaCache prefix for dvr repeater

See MediaCache.xml

Constant value: **dvrorigin**

---

## PROPERTY\_CHUNK\_GROUPING\_SECONDS

```
public static final java.lang.String PROPERTY_CHUNK_GROUPING_SECONDS
```

DVR Property "dvrChunkGroupingSeconds": for determining how many seconds of DVR are stored in each stores sub-folder.

The directory naming convention is HHHH\_MM\_SS with H = hours, M = minutes, S = seconds. Using the defaults, first directory would be named 0000\_00\_00 and the second directory would be named 0000\_10\_00, etc.

Valid values are integers greater than 60. Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrChunkGroupingSeconds**

See Also:

[DEFAULT\\_PROPERTY\\_CHUNK\\_GROUPING\\_SECONDS](#)

---

## DEFAULT\_PROPERTY\_CHUNK\_GROUPING\_SECONDS

```
public static final int DEFAULT_PROPERTY_CHUNK_GROUPING_SECONDS
```

Default value for DVR Property "dvrChunkGroupingSeconds".

Default value is 600 seconds (10 minutes).

Constant value: **600**

See Also:

[PROPERTY\\_CHUNK\\_GROUPING\\_SECONDS](#)

---

## PROPERTY\_APPEND\_DISCONTINUITY\_DELTA

```
public static final java.lang.String PROPERTY_APPEND_DISCONTINUITY_DELTA
```

DVR Property "dvrAppendDiscontinuityDelta": for specifying how many milliseconds of empty space are put between individual recordings that when in append mode.

Valid values are integers greater than or equal to 0. Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrAppendDiscontinuityDelta**

See Also:

[DEFAULT\\_PROPERTY\\_APPEND\\_DISCONTINUITY\\_DELTA](#)

---

## DEFAULT\_PROPERTY\_APPEND\_DISCONTINUITY\_DELTA

```
public static final int DEFAULT_PROPERTY_APPEND_DISCONTINUITY_DELTA
```

Default value for DVR Property "dvrAppendDiscontinuityDelta".

Default value is 0.

Constant value: **0**

See Also:

---



(continued from last page)

[PROPERTY\\_APPEND\\_DISCONTINUITY\\_DELTA](#)

---

## PROPERTY\_WINDOW\_DURATION

```
public static final java.lang.String PROPERTY_WINDOW_DURATION
```

DVR Property "dvrWindowDuration": for specifying the DVR window duration, in seconds.

Typically this is defined application-wide in Application.xml under Application/DVR/WindowDuration. However, to override this on a per stream basis, the property may be set on the IDvrStreamManager after creation and before initialization. Valid values are integers greater than or equal to 0. Add the property to Application/DVR/Properties section of Application.xml. The default is 0, meaning the window size is unlimited.

Constant value: **dvrWindowDuration**

See Also:

[DVR\\_WINDOW\\_DURATION\\_UNLIMITED](#)

---

## DVR\_WINDOW\_DURATION\_UNLIMITED

```
public static final int DVR_WINDOW_DURATION_UNLIMITED
```

Constant value: **0**

---

## PROPERTY\_STORAGE\_DIRECTORY

```
public static final java.lang.String PROPERTY_STORAGE_DIRECTORY
```

DVR Property "dvrStorageDirectory": for overriding the DVR storage directory location. Typically this is defined application-wide in Application.xml under Application/DVR/StorageDirectory. However, to override this on a per stream basis, the property may be set on the IDvrStreamManager after creation and before initialization.

Constant value: **dvrStorageDirectory**

See Also:

[DEFAULT\\_PROPERTY\\_STORAGE\\_DIRECTORY](#)

---

## DEFAULT\_PROPERTY\_STORAGE\_DIRECTORY

```
public static final java.lang.String DEFAULT_PROPERTY_STORAGE_DIRECTORY
```

Default value for DVR Property "dvrStorageDirectory".

Default value is "\${com.wowza.wms.context.VHostConfigHome}/dvr".

Constant value: **\${com.wowza.wms.context.VHostConfigHome}/dvr**

See Also:

[PROPERTY\\_STORAGE\\_DIRECTORY](#)

---

## PROPERTY\_ARCHIVE\_STRATEGY

```
public static final java.lang.String PROPERTY_ARCHIVE_STRATEGY
```

DVR Property "dvrArchiveStrategy": for specifying the DVR archive strategy.

Typically this is defined application-wide in Application.xml under Application/DVR/ArchiveStrategy. However, to override this on a per stream basis, the property may be set on the IDvrStreamManager after creation and before initialization. Valid values are:

Constant value: **dvrArchiveStrategy**

See Also:

[ARCHIVE\\_STRATEGY\\_APPEND](#)

(continued from last page)

[ARCHIVE\\_STRATEGY\\_VERSION](#)[ARCHIVE\\_STRATEGY\\_APPEND](#)

---

## ARCHIVE\_STRATEGY\_DELETE

```
public static final java.lang.String ARCHIVE_STRATEGY_DELETE
```

Constant value: **delete**

---

## ARCHIVE\_STRATEGY\_VERSION

```
public static final java.lang.String ARCHIVE_STRATEGY_VERSION
```

Constant value: **version**

---

## ARCHIVE\_STRATEGY\_APPEND

```
public static final java.lang.String ARCHIVE_STRATEGY_APPEND
```

Constant value: **append**

---

## PROPERTY\_CHUNK\_READER\_CLASS

```
public static final java.lang.String PROPERTY_CHUNK_READER_CLASS
```

DVR Property "dvrChunkReaderClass": for controlling the class responsible for reading DVR Chunks.

The class must implement IDvrChunkReader

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrChunkReaderClass**

### See Also:

`com.wowza.wms.dvr.io.IDvrChunkReader`

[DEFAULT\\_PROPERTY\\_CHUNK\\_READER\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_CHUNK\_READER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_CHUNK_READER_CLASS
```

Default value for DVR Property "dvrChunkReaderClass".

Default value is "com.wowza.wms.dvr.impl.io.DvrFileChunkReader".

Constant value: **com.wowza.wms.dvr.impl.io.DvrFileChunkReader**

### See Also:

[PROPERTY\\_CHUNK\\_READER\\_CLASS](#)

---

## PROPERTY\_CHUNK\_WRITER\_CLASS

```
public static final java.lang.String PROPERTY_CHUNK_WRITER_CLASS
```

DVR Property "dvrChunkWriterClass": for controlling the class responsible for writing DVR Chunks.

The class must implement IDvrChunkWriter

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrChunkWriterClass**

---

(continued from last page)

**See Also:**

`com.wowza.wms.dvr.io.IDvrChunkWriter`  
[DEFAULT\\_PROPERTY\\_CHUNK\\_WRITER\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_CHUNK\_WRITER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_CHUNK_WRITER_CLASS
```

Default value for DVR Property "dvrChunkWriterClass".

Default value is "com.wowza.wms.dvr.impl.io.DvrFileChunkWriter".

Constant value: **com.wowza.wms.dvr.impl.io.DvrFileChunkWriter**

**See Also:**

[PROPERTY\\_CHUNK\\_WRITER\\_CLASS](#)

---

## PROPERTY\_FILE\_SYSTEM\_CLASS

```
public static final java.lang.String PROPERTY_FILE_SYSTEM_CLASS
```

DVR Property "dvrFileSystemClass": for controlling the class responsible for managing the DVR File System.

The class must implement `com.wowza.wms.dvr.io.IDvrFileSystem` and may sub-class `com.wowza.wms.dvr.impl.io.DvrDefaultFileSystem`

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrFileSystemClass**

**See Also:**

`com.wowza.wms.dvr.io.IDvrFileSystem`  
[DEFAULT\\_PROPERTY\\_FILE\\_SYSTEM\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_FILE\_SYSTEM\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_FILE_SYSTEM_CLASS
```

Default value for DVR Property "dvrFileSystemClass".

Default value is "com.wowza.wms.dvr.impl.io.DvrDefaultFileSystem".

Constant value: **com.wowza.wms.dvr.impl.io.DvrDefaultFileSystem**

**See Also:**

[PROPERTY\\_FILE\\_SYSTEM\\_CLASS](#)

---

## PROPERTY\_MANIFEST\_PERSISTER\_CLASS

```
public static final java.lang.String PROPERTY_MANIFEST_PERSISTER_CLASS
```

DVR Property "dvrManifestPersisterClass": for controlling the class responsible for persisting the manifest files.

The class must implement `com.wowza.wms.dvr.io.IDvrManifestPersister`

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrManifestPersisterClass**

**See Also:**

`com.wowza.wms.dvr.io.IDvrManifestPersister`  
[DEFAULT\\_PROPERTY\\_MANIFEST\\_PERSISTER\\_CLASS](#)

(continued from last page)

---

## DEFAULT\_PROPERTY\_MANIFEST\_PERSISTER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_MANIFEST_PERSISTER_CLASS
```

Default value for DVR Property "dvrManifestPersisterClass".

Default value is "com.wowza.wms.dvr.impl.DvrManifestPersister".

Constant value: **com.wowza.wms.dvr.impl.DvrManifestPersister**

See Also:

[PROPERTY\\_MANIFEST\\_PERSISTER\\_CLASS](#)

---

## PROPERTY\_CHUNK\_CACHE\_CLASS

```
public static final java.lang.String PROPERTY_CHUNK_CACHE_CLASS
```

DVR Property "dvrChunkMemoryCacheClass": for controlling the class responsible for caching DVR chunks in memory.

The class must implement [IDvrChunkMemoryCache](#) and may sub-class `com.wowza.wms.dvr.impl.DvrDefaultChunkMemoryCache`

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrChunkMemoryCacheClass**

See Also:

[IDvrChunkMemoryCache](#)

[DEFAULT\\_PROPERTY\\_CHUNK\\_CACHE\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_CHUNK\_CACHE\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_CHUNK_CACHE_CLASS
```

Default value for DVR Property "dvrChunkMemoryCacheClass".

Default value is "com.wowza.wms.dvr.impl.DvrDefaultChunkMemoryCache".

Constant value: **com.wowza.wms.dvr.impl.DvrDefaultChunkMemoryCache**

See Also:

[PROPERTY\\_CHUNK\\_CACHE\\_CLASS](#)

---

## PROPERTY\_RECORDINGS\_LOADER\_CLASS

```
public static final java.lang.String PROPERTY_RECORDINGS_LOADER_CLASS
```

DVR Property "dvrRecordingsLoaderClass": for controlling the class responsible for loading DVR recordings.

The class must implement [IDvrRecordingsLoader](#)

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrRecordingsLoaderClass**

See Also:

[IDvrRecordingsLoader](#)

[DEFAULT\\_PROPERTY\\_RECORDINGS\\_LOADER\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_RECORDINGS\_LOADER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_RECORDINGS_LOADER_CLASS
```

Default value for DVR Property "dvrRecordingsLoaderClass".

Default value is "com.wowza.wms.dvr.DvrRecordingsLoader".

---

(continued from last page)

Constant value: **com.wowza.wms.dvr.DvrRecordingsLoader**

See Also:

[PROPERTY\\_RECORDINGS\\_LOADER\\_CLASS](#)

---

## PROPERTY\_TEXT\_WRITER\_CLASS

```
public static final java.lang.String PROPERTY_TEXT_WRITER_CLASS
```

DVR Property "dvrTextWriterClass": for controlling the class responsible for writing DVR text files.

The class must implement [IDvrTextWriter](#)

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrTextWriterClass**

See Also:

[IDvrTextWriter](#)

[DEFAULT\\_PROPERTY\\_TEXT\\_WRITER\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_TEXT\_WRITER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_TEXT_WRITER_CLASS
```

Default value for DVR Property "dvrTextWriterClass".

Default value is "com.wowza.wms.dvr.impl.io.DvrTextFileWriter".

Constant value: **com.wowza.wms.dvr.impl.io.DvrTextFileWriter**

See Also:

[PROPERTY\\_TEXT\\_WRITER\\_CLASS](#)

---

## PROPERTY\_TEXT\_READER\_CLASS

```
public static final java.lang.String PROPERTY_TEXT_READER_CLASS
```

DVR Property "dvrTextReaderClass": for controlling the class responsible for reading DVR text files.

The class must implement [IDvrTextReader](#)

Add the property to Application/DVR/Properties section of Application.xml.

Constant value: **dvrTextReaderClass**

See Also:

[IDvrTextReader](#)

[DEFAULT\\_PROPERTY\\_TEXT\\_READER\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_TEXT\_READER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_TEXT_READER_CLASS
```

Default value for DVR Property "dvrTextReaderClass".

Default value is "com.wowza.wms.dvr.impl.io.DvrTextFileReader".

Constant value: **com.wowza.wms.dvr.impl.io.DvrTextFileReader**

See Also:

[PROPERTY\\_TEXT\\_READER\\_CLASS](#)

---

(continued from last page)

---

## PROPERTY\_ALLOWABLE\_AV\_PACKET\_DELTA

```
public static final java.lang.String PROPERTY_ALLOWABLE_AV_PACKET_DELTA
```

DVR Property "dvrAllowableAVPacketDelta": for specifying how much audio and video packets may diverge before triggering an error.

Wowza nDVR expects the incoming audio and video to be aligned. Through this parameter, Wowza nDVR will try to compensate for out of alignment issues, but it cannot resolve them. This setting safeguards against audio and data video packets that are not closely aligned. The units are in ms. The default value is 2000 ms. If audio and video are out of alignment by more than this value, the audio and video chunks will be ignored in an attempt to get the streams back into alignment. If you already have an out of alignment issue, increasing the default value is likely to cause more problems. Increasing this value will increase the number of chunks not recorded which may cause the overall quality to be unacceptable.

Add the property to Application/DVR/Properties section of Application.xml.  
Constant value: **dvrAllowableAVPacketDelta**

See Also:

[DEFAULT\\_PROPERTY\\_ALLOWABLE\\_AV\\_PACKET\\_DELTA](#)

---

## DEFAULT\_PROPERTY\_ALLOWABLE\_AV\_PACKET\_DELTA

```
public static final int DEFAULT_PROPERTY_ALLOWABLE_AV_PACKET_DELTA
```

Default value for DVR Property "dvrAllowableAVPacketDelta".

Default value is 2000 ms.  
Constant value: **2000**

See Also:

[PROPERTY\\_ALLOWABLE\\_AV\\_PACKET\\_DELTA](#)

---

## PROPERTY\_PACKET\_DELTA\_TO\_RESET\_TIME

```
public static final java.lang.String PROPERTY_PACKET_DELTA_TO_RESET_TIME
```

DVR Property "dvrResetTimePacketDelta": for controlling how much Chunk start times must diverge from last chunk's end time before the DVR time gets reset.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrResetTimePacketDelta**

See Also:

[DEFAULT\\_PROPERTY\\_PACKET\\_DELTA\\_TO\\_RESET\\_TIME](#)

---

## DEFAULT\_PROPERTY\_PACKET\_DELTA\_TO\_RESET\_TIME

```
public static final int DEFAULT_PROPERTY_PACKET_DELTA_TO_RESET_TIME
```

Default value for DVR Property "dvrResetTimePacketDelta".

Default value is 200 ms.  
Constant value: **200**

See Also:

[PROPERTY\\_PACKET\\_DELTA\\_TO\\_RESET\\_TIME](#)

---

## PROPERTY\_PACKET\_DELTA\_TO\_NOTIFY

```
public static final java.lang.String PROPERTY_PACKET_DELTA_TO_NOTIFY
```

(continued from last page)

Constant value: **dvrPacketDeltaToNotify**

---

## DEFAULT\_PROPERTY\_PACKET\_DELTA\_TO\_NOTIFY

```
public static final int DEFAULT_PROPERTY_PACKET_DELTA_TO_NOTIFY
```

Constant value: **200**

---

## PROPERTY\_RECORD\_DATA

```
public static final java.lang.String PROPERTY_RECORD_DATA
```

DVR Property "recordData": for determining if data should be recorded.

Set property to: true to record data of incoming stream. Default is true. Set property to: false to ignore data packets during recording.

Constant value: **recordData**

---

## PROPERTY\_RECORD\_VIDEO

```
public static final java.lang.String PROPERTY_RECORD_VIDEO
```

DVR Property "recordVideo": for determining if video should be recorded.

Set property to: true to record video of incoming stream. Default is true. Set property to: false to ignore video packets during recording. Either recordVideo or recordAudio property must be set to: true

Constant value: **recordVideo**

---

## PROPERTY\_RECORD\_AUDIO

```
public static final java.lang.String PROPERTY_RECORD_AUDIO
```

DVR Property "recordAudio": for determining if audio should be recorded.

Set property to: true to record audio of incoming stream. Default is true. Set property to: false to ignore audio packets during recording. Either recordVideo or recordAudio property must be set to: true

Constant value: **recordAudio**

---

## PROPERTY\_START\_RECORDING\_ON\_STARTUP

```
public static final java.lang.String PROPERTY_START_RECORDING_ON_STARTUP
```

DVR Property "startRecordingOnStartup": for determining if DVR recorder should start recording immediately.

Set property to: true (default) to start recording immediately when stream is detected. Set property to: false to init the DVR recorder but to not start recording immediately when stream starts.

Constant value: **startRecordingOnStartup**

---

## PROPERTY\_AUDIO\_ONLY\_CHUNK\_TARGET\_DURATION

```
public static final java.lang.String PROPERTY_AUDIO_ONLY_CHUNK_TARGET_DURATION
```

DVR Property "dvrAudioOnlyChunkTargetDuration": for target duration when recording audio-only.

Applies to recording an audio-only stream and is the target chunk duration. The unit is in ms. The default value is 2000 ms. This setting is ignored if the stream contains video and audio, in which case the keyframe determines the chunk size.

Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrAudioOnlyChunkTargetDuration**

**See Also:**

(continued from last page)

[DEFAULT\\_PROPERTY\\_AUDIO\\_ONLY\\_CHUNK\\_TARGET\\_DURATION](#)

---

## DEFAULT\_PROPERTY\_AUDIO\_ONLY\_CHUNK\_TARGET\_DURATION

```
public static final int DEFAULT_PROPERTY_AUDIO_ONLY_CHUNK_TARGET_DURATION
```

Default value for DVR Property "dvrAudioOnlyChunkTargetDuration".

Default value is 2000 ms.

Constant value: **2000**

See Also:

[PROPERTY\\_AUDIO\\_ONLY\\_CHUNK\\_TARGET\\_DURATION](#)

---

## PROPERTY\_PACKET\_SORT\_TIME

```
public static final java.lang.String PROPERTY_PACKET_SORT_TIME
```

DVR Property "dvrPacketSortTime": for sorting incoming packets. Specified in milliseconds.

Valid values are a integer greater than equal to 0. Zero means no sorting occurs. Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrPacketSortTime**

See Also:

[DEFAULT\\_PROPERTY\\_PACKET\\_SORT\\_TIME](#)

---

## DEFAULT\_PROPERTY\_PACKET\_SORT\_TIME

```
public static final int DEFAULT_PROPERTY_PACKET_SORT_TIME
```

Default value for DVR Property "dvrPacketSortTime".

Default value is 0 ms (i.e. no sorting).

Constant value: **0**

See Also:

[PROPERTY\\_PACKET\\_SORT\\_TIME](#)

---

## PROPERTY\_BREAK\_ON\_PTS

```
public static final java.lang.String PROPERTY_BREAK_ON_PTS
```

DVR Property "dvrChunkBreakOnPTS": for specifying that DVR should be broken on PTS.

Valid values are "true" or "false" Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrChunkBreakOnPTS**

See Also:

[DEFAULT\\_PROPERTY\\_BREAK\\_ON\\_PTS](#)

---

## DEFAULT\_PROPERTY\_BREAK\_ON\_PTS

```
public static final boolean DEFAULT_PROPERTY_BREAK_ON_PTS
```

Default value for DVR Property "dvrChunkBreakOnPTS".

Default value is true.

Constant value: **true**

See Also:



(continued from last page)

[PROPERTY\\_BREAK\\_ON\\_PTS](#)

---

## PROPERTY\_REPEATER\_SHARED\_SECRET

```
public static final java.lang.String PROPERTY_REPEATER_SHARED_SECRET
```

DVR Property "dvrEncryptionSharedSecret": for encryption shared secret between origins and edges. In Origin-Edge scenarios when Wowza is using encryption, a shared secret must be defined for both origin and edges to encrypt the information sent between origin and edge so that encryption information is not revealed.

A String values.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrEncryptionSharedSecret**

---

## PROPERTY\_REPEATER\_HEARTBEAT\_DURATION

```
public static final java.lang.String PROPERTY_REPEATER_HEARTBEAT_DURATION
```

DVR Property "dvrRepeaterHeartbeatDuration": for time in ms that origin pings edges

A Integer Value.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrRepeaterHeartbeatDuration**

---

## DEFAULT\_PROPERTY\_REPEATER\_HEARTBEAT\_DURATION

```
public static final int DEFAULT_PROPERTY_REPEATER_HEARTBEAT_DURATION
```

Constant value: **4000**

---

## PROPERTY\_CHUNK\_DURATION\_MINIMUM

```
public static final java.lang.String PROPERTY_CHUNK_DURATION_MINIMUM
```

DVR Property "dvrChunkDurationMinimum": for minimum chunk duration, in milliseconds.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrChunkDurationMinimum**

See Also:

[DEFAULT\\_PROPERTY\\_CHUNK\\_DURATION\\_MINIMUM](#)

---

## DEFAULT\_PROPERTY\_CHUNK\_DURATION\_MINIMUM

```
public static final int DEFAULT_PROPERTY_CHUNK_DURATION_MINIMUM
```

Default value for DVR Property "dvrChunkDurationMinimum".

Default value is 1500 ms.  
Constant value: **1500**

See Also:

[PROPERTY\\_CHUNK\\_DURATION\\_MINIMUM](#)

---

## PROPERTY\_CHUNK\_MEMORY\_CACHESIZE

```
public static final java.lang.String PROPERTY_CHUNK_MEMORY_CACHESIZE
```

(continued from last page)

DVR Property "chunkMemoryCacheSize": used by DvrDefaultChunkMemoryCache to set number of chunks stored in DVR in-memory cache.

Default value is [DEFAULT\\_CHUNK\\_MEMORY\\_CACHESIZE](#)

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **chunkMemoryCacheSize**

---

## DEFAULT\_CHUNK\_MEMORY\_CACHESIZE

```
public static final int DEFAULT_CHUNK_MEMORY_CACHESIZE
```

Default value for DVR Property "chunkMemoryCacheSize".

Default value is 10 chunks.  
Constant value: **10**

See Also:

[PROPERTY\\_CHUNK\\_MEMORY\\_CACHESIZE](#)

---

## PROPERTY\_MBR\_USE\_UTC\_FOR\_ALIGNMENT

```
public static final java.lang.String PROPERTY_MBR_USE_UTC_FOR_ALIGNMENT
```

DVR Property "dvrMbrUseUtcForAlignment": when doing mbr alignment use utc time for alignment

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMbrUseUtcForAlignment**

---

## PROPERTY\_MBR\_MINIMUM\_PACKETTIME\_GAP\_SIZE

```
public static final java.lang.String PROPERTY_MBR_MINIMUM_PACKETTIME_GAP_SIZE
```

DVR Property "dvrMbrMinimumPacketTimeGapSize": when doing mbr alignment gaps smaller than this are ignored.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMbrMinimumPacketTimeGapSize**

See Also:

[DEFAULT\\_PROPERTY\\_MBR\\_MINIMUM\\_PACKETTIME\\_GAP\\_SIZE](#)

---

## PROPERTY\_MBR\_ALTERNATIVE\_MATCH\_DELTA

```
public static final java.lang.String PROPERTY_MBR_ALTERNATIVE_MATCH_DELTA
```

DVR Property "dvrMbrAlternateMatchDelta": when finding alternative for a MBR gap, an alternate is considered a match is within this many ms of the gap in question.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMbrAlternateMatchDelta**

See Also:

[DEFAULT\\_PROPERTY\\_MBR\\_ALTERNATIVE\\_MATCH\\_DELTA](#)

---

## DEFAULT\_PROPERTY\_MBR\_ALTERNATIVE\_MATCH\_DELTA

```
public static final int DEFAULT_PROPERTY_MBR_ALTERNATIVE_MATCH_DELTA
```

Default value for DVR Property "dvrMbrAlternateMatchDelta".

Default value is 1000 ms.  
Constant value: **1000**

---

(continued from last page)

See Also:

[PROPERTY\\_MBR\\_ALTERNATIVE\\_MATCH\\_DELTA](#)

---

## PROPERTY\_PACKET\_DURATION\_MAXIMUM

```
public static final java.lang.String PROPERTY_PACKET_DURATION_MAXIMUM
```

DVR Property "dvrPacketDurationMaximum": for maximum packet duration, in milliseconds.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrPacketDurationMaximum**

See Also:

[DEFAULT\\_PROPERTY\\_PACKET\\_DURATION\\_MAXIMUM](#)

---

## DEFAULT\_PROPERTY\_PACKET\_DURATION\_MAXIMUM

```
public static final int DEFAULT_PROPERTY_PACKET_DURATION_MAXIMUM
```

Default value for DVR Property "dvrChunkDurationMinimum".

Default value is 5000 ms.  
Constant value: **5000**

See Also:

[PROPERTY\\_PACKET\\_DURATION\\_MAXIMUM](#)

---

## DEFAULT\_PROPERTY\_MBR\_MINIMUM\_PACKETTIME\_GAP\_SIZE

```
public static final int DEFAULT_PROPERTY_MBR_MINIMUM_PACKETTIME_GAP_SIZE
```

Default value for DVR Property "dvrMbrMinimumPacketTimeGapSize".

Default value is 100 ms.  
Constant value: **100**

See Also:

[PROPERTY\\_MBR\\_MINIMUM\\_PACKETTIME\\_GAP\\_SIZE](#)

---

## PROPERTY\_MBR\_MINIMUM\_UTCTIME\_GAP\_SIZE

```
public static final java.lang.String PROPERTY_MBR_MINIMUM_UTCTIME_GAP_SIZE
```

DVR Property "dvrMbrMinimumUtcTimeGapSize": when doing mbr alignment gaps smaller than this are ignored.

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMbrMinimumUtcTimeGapSize**

See Also:

[DEFAULT\\_PROPERTY\\_MBR\\_MINIMUM\\_UTCTIME\\_GAP\\_SIZE](#)

---

## DEFAULT\_PROPERTY\_MBR\_MINIMUM\_UTCTIME\_GAP\_SIZE

```
public static final int DEFAULT_PROPERTY_MBR_MINIMUM_UTCTIME_GAP_SIZE
```

Default value for DVR Property "dvrMbrMinimumPacketTimeGapSize".

Default value is 750 ms.  
Constant value: **750**

(continued from last page)

See Also:

[PROPERTY\\_MBR\\_MINIMUM\\_UTCTIME\\_GAP\\_SIZE](#)

---

## PROPERTY\_MAX\_RECORDING\_LENGTH

```
public static final java.lang.String PROPERTY_MAX_RECORDING_LENGTH
```

DVR Property "dvrMaximumRecordingLength": The maximum recording length in seconds. Recording stops when it reaches this value.

Add the property to Application/DVR/Properties section of Application.xml A value of zero means no maximum recording length is enforced. If used in conjunction with DVRWindow, should be slightly larger (1-2%) than DVRWindow.  
Constant value: **dvrMaximumRecordingLength**

See Also:

[DEFAULT\\_PROPERTY\\_MAX\\_RECORDING\\_LENGTH](#)

---

## DEFAULT\_PROPERTY\_MAX\_RECORDING\_LENGTH

```
public static final long DEFAULT_PROPERTY_MAX_RECORDING_LENGTH
```

Default value for DVR Property "dvrMaximumRecordingLength".

Default value is 108000 (30 hours)

Constant value: **108000**

See Also:

[PROPERTY\\_MAX\\_RECORDING\\_LENGTH](#)

---

## PROPERTY\_MEDIACACHE\_ENABLED

```
public static final java.lang.String PROPERTY_MEDIACACHE_ENABLED
```

DVR Property "dvrMediaCacheEnabled"

Add the property to Application/DVR/Properties section of Application.xml Default is false.  
Constant value: **dvrMediaCacheEnabled**

---

## PROPERTY\_MEDIACACHE\_READER\_CLASS

```
public static final java.lang.String PROPERTY_MEDIACACHE_READER_CLASS
```

DVR Property "dvrMediaCacheReaderClass"

Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMediaCacheReaderClass**

See Also:

[DEFAULT\\_PROPERTY\\_MEDIACACHE\\_READER\\_CLASS](#)

---

## DEFAULT\_PROPERTY\_MEDIACACHE\_READER\_CLASS

```
public static final java.lang.String DEFAULT_PROPERTY_MEDIACACHE_READER_CLASS
```

Default value for DVR Property "dvrMediaCacheReaderClass".

Constant value: **com.wowza.wms.plugin.mediache.impl.MediaCacheRandomAccessReader**

See Also:

[PROPERTY\\_MEDIACACHE\\_READER\\_CLASS](#)

(continued from last page)

---

## PROPERTY\_DEBUG\_LOG\_INVALID\_CHUNK\_DETAILS

```
public static final java.lang.String PROPERTY_DEBUG_LOG_INVALID_CHUNK_DETAILS
```

DVR Property "dvrLogInvalidChunkDetails": to control detailed logging information of DVR invalid chunks

The default is false, meaning do not log invalid chunks. Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrLogInvalidChunkDetails**

See Also:

[PROPERTY\\_DEBUG\\_MAX\\_INVALID\\_CHUNKS\\_LOGGED](#)

---

## PROPERTY\_DEBUG\_LOG\_INVALID\_CHUNK\_MATCHER

```
public static final java.lang.String PROPERTY_DEBUG_LOG_INVALID_CHUNK_MATCHER
```

DVR Property "dvrLogInvalidChunkMatcher": for matching stream names that will log chunk packets

Only affects logging if [PROPERTY\\_DEBUG\\_MAX\\_INVALID\\_CHUNKS\\_LOGGED](#) is true.

Constant value: **dvrLogInvalidChunkMatcher**

See Also:

[PROPERTY\\_DEBUG\\_MAX\\_INVALID\\_CHUNKS\\_LOGGED](#)

---

## PROPERTY\_DEBUG\_MAX\_INVALID\_CHUNKS\_LOGGED

```
public static final java.lang.String PROPERTY_DEBUG_MAX_INVALID_CHUNKS_LOGGED
```

DVR Property "dvrMaxInvalidChunksLogged": for controlling maximum number of invalid DVR chunks logged.

The default is 10. Logging only occurs if property [PROPERTY\\_DEBUG\\_LOG\\_INVALID\\_CHUNK\\_DETAILS](#) is true. Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrMaxInvalidChunksLogged**

See Also:

[DEFAULT\\_PROPERTY\\_DEBUG\\_MAX\\_INVALID\\_CHUNKS\\_LOGGED](#)

[PROPERTY\\_DEBUG\\_LOG\\_INVALID\\_CHUNK\\_DETAILS](#)

---

## DEFAULT\_PROPERTY\_DEBUG\_MAX\_INVALID\_CHUNKS\_LOGGED

```
public static final int DEFAULT_PROPERTY_DEBUG_MAX_INVALID_CHUNKS_LOGGED
```

Default value for DVR Property "dvrMaxInvalidChunksLogged".

Default value is 10.

Constant value: **10**

See Also:

[PROPERTY\\_DEBUG\\_LOG\\_INVALID\\_CHUNK\\_DETAILS](#)

[PROPERTY\\_DEBUG\\_MAX\\_INVALID\\_CHUNKS\\_LOGGED](#)

---

## PROPERTY\_DEBUG\_LOG\_VALID\_CHUNK\_DETAILS

```
public static final java.lang.String PROPERTY_DEBUG_LOG_VALID_CHUNK_DETAILS
```

DVR Property "dvrLogValidChunkDetails": to control detailed logging information of DVR valid chunks

The default is false, meaning do not log valid chunks. Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrLogValidChunkDetails**

---

(continued from last page)

**See Also:**[PROPERTY\\_DEBUG\\_MAX\\_VALID\\_CHUNKS\\_LOGGED](#)

---

## PROPERTY\_DEBUG\_MAX\_VALID\_CHUNKS\_LOGGED

```
public static final java.lang.String PROPERTY_DEBUG_MAX_VALID_CHUNKS_LOGGED
```

DVR Property "dvrMaxValidChunksLogged": for controlling maximum number of valid DVR chunks logged.

The default is 10. Logging only occurs if property [PROPERTY\\_DEBUG\\_LOG\\_VALID\\_CHUNK\\_DETAILS](#) is true. Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMaxValidChunksLogged**

**See Also:**[DEFAULT\\_PROPERTY\\_DEBUG\\_MAX\\_VALID\\_CHUNKS\\_LOGGED](#)[PROPERTY\\_DEBUG\\_LOG\\_VALID\\_CHUNK\\_DETAILS](#)

---

## DEFAULT\_PROPERTY\_DEBUG\_MAX\_VALID\_CHUNKS\_LOGGED

```
public static final int DEFAULT_PROPERTY_DEBUG_MAX_VALID_CHUNKS_LOGGED
```

Default value for DVR Property "dvrMaxValidChunksLogged".

Default value is 10.  
Constant value: **10**

**See Also:**[PROPERTY\\_DEBUG\\_LOG\\_VALID\\_CHUNK\\_DETAILS](#)[PROPERTY\\_DEBUG\\_MAX\\_VALID\\_CHUNKS\\_LOGGED](#)

---

## PROPERTY\_DEBUG\_LOG\_VALID\_CHUNK\_MATCHER

```
public static final java.lang.String PROPERTY_DEBUG_LOG_VALID_CHUNK_MATCHER
```

DVR Property "dvrLogValidChunkMatcher": for matching stream names that will log chunk packets

Only affects logging if [PROPERTY\\_DEBUG\\_MAX\\_VALID\\_CHUNKS\\_LOGGED](#) is true.  
Constant value: **dvrLogValidChunkMatcher**

**See Also:**[PROPERTY\\_DEBUG\\_MAX\\_VALID\\_CHUNKS\\_LOGGED](#)

---

## PROPERTY\_DEBUG\_TOSSED\_HOLDERS

```
public static final java.lang.String PROPERTY_DEBUG_TOSSED_HOLDERS
```

DVR Property "dvrDebugTossedHolders": for turning on logging of packets that are being tossed.

Valid values are "true" or "false". Default is false.  
Constant value: **dvrDebugTossedHolders**

---

## PROPERTY\_DEBUG\_RAW\_PACKETS

```
public static final java.lang.String PROPERTY_DEBUG_RAW_PACKETS
```

DVR Property "dvrDebugRawPackets": for turning on logging of incoming raw packets.

Valid values are "true" or "false".  
Constant value: **dvrDebugRawPackets**

**See Also:**

(continued from last page)

[PROPERTY\\_DEBUG\\_MAXIMUM\\_RAW\\_PACKETS](#)

---

## DEFAULT\_PROPERTY\_DEBUG\_RAW\_PACKETS

```
public static final boolean DEFAULT_PROPERTY_DEBUG_RAW_PACKETS
```

Default value for DVR Property "dvrDebugRawPackets".

Default value is false.

Constant value: **false**

See Also:

[PROPERTY\\_DEBUG\\_RAW\\_PACKETS](#)

[PROPERTY\\_DEBUG\\_RAW\\_PACKETS\\_MATCHER](#)

---

## PROPERTY\_DEBUG\_RAW\_PACKETS\_MATCHER

```
public static final java.lang.String PROPERTY_DEBUG_RAW_PACKETS_MATCHER
```

DVR Property "dvrDebugRawPacketsMatcher": for matching stream names that will dump raw packet.

Only affects logging if [PROPERTY\\_DEBUG\\_RAW\\_PACKETS](#) is true.

Constant value: **dvrDebugRawPacketsMatcher**

See Also:

[PROPERTY\\_DEBUG\\_RAW\\_PACKETS](#)

---

## PROPERTY\_DEBUG\_MAXIMUM\_RAW\_PACKETS

```
public static final java.lang.String PROPERTY_DEBUG_MAXIMUM_RAW_PACKETS
```

DVR Property "dvrDebugMaximumRawPackets": for setting maximum number of logged raw packets.

Valid values is an integer. 0 means there is no limit.

Only affects logging if [PROPERTY\\_DEBUG\\_RAW\\_PACKETS](#) is true.

Constant value: **dvrDebugMaximumRawPackets**

See Also:

[PROPERTY\\_DEBUG\\_RAW\\_PACKETS](#)

---

## DEFAULT\_PROPERTY\_DEBUG\_MAX\_RAW\_PACKETS

```
public static final int DEFAULT_PROPERTY_DEBUG_MAX_RAW_PACKETS
```

Default value for DVR Property "dvrDebugMaximumRawPackets".

Default value is 200 log statements.

Constant value: **200**

See Also:

[PROPERTY\\_DEBUG\\_MAXIMUM\\_RAW\\_PACKETS](#)

---

## PROPERTY\_DEBUG\_STATE\_CHANGE

```
public static final java.lang.String PROPERTY_DEBUG_STATE_CHANGE
```

DVR Property "dvrDebugStateChange": for logging state changes of DVR store.

Constant value: **dvrDebugStateChange**

(continued from last page)

---

## PROPERTY\_DEBUG\_CHUNK\_RETRIEVALS

```
public static final java.lang.String PROPERTY_DEBUG_CHUNK_RETRIEVALS
```

DVR Property "dvrDebugChunkRetrievals": for logging each chunk retrieval  
Constant value: **dvrDebugChunkRetrievals**

---

## PROPERTY\_DEBUG\_FAILED\_CHUNK\_RETRIEVALS

```
public static final java.lang.String PROPERTY_DEBUG_FAILED_CHUNK_RETRIEVALS
```

DVR Property "dvrDebugFailedChunkRetrievals": for logging info about each failed chunk retrieval  
Constant value: **dvrDebugFailedChunkRetrievals**

---

## PROPERTY\_MAX\_CHUNK\_LOG

```
public static final java.lang.String PROPERTY_MAX_CHUNK_LOG
```

DVR Property "dvrMaxChunkLogCount ": for maximum number of DVR chunks to log.

Maximum number of chunks to log recording information about in the wowzamedia\_access.log file. As recording is continued past this value, there is no feedback for normal operation in the log. View directories and files created in [install-dir]/dvr for on-going feedback that recording is occurring. Add the property to Application/DVR/Properties section of Application.xml  
Constant value: **dvrMaxChunkLogCount**

See Also:

[DEFAULT\\_PROPERTY\\_DVR\\_MAX\\_CHUNK\\_LOG](#)

---

## DEFAULT\_PROPERTY\_DVR\_MAX\_CHUNK\_LOG

```
public static final int DEFAULT_PROPERTY_DVR_MAX_CHUNK_LOG
```

Default value for DVR Property "dvrMaxChunkLogCount ".

Default value is 10 logging statements.  
Constant value: **10**

See Also:

[PROPERTY\\_MAX\\_CHUNK\\_LOG](#)

---

## PROPERTY\_MAX\_RECALC\_DURATION\_LOG

```
public static final java.lang.String PROPERTY_MAX_RECALC_DURATION_LOG
```

DVR Property "dvrMaxRecountDurationLogCount ": for maximum number of messages to log regarding recalculating DVR chunk duration

Maximum number of log statements recorded regarding chunk duration being recalculated. A value less than 0 means all statements will be logged with no limit.  
Constant value: **dvrMaxRecountDurationLogCount**

See Also:

[DEFAULT\\_PROPERTY\\_MAX\\_RECALC\\_DURATION\\_LOG](#)

---

## DEFAULT\_PROPERTY\_MAX\_RECALC\_DURATION\_LOG

```
public static final int DEFAULT_PROPERTY_MAX_RECALC_DURATION_LOG
```

Default value for DVR Property "dvrMaxRecountDurationLogCount ".

Default value is 30 logging statements.

---



(continued from last page)

Constant value: **30**

See Also:

[PROPERTY\\_MAX\\_RECALC\\_DURATION\\_LOG](#)

---

## PROPERTY\_DEBUG\_METHODS

```
public static final java.lang.String PROPERTY_DEBUG_METHODS
```

DVR Property "dvrDebugManagerLogMethods": for turning on DVR Manager debug logging.

Valid values are "true" or "false".

Add the property to Application/DVR/Properties section of Application.xml

Constant value: **dvrDebugManagerLogMethods**

---

## PROPERTY\_DEBUG\_REPEATER

```
public static final java.lang.String PROPERTY_DEBUG_REPEATER
```

DVR Property "dvrDebugRepeater": for turning on logging of DVR repeater

Valid values are "true" or "false".

Constant value: **dvrDebugRepeater**

---

## PROPERTY\_DEBUG\_PLAYER\_ADAPTER

```
public static final java.lang.String PROPERTY_DEBUG_PLAYER_ADAPTER
```

HTTP Streamer Property "dvrDebugPlayerAdapter": for turning on DVR Player Adapter debug logging for all streamer types.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.

Constant value: **dvrDebugPlayerAdapter**

---

## PROPERTY\_DEBUG\_SMOOTH\_PLAYER\_ADAPTER

```
public static final java.lang.String PROPERTY_DEBUG_SMOOTH_PLAYER_ADAPTER
```

HTTP Streamer Property "dvrDebugSmoothPlayerAdapter": for turning on DVR Player Smooth Adapter debug logging.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.

Constant value: **dvrDebugSmoothPlayerAdapter**

---

## PROPERTY\_DEBUG\_SANJOSE\_PLAYER\_ADAPTER

```
public static final java.lang.String PROPERTY_DEBUG_SANJOSE_PLAYER_ADAPTER
```

HTTP Streamer Property "dvrDebugSanJosePlayerAdapter": for turning on DVR Player San Jose Adapter debug logging.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.

Constant value: **dvrDebugSanJosePlayerAdapter**

(continued from last page)

---

## PROPERTY\_DEBUG\_CUPERTINO\_PLAYER\_ADAPTER

```
public static final java.lang.String PROPERTY_DEBUG_CUPERTINO_PLAYER_ADAPTER
```

HTTP Streamer Property "dvrDebugCupertinoPlayerAdapter": for turning on DVR Player Cupertino Adapter debug logging.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.  
Constant value: **dvrDebugCupertinoPlayerAdapter**

---

## PROPERTY\_DEBUG\_MBR\_PLAYER\_ADAPTER

```
public static final java.lang.String PROPERTY_DEBUG_MBR_PLAYER_ADAPTER
```

HTTP Streamer or DVR Property "dvrDebugMbrPlayerAdapter": for turning on DVR MBR Player Adapter debug logging.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.  
Constant value: **dvrDebugMbrPlayerAdapter**

---

## PROPERTY\_DEBUG\_MBR\_PLAYER\_ADAPTER\_IF\_SHIFTED\_EMPTY

```
public static final java.lang.String  
PROPERTY_DEBUG_MBR_PLAYER_ADAPTER_IF_SHIFTED_EMPTY
```

HTTP Streamer or DVR Property "dvrDebugMbrPlayerAdapter": for turning on DVR MBR Player Adapter debug logging when null shifted entries is returned.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.  
Constant value: **dvrDebugMbrPlayerAdapterWhenShiftedEmpty**

---

## PROPERTY\_DEBUG\_MBR\_DETAILS\_WHEN\_RECORD\_DNE

```
public static final java.lang.String PROPERTY_DEBUG_MBR_DETAILS_WHEN_RECORD_DNE
```

HTTP Streamer or DVR Property "dvrDebugMbrDetailsWhenRecordDNE": for turning on DVR MBR Player Adapter debug logging.

Valid values are "true" or "false". (Default is false)

Add this property to Application/HTTPStreamer/Properties.  
Constant value: **dvrDebugMbrDetailsWhenRecordDNE**

---

## PROPERTY\_DEBUG\_MBR\_ALIGNMENT

```
public static final java.lang.String PROPERTY_DEBUG_MBR_ALIGNMENT
```

HTTP Streamer or DVR Property "dvrDebugMbrAlignment ": for turning on logging of mbr alignment

Valid values are "true" or "false". Default is false.  
Constant value: **dvrDebugMbrAlignment**

---

## PROPERTY\_DEBUG\_MBR\_ALIGNMENT\_RESOLUTION

```
public static final java.lang.String PROPERTY_DEBUG_MBR_ALIGNMENT_RESOLUTION
```

---

(continued from last page)

DVR Property "dvrDebugMbrAlignmentResolution": for turning on logging of mbr alignment resolution (requested to actual)

Valid values are "true" or "false". Default is false.

Constant value: **dvrDebugMbrAlignmentResolution**

---

## PROPERTY\_DEBUG\_PLAYLIST\_REQUEST

```
public static final java.lang.String PROPERTY_DEBUG_PLAYLIST_REQUEST
```

DVR Property "dvrDebugPlaylistRequest": for turning on logging of DVR playlist requests.

Valid values are "true" or "false". Default is false.

Constant value: **dvrDebugPlaylistRequest**

---

## PROPERTY\_PLAYLIST\_REQUEST\_DELEGATE

```
public static final java.lang.String PROPERTY_PLAYLIST_REQUEST_DELEGATE
```

DVR Property "dvrPlaylistRequestDelegate": used to over-ride the class that generates a playlist request.

The delegate should extend DvrBasePlaylistRequestFactory

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrPlaylistRequestDelegate**

---

## PROPERTY\_ENCRYPTION\_INFO\_DELEGATE

```
public static final java.lang.String PROPERTY_ENCRYPTION_INFO_DELEGATE
```

DVR Property "dvrPlaylistEncryptionInfoDelegate": used to over-ride the encryption info on the playback side.

The specified delegate should extend com.wowza.wms.dvr.DvrBaseEncryptionInfoDelegate

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrPlaylistEncryptionInfoDelegate**

---

## PROPERTY\_SANJOSE\_PLAYLIST\_MIMETYPE

```
public static final java.lang.String PROPERTY_SANJOSE_PLAYLIST_MIMETYPE
```

DVR Property "dvrSanJosePlaylistMimeType": used to over-ride the mime type for DVR San Jose F4m playlists.

Default value is "video/mp4"

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSanJosePlaylistMimeType**

---

## PROPERTY\_SANJOSE\_PLAYLIST\_DELIVERYTYPE

```
public static final java.lang.String PROPERTY_SANJOSE_PLAYLIST_DELIVERYTYPE
```

DVR Property "dvrSanJosePlaylistDeliveryType": used to over-ride the mime type for DVR San Jose F4m playlists.

Default value is "streaming"

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSanJosePlaylistDeliveryType**

---

## PROPERTY\_SANJOSE\_PLAYLIST\_VERSION

```
public static final java.lang.String PROPERTY_SANJOSE_PLAYLIST_VERSION
```

(continued from last page)

DVR Property "dvrSanJosePlaylistVersion": used to over-ride the version of the San Jose f4m playlist.

Default value is "2.0". Valid values are "1.0" and "2.0".

Constant value: **dvrSanJosePlaylistVersion**

See Also:

[SANJOSE\\_F4M\\_VERSION\\_1\\_0](#)

[Add this to Application/DVR/Properties section of Application.xml](#)

---

## PROPERTY\_SANJOSE\_PLAYLIST\_RECORDED\_STREAMTYPE

```
public static final java.lang.String PROPERTY_SANJOSE_PLAYLIST_RECORDED_STREAMTYPE
```

DVR Property "dvrSanJosePlaylistRecordedStreamType": used to over-ride the stream type for non-live (recorded) DVR in San Jose f4m playlists.

Default value is #SANJOSE\_F4M\_STREAMTYPE\_RECORDED.\*

Constant value: **dvrSanJosePlaylistRecordedStreamType**

See Also:

[SANJOSE\\_F4M\\_STREAMTYPE\\_DVR](#)

[SANJOSE\\_F4M\\_STREAMTYPE\\_LIVE](#)

[SANJOSE\\_F4M\\_STREAMTYPE\\_LIVEORRECORDED](#)

Add this to Application/DVR/Properties section of Application.xml

---

## PROPERTY\_SANJOSE\_PLAYLIST\_LIVE\_STREAMTYPE

```
public static final java.lang.String PROPERTY_SANJOSE_PLAYLIST_LIVE_STREAMTYPE
```

DVR Property "dvrSanJosePlaylistLiveStreamType": used to over-ride the stream type for live DVR in San Jose f4m playlists.

Default value is #SANJOSE\_F4M\_STREAMTYPE\_DVR.

Constant value: **dvrSanJosePlaylistLiveStreamType**

See Also:

[SANJOSE\\_F4M\\_STREAMTYPE\\_DVR](#)

[SANJOSE\\_F4M\\_STREAMTYPE\\_LIVE](#)

[SANJOSE\\_F4M\\_STREAMTYPE\\_LIVEORRECORDED](#)

Add this to Application/DVR/Properties section of Application.xml

---

## SANJOSE\_F4M\_STREAMTYPE\_DVR

```
public static final java.lang.String SANJOSE_F4M_STREAMTYPE_DVR
```

Constant for San Jose stream type "dvr".

Constant value: **dvr**

---

## SANJOSE\_F4M\_STREAMTYPE\_RECORDED

```
public static final java.lang.String SANJOSE_F4M_STREAMTYPE_RECORDED
```

Constant for San Jose stream type "recorded".

Constant value: **recorded**

---

(continued from last page)

---

## SANJOSE\_F4M\_STREAMTYPE\_LIVE

```
public static final java.lang.String SANJOSE_F4M_STREAMTYPE_LIVE
```

Constant for San Jose stream type "live".  
Constant value: **live**

---

## SANJOSE\_F4M\_STREAMTYPE\_LIVEORRECORDED

```
public static final java.lang.String SANJOSE_F4M_STREAMTYPE_LIVEORRECORDED
```

Constant for San Jose stream type "liveOrRecorded".  
Constant value: **liveOrRecorded**

---

## SANJOSE\_F4M\_VERSION\_1\_0

```
public static final java.lang.String SANJOSE_F4M_VERSION_1_0
```

Constant for San Jose f4m version "1.0".  
Constant value: **1.0**

---

## SANJOSE\_F4M\_VERSION\_2\_0

```
public static final java.lang.String SANJOSE_F4M_VERSION_2_0
```

Constant for San Jose f4m version "2.0".  
Constant value: **2.0**

---

## SANJOSE\_F4M\_STREAMINGTYPE\_STREAMING

```
public static final java.lang.String SANJOSE_F4M_STREAMINGTYPE_STREAMING
```

Constant for San Jose streaming type "streaming".  
Constant value: **streaming**

---

## MIMETYPE\_VIDEO\_MP4

```
public static final java.lang.String MIMETYPE_VIDEO_MP4
```

Constant for mime type "video/mp4".  
Constant value: **video/mp4**

---

## PROPERTY\_SANJOSE\_ABST\_TIMESCALE

```
public static final java.lang.String PROPERTY_SANJOSE_ABST_TIMESCALE
```

DVR Property "dvrSanJosePlaylistAbstTimescale": used to over-ride the time-scale for abst files.

Default value is #SANJOSE\_ABST\_DEFAULT\_TIMESCALE (1000), which means milliseconds.

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrSanJosePlaylistAbstTimescale**

---

## PROPERTY\_SANJOSE\_ABST\_DURATION\_TOLERANCE

```
public static final java.lang.String PROPERTY_SANJOSE_ABST_DURATION_TOLERANCE
```

(continued from last page)

DVR Property "dvrSanJosePlaylistAbstDurationEqualityTolerance": used to over-ride the tolerance when determining equal chunks lengths.

Default value is #SANJOSE\_ABST\_DEFAULT\_DURATION\_EQUALITY\_TOLERANCE (50), which means 50 milliseconds.

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrSanJosePlaylistAbstDurationTolerance**

---

## DEFAULT\_PROPERTY\_SANJOSE\_ABST\_TIMESCALE

```
public static final int DEFAULT_PROPERTY_SANJOSE_ABST_TIMESCALE
```

Default value for property "dvrSanJosePlaylistAbstTimescale" #see [PROPERTY\\_SANJOSE\\_ABST\\_TIMESCALE](#)  
Constant value: **1000**

---

## DEFAULT\_PROPERTY\_SANJOSE\_ABST\_DURATION\_TOLERANCE

```
public static final int DEFAULT_PROPERTY_SANJOSE_ABST_DURATION_TOLERANCE
```

Default value for property "dvrSanJosePlaylistAbstDurationTolerance" #see [PROPERTY\\_SANJOSE\\_ABST\\_DURATION\\_TOLERANCE](#)  
Constant value: **50**

---

## PROPERTY\_CUPERTINO\_PLAYLIST\_FORCE\_LIVE

```
public static final java.lang.String PROPERTY_CUPERTINO_PLAYLIST_FORCE_LIVE
```

DVR Property "dvrCupertinoPlaylistForceLive": used to override playlist request delegate logic that determines if playlist is live.

Default value is false

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrCupertinoPlaylistForceLive**

---

## PROPERTY\_CUPERTINO\_PLAYLIST\_FORCE\_NONLIVE

```
public static final java.lang.String PROPERTY_CUPERTINO_PLAYLIST_FORCE_NONLIVE
```

DVR Property "dvrCupertinoPlaylistForceLive": used to override playlist request delegate logic that determines if playlist is live versus non-live.

Default value is false

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrCupertinoPlaylistForceNonLive**

---

## PROPERTY\_CUPERTINO\_PLAYLIST\_USE\_GZIP

```
public static final java.lang.String PROPERTY_CUPERTINO_PLAYLIST_USE_GZIP
```

DVR Property "dvrCupertinoPlaylistUseGzip": used to force Cupertino playlist to use gzip if it is accepted

Default value is true

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrCupertinoPlaylistUseGzip**

---

## PROPERTY\_CUPERTINO\_PLAYLIST\_GZIP\_THRESHOLD

```
public static final java.lang.String PROPERTY_CUPERTINO_PLAYLIST_GZIP_THRESHOLD
```

(continued from last page)

DVR Property "dvrCupertinoPlaylistGzipThreshold": when playlist is larger than this number of bytes, and gzip is enabled and accepted, the playlist will be compressed

Default value is [DEFAULT\\_CUPERTINO\\_PLAYLIST\\_GZIP\\_THRESHOLD](#)

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrCupertinoPlaylistGzipThreshold**

## DEFAULT\_CUPERTINO\_PLAYLIST\_GZIP\_THRESHOLD

```
public static final int DEFAULT_CUPERTINO_PLAYLIST_GZIP_THRESHOLD
```

Default value for property "dvrCupertinoPlaylistGzipThreshold" #see  
[PROPERTY\\_CUPERTINO\\_PLAYLIST\\_GZIP\\_THRESHOLD](#)  
Constant value: **4000**

## PROPERTY\_CUPERTINO\_ON\_CHUNK\_START\_RESET\_COUNTER

```
public static final java.lang.String PROPERTY_CUPERTINO_ON_CHUNK_START_RESET_COUNTER
```

DVR Property "dvrCupertinoOnChunkStartResetCounter": when a new chunk starts, reset internal tsPacketizer counters

Default value is false

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrCupertinoOnChunkStartResetCounter**

## PROPERTY\_CUPERTINO\_PLAYLIST\_ALLOW\_CACHING

```
public static final java.lang.String PROPERTY_CUPERTINO_PLAYLIST_ALLOW_CACHING
```

DVR Property "dvrCupertinoPlaylistAllowCaching": used to force Cupertino playlist to set #EXT-X-ALLOW-CACHE: value

Default value is false

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrCupertinoPlaylistAllowCaching**

## PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_SEEK

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_SEEK
```

DVR Property "dvrSmoothManifestLiveCanSeek": used to determine is CanSeek is enabled in smooth Manifest.

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_LIVE\_CAN\_SEEK, which is set to true.

Add this to Application/DVR/Properties section of Application.xml  
Constant value: **dvrSmoothManifestLiveCanSeek**

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_SEEK

```
public static final boolean DEFAULT_PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_SEEK
```

Constant value: **true**

## PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_PAUSE

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_PAUSE
```

(continued from last page)

DVR Property "dvrSmoothManifestLiveCanPause": used to determine is CanPause is enabled in smooth Manifest.

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_PAUSE, which is set to true.

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestLiveCanPause**

---

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_PAUSE

```
public static final boolean DEFAULT_PROPERTY_SMOOTH_MANIFEST_LIVE_CAN_PAUSE
```

Constant value: **true**

---

## PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_SEEK

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_SEEK
```

DVR Property "dvrSmoothManifestRecordedCanSeek": used to determine is CanSeek is enabled in smooth Manifest.

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_SEEK, which is set to true.

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestRecordedCanSeek**

---

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_SEEK

```
public static final boolean DEFAULT_PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_SEEK
```

Constant value: **true**

---

## PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_PAUSE

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_PAUSE
```

DVR Property "dvrSmoothManifestRecordedCanPause": used to determine is CanPause is enabled in smooth Manifest.

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_PAUSE, which is set to true.

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestRecordedCanPause**

---

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_PAUSE

```
public static final boolean DEFAULT_PROPERTY_SMOOTH_MANIFEST_RECORDED_CAN_PAUSE
```

Constant value: **true**

---

## PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_SPECIFY\_DURATION

```
public static final java.lang.String  
PROPERTY_SMOOTH_MANIFEST_RECORDED_SPECIFY_DURATION
```

DVR Property "dvrSmoothManifestRecordedSpecifyDuration": used to determine if duration is specified. If not duration of zero is shown.

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_SPECIFY\_DURATION, which is set to true.

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestRecordedSpecifyDuration**



---

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_SPECIFY\_DURATION

```
public static final boolean DEFAULT_PROPERTY_SMOOTH_MANIFEST_RECORDED_SPECIFY_DURATION
```

Constant value: **true**

---

## PROPERTY\_SMOOTH\_MANIFEST\_MAJOR\_VERSION

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_MAJOR_VERSION
```

DVR Property "dvrSmoothManifestMajorVersion": used to determine Smooth manifest major version

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_MAJOR\_VERSION.

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestMajorVersion**

---

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_MAJOR\_VERSION

```
public static final int DEFAULT_PROPERTY_SMOOTH_MANIFEST_MAJOR_VERSION
```

Constant value: **2**

---

## PROPERTY\_SMOOTH\_MANIFEST\_MINOR\_VERSION

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_MINOR_VERSION
```

DVR Property "dvrSmoothManifestMinorVersion": used to determine Smooth manifest major version

Default value is #DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_MINOR\_VERSION.

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestMinorVersion**

---

## DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_MINOR\_VERSION

```
public static final int DEFAULT_PROPERTY_SMOOTH_MANIFEST_MINOR_VERSION
```

Constant value: **1**

---

## PROPERTY\_SMOOTH\_MANIFEST\_VERBOSE\_DURATION

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_VERBOSE_DURATION
```

DVR Property "dvrSmoothManifestVerboseDuration": used to force Smooth Manifest to include durations for each record

Default value is false

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestVerboseDuration**

---

## PROPERTY\_SMOOTH\_MANIFEST\_H264\_CODEC

```
public static final java.lang.String PROPERTY_SMOOTH_MANIFEST_H264_CODEC
```

(continued from last page)


DVR Property "dvrSmoothManifestH264Codec": used to force Smooth Manifest to use this as its FourCC H264 codec info.

Default value is set by Smooth Streaming

Add this to Application/DVR/Properties section of Application.xml

Constant value: **dvrSmoothManifestH264Codec**

com.wowza.wms.dvr  
Class IDvrConstants.DvrTimeScale



All Implemented Interfaces:  
java.io.Serializable, Comparable

public static final class IDvrConstants.DvrTimeScale  
extends Enum

Field Summary

public static final	<a href="#">DVR_TIME</a>
public static final	<a href="#">PACKET_TIME</a>
public static final	<a href="#">UTC_TIME</a>

Method Summary

static <a href="#">IDvrConstants.DvrTimeScale</a>	<a href="#">valueOf</a> (String name)
static <a href="#">IDvrConstants.DvrTimeScale[]</a>	<a href="#">values</a> ()

Methods inherited from class java.lang.Enum
clone, compareTo, equals, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface java.lang.Comparable
compareTo

Fields

(continued from last page)

---

## DVR\_TIME

```
public static final com.wowza.wms.dvr.IDvrConstants.DvrTimeScale DVR_TIME
```

---

## PACKET\_TIME

```
public static final com.wowza.wms.dvr.IDvrConstants.DvrTimeScale PACKET_TIME
```

---

## UTC\_TIME

```
public static final com.wowza.wms.dvr.IDvrConstants.DvrTimeScale UTC_TIME
```

## Methods

### values

```
public final static IDvrConstants.DvrTimeScale\[\] values()
```

---

### valueOf

```
public static IDvrConstants.DvrTimeScale valueOf(String name)
```

## com.wowza.wms.dvr Interface IDvrEncryptionInfo

public interface **IDvrEncryptionInfo**  
extends Cloneable

Interface for persisting encryption information for DVR.

### Field Summary

public static final	<a href="#"><code>ENCRYPTION_TYPE_CUPERTINO</code></a> Cupertino AES encryption type. Value: <b>1</b>
public static final	<a href="#"><code>ENCRYPTION_TYPE_MPEGDASH</code></a> MPEGDash encryption type. Value: <b>3</b>
public static final	<a href="#"><code>ENCRYPTION_TYPE_PLAYREADY</code></a> Playready encryption type. Value: <b>2</b>

### Method Summary

Object	<a href="#"><code>clone()</code></a>
int	<a href="#"><code>getEncryptionType()</code></a> Serialize encryption info.
int	<a href="#"><code>getSerializeSize()</code></a> Return number of bytes required to serialize this encryption info.
byte[]	<a href="#"><code>serialize()</code></a> Serialize the encryption info, returning a byte buffer containing the serialized data.
int	<a href="#"><code>serialize(byte[] buffer, int pos)</code></a> Serialize the encryption info into buffer starting at position 'pos'.

### Fields

#### ENCRYPTION\_TYPE\_CUPERTINO

public static final int **ENCRYPTION\_TYPE\_CUPERTINO**

Cupertino AES encryption type.  
Constant value: **1**

#### ENCRYPTION\_TYPE\_PLAYREADY

public static final int **ENCRYPTION\_TYPE\_PLAYREADY**

Playready encryption type.

(continued from last page)

Constant value: **2**

---

## ENCRYPTION\_TYPE\_MPEGDASH

```
public static final int ENCRYPTION_TYPE_MPEGDASH
```

MPEGDash encryption type.  
Constant value: **3**

## Methods

### getSerializeSize

```
public int getSerializeSize()
```

Return number of bytes required to serialize this encryption info.

**Returns:**

number of bytes to serialize.

---

### getEncryptionType

```
public int getEncryptionType()
```

Serialize encryption info.

The encryption should consist of the following:

- version (1 byte)
- encryption type (1 byte)
- length of 'blob' (2 bytes)
- byte blob (n bytes)

**Returns:**

encryption type (constants defined in this class)

---

### serialize

```
public int serialize(byte[] buffer,  
                    int pos)
```

Serialize the encryption info into buffer starting at position 'pos'.

**Parameters:**

`buffer` - buffer to serialize to  
`pos` - position to start serializing

**Returns:**

new position into buffer

---

### serialize

```
public byte[] serialize()
```

Serialize the encryption info, returning a byte buffer containing the serialized data.

**Returns:**

(continued from last page)

byte buffer of serialized data

---

**clone**

```
public Object clone()  
    throws CloneNotSupportedException
```

## com.wowza.wms.dvr Interface IDvrManifest

public interface **IDvrManifest**  
extends

Interface for a DVR Store manifest. A DVR manifest collects type-specific manifest info, including:

- Audio manifest
- Video manifest
- data manifest
- time map manifest, to map DVR, packet and real time
- codec manifest to track codec information
- onMetadata manifest

The difference between retrieving 'recorded entries' and 'live entries' is an important one. Recorded Entries means every current manifest entry. Live Entries refers to a subset of these because a playlist will not include the very last entries, as some chunks must be available for buffering.

Field Summary	
public static final	<a href="#">CODEC_TYPE</a> Constant for codec manifest type. Value: <b>999</b>
public static final	<a href="#">MANIFEST_TAGNAME_CAN_PLAY</a> Value: <b>CanPlay</b>
public static final	<a href="#">MANIFEST_TAGNAME_CAN_RECORD</a> Value: <b>CanRecord</b>
public static final	<a href="#">MANIFEST_TAGNAME_CHUNK_GROUPING</a> Value: <b>ChunkGrouping</b>
public static final	<a href="#">MANIFEST_TAGNAME_CURRENT_TIME</a> Value: <b>CurrentTime</b>
public static final	<a href="#">MANIFEST_TAGNAME_HAS_ENCRYPTION</a> Value: <b>HasEncryption</b>
public static final	<a href="#">MANIFEST_TAGNAME_PURGE_TIME</a> Value: <b>PurgeTime</b>
public static final	<a href="#">ON_METADATA_TYPE</a> Constant for 'onMetadata' manifest type. Value: <b>0</b>
public static final	<a href="#">TIME_MAP_TYPE</a> Constant for time map manifest type. Value: <b>998</b>



## Method Summary

void	<a href="#"><code>addToManifest</code></a> (java.util.List entries) Add manifest entries to the manifest
void	<a href="#"><code>deserialize</code></a> (byte[] bytes) Deserialize the manifest.
long	<a href="#"><code>expandEndTime</code></a> (int type, long dvrEndTime)
long	<a href="#"><code>expandStartTime</code></a> (int type, long dvrStartTime)
long	<a href="#"><code>getClosestStartTime</code></a> (int type, long dvrTime) Given a dvrTime and a manifest type, find the closest chunk starting time.
<a href="#"><code>DvrManifestCodecEntry</code></a>	<a href="#"><code>getCodecEntryForTime</code></a> (long dvrTime) Return most recent codec entry for a given DVR time.
long	<a href="#"><code>getDvrTime</code></a> (int type)
<a href="#"><code>DvrManifestEntryRangeGroup</code></a>	<a href="#"><code>getEntriesToPurge</code></a> (long purgeTime) Given a purge time, return a group of manifest ranges to purge.
<a href="#"><code>DvrManifestEntry</code></a>	<a href="#"><code>getFirstEntry</code></a> (int type) Given manifest type, get the first playlist manifest entry.
<a href="#"><code>DvrManifestEntry</code></a>	<a href="#"><code>getLastLiveEntry</code></a> (int type) Given manifest type, get the last playlist manifest entry.
<a href="#"><code>DvrManifestEntry</code></a>	<a href="#"><code>getLastRecordedEntry</code></a> (int type) Given manifest type and DVR time, get last entry.
int	<a href="#"><code>getLastRecordedIndex</code></a> (int type) Return last index of DVR entry for given type.
long	<a href="#"><code>getLiveDuration</code></a> (int type) Given manifest type, return DVR live duration in seconds
java.util.List	<a href="#"><code>getLiveEntries</code></a> (int type, long dvrStart) Given manifest type and DVR time, get a list of the live entries.
java.util.List	<a href="#"><code>getLiveEntriesWithLimit</code></a> (int type, long dvrTime, int limit) Given manifest type and DVR time, get a list of the live entries limiting number of returned items.
DvrChannelManifest	<a href="#"><code>getManifestChannel</code></a> (int type) For a given manifest type, return the channel manifest.
<a href="#"><code>DvrManifestOnMetadataEntry</code></a>	<a href="#"><code>getMetadataEntryForTime</code></a> (long dvrTime) Return most recent metadataEntry for a given DVR time.
int	<a href="#"><code>getNextChunkIndex</code></a> ()
int	<a href="#"><code>getNextCodecIndex</code></a> ()
int	<a href="#"><code>getNextMetadataIndex</code></a> ()

int	<a href="#"><u>getNextTimeMapIndex()</u></a>
int	<a href="#"><u>getNumberLiveEntries</u></a> (int type, long dvrStart) Given manifest type and DVR time, get the number of live entries at the given time.
int	<a href="#"><u>getNumberLiveEntries</u></a> (int type, long dvrStart, long dvrEnd) Given manifest type and DVR time, get the number of live entries at the given time.
int	<a href="#"><u>getNumberRecordedEntries</u></a> (int type, long dvrStart) Given manifest type and DVR time, get the number of entries at the given time.
int	<a href="#"><u>getNumberRecordedEntries</u></a> (int type, long dvrStart, long dvrEnd) Given manifest type and DVR time, get the number of live entries at the given time.
long	<a href="#"><u>getRecordedDuration</u></a> (int type) Given manifest type, return DVR recorded duration in seconds
java.util.List	<a href="#"><u>getRecordedEntries</u></a> (int type) Get a copy of all manifest entries of a given type.
java.util.List	<a href="#"><u>getRecordedEntries</u></a> (int type, long dvrStartTime) Given manifest type and DVR time, get a list of recorded entries.
java.util.List	<a href="#"><u>getRecordedEntries</u></a> (int type, long dvrStartTime, long dvrEndTime) Given manifest type and DVR time, get a list of recorded entries.
java.util.List	<a href="#"><u>getRecordedEntriesInRange</u></a> ( <a href="#"><u>DvrManifestEntryRange</u></a> range) Given a DvrManifestEntryRange, get a list of recorded entries in this range.
java.util.Map	<a href="#"><u>getRecordedEntriesMap</u></a> (int type) Get a copy of all manifest entries of a given type as a Map of indices.
java.util.List	<a href="#"><u>getRecordedEntriesWithLimit</u></a> (int type, long dvrTime, int limit) Given manifest type and DVR time, get a list of recorded entries limiting number of returned items.
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryByIndex</u></a> (int type, int index) Get the manifest entry given a manifest type and an index.
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryByTimeKey</u></a> (int type, long dvrTime) Get the manifest entry given a manifest type and a time (in DVR units)
<a href="#"><u>IDvrTimeMap</u></a>	<a href="#"><u>getTimeMap</u></a> ()
boolean	<a href="#"><u>hasAudio</u></a> () Does manifest contain audio.
boolean	<a href="#"><u>hasCodecData</u></a> () Does manifest contain codec data.
boolean	<a href="#"><u>hasData</u></a> () Does manifest contain data.
boolean	<a href="#"><u>hasOnMetadata</u></a> () Does manifest contain onMetadata.
boolean	<a href="#"><u>hasTimeMapData</u></a> () Does manifest contain time map info.

boolean	<a href="#"><code>hasVideo()</code></a> Does manifest contain video.
void	<a href="#"><code>importManifest(IDvrManifest manifest, boolean persist)</code></a> Import the specified manifest into this manifest
void	<a href="#"><code>initialize()</code></a> Initialize the manifest.
java.util.List	<a href="#"><code>purgeEntries(DvrManifestEntryRangeGroup ranges)</code></a> Given a group of ranges, purge the manifest entries.
void	<a href="#"><code>refreshManifest()</code></a> Refresh the manifest.
byte[]	<a href="#"><code>serialize(boolean ignoreEntries)</code></a> Serialize the manifest.

## Fields

### ON\_METADATA\_TYPE

public static final int **ON\_METADATA\_TYPE**

Constant for 'onMetadata' manifest type.  
Constant value: **0**

### CODEC\_TYPE

public static final int **CODEC\_TYPE**

Constant for codec manifest type.  
Constant value: **999**

### TIME\_MAP\_TYPE

public static final int **TIME\_MAP\_TYPE**

Constant for time map manifest type.  
Constant value: **998**

### MANIFEST\_TAGNAME\_CAN\_RECORD

public static final java.lang.String **MANIFEST\_TAGNAME\_CAN\_RECORD**

Constant value: **CanRecord**

### MANIFEST\_TAGNAME\_CAN\_PLAY

public static final java.lang.String **MANIFEST\_TAGNAME\_CAN\_PLAY**

Constant value: **CanPlay**

(continued from last page)

---

## MANIFEST\_TAGNAME\_HAS\_ENCRYPTION

```
public static final java.lang.String MANIFEST_TAGNAME_HAS_ENCRYPTION
```

Constant value: **HasEncryption**

---

## MANIFEST\_TAGNAME\_CHUNK\_GROUPING

```
public static final java.lang.String MANIFEST_TAGNAME_CHUNK_GROUPING
```

Constant value: **ChunkGrouping**

---

## MANIFEST\_TAGNAME\_PURGE\_TIME

```
public static final java.lang.String MANIFEST_TAGNAME_PURGE_TIME
```

Constant value: **PurgeTime**

---

## MANIFEST\_TAGNAME\_CURRENT\_TIME

```
public static final java.lang.String MANIFEST_TAGNAME_CURRENT_TIME
```

Constant value: **CurrentTime**

## Methods

### initialize

```
public void initialize()
```

Initialize the manifest. Called after the previous storage has been loaded but before any chunks are added.

---

### refreshManifest

```
public void refreshManifest()
```

Refresh the manifest.

---

### addToManifest

```
public void addToManifest(java.util.List entries)
```

Add manifest entries to the manifest

**Parameters:**

entries - list of entries.

---

### getRecordedEntries

```
public java.util.List getRecordedEntries(int type)
```

Get a copy of all manifest entries of a given type. Valid types include: [IVHost.CONTENTTYPE\\_AUDIO](#), [IVHost.CONTENTTYPE\\_VIDEO](#), [IVHost.CONTENTTYPE\\_DATA](#), [ON\\_METADATA\\_TYPE](#), [CODEC\\_TYPE](#), or [TIME\\_MAP\\_TYPE](#)

**Parameters:**

(continued from last page)

type - The manifest type.

**Returns:**

list of entries

---

## getRecordedEntriesMap

```
public java.util.Map getRecordedEntriesMap(int type)
```

Get a copy of all manifest entries of a given type as a Map of indices. Valid types include: [IVHost.CONTENTTYPE\\_AUDIO](#), [IVHost.CONTENTTYPE\\_VIDEO](#), [IVHost.CONTENTTYPE\\_DATA](#), [ON\\_METADATA\\_TYPE](#), [CODEC\\_TYPE](#), or [TIME\\_MAP\\_TYPE](#)

**Parameters:**

type - the manifest type.

**Returns:**

map of entries

---

## getRecordedEntriesInRange

```
public java.util.List getRecordedEntriesInRange(DvrManifestEntryRange range)
```

Given a DvrManifestEntryRange, get a list of recorded entries in this range.

**Parameters:**

range - a range (which consists of a manifest type and a start and end index)

**Returns:**

list of entries

---

## getLastRecordedEntry

```
public DvrManifestEntry getLastRecordedEntry(int type)
```

Given manifest type and DVR time, get last entry.

"Recorded Entries" includes those entries after the end of the playlist.

**Parameters:**

type - the manifest type.

**Returns:**

manifest entry

---

## getRecordedEntryByTimeKey

```
public DvrManifestEntry getRecordedEntryByTimeKey(int type,  
long dvrTime)
```

Get the manifest entry given a manifest type and a time (in DVR units)

**Parameters:**

type - the manifest type.  
dvrTime - DVR time

**Returns:**

manifest entry

(continued from last page)

## getRecordedEntryByIndex

```
public DvrManifestEntry getRecordedEntryByIndex(int type,  
int index)
```

Get the manifest entry given a manifest type and an index.

**Parameters:**

type - the manifest type.  
index - the index into the manifest

**Returns:**

manifest entry

---

## getEntriesToPurge

```
public DvrManifestEntryRangeGroup getEntriesToPurge(long purgeTime)
```

Given a purge time, return a group of manifest ranges to purge. This method ensures that the purge entries are aligned by index so that audio and video always remain index aligned.

**Parameters:**

purgeTime - The DVR time to purge

**Returns:**

a group of ranges.

---

## purgeEntries

```
public java.util.List purgeEntries(DvrManifestEntryRangeGroup ranges)
```

Given a group of ranges, purge the manifest entries.

**Parameters:**

ranges - Group of ranges

**Returns:**

A list of the purged items.

---

## getMetadataEntryForTime

```
public DvrManifestOnMetadataEntry getMetadataEntryForTime(long dvrTime)
```

Return most recent metadataEntry for a given DVR time. The manifest for metadata entries is sparse-- it only stores items periodically. So for a given time t, the returned entry will exist at or before time t.

**Parameters:**

dvrTime - DVR time

**Returns:**

onMetadata Entry

---

## getCodecEntryForTime

```
public DvrManifestCodecEntry getCodecEntryForTime(long dvrTime)
```

Return most recent codec entry for a given DVR time. The manifest for codec entries is sparse-- it only stores items periodically. So for a given time t, the returned entry will exist at or before time t.

(continued from last page)

**Parameters:**

dvrTime - DVR time

**Returns:**

Codec Entry

---

**getNumberLiveEntries**

```
public int getNumberLiveEntries(int type,  
                                long dvrStart)
```

Given manifest type and DVR time, get the number of live entries at the given time.

"Live Entries" means that a couple of the last entries will not be included as they are too close to the live point to be part of the playlist.

**Parameters:**

type - the manifest type.  
dvrStart - DVR time

**Returns:**

number of entries.

---

**getNumberLiveEntries**

```
public int getNumberLiveEntries(int type,  
                                long dvrStart,  
                                long dvrEnd)
```

Given manifest type and DVR time, get the number of live entries at the given time.

"Live Entries" means that a couple of the last entries will not be included as they are too close to the live point to be part of the playlist.

**Parameters:**

type - the manifest type.  
dvrStart - DVR time  
dvrEnd - end DVR time

**Returns:**

number of entries.

---

**getNumberRecordedEntries**

```
public int getNumberRecordedEntries(int type,  
                                    long dvrStart)
```

Given manifest type and DVR time, get the number of entries at the given time.

"Recorded Entries" includes those entries after the end of the playlist.

**Parameters:**

type - the manifest type.  
dvrStart - DVR time

**Returns:**

number of entries.

(continued from last page)

## getNumberRecordedEntries

```
public int getNumberRecordedEntries(int type,  
    long dvrStart,  
    long dvrEnd)
```

Given manifest type and DVR time, get the number of live entries at the given time.

"Recorded Entries" includes those entries after the end of the playlist.

### Parameters:

type - the manifest type.  
dvrStart - DVR time  
dvrEnd - end DVR time

### Returns:

number of entries.

---

## getFirstEntry

```
public DvrManifestEntry getFirstEntry(int type)
```

Given manifest type, get the first playlist manifest entry.

### Parameters:

type - the manifest type.

### Returns:

manifest entry

---

## getLastLiveEntry

```
public DvrManifestEntry getLastLiveEntry(int type)
```

Given manifest type, get the last playlist manifest entry.

"Live Entries" means that a couple of the last entries will not be included as they are too close to the live point to be part of the playlist.

### Parameters:

type - the manifest type.

### Returns:

manifest entry

---

## getLiveEntries

```
public java.util.List getLiveEntries(int type,  
    long dvrStart)
```

Given manifest type and DVR time, get a list of the live entries.

"Live Entries" means that a couple of the last entries will not be included as they are too close to the live point to be part of the playlist.

### Parameters:

type - the manifest type.  
dvrStart - DVR time

### Returns:



(continued from last page)

list of entries.

---

## **getLiveEntriesWithLimit**

```
public java.util.List getLiveEntriesWithLimit(int type,
        long dvrTime,
        int limit)
```

Given manifest type and DVR time, get a list of the live entries limiting number of returned items.

"Live Entries" means that a couple of the last entries will not be included as they are too close to the live point to be part of the playlist.

### **Parameters:**

type - the manifest type.  
dvrTime - DVR time  
limit - maximum number of returned items

### **Returns:**

list of entries.

---

## **getRecordedEntriesWithLimit**

```
public java.util.List getRecordedEntriesWithLimit(int type,
        long dvrTime,
        int limit)
```

Given manifest type and DVR time, get a list of recorded entries limiting number of returned items.

"Recorded Entries" includes those entries after the end of the playlist.

### **Parameters:**

type - the manifest type.  
dvrTime - DVR time  
limit - maximum number of returned items

### **Returns:**

list of entries.

---

## **getRecordedEntries**

```
public java.util.List getRecordedEntries(int type,
        long dvrStartTime)
```

Given manifest type and DVR time, get a list of recorded entries.

"Recorded Entries" includes those entries after the end of the playlist.

### **Parameters:**

type - the manifest type.  
dvrStartTime - DVR time

### **Returns:**

list of entries.

---

## **getRecordedEntries**

```
public java.util.List getRecordedEntries(int type,
        long dvrStartTime,
        long dvrEndTime)
```

(continued from last page)

Given manifest type and DVR time, get a list of recorded entries.

"Recorded Entries" includes those entries after the end of the playlist.

**Parameters:**

type - the manifest type.  
dvrStartTime - DVR time  
dvrEndTime - DVR end time

**Returns:**

list of entries.

---

## getRecordedDuration

```
public long getRecordedDuration(int type)
```

Given manifest type, return DVR recorded duration in seconds

"Recorded Entries" includes those entries after the end of the "live" playlist.

**Parameters:**

type - the manifest type.

**Returns:**

duration in seconds

---

## getLiveDuration

```
public long getLiveDuration(int type)
```

Given manifest type, return DVR live duration in seconds

"Recorded Entries" includes those entries after the end of the "live" playlist.

**Parameters:**

type - the manifest type.

**Returns:**

duration in seconds

---

## getDvrTime

```
public long getDvrTime(int type)
```

---

## getLastRecordedIndex

```
public int getLastRecordedIndex(int type)
```

Return last index of DVR entry for given type.

**Parameters:**

type

**Returns:**

index, or -1 if type does not exist

---

(continued from last page)

---

## getNextChunkIndex

```
public int getNextChunkIndex()
```

---

## getNextMetadataIndex

```
public int getNextMetadataIndex()
```

---

## getNextCodecIndex

```
public int getNextCodecIndex()
```

---

## getNextTimeMapIndex

```
public int getNextTimeMapIndex()
```

---

## getManifestChannel

```
public DvrChannelManifest getManifestChannel(int type)
```

For a given manifest type, return the channel manifest.

**Parameters:**

type

**Returns:**

channel manifest

---

## importManifest

```
public void importManifest(IDvrManifest manifest,  
    boolean persist)
```

Import the specified manifest into this manifest

**Parameters:**

manifest

persist

---

## getClosestStartTime

```
public long getClosestStartTime(int type,  
    long dvrTime)
```

Given a dvrTime and a manifest type, find the closest chunk starting time.

**Parameters:**

type - manifest type

dvrTime - DVR time

**Returns:**

(continued from last page)

time that corresponds to the closest start time of the given manifest type

---

## expandEndTime

```
public long expandEndTime(int type,  
                           long dvrEndTime)
```

---

## expandStartTime

```
public long expandStartTime(int type,  
                             long dvrStartTime)
```

---

## hasVideo

```
public boolean hasVideo()
```

Does manifest contain video.

**Returns:**

true if it contains video.

---

## hasAudio

```
public boolean hasAudio()
```

Does manifest contain audio.

**Returns:**

true if it contains audio.

---

## hasData

```
public boolean hasData()
```

Does manifest contain data.

**Returns:**

true if it contains data.

---

## hasOnMetadata

```
public boolean hasOnMetadata()
```

Does manifest contain onMetadata.

**Returns:**

true if it contains onMetadata.

---

## hasCodecData

```
public boolean hasCodecData()
```

Does manifest contain codec data.

**Returns:**

(continued from last page)

true if it contains codec data

---

## hasTimeMapData

```
public boolean hasTimeMapData( )
```

Does manifest contain time map info.

**Returns:**

true if it contains time map info.

---

## serialize

```
public byte[] serialize(boolean ignoreEntries)
```

Serialize the manifest.

**Parameters:**

`ignoreEntries` - If true, the individual manifest entries are not serialized.

**Returns:**

byte array of serialized data

---

## deserialize

```
public void deserialize(byte[] bytes)
```

Deserialize the manifest. Should be called after default constructor for manifest has been called.

**Parameters:**

`bytes` - buffer of bytes to deserialize

---

## getTimeMap

```
public IDvrTimeMap getTimeMap( )
```

## com.wowza.wms.dvr Interface IDvrPacketConverter

public interface **IDvrPacketConverter**  
extends

Interface for creating DVR chunks from a set of packets.

### Method Summary

DvrChunk	<a href="#">createDvrAudioChunk</a> (long dvrTime, int index, int duration, <a href="#">DvrPacketHolder</a> holder) Create audio chunk from set of packets.
DvrChunk	<a href="#">createDvrDataChunk</a> (long dvrTime, int index, int duration, <a href="#">DvrPacketHolder</a> holder) Create data chunk from set of packets.
DvrChunk	<a href="#">createDvrOnMetadataChunk</a> (long dvrTime, long pt, <a href="#">AMFPacket</a> metaPacket) Create onMetadata chunk from set of packets.
DvrChunk	<a href="#">createDvrVideoChunk</a> (long dvrTime, int index, int duration, <a href="#">DvrPacketHolder</a> holder) Create video chunk from set of packets.

### Methods

#### createDvrAudioChunk

```
public DvrChunk createDvrAudioChunk(long dvrTime,  
    int index,  
    int duration,  
    DvrPacketHolder holder)
```

Create audio chunk from set of packets.

**Parameters:**

dvrTime - DVR start time in milliseconds  
index - index of DVR chunk  
duration - Duration in milliseconds  
holder - packet holder

**Returns:**

the created chunk or null if chunk not created.

#### createDvrVideoChunk

```
public DvrChunk createDvrVideoChunk(long dvrTime,  
    int index,  
    int duration,  
    DvrPacketHolder holder)
```

Create video chunk from set of packets.

**Parameters:**

---

(continued from last page)

dvrTime - DVR start time in milliseconds  
index - index of DVR chunk  
duration - Duration in milliseconds  
holder - packet holder

**Returns:**

the created chunk or null if chunk not created.

---

## createDvrDataChunk

```
public DvrChunk createDvrDataChunk(long dvrTime,  
    int index,  
    int duration,  
    DvrPacketHolder holder)
```

Create data chunk from set of packets.

**Parameters:**

dvrTime - DVR start time in milliseconds  
index - index of DVR chunk  
duration - Duration in milliseconds  
holder - packet holder

**Returns:**

the created chunk or null if chunk not created.

---

## createDvrOnMetadataChunk

```
public DvrChunk createDvrOnMetadataChunk(long dvrTime,  
    long pt,  
    AMFPacket metaPacket)
```

Create onMetadata chunk from set of packets.

**Parameters:**

dvrTime - DVR start time in milliseconds  
pt - Packet time  
metaPacket - metadata packet

**Returns:**

the created chunk or null if chunk not created.

---

## com.wowza.wms.dvr Interface IDvrPacketWriter

public interface **IDvrPacketWriter**  
extends

Interface for chunking and storing packets for DVR.

### Method Summary

void	<a href="#"><u>addToChunk</u></a> (DvrPacketHolder holder)
boolean	<a href="#"><u>canRecordAudio</u></a> ()
boolean	<a href="#"><u>canRecordData</u></a> ()
boolean	<a href="#"><u>canRecordVideo</u></a> ()
void	<a href="#"><u>endChunk</u></a> (long videoEndTime, long audioEndTime)
void	<a href="#"><u>resetStream</u></a> ()
void	<a href="#"><u>sendOnMetadata</u></a> (long pt, <a href="#"><u>AMFPacket</u></a> metaPacket)
void	<a href="#"><u>setCodecInfoAudio</u></a> (com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio)
void	<a href="#"><u>setCodecInfoVideo</u></a> (com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo)
void	<a href="#"><u>startChunk</u></a> (int streamMode, int videoCodecId, int audioCodecId, long timecode, long utcTimecode)

### Methods

#### sendOnMetadata

```
public void sendOnMetadata(long pt,
    AMFPacket metaPacket)
```

#### startChunk

```
public void startChunk(int streamMode,
    int videoCodecId,
    int audioCodecId,
    long timecode,
    long utcTimecode)
```



(continued from last page)

---

## **addToChunk**

```
public void addToChunk(DvrPacketHolder holder)
```

---

## **endChunk**

```
public void endChunk(long videoEndTime,  
                    long audioEndTime)
```

---

## **setCodecInfoAudio**

```
public void setCodecInfoAudio(com.wowza.wms.media.model.MediaCodecInfoAudio  
codecInfoAudio)
```

---

## **setCodecInfoVideo**

```
public void setCodecInfoVideo(com.wowza.wms.media.model.MediaCodecInfoVideo  
codecInfoVideo)
```

---

## **resetStream**

```
public void resetStream()
```

---

## **canRecordAudio**

```
public boolean canRecordAudio()
```

---

## **canRecordVideo**

```
public boolean canRecordVideo()
```

---

## **canRecordData**

```
public boolean canRecordData()
```

## com.wowza.wms.dvr Interface IDvrPlayerAdapter

public interface **IDvrPlayerAdapter**  
extends

### Field Summary

public static final	<a href="#"><u>QUERY_PARAM_DVR</u></a> Value: <b>DVR</b>
---------------------	---

### Method Summary

int	<a href="#"><u>calcBitrate</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store, int type, long t)
String	<a href="#"><u>determineStreamVersion</u></a> ( <a href="#"><u>IDvrStreamManager</u></a> dvrMgr, String baseStreamName)
DvrPlaylistRequest	<a href="#"><u>getDvrPlaylistRequest</u></a> ( <a href="#"><u>IHTTPStreamerApplicationContext</u></a> appContext, <a href="#"><u>IDvrStreamStore</u></a> store, java.util.Map queryMap)
DvrPlaylistRequest	<a href="#"><u>getDvrPlaylistRequest</u></a> ( <a href="#"><u>IHTTPStreamerApplicationContext</u></a> appContext, java.util.List stores, java.util.Map queryMap)
IDvrMbrPlaylistAlignment	<a href="#"><u>getPlaylistAlignment</u></a> ( <a href="#"><u>IHTTPStreamerSession</u></a> httpStreamerSession)
boolean	<a href="#"><u>isPlaylistReady</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store, DvrPlaylistRequest playlistRequest)
boolean	<a href="#"><u>isPlaylistReady</u></a> (java.util.List stores, DvrPlaylistRequest dvrPlaylistRequest)

### Fields

#### QUERY\_PARAM\_DVR

public static final java.lang.String **QUERY\_PARAM\_DVR**

Constant value: **DVR**

### Methods

#### isPlaylistReady

public boolean **isPlaylistReady**([IDvrStreamStore](#) store, DvrPlaylistRequest playlistRequest)

## isPlaylistReady

```
public boolean isPlaylistReady(java.util.List stores,  
    DvrPlaylistRequest dvrPlaylistRequest)
```

---

## determineStreamVersion

```
public String determineStreamVersion(IDvrStreamManager dvrMgr,  
    String baseStreamName)
```

---

## calcBitrate

```
public int calcBitrate(IDvrStreamStore store,  
    int type,  
    long t)
```

---

## getDvrPlaylistRequest

```
public DvrPlaylistRequest getDvrPlaylistRequest(IHTTPStreamerApplicationContext  
appContext,  
    IDvrStreamStore store,  
    java.util.Map queryMap)
```

---

## getDvrPlaylistRequest

```
public DvrPlaylistRequest getDvrPlaylistRequest(IHTTPStreamerApplicationContext  
appContext,  
    java.util.List stores,  
    java.util.Map queryMap)
```

---

## getPlaylistAlignment

```
public IDvrMbrPlaylistAlignment getPlaylistAlignment(IHTTPStreamerSession  
httpStreamerSession)
```

---

## com.wowza.wms.dvr Interface IDvrPurgeController

public interface **IDvrPurgeController**  
extends

Interface for controlling DVR chunk purging. The purge controller is instantiated using a factory class DvrPurgeControllerFactory.  
**See Also:**

`com.wowza.wms.dvr.impl.DvrPurgeControllerFactory,`  
`IDvrPrivateConstants.PROPERTY_PURGE_CONTROL_CLASS`

### Method Summary

long	<a href="#"><code>getCurrentTime()</code></a> Get current DVR time.
long	<a href="#"><code>getLastPurgeTime()</code></a> Get the DVR time when the last purge occurred.
void	<a href="#"><code>init(IDvrStreamStore store)</code></a> Initialize the controller.
boolean	<a href="#"><code>isPurgingEnabled()</code></a> Is Purging enabled for this controller.
void	<a href="#"><code>setCurrentDvrTime(long newDvrTime)</code></a> Set the current DVR time and perform purge if necessary.

### Methods

#### **init**

public void **init**([`IDvrStreamStore`](#) store)

Initialize the controller.

**Parameters:**

store - the DVR stream store

#### **isPurgingEnabled**

public boolean **isPurgingEnabled**()

Is Purging enabled for this controller.

**Returns:**

true if purging is active, false otherwise.

#### **setCurrentDvrTime**

public void **setCurrentDvrTime**(long newDvrTime)

Set the current DVR time and perform purge if necessary. This method checks the DVR time against its internal rules for purging and performs the purge. It is also responsible for setting the last purge time and the next purge time.

(continued from last page)

**Parameters:**newDvrTime

---

**getCurrentTime**

```
public long getCurrentTime()
```

Get current DVR time. The store is responsible for setting the DVR time via setCurrentDvrTime.

**Returns:**current DVR time.

---

**getLastPurgeTime**

```
public long getLastPurgeTime()
```

Get the DVR time when the last purge occurred.

**Returns:**DVR time of last purge

---

## com.wowza.wms.dvr Interface IDvrRawChunkProvider

All Subinterfaces:

[IDvrChunkMemoryCache](#)

public interface **IDvrRawChunkProvider**  
extends

Interface for providing raw DVR chunks based on a DVR manifest entry.

### Method Summary

DvrChunk	<a href="#">retrieveRawChunk</a> ( <a href="#">DvrManifestChunkEntry</a> entry) Given the specified manifest entry, return the raw DVR chunk.
----------	--

### Methods

#### **retrieveRawChunk**

public DvrChunk **retrieveRawChunk**([DvrManifestChunkEntry](#) entry)

Given the specified manifest entry, return the raw DVR chunk.

**Parameters:**

entry - The DVR manifest entry

**Returns:**

the DVR chunk or null if not able to return the chunk.

## com.wowza.wms.dvr Interface IDvrRecordingListener

public interface **IDvrRecordingListener**  
extends

Listener for DVR Recording events.

**See Also:**

[IDvrStreamManager.addDvrRecordingListener\(IDvrRecordingListener\)](#),  
[IDvrStreamManager.removeDvrRecordingListener\(IDvrRecordingListener\)](#)

### Method Summary

void	<a href="#">recordingPaused</a> ( <a href="#">IDvrStreamStore</a> store) Callback when DVR moves to paused state.
void	<a href="#">recordingReset</a> ( <a href="#">IDvrStreamStore</a> store) Callback when DVR gets reset.
void	<a href="#">recordingResumed</a> ( <a href="#">IDvrStreamStore</a> store) Callback when DVR moves out of paused state.
void	<a href="#">recordingStarted</a> ( <a href="#">IDvrStreamStore</a> store) Callback when DVR moves to recording state.
void	<a href="#">recordingStopped</a> ( <a href="#">IDvrStreamStore</a> store) Callback when DVR recording stops
void	<a href="#">timeReset</a> ( <a href="#">IDvrStreamStore</a> store, long oldDvrTime, long oldPacketTime, TimeMapRecord newTime) Callback when DVR time is adjusted.

### Methods

#### recordingStarted

public void **recordingStarted**([IDvrStreamStore](#) store)

Callback when DVR moves to recording state.

**Parameters:**

store - stream store

#### recordingPaused

public void **recordingPaused**([IDvrStreamStore](#) store)

Callback when DVR moves to paused state.

**Parameters:**

store - stream store

(continued from last page)

## recordingResumed

```
public void recordingResumed(IDvrStreamStore store)
```

Callback when DVR moves out of paused state.

**Parameters:**

store - stream store

---

## recordingReset

```
public void recordingReset(IDvrStreamStore store)
```

Callback when DVR gets reset. For example, if the incoming stream resets.

**Parameters:**

store - stream store

---

## recordingStopped

```
public void recordingStopped(IDvrStreamStore store)
```

Callback when DVR recording stops

**Parameters:**

store - stream store

---

## timeReset

```
public void timeReset(IDvrStreamStore store,  
    long oldDvrTime,  
    long oldPacketTime,  
    TimeMapRecord newTime)
```

Callback when DVR time is adjusted.

**Parameters:**

store - stream store

oldDvrTime

oldPacketTime - old packet time associated to oldDvrTime

newTime



## com.wowza.wms.dvr Interface IDvrRecordingsLoader

public interface **IDvrRecordingsLoader**  
extends

Interface for loading recordings during DVR Stream Manager initialization.

**See Also:**

[com.wowza.wms.dvr.impl.DvrRecordingsLoaderFactory](#),  
[IDvrConstants.PROPERTY\\_RECORDINGS\\_LOADER\\_CLASS](#)

### Method Summary

void	<a href="#">init</a> ( <a href="#">IDvrStreamManager</a> dvrMgr) Initialize recordings loader
void	<a href="#">loadArchivedRecordings</a> () Discover and load archived recording
boolean	<a href="#">shouldLoadStream</a> (String streamName, java.util.SortedSet versions) Should the given archived streams be laoded.
boolean	<a href="#">shouldLoadStreamVersion</a> (String streamName, Integer version, java.util.SortedSet versions) Should the given archived stream of specific version be laoded.

### Methods

#### init

public void **init**([IDvrStreamManager](#) dvrMgr)

Initialize recordings loader

**Parameters:**

dvrMgr - the DVR Stream Manager

#### loadArchivedRecordings

public void **loadArchivedRecordings**()

Discover and load archived recording

#### shouldLoadStream

public boolean **shouldLoadStream**(String streamName,  
java.util.SortedSet versions)

Should the given archived streams be laoded. The method contains logic which determines if all versions of the given stream Name should be loaded or not.

**Parameters:**

streamName - Stream name (unversioned)

versions - sorted set of available versions of this stream

(continued from last page)

**Returns:**

true if one or more of the streams should be loaded, false otherwise.

---

**shouldLoadStreamVersion**

```
public boolean shouldLoadStreamVersion(String streamName,  
    Integer version,  
    java.util.SortedSet versions)
```

Should the given archived stream of specific version be loaded. The method contains logic which determines if all versions of the given stream Name should be loaded or not.

**Parameters:**

streamName - Stream name (unversioned)

version - the specific version of the stream we are determining if we should load

versions - sorted set of all available versions of this stream

**Returns:**

true if one or more of the streams should be loaded, false otherwise.

## com.wowza.wms.dvr Interface IDvrStoreChunkListener

public interface **IDvrStoreChunkListener**  
extends

Listener for DVR Store chunk events.

Note that this listener traffic is very high.

**See Also:**

[IDvrStreamStore.addDvrChunkListener\(IDvrStoreChunkListener\)](#),  
[IDvrStreamStore.removeDvrChunkListener\(IDvrStoreChunkListener\)](#)

### Method Summary

void	<a href="#">postChunkAdded</a> ( <a href="#">IDvrStreamStore</a> store) Callback after a chunk is written to DVR store
void	<a href="#">postChunksPurged</a> ( <a href="#">IDvrStreamStore</a> store, <a href="#">DvrManifestEntryRangeGroup</a> entries, java.util.List deletedEntries) Callback after DVR store performs a purge
void	<a href="#">preChunkAdded</a> ( <a href="#">IDvrStreamStore</a> store) Callback before a chunk is written to DVR store
void	<a href="#">preChunksPurged</a> ( <a href="#">IDvrStreamStore</a> store, <a href="#">DvrManifestEntryRangeGroup</a> entries) Callback before DVR store performs a purge

### Methods

#### preChunkAdded

public void **preChunkAdded**([IDvrStreamStore](#) store)

Callback before a chunk is written to DVR store

**Parameters:**

store - the stream store

#### postChunkAdded

public void **postChunkAdded**([IDvrStreamStore](#) store)

Callback after a chunk is written to DVR store

**Parameters:**

store - the stream store

#### preChunksPurged

public void **preChunksPurged**([IDvrStreamStore](#) store,  
[DvrManifestEntryRangeGroup](#) entries)

(continued from last page)

Callback before DVR store performs a purge

**Parameters:**

store - the stream store

entries - list of DVR chunks to be purged

---

## postChunksPurged

```
public void postChunksPurged(IDvrStreamStore store,  
    DvrManifestEntryRangeGroup entries,  
    java.util.List deletedEntries)
```

Callback after DVR store performs a purge

**Parameters:**

store - the stream store

entries - list of DVR chunks purged

deletedEntries - list of entries deleted

## com.wowza.wms.dvr Interface IDvrStoreListener

public interface **IDvrStoreListener**  
extends

Listener for DVR Store lifecycle events.

See Also:

[IDvrStreamManager.addDvrStoreListener\(IDvrStoreListener\)](#),  
[IDvrStreamManager.removeDvrStoreListener\(IDvrStoreListener\)](#)

### Method Summary

void	<a href="#">dvrStreamStorageDeleted</a> ( <a href="#">IDvrStreamStore</a> store, <a href="#">IDvrFileSystem</a> <a href="#">FileSystem</a> , boolean success) Callback after DVR store is deleted from disk.
void	<a href="#">dvrStreamStorageLoaded</a> ( <a href="#">IDvrStreamManager</a> dvrMgr, <a href="#">IDvrStreamStore</a> store) Callback after DVR store is loaded from disk.
void	<a href="#">dvrStreamStoreCreate</a> ( <a href="#">IDvrStreamStore</a> store) Callback after DVR stream store is created.
void	<a href="#">dvrStreamStoreDestroy</a> ( <a href="#">IDvrStreamStore</a> store) Callback after DVR stream store is destroyed.
void	<a href="#">dvrStreamStoreInit</a> ( <a href="#">IDvrStreamStore</a> store) Callback after DVR stream store is initialized.

### Methods

#### dvrStreamStoreCreate

public void **dvrStreamStoreCreate**([IDvrStreamStore](#) store)

Callback after DVR stream store is created.

**Parameters:**

store - stream store

#### dvrStreamStoreInit

public void **dvrStreamStoreInit**([IDvrStreamStore](#) store)

Callback after DVR stream store is initialized.

**Parameters:**

store - stream store

#### dvrStreamStoreDestroy

public void **dvrStreamStoreDestroy**([IDvrStreamStore](#) store)

Callback after DVR stream store is destroyed.

---

(continued from last page)

**Parameters:**

store - stream store

---

## dvrStreamStorageLoaded

```
public void dvrStreamStorageLoaded(IDvrStreamManager dvrMgr,  
    IDvrStreamStore store)
```

Callback after DVR store is loaded from disk.

**Parameters:**

dvrMgr - DVR Application Store Manager

store - stream store

---

## dvrStreamStorageDeleted

```
public void dvrStreamStorageDeleted(IDvrStreamStore store,  
    IDvrFileSystem fileSystem,  
    boolean success)
```

Callback after DVR store is deleted from disk.

**Parameters:**

store

fileSystem - stream store file system

success - whether delete succeeded or failed

## com.wowza.wms.dvr Interface IDvrStreamManager

All Superinterfaces:

[ILiveStreamPacketizer](#)

public interface **IDvrStreamManager**

extends [ILiveStreamPacketizer](#)

DVR Stream manager. Manages a live stream and associated DVR stores.

### Method Summary

void	<a href="#">addDvrRecordingListener</a> ( <a href="#">IDvrRecordingListener</a> listener)	Add listener to DVR recording events.
void	<a href="#">addDvrStoreListener</a> ( <a href="#">IDvrStoreListener</a> listener)	Add listener to DVR store lifecycle events.
void	<a href="#">addManifestEntries</a> (String vStreamName, java.util.List entries)	Add to stream stores manifest.
void	<a href="#">addRepeaterHeartBeatItem</a> ()	
boolean	<a href="#">canRecord</a> ()	Is this stream able to record.
void	<a href="#">deleteArchivedStore</a> (String vStreamName)	Delete archived stream store.
String	<a href="#">getArchiveStrategy</a> ()	Get the DVR archive strategy.
String	<a href="#">getContextStr</a> ()	Get stream context string, useful for logging.
<a href="#">IDvrStreamStore</a>	<a href="#">getDefaultStreamingStore</a> ()	Get the store to be used for streaming.
String	<a href="#">getDvrFileSystemClass</a> ()	Get the class used for the DVR file system.
String	<a href="#">getDvrStorageDir</a> ()	Get the storage directory.
int	<a href="#">getDvrStorageWindowSeconds</a> ()	Get DVR window size.
DvrBaseEncryptionInfo Delegate	<a href="#">getEncryptionDelegate</a> ()	Get the encryption delegate for providing streaming side encryption info objects.
String	<a href="#">getEncryptionRepeaterSharedSecret</a> ()	Get the DVR encryption shared secret.

<a href="#"><u>IDvrStreamStore</u></a>	<a href="#"><u>getHighestVersionedStore()</u></a> Return stream store that is highest known version.
void	<a href="#"><u>getInitialRepeaterItems</u></a> (java.util.List items) Get initial repeater items to send to repeater receiver.
int	<a href="#"><u>getMinimumAvailableChunks()</u></a> Return number of chunks that must be available to stream.
String	<a href="#"><u>getPacketizerName()</u></a> Get live stream packetizer name.
<a href="#"><u>IDvrStreamStore</u></a>	<a href="#"><u>getRecordingStreamStore()</u></a> Get current recording store
void	<a href="#"><u>getRepeaterItemsDvr</u></a> (java.util.List items, long lastSeq)
String	<a href="#"><u>getStreamBaseName()</u></a> Get input streamName (no version info).
<a href="#"><u>IDvrStreamStore</u></a>	<a href="#"><u>getStreamStore</u></a> (String vStreamName) Given a stream name containing version info, return the associated stream store.
java.util.List	<a href="#"><u>getStreamStores()</u></a> Get list of all stream stores known to this stream manager.
<a href="#"><u>IDvrStreamVersionHandler</u></a>	<a href="#"><u>getStreamVersionHandler()</u></a> Get the stream version handler object.
void	<a href="#"><u>initialManifest</u></a> (String vStreamName, <a href="#"><u>IDvrManifest</u></a> manifest)
void	<a href="#"><u>initialManifestEnd</u></a> (String vStreamName)
boolean	<a href="#"><u>isRecording()</u></a> Is this stream currently recording.
boolean	<a href="#"><u>isRecordingPaused()</u></a> Is this stream currently paused from recording.
<a href="#"><u>IDvrStreamStore</u></a>	<a href="#"><u>loadArchivedStore</u></a> (String vStreamName, DvrManifestHolder manifestHolder) Load archived stream store.
void	<a href="#"><u>notifyDvrStreamStorageDeleted</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store, IDvrFileSystem fileSystem, boolean success)
void	<a href="#"><u>notifyDvrStreamStoreCreate</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store)
void	<a href="#"><u>notifyDvrStreamStoreDestroy</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store)
void	<a href="#"><u>notifyDvrStreamStoreInit</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store)
void	<a href="#"><u>notifyDvrStreamStoreLoaded</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store)
void	<a href="#"><u>notifyTimeReset</u></a> ( <a href="#"><u>IDvrStreamStore</u></a> store, long oldDvrTime, long oldPacketTime, TimeMapRecord newTimeMapRecord)



<a href="#">IDvrStreamStore</a>	<a href="#">pauseRecording()</a> Request that stream recording pause.
void	<a href="#">purgeManifestEntries</a> (String vStreamName, <a href="#">DvrManifestEntryRangeGroup</a> rangeGroup) Purge entries from store
void	<a href="#">removeDvrRecordingListener</a> ( <a href="#">IDvrRecordingListener</a> listener) Remove listener to DVR recording events.
void	<a href="#">removeDvrStoreListener</a> ( <a href="#">IDvrStoreListener</a> listener) Remove listener of DVR store lifecycle events.
void	<a href="#">resetStream()</a> Reset the stream.
<a href="#">IDvrStreamStore</a>	<a href="#">resumeRecording()</a> Request that stream recording resume.
void	<a href="#">setDefaultStreamingStore</a> ( <a href="#">IDvrStreamStore</a> store) Set the store to be used for streaming.
void	<a href="#">setRecordingStreamStore</a> ( <a href="#">IDvrStreamStore</a> store) Set the store used for recording.
void	<a href="#">setStreamVersionHandler</a> ( <a href="#">IDvrStreamVersionHandler</a> handler) Set the stream version handler object.
<a href="#">IDvrStreamStore</a>	<a href="#">startRecording()</a> Request that stream recording start.
void	<a href="#">stateChange</a> (String vStreamName, <a href="#">DvrStreamStoreState</a> state)
<a href="#">IDvrStreamStore</a>	<a href="#">stopRecording()</a> Request that stream recording stop.
DvrChunkStorageInfo	<a href="#">storeChunks</a> (int vDuration, <a href="#">DvrPacketHolder</a> vPackets, int aDuration, <a href="#">DvrPacketHolder</a> aPackets, int dDuration, <a href="#">DvrPacketHolder</a> dPackets)
boolean	<a href="#">storeOnMetadata</a> (long pt, long utc, <a href="#">AMFPacket</a> metaPacket)

Methods inherited from interface [com.wowza.wms.stream.livepacketizer.ILiveStreamPacketizer](#)

[getAndSetStartStream](#), [getApplicationInstance](#), [getLiveStreamPacketizerId](#), [getProperties](#), [getRepeaterLastSequence](#), [handlePacket](#), [init](#), [isActive](#), [isPacketizeAudio](#), [isPacketizeData](#), [isPacketizeVideo](#), [isRepeaterEdge](#), [resetStream](#), [setLiveStreamPacketizerId](#), [setPacketizeAudio](#), [setPacketizeData](#), [setPacketizeVideo](#), [setRepeaterEdge](#), [shutdown](#), [startStream](#), [touch](#)

## Methods

### getContextStr

```
public String getContextStr()
```

Get stream context string, useful for logging.

(continued from last page)

**Returns:**

stream context string

---

**getStreamBaseName**

```
public String getStreamBaseName()
```

Get input streamName (no version info).

**Returns:**

unversioned incoming stream name

---

**getStreamStore**

```
public IDvrStreamStore getStreamStore(String vStreamName)
```

Given a stream name containing version info, return the associated stream store.

**Parameters:**

vStreamName - versioned stream name

**Returns:**

store or null

---

**getPacketizerName**

```
public String getPacketizerName()
```

Get live stream packetizer name.

**Returns:**

live stream packetizer name

---

**getStreamStores**

```
public java.util.List getStreamStores()
```

Get list of all stream stores known to this stream manager.

**Returns:**

list of stream stores.

---

**getHighestVersionedStore**

```
public IDvrStreamStore getHighestVersionedStore()
```

Return stream store that is highest known version.

**Returns:**

stream store

---

**getMinimumAvailableChunks**

```
public int getMinimumAvailableChunks()
```

Return number of chunks that must be available to stream.

(continued from last page)

**Returns:**

minimum available chunks

---

**setRecordingStreamStore**

```
public void setRecordingStreamStore(IDvrStreamStore store)
```

Set the store used for recording.

**Parameters:**

store - stream store, or null

---

**getRecordingStreamStore**

```
public IDvrStreamStore getRecordingStreamStore()
```

Get current recording store

**Returns:**

current recording store (may be null)

---

**setDefaultStreamingStore**

```
public void setDefaultStreamingStore(IDvrStreamStore store)
```

Set the store to be used for streaming.

**Parameters:**

store - store to stream.

---

**getDefaultStreamingStore**

```
public IDvrStreamStore getDefaultStreamingStore()
```

Get the store to be used for streaming.

**Returns:**

store to stream.

---

**getDvrStorageWindowSeconds**

```
public int getDvrStorageWindowSeconds()
```

Get DVR window size.

**Returns:**

window size in seconds (0 means infinite window size)

---

**getDvrStorageDir**

```
public String getDvrStorageDir()
```

Get the storage directory.

**Returns:**

storage directory

(continued from last page)

---

## getDvrFileSystemClass

```
public String getDvrFileSystemClass()
```

Get the class used for the DVR file system.

**Returns:**

fully qualified class name

---

## getArchiveStrategy

```
public String getArchiveStrategy()
```

Get the DVR archive strategy.

**Returns:**

The archive strategy

---

## getEncryptionRepeaterSharedSecret

```
public String getEncryptionRepeaterSharedSecret()
```

Get the DVR encryption shared secret.

**Returns:**

shared secret.

---

## getEncryptionDelegate

```
public DvrBaseEncryptionInfoDelegate getEncryptionDelegate()
```

Get the encryption delegate for providing streaming side encryption info objects.

**Returns:**

delegate

---

## getStreamVersionHandler

```
public IDvrStreamVersionHandler getStreamVersionHandler()
```

Get the stream version handler object.

**Returns:**

stream version handler object.

---

## setStreamVersionHandler

```
public void setStreamVersionHandler(IDvrStreamVersionHandler handler)
```

Set the stream version handler object. Must be called after the stream manager is created and before it is initialized.

**Parameters:**

handler - stream version handler object.

---

## resetStream

```
public void resetStream()
```

---

(continued from last page)

Reset the stream.

---

## canRecord

```
public boolean canRecord()
```

Is this stream able to record.

**Returns:**

true if this stream is recordable.

---

## isRecording

```
public boolean isRecording()
```

Is this stream currently recording. If this stream is not recordable, the method returns false.

**Returns:**

true if has a recording stream and it is recording.

---

## isRecordingPaused

```
public boolean isRecordingPaused()
```

Is this stream currently paused from recording. If this stream is not recording and not paused, the method returns false.

**Returns:**

true if has a recording is paused.

---

## startRecording

```
public IDvrStreamStore startRecording()
```

Request that stream recording start.

Used internally. Clients should call [ILiveStreamDvrRecorder.startRecording\(\)](#). Note that this call places the DVR stream store in the recording state. If the stream store is in the paused state, DVR recording will not occur.

If there is not currently a stream store for recording, one will attempt to be created. A successful start will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingStarted\(IDvrStreamStore\)](#) method called.

Success only occurs if the stream canRecord [IDvrStreamStore.canRecord\(\)](#) and the stream is not already in the recording state.

**Returns:**

store if successful. null otherwise.

---

## stopRecording

```
public IDvrStreamStore stopRecording()
```

Request that stream recording stop.

Used internally. Clients should call [ILiveStreamDvrRecorder.stopRecording\(\)](#). Note that this call places the DVR stream in the *not* recording state.

A successful stop will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingStopped\(IDvrStreamStore\)](#) method called.

Success only occurs if the stream is already in the recording state [IDvrStreamStore.isRecording\(\)](#).

(continued from last page)

**Returns:**

store if successful. null otherwise.

---

## pauseRecording

```
public IDvrStreamStore pauseRecording()
```

Request that stream recording pause.

Used internally. Clients should call [ILiveStreamDvrRecorder.pauseRecording\(\)](#). The stream does not have to be actively recording to be paused. For example, it could be paused before packets start flowing.

A successful pause will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingPaused\(IDvrStreamStore\)](#) method called.

**Returns:**

store if successful. null otherwise.

---

## resumeRecording

```
public IDvrStreamStore resumeRecording()
```

Request that stream recording resume.

Used internally. Clients should call [ILiveStreamDvrRecorder.resumeRecording\(\)](#). The stream does not have to be actively recording to be resumed. For example, it could have been paused before the stream started, and this call would move it out of the paused state.

A successful resume will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingResumed\(IDvrStreamStore\)](#) method called.

**Returns:**

store if successful. null otherwise.

---

## loadArchivedStore

```
public IDvrStreamStore loadArchivedStore(String vStreamName,  
    DvrManifestHolder manifestHolder)
```

Load archived stream store.

**Parameters:**

vStreamName - versioned stream Name (e.g. myStream.0)

manifestHolder - manifest holder containing list of manifest properties

**Returns:**

stream store

---

## deleteArchivedStore

```
public void deleteArchivedStore(String vStreamName)
```

Delete archived stream store.

**Parameters:**

vStreamName - versioned stream Name (e.g. myStream.0)

(continued from last page)

---

## addManifestEntries

```
public void addManifestEntries(String vStreamName,  
    java.util.List entries)
```

Add to stream stores manifest.

### Parameters:

vStreamName - versioned stream Name (e.g. myStream.0)  
entries - list of manifest entries.

---

## purgeManifestEntries

```
public void purgeManifestEntries(String vStreamName,  
    DvrManifestEntryRangeGroup rangeGroup)
```

Purge entries from store

### Parameters:

vStreamName - versioned stream Name (e.g. myStream.0)  
rangeGroup - set of ranges for purging

---

## storeChunks

```
public DvrChunkStorageInfo storeChunks(int vDuration,  
    DvrPacketHolder vPackets,  
    int aDuration,  
    DvrPacketHolder aPackets,  
    int dDuration,  
    DvrPacketHolder dPackets)
```

---

## storeOnMetadata

```
public boolean storeOnMetadata(long pt,  
    long utc,  
    AMFPacket metaPacket)
```

---

## addDvrStoreListener

```
public void addDvrStoreListener(IDvrStoreListener listener)
```

Add listener to DVR store lifecycle events.

### Parameters:

listener - listener

---

## removeDvrStoreListener

```
public void removeDvrStoreListener(IDvrStoreListener listener)
```

Remove listener of DVR store lifecycle events.

### Parameters:

listener - listener

---

(continued from last page)

---

## addDvrRecordingListener

```
public void addDvrRecordingListener(IDvrRecordingListener listener)
```

Add listener to DVR recording events.

### Parameters:

listener - listener

---

## removeDvrRecordingListener

```
public void removeDvrRecordingListener(IDvrRecordingListener listener)
```

Remove listener to DVR recording events.

### Parameters:

listener - listener

---

## notifyDvrStreamStoreCreate

```
public void notifyDvrStreamStoreCreate(IDvrStreamStore store)
```

---

## notifyDvrStreamStoreInit

```
public void notifyDvrStreamStoreInit(IDvrStreamStore store)
```

---

## notifyDvrStreamStoreDestroy

```
public void notifyDvrStreamStoreDestroy(IDvrStreamStore store)
```

---

## notifyDvrStreamStoreLoaded

```
public void notifyDvrStreamStoreLoaded(IDvrStreamStore store)
```

---

## notifyDvrStreamStorageDeleted

```
public void notifyDvrStreamStorageDeleted(IDvrStreamStore store,  
    IDvrFileSystem fileSystem,  
    boolean success)
```

---

## notifyTimeReset

```
public void notifyTimeReset(IDvrStreamStore store,  
    long oldDvrTime,  
    long oldPacketTime,  
    TimeMapRecord newTimeMapRecord)
```

---



---

## getInitialRepeaterItems

```
public void getInitialRepeaterItems(java.util.List items)
```

Get initial repeater items to send to repeater receiver.

When an edge initially requests the items, instead of sending the entire manifest and all repeater items up until that point, the player sends a `DvrRepeaterHolder.REPEATER_INITIAL_MANIFEST` event followed by several `DvrRepeaterHolder.REPEATER_ADD_MANIFEST_ENTRIES` events.

This allows us to not bother sending any purged manifest entries.

### Parameters:

items

---

## getRepeaterItemsDvr

```
public void getRepeaterItemsDvr(java.util.List items,  
                                long lastSeq)
```

---

## initialManifest

```
public void initialManifest(String vStreamName,  
                             IDvrManifest manifest)
```

---

## initialManifestEnd

```
public void initialManifestEnd(String vStreamName)
```

---

## stateChange

```
public void stateChange(String vStreamName,  
                        DvrStreamStoreState state)
```

---

## addRepeaterHeartBeatItem

```
public void addRepeaterHeartBeatItem()
```

---

## com.wowza.wms.dvr Interface IDvrStreamStore

public interface **IDvrStreamStore**  
extends

### Method Summary

void	<a href="#"><u>addDvrChunkListener</u></a> ( <a href="#"><u>IDvrStoreChunkListener</u></a> listener) Add (very fine) listener for chunk events.
void	<a href="#"><u>addManifestEntries</u></a> (java.util.List entries)
boolean	<a href="#"><u>canPlay</u></a> () Is this store capable of playing.
boolean	<a href="#"><u>canRecord</u></a> () Is this store capable of recording.
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance</u></a> () Get associated application instance.
<a href="#"><u>IDvrChunker</u></a>	<a href="#"><u>getChunker</u></a> ()
long	<a href="#"><u>getClosestStartTime</u></a> (int type, long t)
String	<a href="#"><u>getContextStr</u></a> () Get stream context string, useful for logging.
DvrChunk	<a href="#"><u>getDvrChunkAtTime</u></a> (int fragmentType, long t)
DvrChunk	<a href="#"><u>getDvrChunkByIndex</u></a> (int fragmentType, int index)
DvrChunk	<a href="#"><u>getDvrChunkNearTime</u></a> (int fragmentType, long t, long delta)
<a href="#"><u>IDvrStreamManager</u></a>	<a href="#"><u>getDvrManager</u></a> () Get DVR Stream Manager
int	<a href="#"><u>getDvrStorageWindowSeconds</u></a> () Get DVR window size.
IDvrFileSystem	<a href="#"><u>getFileSystem</u></a> ()
<a href="#"><u>IDvrManifest</u></a>	<a href="#"><u>getManifest</u></a> () Get manifest
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties</u></a> () Get stream store properties.
<a href="#"><u>IDvrPurgeController</u></a>	<a href="#"><u>getPurgeController</u></a> () Get purge controller for stream store.

java.util.List	<a href="#"><u>getRecordedEntriesWithLimit</u></a> (int fragmentType, long t, int limit)
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryByIndex</u></a> (int fragmentType, int index)
<a href="#"><u>DvrManifestEntry</u></a>	<a href="#"><u>getRecordedEntryByTime</u></a> (int fragmentType, long t)
String	<a href="#"><u>getStreamName</u></a> () Get versioned stream name.
DvrTimeMapper	<a href="#"><u>getTimeMapper</u></a> () Get time mapper, which maps between DVR, real and packet time.
boolean	<a href="#"><u>hasAudio</u></a> () Does this store have audio.
boolean	<a href="#"><u>hasData</u></a> () Does this store have data.
boolean	<a href="#"><u>hasEncryption</u></a> () Does this store contain encryption information
boolean	<a href="#"><u>hasOnMetadata</u></a> () Does this store have on metadata.
boolean	<a href="#"><u>hasVideo</u></a> () Does this store have video.
void	<a href="#"><u>init</u></a> () Initialize DVR stream store.
boolean	<a href="#"><u>isLive</u></a> () Is store currently live For an origin, <a href="#"><u>isRecording()</u></a> and <a href="#"><u>isLive()</u></a> will typically return the same result.
boolean	<a href="#"><u>isLoaded</u></a> ()
boolean	<a href="#"><u>isRecording</u></a> () Is store currently recording.
boolean	<a href="#"><u>isRecordingPaused</u></a> () Is store currently paused while recording.
boolean	<a href="#"><u>pauseRecording</u></a> () Request that stream recording pause.
void	<a href="#"><u>purgeEntries</u></a> ( <a href="#"><u>DvrManifestEntryRangeGroup</u></a> rangeGroup) Purge entries from store
void	<a href="#"><u>removeDvrChunkListener</u></a> ( <a href="#"><u>IDvrStoreChunkListener</u></a> listener) Remove (very fine) listener for chunk events.
void	<a href="#"><u>reset</u></a> ()
boolean	<a href="#"><u>resumeRecording</u></a> () Request that stream recording resume.

void	<a href="#">setCanPlay</a> (boolean canPlay) Set the Stream Stores ability to play.
void	<a href="#">setCanRecord</a> (boolean canRecord) Set the Stream Stores ability to record.
void	<a href="#">setHasEncryption</a> (boolean hasEncryption) Set whether the store has encryption.
void	<a href="#">shutdown</a> ( )
boolean	<a href="#">startRecording</a> ( ) Request that recording start.
boolean	<a href="#">stopRecording</a> ( ) Request that stream recording stop.
DvrChunkStorageInfo	<a href="#">storeChunks</a> (int vDuration, DvrPacketHolder vPackets, int aDuration, DvrPacketHolder aPackets, int dDuration, DvrPacketHolder dPackets)
boolean	<a href="#">storeOnMetadata</a> (long pt, long utc, <a href="#">AMFPacket</a> metaPacket)

## Methods

### init

```
public void init()
```

Initialize DVR stream store.

### reset

```
public void reset()
```

### shutdown

```
public void shutdown()
```

### getProperties

```
public WMSPProperties getProperties()
```

Get stream store properties.

#### Returns:

properties

### getDvrStorageWindowSeconds

```
public int getDvrStorageWindowSeconds()
```

(continued from last page)

Get DVR window size. This may be set by setting the IDvrStreamStore's property [IDvrConstants.PROPERTY\\_WINDOW\\_DURATION](#) after the store is created and before it is initialized by using the [IDvrStoreListener.dvrStreamStoreCreate\(IDvrStreamStore\)](#)

**Returns:**

window size in seconds (0 means infinite window size)

---

## getStreamName

```
public String getStreamName()
```

Get versioned stream name.

**Returns:**

(versioned) stream name

---

## getContextStr

```
public String getContextStr()
```

Get stream context string, useful for logging.

**Returns:**

stream context string

---

## getDvrManager

```
public IDvrStreamManager getDvrManager()
```

Get DVR Stream Manager

**Returns:**

DVR Stream Manager

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get associated application instance.

**Returns:**

application instance.

---

## getManifest

```
public IDvrManifest getManifest()
```

Get manifest

**Returns:**

manifest

---

## getTimeMapper

```
public DvrTimeMapper getTimeMapper()
```

Get time mapper, which maps between DVR, real and packet time.

**Returns:**

(continued from last page)

time mapper

---

## getPurgeController

```
public IDvrPurgeController getPurgeController()
```

Get purge controller for stream store.

**Returns:**

purge controller

---

## getFileSystem

```
public IDvrFileSystem getFileSystem()
```

---

## getChunker

```
public IDvrChunker getChunker()
```

---

## canRecord

```
public boolean canRecord()
```

Is this store capable of recording.

**Returns:**

true if store can record

---

## isLoaded

```
public boolean isLoaded()
```

---

## setCanRecord

```
public void setCanRecord(boolean canRecord)
```

Set the Stream Stores ability to record.

Note: Must be called when stream is not recording.

**Parameters:**

canRecord

---

## canPlay

```
public boolean canPlay()
```

Is this store capable of playing.

**Returns:**

true if store can play

---

## setCanPlay

```
public void setCanPlay(boolean canPlay)
```

Set the Stream Stores ability to play.

Note: Must be called when stream is not playing.

**Parameters:**

canPlay

---

## setHasEncryption

```
public void setHasEncryption(boolean hasEncryption)
```

Set whether the store has encryption. Used internally.

Note: Must be called when stream is not playing.

**Parameters:**

hasEncryption - if store has encryption

---

## hasEncryption

```
public boolean hasEncryption()
```

Does this store contain encryption information

**Returns:**

true if store contains encryption

---

## hasVideo

```
public boolean hasVideo()
```

Does this store have video.

**Returns:**

true if store contains video, false otherwise.

---

## hasAudio

```
public boolean hasAudio()
```

Does this store have audio.

**Returns:**

true if store contains audio, false otherwise.

---

## hasData

```
public boolean hasData()
```

Does this store have data.

**Returns:**

true if store contains data, false otherwise.

---

(continued from last page)

## hasOnMetadata

```
public boolean hasOnMetadata( )
```

Does this store have on metadata.

**Returns:**

true if store contains on metadata, false otherwise.

---

## startRecording

```
public boolean startRecording( )
```

Request that recording start.

Used internally. Clients should call [ILiveStreamDvrRecorder.startRecording\(\)](#).

Success occurs if the stream canRecord [canRecord\(\)](#) and the stream is not already in the recording state [isRecording\(\)](#).

**Returns:**

true if successful.

---

## pauseRecording

```
public boolean pauseRecording( )
```

Request that stream recording pause.

Used internally. Clients should call [ILiveStreamDvrRecorder.pauseRecording\(\)](#).

Success occurs if the stream is not already paused.

**Returns:**

true if successful.

---

## resumeRecording

```
public boolean resumeRecording( )
```

Request that stream recording resume.

Used internally. Clients should call [ILiveStreamDvrRecorder.resumeRecording\(\)](#).

Success occurs if the stream was previously paused.

**Returns:**

true if successful.

---

## stopRecording

```
public boolean stopRecording( )
```

Request that stream recording stop. This shuts down saving of chunks

Used internally. Clients should call [ILiveStreamDvrRecorder.stopRecording\(\)](#).

Success only occurs if the stream is already in the recording state [isRecording\(\)](#).

**Returns:**

true if successful.

---



## isRecordingPaused

```
public boolean isRecordingPaused()
```

Is store currently paused while recording.

**Returns:**

true if recording is paused.

---

## isRecording

```
public boolean isRecording()
```

Is store currently recording. This will always be false for an edge.

**Returns:**

true if recording

---

## isLive

```
public boolean isLive()
```

Is store currently live For an origin, [isRecording\(\)](#) and [isLive\(\)](#) will typically return the same result. On an origin, [isRecording\(\)](#) will always be false. But [isLive\(\)](#) will reflect the status of the repeated stream.

**Returns:**

true if live

---

## storeChunks

```
public DvrChunkStorageInfo storeChunks(int vDuration,  
    DvrPacketHolder vPackets,  
    int aDuration,  
    DvrPacketHolder aPackets,  
    int dDuration,  
    DvrPacketHolder dPackets)
```

---

## storeOnMetadata

```
public boolean storeOnMetadata(long pt,  
    long utc,  
    AMFPacket metaPacket)
```

---

## purgeEntries

```
public void purgeEntries(DvrManifestEntryRangeGroup rangeGroup)
```

Purge entries from store

**Parameters:**

rangeGroup - s set of ranges for purging

---

(continued from last page)

---

## addManifestEntries

```
public void addManifestEntries(java.util.List entries)
```

---

## addDvrChunkListener

```
public void addDvrChunkListener(IDvrStoreChunkListener listener)
```

Add (very fine) listener for chunk events.

**Parameters:**

listener - listener

---

## removeDvrChunkListener

```
public void removeDvrChunkListener(IDvrStoreChunkListener listener)
```

Remove (very fine) listener for chunk events.

**Parameters:**

listener - listener

---

## getRecordedEntriesWithLimit

```
public java.util.List getRecordedEntriesWithLimit(int fragmentType,  
    long t,  
    int limit)
```

---

## getRecordedEntryByIndex

```
public DvrManifestEntry getRecordedEntryByIndex(int fragmentType,  
    int index)
```

---

## getRecordedEntryByTime

```
public DvrManifestEntry getRecordedEntryByTime(int fragmentType,  
    long t)
```

---

## getDvrChunkByIndex

```
public DvrChunk getDvrChunkByIndex(int fragmentType,  
    int index)
```

---

## getDvrChunkAtTime

```
public DvrChunk getDvrChunkAtTime(int fragmentType,  
    long t)
```

---

---

### **getDvrChunkNearTime**

```
public DvrChunk getDvrChunkNearTime(int fragmentType,  
    long t,  
    long delta)
```

---

### **getClosestStartTime**

```
public long getClosestStartTime(int type,  
    long t)
```

## com.wowza.wms.dvr Interface IDvrStreamVersionHandler

All Known Implementing Classes:  
[DefaultDvrStreamVersionHandler](#)

public interface **IDvrStreamVersionHandler**  
 extends

Callback to manage (archival) versions of DVR stream stores

### Method Summary

<a href="#">IDvrStreamStore</a>	<a href="#">determineExistingStoreForPlaying</a> ( <a href="#">IDvrStreamManager</a> dvrManager, String baseStreamName) When a session requests a stream store w/o specifying the version, we need gto determine the version of the stream to store.
<a href="#">IDvrStreamStore</a>	<a href="#">determineExistingStoreForRecording</a> ( <a href="#">IDvrStreamManager</a> dvrManager, String baseStreamName) After a set of versioned streams are loaded from disk, one of them may be designated the stream that will be recorded to (i.e.
String	<a href="#">getArchiveStrategy</a> ( <a href="#">IDvrStreamManager</a> dvrManager, String baseStreamName) Determine the archive strategy for a given set of streams.
boolean	<a href="#">handleArchivedStream</a> ( <a href="#">IDvrStreamManager</a> dvrManager, String baseStreamName, String version, java.util.SortedSet versions, DvrManifestHolder manifest) When a stream group inits, the file system is checked for older versions of the streams.
boolean	<a href="#">shouldDeleteArchivedStream</a> ( <a href="#">IDvrStreamManager</a> dvrManager, <a href="#">IDvrStreamStore</a> store) Determine if a given stream store version should be deleted.
boolean	<a href="#">shouldLoadArchivedStream</a> ( <a href="#">IDvrStreamManager</a> dvrManager, String baseStreamName, String version, java.util.SortedSet versions, DvrManifestHolder manifest) Determine if a given stream store version should be loaded into WMS.

### Methods

#### determineExistingStoreForRecording

```
public IDvrStreamStore determineExistingStoreForRecording(IDvrStreamManager
dvrManager,
    String baseStreamName)
```

After a set of versioned streams are loaded from disk, one of them may be designated the stream that will be recorded to (i.e. append mode).

The default implementation says that if append mode, then the highest versioned stream that has canRecord set to true is used. But this API, allows for a more detailed logic.

#### Parameters:

dvrManager - The DVR Stream Manager

(continued from last page)

baseStreamName - The base stream name (no version info). e.g. myStream

**Returns:**

stream store to append to, null if no stream in the stream group is to be appended to.

**See Also:**

[DefaultDvrStreamVersionHandler](#)

---

## determineExistingStoreForPlaying

```
public IDvrStreamStore determineExistingStoreForPlaying(IDvrStreamManager dvrManager,  
String baseStreamName)
```

When a session requests a stream store w/o specifying the version, we need to determine the version of the stream to store.

The default implementation first checks the recording stream. If it 'canPlay()', it is returned. Otherwise, the highest versioned stream that canRecord set to true is used.

**Parameters:**

dvrManager - The DVR Stream Manager

baseStreamName - The base stream name (no version info). e.g. myStream

**Returns:**

stream store to stream, null if no stream in the stream group can be played.

**See Also:**

[DefaultDvrStreamVersionHandler](#)

---

## getArchiveStrategy

```
public String getArchiveStrategy(IDvrStreamManager dvrManager,  
String baseStreamName)
```

Determine the archive strategy for a given set of streams.

Typically, this returns the archive strategy as specified in Application.xml, but this API provides a hook for more detailed logic in determining the strategy.

**Parameters:**

dvrManager - The DVR App Instance Manager

baseStreamName - The base stream name (no version info). e.g. myStream

**Returns:**

the archive strategy

**See Also:**

[DefaultDvrStreamVersionHandler](#)

[IDvrConstants.ARCHIVE\\_STRATEGY\\_APPEND](#)

[IDvrConstants.ARCHIVE\\_STRATEGY\\_DELETE](#)

[IDvrConstants.ARCHIVE\\_STRATEGY\\_VERSION](#)

---

## handleArchivedStream

```
public boolean handleArchivedStream(IDvrStreamManager dvrManager,  
String baseStreamName,  
String version,  
java.util.SortedSet versions,  
DvrManifestHolder manifest)
```

(continued from last page)

When a stream group inits, the file system is checked for older versions of the streams. This method is called to handle the streams.

Typically, 3 things can happen: The stream is ignored, loaded, or deleted.

**Parameters:**

dvrManager - The DVR Stream Manager  
baseStreamName - The base stream name (no version info). e.g. myStream  
version - The version of the stream to be loaded.  
versions - A sorted set of all the versions that are attempting to be loaded  
manifest - The main manifest info of the stream

**Returns:**

true if handled in some manner, false if ignored (unhandled)

**See Also:**

[DefaultDvrStreamVersionHandler](#)

---

## shouldLoadArchivedStream

```
public boolean shouldLoadArchivedStream(IDvrStreamManager dvrManager,  
    String baseStreamName,  
    String version,  
    java.util.SortedSet versions,  
    DvrManifestHolder manifest)
```

Determine if a given stream store version should be loaded into WMS.

**Parameters:**

dvrManager - The DVR Stream Manager  
baseStreamName - The base stream name (no version info). e.g. myStream  
version - The version of the stream to be loaded.  
versions - A sorted set of all the versions that are attempting to be loaded  
manifest - The main manifest info of the stream

**Returns:**

true if should be loaded. false if not.

**See Also:**

[DefaultDvrStreamVersionHandler](#)

---

## shouldDeleteArchivedStream

```
public boolean shouldDeleteArchivedStream(IDvrStreamManager dvrManager,  
    IDvrStreamStore store)
```

Determine if a given stream store version should be deleted.

**Parameters:**

dvrManager - The DVR Stream Manager  
store - The DVR store

**Returns:**

true if should be deleted. false if not.

**See Also:**

[DefaultDvrStreamVersionHandler](#)

## com.wowza.wms.dvr Interface IDvrTextReader

public interface **IDvrTextReader**  
extends [ITextReader](#)

### Method Summary

void	<a href="#">init</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaStream</a> stream, <a href="#">IDvrFileSystem</a> fileSystem, String artifactName)
------	---

#### Methods inherited from interface [com.wowza.io.ITextReader](#)

[close](#), [exists](#), [getBasePath](#), [getMediaName](#), [getPath](#), [init](#), [isOpen](#), [lastModified](#), [length](#), [open](#), [read](#), [ready](#)

### Methods

#### **init**

```
public void init(IApplicationInstance appInstance,  
                IMediaStream stream,  
                IDvrFileSystem fileSystem,  
                String artifactName)
```

## com.wowza.wms.dvr Interface IDvrTextWriter

public interface **IDvrTextWriter**  
extends `ITextWriter`

### Method Summary

void	<code><a href="#">init</a>(<a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaStream</a> stream, <a href="#">IDvrFileSystem</a> fileSystem, String artifactName)</code>
------	--

#### Methods inherited from interface `com.wowza.io.ITextWriter`

`close`, `exists`, `getBasePath`, `getMediaName`, `getPath`, `init`, `isAppend`, `isOpen`, `lastModified`, `length`, `open`, `setAppend`, `write`, `write`, `write`, `write`

### Methods

#### **init**

```
public void init(IApplicationInstance appInstance,  
                IMediaStream stream,  
                IDvrFileSystem fileSystem,  
                String artifactName)
```



## com.wowza.wms.dvr Interface IDvrTimeMap

All Superinterfaces:

[IDvrChannelManifest](#)

public interface **IDvrTimeMap**

extends [IDvrChannelManifest](#)

### Method Summary

boolean	<a href="#">containsTime</a> (long startTime, <a href="#">IDvrConstants.DvrTimeScale</a> timeScale)
long	<a href="#">dvrToPt</a> (long dt)
long	<a href="#">dvrToUtc</a> (long dt)
java.util.List	<a href="#">getTimeMap</a> ()
java.util.List	<a href="#">getTimeMapEntries</a> ()
long	<a href="#">ptToDvr</a> (long pt)
long	<a href="#">toDvr</a> (long t, <a href="#">IDvrConstants.DvrTimeScale</a> timeScale)
long	<a href="#">utcToDvr</a> (long utc)

### Methods inherited from interface [com.wowza.wms.dvr.IDvrChannelManifest](#)

[expandEndTime](#), [expandStartTime](#), [getClosestStartTime](#), [getFirstEntry](#), [getFirstIndex](#), [getIndexMap](#), [getLastLiveEntry](#), [getLastRecordedEntry](#), [getLastRecordedIndex](#), [getLiveDuration](#), [getLiveEntries](#), [getLiveEntries](#), [getLiveEntriesWithLimit](#), [getLiveRangeEndingBeforeTime](#), [getLiveRangeEndingBeforeTime](#), [getLiveTailEntries](#), [getNumberLiveEntries](#), [getNumberLiveEntries](#), [getNumberRecordedEntries](#), [getNumberRecordedEntries](#), [getRecordedDuration](#), [getRecordedEntries](#), [getRecordedEntries](#), [getRecordedEntries](#), [getRecordedEntriesInRange](#), [getRecordedEntriesWithLimit](#), [getRecordedEntryByIndex](#), [getRecordedEntryByTimeKey](#), [getRecordedEntryStartingBeforeTime](#), [getType](#), [isEmpty](#)

### Methods

#### getTimeMap

public java.util.List **getTimeMap**()

(continued from last page)

---

## getTimeMapEntries

```
public java.util.List getTimeMapEntries()
```

---

## dvrToUtc

```
public long dvrToUtc(long dt)
```

---

## dvrToPt

```
public long dvrToPt(long dt)
```

---

## ptToDvr

```
public long ptToDvr(long pt)
```

---

## utcToDvr

```
public long utcToDvr(long utc)
```

---

## toDvr

```
public long toDvr(long t,  
    IDvrConstants.DvrTimeScale timeScale)
```

---

## containsTime

```
public boolean containsTime(long startTime,  
    IDvrConstants.DvrTimeScale timeScale)
```

---

---

Package

**com.wowza.wms.http**

## com.wowza.wms.http Class HTTPProvider2Base

java.lang.Object

└─com.wowza.wms.http.HTTPProvider2Base

All Implemented Interfaces:

[IHTTPProvider2](#)

Direct Known Subclasses:

[HTTPLiveStreamRecord](#)

---

public abstract class **HTTPProvider2Base**

extends Object

implements [IHTTPProvider2](#)

HTTPProvider2Base: base class for implementing HTTP Providers.

### Simple HTTPProvider class

```
public class HTTPHelloWowza extends HTTPProvider2Base
{
    public void onHTTPRequest(IVHost vhost, IHTTPRequest req, IHTTPResponse resp)
    {
        if (!doHTTPAuthentication(vhost, req, resp))
            return;

        String retStr = "<head><title>Hello Wowza</title></head><body>Hello
Wowza</body>";
        try
        {
            OutputStream out = resp.getOutputStream();
            byte[] outBytes = retStr.getBytes();
            out.write(outBytes);
        }
        catch (Exception e)
        {
            WMSLoggerFactory.getLogger(HTTPHelloWowza.class).error("HTTPHelloWowza: "+e.toString());
        }
    }
}
```

---

## Field Summary

protected	<a href="#">authenticateHandler</a>
protected	<a href="#">authenticateHTTPProviderHandler</a>
protected	<a href="#">authenticationMethod</a>
protected	<a href="#">filters</a>
protected	<a href="#">properties</a>
protected	<a href="#">requestFilters</a>

## Constructor Summary

public	<a href="#">HTTPProvider2Base()</a>
--------	-------------------------------------

## Method Summary

boolean	<a href="#">canHandle</a> (String path) Return true if can handle the request
boolean	<a href="#">doHTTPAuthentication</a> ( <a href="#">IVHost</a> vhost, <a href="#">IHTTPRequest</a> req, <a href="#">IHTTPResponse</a> resp) Handle authentication request
String	<a href="#">getAuthenticationMethod</a> () Get the authentication method: digest, basic, none...
String	<a href="#">getPath</a> ( <a href="#">IHTTPRequest</a> req, boolean removeFilter) Get the request path
String	<a href="#">getRequestFilters</a> () Get the request filter
void	<a href="#">init</a> () Initialize the HTTPProvider
void	<a href="#">onBind</a> ( <a href="#">IVHost</a> vhost, <a href="#">HostPort</a> hostPort) Called when bind is called on port
void	<a href="#">onUnbind</a> ( <a href="#">IVHost</a> vhost, <a href="#">HostPort</a> hostPort) Called when unbind is called on port
void	<a href="#">setAuthenticationMethod</a> (String authenticationMethod) Set authentication method: digest, basic, none...
void	<a href="#">setProperties</a> ( <a href="#">WMSProperties</a> properties) Set properties
void	<a href="#">setRequestFilters</a> (String requestFilters) Set the request filter

Methods inherited from class `java.lang.Object`

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface [com.wowza.wms.http.IHTTPProvider2](#)

[canHandle](#), [getAuthenticationMethod](#), [getRequestFilters](#), [init](#), [setAuthenticationMethod](#), [setRequestFilters](#)

Methods inherited from interface [com.wowza.wms.http.IHTTPProvider](#)

[onBind](#), [onHTTPRequest](#), [onUnbind](#), [setProperties](#)

## Fields

### properties

protected com.wowza.wms.application.WMSProperties **properties**

### filters

protected java.util.List **filters**

### requestFilters

protected java.lang.String **requestFilters**

### authenticateHandler

protected com.wowza.wms.authentication.IAuthenticate **authenticateHandler**

### authenticateHTTPProviderHandler

protected com.wowza.wms.authentication.IAuthenticateHTTPProvider  
**authenticateHTTPProviderHandler**

### authenticationMethod

protected java.lang.String **authenticationMethod**

## Constructors

(continued from last page)

## HTTPProvider2Base

```
public HTTPProvider2Base()
```

## Methods

### init

```
public void init()
```

Initialize the HTTPProvider

### canHandle

```
public boolean canHandle(String path)
```

Return true if can handle the request

**Parameters:**

path - request path

**Returns:**

true, if can handle the request

### getPath

```
public String getPath(IHTTPRequest req,  
    boolean removeFilter)
```

Get the request path

**Parameters:**

req - request

removeFilter - set to true to remove filter part of URL

**Returns:**

path

### setRequestFilters

```
public void setRequestFilters(String requestFilters)
```

Set the request filter

**Parameters:**

requestFilters - request filter

### getRequestFilters

```
public String getRequestFilters()
```

Get the request filter

**Returns:**

request filter

## setProperties

```
public void setProperties(WMSProperties properties)
```

Set properties

**Parameters:**

properties - properties

---

## onBind

```
public void onBind(IVHost vhost,  
    HostPort hostPort)
```

Called when bind is called on port

**Parameters:**

vhost - vhost

hostPort - host port

---

## onUnbind

```
public void onUnbind(IVHost vhost,  
    HostPort hostPort)
```

Called when unbind is called on port

**Parameters:**

vhost - vhost

hostPort - host port

---

## getAuthenticationMethod

```
public String getAuthenticationMethod()
```

Get the authentication method: digest, basic, none...

**Returns:**

authentication method

---

## setAuthenticationMethod

```
public void setAuthenticationMethod(String authenticationMethod)
```

Set authentication method: digest, basic, none...

**Parameters:**

authenticationMethod - authentication method

---

## doHTTPAuthentication

```
public boolean doHTTPAuthentication(IVHost vhost,  
    HttpRequest req,  
    HttpResponse resp)
```

Handle authentication request

**Parameters:**

---



(continued from last page)

vhost - vhost  
req - request  
resp - response

**Returns:**

true, if request should be handled by the HTTPProvider subclass

## com.wowza.wms.http Interface IHTTPProvider

All Subinterfaces:

[IHTTPProvider2](#)

public interface **IHTTPProvider**  
extends

IHTTPProvider: HTTP provider class for a given HostPort definition. Receive all HTTP requests that are not RTMPT requests. See IHTTPProvider2 for the extended version of this interface.

### Method Summary

void	<a href="#">onBind</a> ( <a href="#">IVHost</a> vhost, <a href="#">HostPort</a> hostPort) Triggered after hostPort binds to socket
void	<a href="#">onHTTPRequest</a> ( <a href="#">IVHost</a> vhost, <a href="#">IHTTPRequest</a> req, <a href="#">IHTTPResponse</a> resp) Triggered for each HTTP request to the given hostPort that is not an RTMPT request.
void	<a href="#">onUnbind</a> ( <a href="#">IVHost</a> vhost, <a href="#">HostPort</a> hostPort) Triggered after hostPort unbinds
void	<a href="#">setProperties</a> ( <a href="#">WMSProperties</a> properties) Called to provide properties set in configuration files

### Methods

#### onBind

```
public void onBind(IVHost vhost,  
                   HostPort hostPort)
```

Triggered after hostPort binds to socket

**Parameters:**

vhost - parent vhost  
hostPort - host port definition

#### onHTTPRequest

```
public void onHTTPRequest(IVHost vhost,  
                           IHTTPRequest req,  
                           IHTTPResponse resp)
```

Triggered for each HTTP request to the given hostPort that is not an RTMPT request.

**Parameters:**

vhost - parent vhost  
req - HTML request object  
resp - HTML response object

---

## onUnbind

```
public void onUnbind(IVHost vhost,  
    HostPort hostPort)
```

Triggered after hostPort unbinds

### Parameters:

vhost - parent vhost

hostPort - host port definition

---

## setProperties

```
public void setProperties(WMSProperties properties)
```

Called to provide properties set in configuration files

## com.wowza.wms.http Interface IHTTPProvider2

All Superinterfaces:

[IHTTPProvider](#)

All Known Implementing Classes:

[HTTPProvider2Base](#)

---

public interface **IHTTPProvider2**  
extends [IHTTPProvider](#)

IHTTPProvider2: Extension of IHTTPProvider that adds support for multiple HTTPProviders attached to a single HostPort along with authentication. Multiple HTTPProviders can be added to a HostPort definition. They are configured as follows:

```
<HTTPProvider>
  <BaseClass>com.wowza.wms.http.HTTPServerVersion</BaseClass>
  <RequestFilters>*serverversion</RequestFilters>
  <AuthenticationMethod>none</AuthenticationMethod>
</HTTPProvider>
```

Below is an sample implementation of the HTTPServerVersion provider:

```

import java.io.*;

import com.wowza.wms.server.*;
import com.wowza.wms.stream.*;
import com.wowza.wms.vhost.*;
import com.wowza.wms.logging.*;

public class HTTPServerVersion extends HTTPProvider2Base
{
    public void onHTTPRequest(IVHost vhost, IHTTPRequest req, IHTTPResponse resp)
    {
        if (!doHTTPAuthentication(vhost, req, resp))
            return;

        String version = MediaStreamBase.p+" "+ReleaseInfo.getVersion()+"
build"+ReleaseInfo.getBuildNumber();
        String retStr =
"<html><head><title>"+version+"</title></head><body>"+version+"</body></html>";
        try
        {
            OutputStream out = resp.getOutputStream();
            byte[] outBytes = retStr.getBytes();
            out.write(outBytes);
        }
        catch (Exception e)
        {
            WMSLoggerFactory.getLogger(HTTPServerVersion.class).error("HTMLServerVersion:
"+e.toString());
        }
    }
}

```

## Method Summary

boolean	<a href="#">canHandle</a> (String path)
String	<a href="#">getAuthenticationMethod</a> ()
String	<a href="#">getRequestFilters</a> ()
void	<a href="#">init</a> ()
void	<a href="#">setAuthenticationMethod</a> (String authenticationMethod)
void	<a href="#">setRequestFilters</a> (String requestFilters)

---

Methods inherited from interface [com.wowza.wms.http.IHTTPProvider](#)

[onBind](#), [onHTTPRequest](#), [onUnbind](#), [setProperties](#)

---

## Methods

### canHandle

```
public boolean canHandle(String path)
```

---

### setRequestFilters

```
public void setRequestFilters(String requestFilters)
```

---

### getRequestFilters

```
public String getRequestFilters()
```

---

### init

```
public void init()
```

---

### getAuthenticationMethod

```
public String getAuthenticationMethod()
```

---

### setAuthenticationMethod

```
public void setAuthenticationMethod(String authenticationMethod)
```

---

## com.wowza.wms.http Interface IHTTPRequest

public interface **IHTTPRequest**  
extends

### Method Summary

int	<a href="#"><u>getContentLength()</u></a> Get the content length of the body of the message
String	<a href="#"><u>getContentType()</u></a> Get the request content type
String	<a href="#"><u>getHeader(String name)</u></a> Get a HTTP header value such as 'Content-Length'
byte[]	<a href="#"><u>getHeaderBytes()</u></a> Returns the header as bytes
java.util.Map	<a href="#"><u>getHeaderMap()</u></a> Get a copy of the HTTP request header map
java.util.Set	<a href="#"><u>getHeaderNames()</u></a> Get a Set of the header names
java.io.InputStream	<a href="#"><u>getInputStream()</u></a> Get the body of the message as an input stream
int	<a href="#"><u>getIntHeader(String name)</u></a> Get a HTTP header value such as 'Content-Length' and return as int
java.util.Locale	<a href="#"><u>getLocale()</u></a> Get locale of request (Example: en-us)
String	<a href="#"><u>getMethod()</u></a> Get the method invocation method: GET, POST, HEAD
byte[]	<a href="#"><u>getMsgBytes()</u></a> Return the message bytes
String	<a href="#"><u>getParameter(String name)</u></a> Get a parameter value
java.util.Map	<a href="#"><u>getParameterMap()</u></a> Get the entire parameter Map
java.util.Set	<a href="#"><u>getParameterNames()</u></a> Get a Set of parameter names
String[]	<a href="#"><u>getParameterValues(String name)</u></a> Get a multi-value parameter as an array of String
String	<a href="#"><u>getPath()</u></a> Returns the HTTP path element of the request

String	<a href="#"><u>getProtocol()</u></a> Get the request protocol (example: HTTP/1.1)
String	<a href="#"><u>getQueryString()</u></a> Get the query string part of the url (everything after the ?)
String	<a href="#"><u>getRemoteAddr()</u></a> Get the remote ip address of the request
String	<a href="#"><u>getRemoteHost()</u></a> Get the remote host name (if known) if not return ip address
String	<a href="#"><u>getRequestURI()</u></a> Get the full request URI
String	<a href="#"><u>getRequestURL()</u></a> Get the request url (same as URI minus the query string)
String	<a href="#"><u>getScheme()</u></a> Get the request scheme (Example "http")
String	<a href="#"><u>getServerName()</u></a> Get the name of the server (Example: "Wowza Media Server Pro")
int	<a href="#"><u>getServerPort()</u></a> Get the port this request was received on
boolean	<a href="#"><u>isSecure()</u></a> Returns true is the request is protected by SSL
void	<a href="#"><u>parseBodyForParams()</u></a> If the body of the message contains parameter data (data in name value pairs separated by & character) call this routine to decode those parameters and add them to the parameter map.
void	<a href="#"><u>parseBodyForParams(boolean doDecode)</u></a> If the body of the message contains parameter data (data in name value pairs separated by & character) call this routine to decode those parameters and add them to the parameter map.

## Methods

### getHeaderMap

```
public java.util.Map getHeaderMap()
```

Get a copy of the HTTP request header map

**Returns:**

copy of the HTTP request header map

### getHeader

```
public String getHeader(String name)
```

Get a HTTP header value such as 'Content-Length'

**Parameters:**

name - header name



---

(continued from last page)

**Returns:**

header value

---

## getIntHeader

```
public int getIntHeader(String name)
```

Get a HTTP header value such as 'Content-Length' and return as int

**Parameters:**

name - header name

**Returns:**

header value

---

## getHeaderNames

```
public java.util.Set getHeaderNames()
```

Get a Set of the header names

**Returns:**

Set of header names

---

## getMethod

```
public String getMethod()
```

Get the method invocation method: GET, POST, HEAD

**Returns:**

method

---

## getQueryString

```
public String getQueryString()
```

Get the query string part of the url (everything after the ?)

**Returns:**

query string

---

## getContentLength

```
public int getContentLength()
```

Get the content length of the body of the message

**Returns:**

content length of the body of the message

---

## getRequestURI

```
public String getRequestURI()
```

Get the full request URI

---

(continued from last page)

**Returns:**

full request URI

---

**getRequestURL**

```
public String getRequestURL()
```

Get the request url (same as URI minus the query string)

**Returns:**

request url

---

**getContentType**

```
public String getContentType()
```

Get the request content type

**Returns:**

request content type

---

**parseBodyForParams**

```
public void parseBodyForParams(boolean doDecode)
```

If the body of the message contains parameter data (data in name value pairs separated by & character) call this routine to decode those parameters and add them to the parameter map.

**Parameters:**

doDecode - true to decode the params as though they are url params

---

**parseBodyForParams**

```
public void parseBodyForParams()
```

If the body of the message contains parameter data (data in name value pairs separated by & character) call this routine to decode those parameters and add them to the parameter map.

---

**getParameter**

```
public String getParameter(String name)
```

Get a parameter value

**Parameters:**

name - parameter name

**Returns:**

parameter value

---

**getParameterNames**

```
public java.util.Set getParameterNames()
```

Get a Set of parameter names

**Returns:**

Set of parameter names

---

## getParameterValues

```
public String[] getParameterValues(String name)
```

Get a multi-value parameter as an array of String

**Parameters:**

name - parameter name

**Returns:**

multi-value parameter as an array of String

---

## getParameterMap

```
public java.util.Map getParameterMap()
```

Get the entire parameter Map

**Returns:**

parameter Map

---

## getInputStream

```
public java.io.InputStream getInputStream()
```

Get the body of the message as an input stream

**Returns:**

body of the message as an input stream

---

## getProtocol

```
public String getProtocol()
```

Get the request protocol (example: HTTP/1.1)

**Returns:**

request protocol

---

## getScheme

```
public String getScheme()
```

Get the request scheme (Example "http")

**Returns:**

request scheme

---

## getServerName

```
public String getServerName()
```

Get the name of the server (Example: "Wowza Media Server Pro")

**Returns:**

name of the server

---

## getServerPort

```
public int getServerPort()
```

Get the port this request was received on

**Returns:**

the port this request was received on

---

## getRemoteAddr

```
public String getRemoteAddr()
```

Get the remote ip address of the request

**Returns:**

remote ip address of the request

---

## getRemoteHost

```
public String getRemoteHost()
```

Get the remote host name (if known) if not return ip address

**Returns:**

remote host name

---

## getLocale

```
public java.util.Locale getLocale()
```

Get locale of request (Example: en-us)

**Returns:**

locale of request

---

## isSecure

```
public boolean isSecure()
```

Returns true is the request is protected by SSL

**Returns:**

true is the request is protected by SSL

---

## getPath

```
public String getPath()
```

Returns the HTTP path element of the request

**Returns:**

HTTP path element of the request

---

## getHeaderBytes

```
public byte[] getHeaderBytes()
```

---

(continued from last page)

Returns the header as bytes

**Returns:**

header as bytes

---

## **getMsgBytes**

```
public byte[] getMsgBytes()
```

Return the message bytes

**Returns:**

message bytes

## com.wowza.wms.http Interface IHTTPResponse

public interface **IHTTPResponse**  
extends

### Method Summary

boolean	<a href="#"><code>containsHeader</code></a> (String name) Returns true if response header contains parameter name
String	<a href="#"><code>getHeader</code></a> (String name) Get header value
java.util.Map	<a href="#"><code>getHeaders</code></a> () Get the current response headers as a map
int	<a href="#"><code>getHeaderSize</code></a> () Get the size in bytes of the HTTP header
int	<a href="#"><code>getIntHeader</code></a> (String name) Get header value as int
java.io.OutputStream	<a href="#"><code>getOutputStream</code></a> () Get the output stream for the response.
void	<a href="#"><code>removeHeader</code></a> (String name) Remove header value
void	<a href="#"><code>setHeader</code></a> (String name, String value) Set header value
void	<a href="#"><code>setIntHeader</code></a> (String name, int value) Set header value as int
void	<a href="#"><code>setResponseCode</code></a> (int responseCode) Set the HTTP response code

### Methods

#### `getOutputStream`

public java.io.OutputStream **getOutputStream**()

Get the output stream for the response. You can then write directly into the output stream.

**Returns:**

output stream for the response

#### `containsHeader`

public boolean **containsHeader**(String name)

(continued from last page)

Returns true if response header contains parameter name

**Parameters:**

name - header parameter name

**Returns:**

true if header contains value

---

## setHeader

```
public void setHeader(String name,  
                      String value)
```

Set header value

**Parameters:**

name - header parameter name

value - parameter value

---

## removeHeader

```
public void removeHeader(String name)
```

Remove header value

**Parameters:**

name - name

---

## setIntHeader

```
public void setIntHeader(String name,  
                          int value)
```

Set header value as int

**Parameters:**

name - header parameter name

value - parameter value

---

## getHeaders

```
public java.util.Map getHeaders()
```

Get the current response headers as a map

**Returns:**

current response headers as a map

---

## getHeader

```
public String getHeader(String name)
```

Get header value

**Parameters:**

name - header parameter name

**Returns:**

(continued from last page)

parameter value

---

## getIntHeader

```
public int getIntHeader(String name)
```

Get header value as int

**Parameters:**

name - header parameter name

**Returns:**

parameter value

---

## setResponseCode

```
public void setResponseCode(int responseCode)
```

Set the HTTP response code

**Parameters:**

responseCode - HTTP response code

---

## getHeaderSize

```
public int getHeaderSize()
```

Get the size in bytes of the HTTP header

**Returns:**

header size in bytes

---



---

Package

**com.wowza.wms.httpstreamer.cupertinostrea  
ming.httpstreamer**

# com.wowza.wms.httpstreamer.cupertinostreaming.httpstreamer

## Class HTTPStreamerSessionCupertino

java.lang.Object  
├─com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase  
└─  
com.wowza.wms.httpstreamer.cupertinostreaming.httpstreamer.HTTPStreamerSessionCupertino

All Implemented Interfaces:  
[IHTTPSessionNotify](#), [IHTTPStreamerSession](#)

public class **HTTPStreamerSessionCupertino**  
extends HTTPStreamerSessionBase  
implements [IHTTPStreamerSession](#), [IHTTPSessionNotify](#)

Fields inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase
acceptSession, appInstance, connectionHolder, cookieStr, DATEFORMAT, elapsedTime, fastDateFormat, fileInfoMap, firstCheck, httpHeaders, httpStreamerAdapter, ioPerformanceCounter, ipAddress, isActive, isHTTPOrigin, isPlayLogged, lastRequest, liveStreamingPacketizer, lock, mediaCasterStreamLock, playDuration, playStart, properties, queryStr, redirectSession, redirectSessionBody, redirectSessionCode, redirectSessionContentType, redirectSessionURL, referrer, serverIp, serverPort, sessionId, sessionProtocol, sessionTimeout, sessionType, stream, streamDomainStrSet, streamExt, streamName, streamNamePartMap, streamPosition, timeoutSession, totalIOPerformance2Last, totalIOPerformanceLast, uri, userAgent, userHTTPHeaders, userQueryStr, vhost

Fields inherited from interface com.wowza.wms.httpstreamer.model.IHTTPStreamerSession
<a href="#">SESSIONPROTOCOL_COUNT</a> , <a href="#">SESSIONPROTOCOL_CUPERTINOSTREAMING</a> , <a href="#">SESSIONPROTOCOL_DVRCHUNKSTREAMING</a> , <a href="#">SESSIONPROTOCOL_MPEGDASHSTREAMING</a> , <a href="#">SESSIONPROTOCOL_SANJOSESTREAMING</a> , <a href="#">SESSIONPROTOCOL_SMOOTHSTREAMING</a> , <a href="#">SESSIONPROTOCOL_UNKNOWN</a> , <a href="#">SESSIONPROTOCOL_WEBMSTREAMING</a> , <a href="#">SESSIONTYPE_LIVE</a> , <a href="#">SESSIONTYPE_LIVEDVR</a> , <a href="#">SESSIONTYPE_UNKNOWN</a> , <a href="#">SESSIONTYPE_VOD</a>

Constructor Summary	
public	<a href="#">HTTPStreamerSessionCupertino()</a>

Method Summary	
void	<a href="#">clearLoggingValues()</a>
boolean	<a href="#">containsIndex</a> (String streamName)
static boolean	<a href="#">doesFileExist</a> ( <a href="#">IHTTPStreamerApplicationContext</a> appContext, String rawStreamName, String streamExt, String streamName, <a href="#">IHTTPStreamerSession</a> httpStreamerSession)

IHTTPStreamerCupertinoIndex	<a href="#">getIndex(IHTTPStreamerApplicationContext appContext, IHTTPStreamerSession httpStreamerSession, String rawStreamName, String streamExt, String streamName, long playStart, long playDuration, TimedTextRequest captionRequest)</a>
void	<a href="#">logLiveChunk</a> (LiveStreamPacketizerCupertinoChunk chunk)
void	<a href="#">logVODChunk</a> (LiveStreamPacketizerCupertinoChunk chunk)
void	<a href="#">notifyHTTPSessionCreate(IApplicationInstance appInstance, IHTTPStreamerSession httpStreamerSession)</a>
void	<a href="#">notifyHTTPSessionDestroy(IApplicationInstance appInstance, IHTTPStreamerSession httpStreamerSession)</a>
void	<a href="#">shutdown()</a>
void	<a href="#">updateLoggingValues()</a>

#### Methods inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, addIOPerformance, addIOPerformance2, addStreamDomainStr, addStreamDomainStrs, addUserHTTPHeaders, checkAndSetPlayLogged, clearLoggingValues, containsStreamDomainStr, containsStreamNameParts, doSessionRedirect, extractHTTPRequestInfo, getAppInstance, getConnectionHolder, getCookieStr, getDvrSessionInfo, getElapsedTime, getFileInfo, getHTTPDate, getHTTPHeader, getHTTPHeaderMap, getHTTPHeaderNames, getHTTPIntHeader, getHTTPStreamerAdapter, getIOPerformanceCounter, getIpAddress, getLastRequest, getLiveStreamingPacketizer, getLock, getPlayDuration, getPlayStart, getProperties, getQueryStr, getRedirectSessionBody, getRedirectSessionCode, getRedirectSessionContentType, getRedirectSessionURL, getReferrer, getServerIp, getServerPort, getSessionId, getSessionProtocol, getSessionTimeout, getSessionType, getStream, getStreamDomainStr, getStreamDomainStrList, getStreamExt, getStreamName, getStreamNameParts, getStreamPosition, getTimeRunning, getTimeRunningSeconds, getUri, getUserAgent, getUserHTTPHeaders, getUserQueryStr, getVHost, isAcceptSession, isActive, isFileInfo, isHTTPOrigin, isPlayLogged, isRedirectSession, isTimeout, isTimeoutSession, isValidated, isValidStreamDomainStr, lockRepeaterStreams, putFileInfo, putStreamNameParts, redirectSession, redirectSession, rejectSession, removeStreamDomainStr, setAcceptSession, setActive, setAppInstance, setCookieStr, setDvrSessionInfo, setHTTPOrigin, setHTTPStreamerAdapter, setIpAddress, setLiveStreamingPacketizer, setPlayDuration, setPlayLogged, setPlayStart, setQueryStr, setRedirectSession, setRedirectSessionBody, setRedirectSessionCode, setRedirectSessionContentType, setRedirectSessionURL, setReferrer, setServerIp, setServerPort, setSessionId, setSessionProtocol, setSessionTimeout, setSessionType, setStream, setStreamExt, setStreamName, setStreamPosition, setThreadContext, setTimeoutSession, setUri, setUserAgent, setUserHTTPHeader, setUserQueryStr, setValidated, setVHost, shutdown, shutdownLocked, touch, updateLoggingValues, validStreamDomainToString

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[acceptSession](#), [addIOPerformance](#), [addIOPerformance2](#), [addStreamDomainStr](#),  
[addStreamDomainStrs](#), [addUserHTTPHeaders](#), [checkAndSetPlayLogged](#), [clearLoggingValues](#),  
[containsStreamDomainStr](#), [containsStreamNameParts](#), [doSessionRedirect](#),  
[extractHTTPRequestInfo](#), [getAppInstance](#), [getConnectionHolder](#), [getCookieStr](#),  
[getDvrSessionInfo](#), [getElapsedTime](#), [getFileInfo](#), [getHTTPHeader](#), [getHTTPHeaderMap](#),  
[getHTTPHeaderNames](#), [getHTTPIntHeader](#), [getHTTPStreamerAdapter](#),  
[getIOPerformanceCounter](#), [getIpAddress](#), [getLastRequest](#), [getLiveStreamingPacketizer](#),  
[getLock](#), [getPlayDuration](#), [getPlayStart](#), [getProperties](#), [getQueryStr](#),  
[getRedirectSessionBody](#), [getRedirectSessionCode](#), [getRedirectSessionContentType](#),  
[getRedirectSessionURL](#), [getReferrer](#), [getServerIp](#), [getServerPort](#), [getSessionId](#),  
[getSessionProtocol](#), [getSessionTimeout](#), [getSessionType](#), [getStream](#), [getStreamExt](#),  
[getStreamName](#), [getStreamNameParts](#), [getStreamPosition](#), [getTimeRunning](#),  
[getTimeRunningSeconds](#), [getUri](#), [getUserAgent](#), [getUserHTTPHeaders](#), [getUserQueryStr](#),  
[getVHost](#), [isAcceptSession](#), [isActive](#), [isFileInfo](#), [isHTTPOrigin](#), [isPlayLogged](#),  
[isRedirectSession](#), [isTimeout](#), [isTimeoutSession](#), [isValidated](#), [isValidStreamDomainStr](#),  
[lockRepeaterStreams](#), [putFileInfo](#), [putStreamNameParts](#), [redirectSession](#),  
[redirectSession](#), [rejectSession](#), [removeStreamDomainStr](#), [setAcceptSession](#), [setActive](#),  
[setAppInstance](#), [setCookieStr](#), [setDvrSessionInfo](#), [setHTTPOrigin](#),  
[setHTTPStreamerAdapter](#), [setIpAddress](#), [setLiveStreamingPacketizer](#), [setPlayDuration](#),  
[setPlayLogged](#), [setPlayStart](#), [setQueryStr](#), [setRedirectSession](#), [setRedirectSessionBody](#),  
[setRedirectSessionCode](#), [setRedirectSessionContentType](#), [setRedirectSessionURL](#),  
[setReferrer](#), [setServerIp](#), [setServerPort](#), [getSessionId](#), [setSessionProtocol](#),  
[setSessionTimeout](#), [setSessionType](#), [setStream](#), [setStreamExt](#), [setStreamName](#),  
[setStreamPosition](#), [setTimeoutSession](#), [setUri](#), [setUserAgent](#), [setUserHTTPHeader](#),  
[setUserQueryStr](#), [setVHost](#), [shutdown](#), [touch](#), [updateLoggingValues](#),  
[validStreamDomainToString](#)

Methods inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPSessionNotify](#)

[notifyHTTPSessionCreate](#), [notifyHTTPSessionDestroy](#)

## Constructors

### HTTPStreamerSessionCupertino

```
public HTTPStreamerSessionCupertino()
```

## Methods

### shutdown

```
public void shutdown()
```

### containsIndex

```
public boolean containsIndex(String streamName)
```

(continued from last page)

---

## doesFileExist

```
public static boolean doesFileExist(IHTTPStreamerApplicationContext appContext,  
    String rawStreamName,  
    String streamExt,  
    String streamName,  
    IHTTPStreamerSession httpStreamerSession)
```

---

## getIndex

```
public IHTTPStreamerCupertinoIndex getIndex(IHTTPStreamerApplicationContext  
appContext,  
    IHTTPStreamerSession httpStreamerSession,  
    String rawStreamName,  
    String streamExt,  
    String streamName,  
    long playStart,  
    long playDuration,  
    TimedTextRequest captionRequest)
```

---

## updateLoggingValues

```
public void updateLoggingValues()
```

---

## clearLoggingValues

```
public void clearLoggingValues()
```

---

## logLiveChunk

```
public void logLiveChunk(LiveStreamPacketizerCupertinoChunk chunk)
```

---

## logVODChunk

```
public void logVODChunk(LiveStreamPacketizerCupertinoChunk chunk)
```

---

## notifyHTTPSessionCreate

```
public void notifyHTTPSessionCreate(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---

## notifyHTTPSessionDestroy

```
public void notifyHTTPSessionDestroy(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---

## com.wowza.wms.httpstreamer.cupertinostreaming.httpstreamer Interface IHTTPStreamerCupertinoVODActionNotify

All Subinterfaces:

[IHTTPStreamerCupertinoVODActionNotify2](#)

public interface IHTTPStreamerCupertinoVODActionNotify

extends

IHTTPStreamerCupertinoVODActionNotify: listener interface for video on demand iOS streaming. See

HTTPStreamerApplicationContextCupertinoStreamer.addVODActionListener(IHTTPStreamerCupertinoVODActionNotify listener)

### Method Summary

void	<a href="#">onCreate</a> (IHTTPStreamerCupertinoIndex fileIndex, <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName) Called when file index created
void	<a href="#">onDestroy</a> (IHTTPStreamerCupertinoIndex fileIndex) Called after file index is destroyed
void	<a href="#">onFillChunkEnd</a> (IHTTPStreamerCupertinoIndex fileIndex, IHTTPStreamerCupertinoIndexItem item, LiveStreamPacketizerCupertinoChunk chunk, boolean audioOnly) Called after each chunk is filled.
void	<a href="#">onFillChunkStart</a> (IHTTPStreamerCupertinoIndex fileIndex, IHTTPStreamerCupertinoIndexItem item, LiveStreamPacketizerCupertinoChunk chunk, boolean audioOnly) Called each time a chunk is filled.
void	<a href="#">onIndex</a> (IHTTPStreamerCupertinoIndex fileIndex, <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName) Called after file is indexed
void	<a href="#">onInit</a> (IHTTPStreamerCupertinoIndex fileIndex, <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName) Called after initialized
void	<a href="#">onOpen</a> (IHTTPStreamerCupertinoIndex fileIndex, <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName) Called after open

### Methods

(continued from last page)

## onCreate

```
public void onCreate(IHTTPStreamerCupertinoIndex fileIndex,  
    IHTTPStreamerApplicationContext appContext,  
    IHTTPStreamerSession httpStreamerSession,  
    String rawStreamName,  
    String streamExt,  
    String streamName)
```

Called when file index created

### Parameters:

fileIndex - file index  
appContext - HTTP application context  
httpStreamerSession - HTTP streaming session  
rawStreamName - stream name  
streamExt - stream extension  
streamName - adjusted stream name

---

## onInit

```
public void onInit(IHTTPStreamerCupertinoIndex fileIndex,  
    IHTTPStreamerApplicationContext appContext,  
    IHTTPStreamerSession httpStreamerSession,  
    String rawStreamName,  
    String streamExt,  
    String streamName)
```

Called after initialized

### Parameters:

fileIndex - file index  
appContext - HTTP application context  
httpStreamerSession - HTTP streaming session  
rawStreamName - stream name  
streamExt - stream extension  
streamName - adjusted stream name

---

## onOpen

```
public void onOpen(IHTTPStreamerCupertinoIndex fileIndex,  
    IHTTPStreamerApplicationContext appContext,  
    IHTTPStreamerSession httpStreamerSession,  
    String rawStreamName,  
    String streamExt,  
    String streamName)
```

Called after open

### Parameters:

fileIndex - file index  
appContext - HTTP application context  
httpStreamerSession - HTTP streaming session  
rawStreamName - stream name  
streamExt - stream extension  
streamName - adjusted stream name

---

(continued from last page)

## onIndex

```
public void onIndex(IHTTPStreamerCupertinoIndex fileIndex,  
    IHTTPStreamerApplicationContext appContext,  
    IHTTPStreamerSession httpStreamerSession,  
    String rawStreamName,  
    String streamExt,  
    String streamName)
```

Called after file is indexed

### Parameters:

fileIndex - file index  
appContext - HTTP application context  
httpStreamerSession - HTTP streaming session  
rawStreamName - stream name  
streamExt - stream extension  
streamName - adjusted stream name

---

## onFillChunkStart

```
public void onFillChunkStart(IHTTPStreamerCupertinoIndex fileIndex,  
    IHTTPStreamerCupertinoIndexItem item,  
    LiveStreamPacketizerCupertinoChunk chunk,  
    boolean audioOnly)
```

Called each time a chunk is filled. Can be used to add ID3 data to the header of a chunk.

### Parameters:

fileIndex - file index  
item - index item  
chunk - chunk being filled  
audioOnly - is audio-only chunk

---

## onFillChunkEnd

```
public void onFillChunkEnd(IHTTPStreamerCupertinoIndex fileIndex,  
    IHTTPStreamerCupertinoIndexItem item,  
    LiveStreamPacketizerCupertinoChunk chunk,  
    boolean audioOnly)
```

Called after each chunk is filled. Can be used to add ID3 data to the end of a chunk.

### Parameters:

fileIndex - file index  
item - index item  
chunk - chunk being filled  
audioOnly - is audio-only chunk

---

## onDestroy

```
public void onDestroy(IHTTPStreamerCupertinoIndex fileIndex)
```

Called after file index is destroyed

### Parameters:

fileIndex - file index

---



## com.wowza.wms.httpstreamer.cupertinostreaming.httpstreamer Interface IHTTPStreamerCupertinoVODActionNotify2

All Superinterfaces:

[IHTTPStreamerCupertinoVODActionNotify](#)

public interface **IHTTPStreamerCupertinoVODActionNotify2**

extends [IHTTPStreamerCupertinoVODActionNotify](#)

### Method Summary

void	<a href="#">onFillChunkDataPacket</a> (IHTTPStreamerCupertinoIndex fileIndex, IHTTPStreamerCupertinoIndexItem item, LiveStreamPacketizerCupertinoChunk chunk, boolean audioOnly, <a href="#">AMFPacket</a> packet, <a href="#">ID3Frames</a> id3Frames) Called when data packet is encountered.
------	--

#### Methods inherited from interface

[com.wowza.wms.httpstreamer.cupertinostreaming.httpstreamer.IHTTPStreamerCupertinoVODActionNotify](#)

[onCreate](#), [onDestroy](#), [onFillChunkEnd](#), [onFillChunkStart](#), [onIndex](#), [onInit](#), [onOpen](#)

### Methods

#### onFillChunkDataPacket

```
public void onFillChunkDataPacket(IHTTPStreamerCupertinoIndex fileIndex,
    IHTTPStreamerCupertinoIndexItem item,
    LiveStreamPacketizerCupertinoChunk chunk,
    boolean audioOnly,
    AMFPacket packet,
    ID3Frames id3Frames)
```

Called when data packet is encountered. Used to convert AMF events into ID3 tags for iOS streaming

#### Parameters:

fileIndex - file index  
item - item  
chunk - chunk  
audioOnly - is audio-only chunk  
packet - amf packet  
id3Frames - ID3 frames

---

Package

**com.wowza.wms.httpstreamer.model**

## com.wowza.wms.httpstreamer.model Interface IHTTPCryptoHolder

public interface IHTTPCryptoHolder  
extends

### Method Summary

byte[]	<a href="#">getBuffer()</a>
int	<a href="#">getOffset()</a>
int	<a href="#">getPacketType()</a>
long	<a href="#">getSample()</a>
int	<a href="#">getSize()</a>
void	<a href="#">setBuffer</a> (byte[] buffer)
void	<a href="#">setOffset</a> (int offset)
void	<a href="#">setPacketType</a> (int packetType)
void	<a href="#">setSample</a> (long sample)
void	<a href="#">setSize</a> (int size)

### Methods

#### getBuffer

public byte[] **getBuffer**()

#### setBuffer

public void **setBuffer**(byte[] buffer)

#### getOffset

public int **getOffset**()

---

**setOffset**

```
public void setOffset(int offset)
```

---

---

**getSize**

```
public int getSize()
```

---

---

**setSize**

```
public void setSize(int size)
```

---

---

**getPacketType**

```
public int getPacketType()
```

---

---

**setPacketType**

```
public void setPacketType(int packetType)
```

---

---

**getSample**

```
public long getSample()
```

---

---

**setSample**

```
public void setSample(long sample)
```

---

---

## com.wowza.wms.httpstreamer.model Interface IHTTPSessionFactory

---

public interface **IHTTPSessionFactory**  
extends

---

### Method Summary

<a href="#">IHTTPStreamerSession</a>	<a href="#">createHTTPSessionInstance()</a>
--------------------------------------	---

---

### Methods

#### **createHTTPSessionInstance**

public [IHTTPStreamerSession](#) **createHTTPSessionInstance()**

com.wowza.wms.httpstreamer.model

# Interface IHTTPSessionNotify

All Known Implementing Classes:  
[HTTPStreamerSessionSmoothStreamer](#), [HTTPStreamerSessionSanJose](#), [HTTPStreamerSessionCupertino](#)

public interface IHTTPSessionNotify  
extends

Method Summary	
void	<a href="#">notifyHTTPSessionCreate(IApplicationInstance</a> appInstance, <a href="#">IHTTPStreamerSession</a> httpStreamerSession)
void	<a href="#">notifyHTTPSessionDestroy(IApplicationInstance</a> appInstance, <a href="#">IHTTPStreamerSession</a> httpStreamerSession)

## Methods

### notifyHTTPSessionCreate

public void **notifyHTTPSessionCreate**([IApplicationInstance](#) appInstance, [IHTTPStreamerSession](#) httpStreamerSession)

### notifyHTTPSessionDestroy

public void **notifyHTTPSessionDestroy**([IApplicationInstance](#) appInstance, [IHTTPStreamerSession](#) httpStreamerSession)

## com.wowza.wms.httpstreamer.model Interface IHTTPStreamerAdapter

public interface **IHTTPStreamerAdapter**  
extends

IHTTPStreamerAdapter: HTTP streaming adapter interface

### Method Summary

boolean	<a href="#"><u>canHandle</u></a> (String path) Return true if can handle request
String	<a href="#"><u>getAdapterName</u></a> () Get the name of this adapter
HTTPStreamerItem	<a href="#"><u>getHTTPStreamerItem</u></a> () Get the HTTP streamer item associated with this adapter
String	<a href="#"><u>getID</u></a> () Get the id of this adapter
int	<a href="#"><u>getIdleFrequency</u></a> () Get the idle frequency (milliseconds) for HTTP requests.
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties</u></a> () Get properties
int	<a href="#"><u>getSessionProtocol</u></a> () Set the adapter session protocol.
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost</u></a> () Get the vhost associated with this adapter
void	<a href="#"><u>init</u></a> () Initialize the HTTP streaming adapter
void	<a href="#"><u>service</u></a> (org.apache.mina.common.io.Session session, RtmpRequestMessage req, RtmpResponseMessage resp) Called to service each request
void	<a href="#"><u>setHTTPStreamerItem</u></a> (HTTPStreamerItem httpStreamerItem) Set the HTTP streamer item associated with this adapter
void	<a href="#"><u>setID</u></a> (String id) Set the id of this adapter
void	<a href="#"><u>setProperties</u></a> ( <a href="#"><u>WMSProperties</u></a> properties) Set properties
void	<a href="#"><u>setSessionProtocol</u></a> (int sessionProtocol) Get the adapter session protocol.
void	<a href="#"><u>setVHost</u></a> ( <a href="#"><u>IVHost</u></a> vhost) Set the vhost associated with this adapter

void

[shutdownSession](#)([IApplicationInstance](#) appInstance, [IHTTPStreamerSession](#) session)

Called when an HTTP streaming session is shutdown

## Methods

### canHandle

```
public boolean canHandle(String path)
```

Return true if can handle request

**Parameters:**

path - request path

**Returns:**

true if can handle request

### service

```
public void service(org.apache.mina.common.Session session,
    RtmpRequestMessage req,
    RtmpResponseMessage resp)
```

Called to service each request

**Parameters:**

session - io session

req - request

resp - response

### getProperties

```
public WMSPProperties getProperties()
```

Get properties

**Returns:**

properties

### setProperties

```
public void setProperties(WMSPProperties properties)
```

Set properties

**Parameters:**

properties - properties

### getHTTPStreamerItem

```
public HTTPStreamerItem getHTTPStreamerItem()
```

Get the HTTP streamer item associated with this adapter

**Returns:**



(continued from last page)

HTTP streamer item

---

## setHTTPStreamerItem

```
public void setHTTPStreamerItem(HTTPStreamerItem httpStreamerItem)
```

Set the HTTP streamer item associated with this adapter

**Parameters:**

httpStreamerItem - HTTP streamer item

---

## getVHost

```
public IVHost getVHost()
```

Get the vhost associated with this adapter

**Returns:**

vhost

---

## setVHost

```
public void setVHost(IVHost vhost)
```

Set the vhost associated with this adapter

**Parameters:**

vhost - vhost

---

## init

```
public void init()
```

Initialize the HTTP streaming adapter

---

## shutdownSession

```
public void shutdownSession(IApplicationInstance appInstance,  
    IHTTPStreamerSession session)
```

Called when an HTTP streaming session is shutdown

**Parameters:**

session - HTTP streaming session

---

## getIdleFrequency

```
public int getIdleFrequency()
```

Get the idle frequency (milliseconds) for HTTP requests. This is how often the session is called back while active.

**Returns:**

idle frequency (milliseconds)

---

## getAdapterName

```
public String getAdapterName()
```

---

(continued from last page)

Get the name of this adapter

**Returns:**

name of this adapter

---

**getID**

```
public String getID()
```

Get the id of this adapter

**Returns:**

id of this adapter

---

**setID**

```
public void setID(String id)
```

Set the id of this adapter

**Parameters:**

id - id of this adapter

---

**getSessionProtocol**

```
public int getSessionProtocol()
```

Set the adapter session protocol. See IHTTPStreamerSession.SESSIONPROTOCOL\_\*

**Returns:**

adapter session protocol

---

**setSessionProtocol**

```
public void setSessionProtocol(int sessionProtocol)
```

Get the adapter session protocol. See IHTTPStreamerSession.SESSIONPROTOCOL\_\*

**Parameters:**

sessionProtocol - adapter session protocol

---

## com.wowza.wms.httpstreamer.model Interface IHTTPStreamerApplicationContext

public interface IHTTPStreamerApplicationContext  
extends

IHTTPStreamerApplicationContext: HTTP streamer application context interface. Used by HTTP streaming adapter to store per-application information.

### Field Summary

public static final	<a href="#">HTTPOIGINMODE_AUTO</a> Value: <b>1</b>
public static final	<a href="#">HTTPOIGINMODE_OFF</a> Value: <b>0</b>
public static final	<a href="#">HTTPOIGINMODE_ON</a> Value: <b>2</b>

### Method Summary

<a href="#">IApplicationInstance</a>	<a href="#">getAppInstance()</a> Get application instance
int	<a href="#">getHTTPOriginMode()</a> Get current HTTP origin mode.
<a href="#">WMSProperties</a>	<a href="#">getProperties()</a> Get properties
<a href="#">MediaCasterItem</a>	<a href="#">getRepeaterMediaCasterDef()</a> Get the live repeater media caster definition
String	<a href="#">getStreamTypeStr()</a> Get stream type
<a href="#">IVHost</a>	<a href="#">getVHost()</a> Get vhost
void	<a href="#">init(IApplicationInstance appInstance, HTTPStreamerItem httpStreamerItem)</a> Initialize context
boolean	<a href="#">isHTTPOriginOn()</a> Returns true if HTTP origin mode is set to ON.
boolean	<a href="#">isStreamDomainProtectionActive()</a> Return true if stream domain protection is on
void	<a href="#">setHTTPOriginMode(int httpOriginMode)</a> Set current HTTP origin mode.

void	<a href="#">setRepeaterMediaCasterDef</a> ( <a href="#">MediaCasterItem</a> repeaterMediaCasterDef) Set the live repeater media caster definition
void	<a href="#">setStreamDomainProtectionActive</a> (boolean streamDomainProtectionActive) Turn on/off stream domain protection
void	<a href="#">setStreamTypeStr</a> (String streamTypeStr) Set stream type

Fields

HTTPORIGINMODE\_OFF

```
public static final int HTTPORIGINMODE_OFF
```

Constant value: 0

HTTPORIGINMODE\_AUTO

```
public static final int HTTPORIGINMODE_AUTO
```

Constant value: 1

HTTPORIGINMODE\_ON

```
public static final int HTTPORIGINMODE_ON
```

Constant value: 2

Methods

init

```
public void init(IApplicationInstance appInstance,  
                HTTPStreamerItem httpStreamerItem)
```

Initialize context

Parameters:

- appInstance - application instance
- httpStreamerItem - HTTP streamer

getProperties

```
public WMSProperties getProperties()
```

Get properties

Returns:

- properties

(continued from last page)

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get application instance

**Returns:**

application instance

---

## getVHost

```
public IVHost getVHost()
```

Get vhost

**Returns:**

vhost

---

## getRepeaterMediaCasterDef

```
public MediaCasterItem getRepeaterMediaCasterDef()
```

Get the live repeater media caster definition

**Returns:**

live repeater media caster definition

---

## setRepeaterMediaCasterDef

```
public void setRepeaterMediaCasterDef(MediaCasterItem repeaterMediaCasterDef)
```

Set the live repeater media caster definition

**Parameters:**

repeaterMediaCasterDef - live repeater media caster definition

---

## getStreamTypeStr

```
public String getStreamTypeStr()
```

Get stream type

**Returns:**

stream type

---

## setStreamTypeStr

```
public void setStreamTypeStr(String streamTypeStr)
```

Set stream type

**Parameters:**

streamTypeStr - stream type

---

## isStreamDomainProtectionActive

```
public boolean isStreamDomainProtectionActive()
```

---

(continued from last page)

Return true if stream domain protection is on

**Returns:**

true if stream domain protection is on

---

## setStreamDomainProtectionActive

```
public void setStreamDomainProtectionActive(boolean streamDomainProtectionActive)
```

Turn on/off stream domain protection

**Parameters:**

streamDomainProtectionActive - true if stream domain protection is on

---

## getHTTPOriginMode

```
public int getHTTPOriginMode()
```

Get current HTTP origin mode. See HTTPORIGINMODE\_ (auto is currently not supported)

**Returns:**

HTTP origin mode

---

## setHTTPOriginMode

```
public void setHTTPOriginMode(int httpOriginMode)
```

Set current HTTP origin mode. See HTTPORIGINMODE\_ (auto is currently not supported)

**Parameters:**

httpOriginMode - HTTP origin mode

---

## isHTTPOriginOn

```
public boolean isHTTPOriginOn()
```

Returns true if HTTP origin mode is set to ON.

**Returns:**

true if HTTP origin mode is set to ON.

---

# com.wowza.wms.httpstreamer.model

## Interface IHTTPStreamerRepeater

public interface IHTTPStreamerRepeater  
extends

IHTTPStreamerRepeater: stream switching constants

Field Summary	
public static final	<a href="#">MSG_STARTSTREAM</a> Value: <b>startStream</b>
public static final	<a href="#">MSG_SWITCHSTREAM</a> Value: <b>switchStream</b>

### Fields

#### MSG\_STARTSTREAM

public static final java.lang.String **MSG\_STARTSTREAM**

Constant value: **startStream**

#### MSG\_SWITCHSTREAM

public static final java.lang.String **MSG\_SWITCHSTREAM**

Constant value: **switchStream**

## com.wowza.wms.httpstreamer.model Interface IHTTPStreamerSession

public interface **IHTTPStreamerSession**  
extends

IHTTPStreamerSession: HTTP streaming session interface

### Field Summary

public static final	<a href="#">SESSIONPROTOCOL_COUNT</a> Value: <b>6</b>
public static final	<a href="#">SESSIONPROTOCOL_CUPERTINOSTREAMING</a> Value: <b>1</b>
public static final	<a href="#">SESSIONPROTOCOL_DVRCHUNKSTREAMING</a> Value: <b>5</b>
public static final	<a href="#">SESSIONPROTOCOL_MPEGDASHSTREAMING</a> Value: <b>4</b>
public static final	<a href="#">SESSIONPROTOCOL_SANJOSESTREAMING</a> Value: <b>2</b>
public static final	<a href="#">SESSIONPROTOCOL_SMOOTHSTREAMING</a> Value: <b>0</b>
public static final	<a href="#">SESSIONPROTOCOL_UNKNOWN</a> Value: <b>-1</b>
public static final	<a href="#">SESSIONPROTOCOL_WEBMSTREAMING</a> Value: <b>3</b>
public static final	<a href="#">SESSIONTYPE_LIVE</a> Value: <b>1</b>
public static final	<a href="#">SESSIONTYPE_LIVEDVR</a> Value: <b>3</b>
public static final	<a href="#">SESSIONTYPE_UNKNOWN</a> Value: <b>0</b>
public static final	<a href="#">SESSIONTYPE_VOD</a> Value: <b>2</b>



## Method Summary

void	<a href="#"><u>acceptSession()</u></a> Accept the HTTP session.
void	<a href="#"><u>addIOPerformance()</u></a> <a href="#"><u>IOPerformanceCounter</u></a> totalIOPerformanceResult) Internal user, keep track of IO performance
void	<a href="#"><u>addIOPerformance2()</u></a> <a href="#"><u>IOPerformanceCounter</u></a> totalIOPerformanceResult) Internal user, keep track of IO performance
void	<a href="#"><u>addStreamDomainStr()</u></a> (String streamDomainStr) Internal user, add stream name
void	<a href="#"><u>addStreamDomainStrs()</u></a> (java.util.List streamNames) Internal user, add stream names
void	<a href="#"><u>addUserHTTPHeaders()</u></a> ( <a href="#"><u>IHTTPResponse</u></a> resp) Internal
boolean	<a href="#"><u>checkAndSetPlayLogged()</u></a> () If play has not been logged return false, else returns true, sets play has been logged
void	<a href="#"><u>clearLoggingValues()</u></a> () Internal user, clear logging values
boolean	<a href="#"><u>containsStreamDomainStr()</u></a> (String streamDomainStr) Internal user, test stream name
boolean	<a href="#"><u>containsStreamNameParts()</u></a> (String streamName) Return true if stream name in stream name parts
void	<a href="#"><u>doSessionRedirect()</u></a> ( <a href="#"><u>IHTTPResponse</u></a> resp) Internal
void	<a href="#"><u>extractHTTPRequestInfo()</u></a> ( <a href="#"><u>IHTTPRequest</u></a> req) Extract information from HTTP request
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance()</u></a> () Get the application instance associated with this HTTP session
ConnectionHolder	<a href="#"><u>getConnectionHolder()</u></a> () Connection holder for this session
String	<a href="#"><u>getCookieStr()</u></a> () Get cookie string
DvrSessionInfo	<a href="#"><u>getDvrSessionInfo()</u></a> () This information is used to manage the connection to the DVR store.
<a href="#"><u>ElapsedTimer</u></a>	<a href="#"><u>getElapsedTime()</u></a> () Get the elapsed timer to see how long this session has been running
HTTPStreamerFileInfo	<a href="#"><u>getFileInfo()</u></a> (String streamName) Get the file information if video on demand streaming
String	<a href="#"><u>getHTTPHeader()</u></a> (String name) Get a HTTP header value such as 'Content-Length'

java.util.Map	<a href="#">getHTTPHeaderMap()</a> Get a copy of the HTTP request header map
java.util.Set	<a href="#">getHTTPHeaderNames()</a> Get a Set of the header names
int	<a href="#">getHTTPIntHeader(String name)</a> Get a HTTP header value such as 'Content-Length' and return as int
<a href="#">IHTTPStreamerAdapter</a>	<a href="#">getHTTPStreamerAdapter()</a> Get the HTTP streaming adapter associated with this HTTP session
<a href="#">IOPerformanceCounter</a>	<a href="#">getIOPerformanceCounter()</a> Get IO performance counter
String	<a href="#">getIpAddress()</a> Get the IP address
long	<a href="#">getLastRequest()</a> Get the last timestamp of the last Io request
String	<a href="#">getLiveStreamingPacketizer()</a> Get the live stream packetizer name
Object	<a href="#">getLock()</a> Get the synchronization lock for this HTTP session
long	<a href="#">getPlayDuration()</a> Get the play duration (milliseconds) for video on demand playback.
long	<a href="#">getPlayStart()</a> Get the play start time offset (milliseconds) for video on demand playback.
<a href="#">WMSProperties</a>	<a href="#">getProperties()</a> Get the properties associated with this session
String	<a href="#">getQueryStr()</a> Get query string
byte[]	<a href="#">getRedirectSessionBody()</a> Get redirect session body
int	<a href="#">getRedirectSessionCode()</a> Get session redirect HTTP response code (default 302)
String	<a href="#">getRedirectSessionContentType()</a> Get redirect session HTTP Content-Type
String	<a href="#">getRedirectSessionURL()</a> Get redirect session URL
String	<a href="#">getReferrer()</a> Get referrer
String	<a href="#">getServerIp()</a> Get server IP address
int	<a href="#">getServerPort()</a> Get server port

String	<a href="#"><code>getSessionId()</code></a> Get session id
int	<a href="#"><code>getSessionProtocol()</code></a> Get protocol, see SESSIONPROTOCOL_*
int	<a href="#"><code>getSessionTimeout()</code></a> Get the session timeout for this session (milliseconds)
int	<a href="#"><code>getSessionType()</code></a> Get session type: see SESSIONTYPE_*
<a href="#"><code>IMediaStream</code></a>	<a href="#"><code>getStream()</code></a> Get the IMediaStream associated with this HTTP session
String	<a href="#"><code>getStreamExt()</code></a> Get stream extension
String	<a href="#"><code>getStreamName()</code></a> Get stream name
HTTPStreamerStreamNameParts	<a href="#"><code>getStreamNameParts(String streamName)</code></a> Break the stream name into parts
long	<a href="#"><code>getStreamPosition()</code></a> Get stream position
String	<a href="#"><code>getTimeRunning()</code></a> Get the time this session has been running (milliseconds)
double	<a href="#"><code>getTimeRunningSeconds()</code></a> Get the time this session has been running (seconds)
String	<a href="#"><code>getUri()</code></a> Get the URI associated with initial request
String	<a href="#"><code>getUserAgent()</code></a> Get user agent
java.util.Map	<a href="#"><code>getUserHTTPHeaders()</code></a> Get user HTTP header.
String	<a href="#"><code>getUserQueryStr()</code></a> This query string will be added to URLs used in HTTP streaming
<a href="#"><code>IVHost</code></a>	<a href="#"><code>getVHost()</code></a> Get vhost
boolean	<a href="#"><code>isAcceptSession()</code></a> Return true if this session has not been rejected
boolean	<a href="#"><code>isActive()</code></a> Is this session active, false after shutdown
boolean	<a href="#"><code>isFileInfo(String streamName)</code></a> Return true if the is file information for a given stream name
boolean	<a href="#"><code>isHTTPOrigin()</code></a> Return true if session in an HTTP origin session

boolean	<a href="#"><u>isPlayLogged()</u></a> true, if play has been logged
boolean	<a href="#"><u>isRedirectSession()</u></a> Is session redirect
boolean	<a href="#"><u>isTimeout(long timecode)</u></a> Return true if this session is timed out.
boolean	<a href="#"><u>isTimeoutSession()</u></a> Get is session timeout.
boolean	<a href="#"><u>isValidated()</u></a> Has this session been validated
boolean	<a href="#"><u>isValidStreamDomainStr(String streamDomainStr)</u></a> Internal user, is stream name valid for HTTP session
void	<a href="#"><u>lockRepeaterStreams(java.util.List streamNames, String liveStreamPacketizer, String liveStreamRepeater, String streamTypeStr)</u></a> Internal user, lock in reapter streams
void	<a href="#"><u>putFileInfo(String streamName, HTTPStreamerFileInfo fileInfo)</u></a> Set the file information
void	<a href="#"><u>putStreamNameParts(String streamName, HTTPStreamerStreamNameParts streamNameParts)</u></a> Add stream name to stream name parts
void	<a href="#"><u>redirectSession(String redirectSessionURL)</u></a> Redirect session
void	<a href="#"><u>redirectSession(String redirectSessionURL, int redirectSessionCode)</u></a> Redirect session
void	<a href="#"><u>rejectSession()</u></a> Reject this HTTP session.
void	<a href="#"><u>removeStreamDomainStr(String streamDomainStr)</u></a> Internal user, remove stream name
void	<a href="#"><u>setAcceptSession(boolean acceptSession)</u></a> Set to false to reject session
void	<a href="#"><u>setActive(boolean isActive)</u></a> Set session active
void	<a href="#"><u>setAppInstance(IApplicationInstance appInstance)</u></a> Set the application instance associated with this HTTP session
void	<a href="#"><u>setCookieStr(String cookieStr)</u></a> Set cookie string
void	<a href="#"><u>setDvrSessionInfo(DvrSessionInfo dvr)</u></a> This information is used to manage the connection to the DVR store.
void	<a href="#"><u>setHTTPOrigin(boolean isHTTPOrigin)</u></a> Set to true if HTTP origin session

void	<a href="#"><u>setHTTPStreamerAdapter</u></a> ( <a href="#"><u>IHTTPStreamerAdapter</u></a> httpStreamerAdapter) Set the HTTP streaming adapter associated with this HTTP session
void	<a href="#"><u>setIpAddress</u></a> (String ipAddress) Set the IP address
void	<a href="#"><u>setLiveStreamingPacketizer</u></a> (String liveStreamingPacketizer) Set the live stream packetizer name
void	<a href="#"><u>setPlayDuration</u></a> (long playDuration) Set the play duration (milliseconds) for video on demand playback.
void	<a href="#"><u>setPlayLogged</u></a> (boolean isPlayLogged) true, if play has been logged
void	<a href="#"><u>setPlayStart</u></a> (long playStart) Set the play start time offset (milliseconds) for video on demand playback.
void	<a href="#"><u>setQueryStr</u></a> (String queryStr) Set query string
void	<a href="#"><u>setRedirectSession</u></a> (boolean redirectSession) Set session redirect
void	<a href="#"><u>setRedirectSessionBody</u></a> (byte[] redirectSessionBody) Set redirect session body
void	<a href="#"><u>setRedirectSessionCode</u></a> (int redirectSessionCode) Set session redirect HTTP response code (default 302)
void	<a href="#"><u>setRedirectSessionContentType</u></a> (String redirectSessionContentType) Set redirect session HTTP Content-Type
void	<a href="#"><u>setRedirectSessionURL</u></a> (String redirectSessionURL) Set redirect session URL
void	<a href="#"><u>setReferrer</u></a> (String referrer) Set referrer
void	<a href="#"><u>setServerIp</u></a> (String serverIp) Set server IP address
void	<a href="#"><u>setServerPort</u></a> (int serverPort) Set server port
void	<a href="#"><u>setSessionId</u></a> (String sessionId) Set session id
void	<a href="#"><u>setSessionProtocol</u></a> (int sessionProtocol) Set protocol, see SESSIONPROTOCOL_*
void	<a href="#"><u>setSessionTimeout</u></a> (int sessionTimeout) Set the session timeout for this session (milliseconds)
void	<a href="#"><u>setSessionType</u></a> (int sessionType) Set session type: see SESSIONTYPE_*
void	<a href="#"><u>setStream</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Set the IMediaStream associated with this HTTP session

void	<a href="#"><code>setStreamExt</code></a> (String streamExt) Set stream extension
void	<a href="#"><code>setStreamName</code></a> (String streamName) Set stream name
void	<a href="#"><code>setStreamPosition</code></a> (long streamPosition) Set stream position (will not cause seek)
void	<a href="#"><code>setTimeoutSession</code></a> (boolean timeoutSession) Set is session timeout.
void	<a href="#"><code>setUri</code></a> (String uri) Set the URI associated with initial request
void	<a href="#"><code>setUserAgent</code></a> (String userAgent) Set user agent
void	<a href="#"><code>setUserHTTPHeader</code></a> (String name, String value) Set user HTTP header.
void	<a href="#"><code>setUserQueryStr</code></a> (String userQueryStr) This query string will be added to URLs used in HTTP streaming
void	<a href="#"><code>setVHost</code></a> ( <a href="#"><code>IVHost</code></a> vhost) Set vhost
void	<a href="#"><code>shutdown</code></a> ( ) Called then the HTTP session is shutting down
void	<a href="#"><code>touch</code></a> (long timecode) Touch this session to keep it active.
void	<a href="#"><code>updateLoggingValues</code></a> ( ) Internal user, update logging values
String	<a href="#"><code>validStreamDomainToString</code></a> ( ) Return the valid domain strings as a string

## Fields

### SESSIONTYPE\_UNKNOWN

```
public static final int SESSIONTYPE_UNKNOWN
```

Constant value: **0**

### SESSIONTYPE\_LIVE

```
public static final int SESSIONTYPE_LIVE
```

Constant value: **1**

(continued from last page)

---

## SESSIONTYPE\_VOD

```
public static final int SESSIONTYPE_VOD
```

Constant value: **2**

---

## SESSIONTYPE\_LIVEDVR

```
public static final int SESSIONTYPE_LIVEDVR
```

Constant value: **3**

---

## SESSIONPROTOCOL\_UNKNOWN

```
public static final int SESSIONPROTOCOL_UNKNOWN
```

Constant value: **-1**

---

## SESSIONPROTOCOL\_SMOOTHSTREAMING

```
public static final int SESSIONPROTOCOL_SMOOTHSTREAMING
```

Constant value: **0**

---

## SESSIONPROTOCOL\_CUPERTINOSTREAMING

```
public static final int SESSIONPROTOCOL_CUPERTINOSTREAMING
```

Constant value: **1**

---

## SESSIONPROTOCOL\_SANJOSESTREAMING

```
public static final int SESSIONPROTOCOL_SANJOSESTREAMING
```

Constant value: **2**

---

## SESSIONPROTOCOL\_WEBMSTREAMING

```
public static final int SESSIONPROTOCOL_WEBMSTREAMING
```

Constant value: **3**

---

## SESSIONPROTOCOL\_MPEGDASHSTREAMING

```
public static final int SESSIONPROTOCOL_MPEGDASHSTREAMING
```

Constant value: **4**

---

## SESSIONPROTOCOL\_DVRCHUNKSTREAMING

```
public static final int SESSIONPROTOCOL_DVRCHUNKSTREAMING
```

---

(continued from last page)

Constant value: **5**

---

## SESSIONPROTOCOL\_COUNT

```
public static final int SESSIONPROTOCOL_COUNT
```

Constant value: **6**

## Methods

### getSessionId

```
public String getSessionId()
```

Get session id

**Returns:**

session id

---

### setSessionId

```
public void setSessionId(String sessionId)
```

Set session id

**Parameters:**

sessionId - session id

---

### getVHost

```
public IVHost getVHost()
```

Get vhost

**Returns:**

vhost

---

### setVHost

```
public void setVHost(IVHost vhost)
```

Set vhost

**Parameters:**

vhost - vhost

---

### touch

```
public void touch(long timecode)
```

Touch this session to keep it active.

**Parameters:**

timecode - timecode of touch - System.currentTimeMillis();



(continued from last page)

---

## isTimeout

```
public boolean isTimeout(long timecode)
```

Return true if this session is timed out.

**Parameters:**

timecode - last touch - System.currentTimeMillis();

**Returns:**

true, if timed out

---

## getLock

```
public Object getLock()
```

Get the synchronization lock for this HTTP session

**Returns:**

synchronization lock

---

## shutdown

```
public void shutdown()
```

Called then the HTTP session is shutting down

---

## isActive

```
public boolean isActive()
```

Is this session active, false after shutdown

**Returns:**

true if session is active

---

## setActive

```
public void setActive(boolean isActive)
```

Set session active

**Parameters:**

isActive - session active

---

## getStream

```
public IMediaStream getStream()
```

Get the IMediaStream associated with this HTTP session

**Returns:**

IMediaStream associated with this HTTP session

---

## setStream

```
public void setStream(IMediaStream stream)
```

---

(continued from last page)

Set the IMediaStream associated with this HTTP session

**Parameters:**

stream - IMediaStream associated with this HTTP session

---

## isTimeoutSession

```
public boolean isTimeoutSession()
```

Get is session timeout.

**Returns:**

true if this session is timed out

---

## setTimeoutSession

```
public void setTimeoutSession(boolean timeoutSession)
```

Set is session timeout.

**Parameters:**

timeoutSession - true if this session is timed out

---

## getSessionTimeout

```
public int getSessionTimeout()
```

Get the session timeout for this session (milliseconds)

**Returns:**

session timeout for this session (milliseconds)

---

## setSessionTimeout

```
public void setSessionTimeout(int sessionTimeout)
```

Set the session timeout for this session (milliseconds)

**Parameters:**

sessionTimeout - session timeout for this session (milliseconds)

---

## isValidated

```
public boolean isValidated()
```

Has this session been validated

**Returns:**

true, if validated

---

## checkAndSetPlayLogged

```
public boolean checkAndSetPlayLogged()
```

If play has not been logged return false, else returns true, sets play has been logged

**Returns:**

true, if play has been logged

---

## isPlayLogged

```
public boolean isPlayLogged()
```

true, if play has been logged

**Returns:**

true, if play has been logged

---

## setPlayLogged

```
public void setPlayLogged(boolean isPlayLogged)
```

true, if play has been logged

**Parameters:**

isPlayLogged - true, if play has been logged

---

## addIOPerformance

```
public void addIOPerformance(IOPerformanceCounter totalIOPerformanceResult)
```

Internal user, keep track of IO performance

**Parameters:**

totalIOPerformanceResult - IO performance

---

## addIOPerformance2

```
public void addIOPerformance2(IOPerformanceCounter totalIOPerformanceResult)
```

Internal user, keep track of IO performance

**Parameters:**

totalIOPerformanceResult - IO performance

---

## getConnectionHolder

```
public ConnectionHolder getConnectionHolder()
```

Connection holder for this session

**Returns:**

connection holder

---

## getHTTPStreamerAdapter

```
public IHTTPStreamerAdapter getHTTPStreamerAdapter()
```

Get the HTTP streaming adapter associated with this HTTP session

**Returns:**

HTTP streaming adapter

---

## setHTTPStreamerAdapter

```
public void setHTTPStreamerAdapter(IHTTPStreamerAdapter httpStreamerAdapter)
```

---

(continued from last page)

Set the HTTP streaming adapter associated with this HTTP session

**Parameters:**

httpStreamerAdapter - HTTP streaming adapter

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get the application instance associated with this HTTP session

**Returns:**

application instance associated with this HTTP session

---

## setAppInstance

```
public void setAppInstance(IApplicationInstance appInstance)
```

Set the application instance associated with this HTTP session

**Parameters:**

appInstance - application instance associated with this HTTP session

---

## getSessionType

```
public int getSessionType()
```

Get session type: see SESSIONTYPE\_\*

**Returns:**

session type: see SESSIONTYPE\_\*

---

## setSessionType

```
public void setSessionType(int sessionType)
```

Set session type: see SESSIONTYPE\_\*

**Parameters:**

sessionType - session type: see SESSIONTYPE\_\*

---

## getLiveStreamingPacketizer

```
public String getLiveStreamingPacketizer()
```

Get the live stream packetizer name

**Returns:**

live stream packetizer name

---

## setLiveStreamingPacketizer

```
public void setLiveStreamingPacketizer(String liveStreamingPacketizer)
```

Set the live stream packetizer name

**Parameters:**

liveStreamingPacketizer - live stream packetizer name

## getIpAddress

```
public String getIpAddress()
```

Get the IP address

**Returns:**

IP address

---

## setIpAddress

```
public void setIpAddress(String ipAddress)
```

Set the IP address

**Parameters:**

ipAddress - IP address

---

## updateLoggingValues

```
public void updateLoggingValues()
```

Internal user, update logging values

---

## clearLoggingValues

```
public void clearLoggingValues()
```

Internal user, clear logging values

---

## getSessionProtocol

```
public int getSessionProtocol()
```

Get protocol, see SESSIONPROTOCOL\_\*

**Returns:**

protocol, see SESSIONPROTOCOL\_\*

---

## setSessionProtocol

```
public void setSessionProtocol(int sessionProtocol)
```

Set protocol, see SESSIONPROTOCOL\_\*

**Parameters:**

sessionProtocol - protocol, see SESSIONPROTOCOL\_\*

---

## getServerIp

```
public String getServerIp()
```

Get server IP address

**Returns:**

server IP address

---

## setServerIp

```
public void setServerIp(String serverIp)
```

Set server IP address

**Parameters:**

serverIp - server IP address

---

## getServerPort

```
public int getServerPort()
```

Get server port

**Returns:**

server port

---

## setServerPort

```
public void setServerPort(int serverPort)
```

Set server port

**Parameters:**

serverPort - server port

---

## getUserAgent

```
public String getUserAgent()
```

Get user agent

**Returns:**

user agent

---

## setUserAgent

```
public void setUserAgent(String userAgent)
```

Set user agent

**Parameters:**

userAgent - user agent

---

## getUri

```
public String getUri()
```

Get the URI associated with initial request

**Returns:**

URI associated with initial request

---

## setUri

```
public void setUri(String uri)
```

---

(continued from last page)

Set the URI associated with initial request

**Parameters:**

uri - URI associated with initial request

---

## getReferrer

```
public String getReferrer()
```

Get referrer

**Returns:**

referrer

---

## setReferrer

```
public void setReferrer(String referrer)
```

Set referrer

**Parameters:**

referrer - referrer

---

## getQueryStr

```
public String getQueryStr()
```

Get query string

**Returns:**

query string

---

## setQueryStr

```
public void setQueryStr(String queryStr)
```

Set query string

**Parameters:**

queryStr - query string

---

## lockRepeaterStreams

```
public void lockRepeaterStreams(java.util.List streamNames,  
    String liveStreamPacketizer,  
    String liveStreamRepeater,  
    String streamTypeStr)
```

Internal user, lock in reapter streams

**Parameters:**

streamNames - list of stream names

liveStreamPacketizer - live stream packetizer name

liveStreamRepeater - live repeater name

streamTypeStr - stream type

(continued from last page)

---

## rejectSession

```
public void rejectSession()
```

Reject this HTTP session. No further processing should occur

---

## acceptSession

```
public void acceptSession()
```

Accept the HTTP session.

---

## isAcceptSession

```
public boolean isAcceptSession()
```

Return true if this session has not been rejected

**Returns:**

true if this session has not been rejected

---

## setAcceptSession

```
public void setAcceptSession(boolean acceptSession)
```

Set to false to reject session

**Parameters:**

acceptSession - false to reject session

---

## getCookieStr

```
public String getCookieStr()
```

Get cookie string

**Returns:**

cookie string

---

## setCookieStr

```
public void setCookieStr(String cookieStr)
```

Set cookie string

**Parameters:**

cookieStr - cookie string

---

## getStreamName

```
public String getStreamName()
```

Get stream name

**Returns:**

stream name

---



(continued from last page)

## setStreamName

```
public void setStreamName(String streamName)
```

Set stream name

**Parameters:**

streamName - stream name

---

## getStreamExt

```
public String getStreamExt()
```

Get stream extension

**Returns:**

stream extension

---

## setStreamExt

```
public void setStreamExt(String streamExt)
```

Set stream extension

**Parameters:**

streamExt - stream extension

---

## getStreamNameParts

```
public HTTPStreamerStreamNameParts getStreamNameParts(String streamName)
```

Break the stream name into parts

**Parameters:**

streamName - stream name

**Returns:**

stream name parts

---

## containsStreamNameParts

```
public boolean containsStreamNameParts(String streamName)
```

Return true if stream name in stream name parts

**Parameters:**

streamName - stream name

**Returns:**

true if stream name in stream name parts

---

## putStreamNameParts

```
public void putStreamNameParts(String streamName,  
    HTTPStreamerStreamNameParts streamNameParts)
```

Add stream name to stream name parts

**Parameters:**

(continued from last page)

streamName - stream name

streamNameParts - stream name parts

---

## getStreamPosition

```
public long getStreamPosition()
```

Get stream position

**Returns:**

stream position

---

## setStreamPosition

```
public void setStreamPosition(long streamPosition)
```

Set stream position (will not cause seek)

**Parameters:**

streamPosition - stream position

---

## getIOPerformanceCounter

```
public IOPerformanceCounter getIOPerformanceCounter()
```

Get IO performance counter

**Returns:**

IO performance counter

---

## getFileInfo

```
public HTTPStreamerFileInfo getFileInfo(String streamName)
```

Get the file information if video on demand streaming

**Parameters:**

streamName - stream name

**Returns:**

file information

---

## putFileInfo

```
public void putFileInfo(String streamName,  
    HTTPStreamerFileInfo fileInfo)
```

Set the file information

**Parameters:**

streamName - stream name

fileInfo - file information

---

## isFileInfo

```
public boolean isFileInfo(String streamName)
```

Return true if the is file information for a given stream name

---

(continued from last page)

**Parameters:**

streamName - stream name

**Returns:**

true if the is file information for a given stream name

---

## isValidStreamDomainStr

```
public boolean isValidStreamDomainStr(String streamDomainStr)
```

Internal user, is stream name valid for HTTP session

**Parameters:**

streamDomainStr - stream name

**Returns:**

true if valid

---

## validStreamDomainToString

```
public String validStreamDomainToString()
```

Return the valid domain strings as a string

**Returns:**

valid domain strings as a string

---

## containsStreamDomainStr

```
public boolean containsStreamDomainStr(String streamDomainStr)
```

Internal user, test stream name

**Parameters:**

streamDomainStr - stream name

**Returns:**

true if valid

---

## removeStreamDomainStr

```
public void removeStreamDomainStr(String streamDomainStr)
```

Internal user, remove stream name

**Parameters:**

streamDomainStr - stream name

---

## addStreamDomainStr

```
public void addStreamDomainStr(String streamDomainStr)
```

Internal user, add stream name

**Parameters:**

streamDomainStr - stream name

---

(continued from last page)

---

## addStreamDomainStrs

```
public void addStreamDomainStrs(java.util.List streamNames)
```

Internal user, add stream names

**Parameters:**

streamNames - stream names

---

## getElapsedTime

```
public ElapsedTimer getElapsedTime()
```

Get the elapsed timer to see how long this session has been running

**Returns:**

elapsed timer (milliseconds)

---

## getTimeRunning

```
public String getTimeRunning()
```

Get the time this session has been running (milliseconds)

**Returns:**

time this session has been running (milliseconds)

---

## getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

Get the time this session has been running (seconds)

**Returns:**

time this session has been running (seconds)

---

## getProperties

```
public WMSProperties getProperties()
```

Get the properties associated with this session

**Returns:**

properties

---

## getUserQueryStr

```
public String getUserQueryStr()
```

This query string will be added to URLs used in HTTP streaming

**Returns:**

user query string

---

## setUserQueryStr

```
public void setUserQueryStr(String userQueryStr)
```

---

(continued from last page)

This query string will be added to URLs used in HTTP streaming

**Parameters:**

userQueryStr - user query string

---

## setDvrSessionInfo

```
public void setDvrSessionInfo(DvrSessionInfo dvr)
```

This information is used to manage the connection to the DVR store.

**Parameters:**

dvr - The DVR session info.

---

## getDvrSessionInfo

```
public DvrSessionInfo getDvrSessionInfo()
```

This information is used to manage the connection to the DVR store.

**Returns:**

DVR session info.

---

## extractHTTPRequestInfo

```
public void extractHTTPRequestInfo(IHTTPRequest req)
```

Extract information from HTTP request

**Parameters:**

req - HTTP request

---

## getHTTPHeaderMap

```
public java.util.Map getHTTPHeaderMap()
```

Get a copy of the HTTP request header map

**Returns:**

copy of the HTTP request header map

---

## getHTTPHeader

```
public String getHTTPHeader(String name)
```

Get a HTTP header value such as 'Content-Length'

**Parameters:**

name - header name

**Returns:**

header value

---

## getHTTPIntHeader

```
public int getHTTPIntHeader(String name)
```

Get a HTTP header value such as 'Content-Length' and return as int

---

(continued from last page)

**Parameters:**

name - header name

**Returns:**

header value

---

## getHTTPHeaderNames

```
public java.util.Set getHTTPHeaderNames()
```

Get a Set of the header names

**Returns:**

Set of header names

---

## getPlayStart

```
public long getPlayStart()
```

Get the play start time offset (milliseconds) for video on demand playback.

**Returns:**

play start time offset (milliseconds)

---

## setPlayStart

```
public void setPlayStart(long playStart)
```

Set the play start time offset (milliseconds) for video on demand playback.

**Parameters:**

playStart - play start time offset (milliseconds)

---

## getPlayDuration

```
public long getPlayDuration()
```

Get the play duration (milliseconds) for video on demand playback. A values of -1 means play to end.

**Returns:**

play duration (milliseconds)

---

## setPlayDuration

```
public void setPlayDuration(long playDuration)
```

Set the play duration (milliseconds) for video on demand playback. A values of -1 means play to end.

**Parameters:**

playDuration - play duration (milliseconds)

---

## setUserHTTPHeader

```
public void setUserHTTPHeader(String name,  
                               String value)
```

Set user HTTP header. This header value will be added to all HTTP responses

**Parameters:**

(continued from last page)

name - name  
value - value

---

## getUserHTTPHeaders

```
public java.util.Map getUserHTTPHeaders()
```

Get user HTTP header. This header value will be added to all HTTP responses

**Returns:**  
header map

---

## addUserHTTPHeaders

```
public void addUserHTTPHeaders(IHTTPResponse resp)
```

Internal

**Parameters:**  
resp - response

---

## doSessionRedirect

```
public void doSessionRedirect(IHTTPResponse resp)
```

Internal

**Parameters:**  
resp - response

---

## isRedirectSession

```
public boolean isRedirectSession()
```

Is session redirect

**Returns:**  
session redirect

---

## setRedirectSession

```
public void setRedirectSession(boolean redirectSession)
```

Set session redirect

**Parameters:**  
redirectSession - session redirect

---

## getRedirectSessionCode

```
public int getRedirectSessionCode()
```

Get session redirect HTTP response code (default 302)

**Returns:**  
session redirect HTTP response code

(continued from last page)

## setRedirectSessionCode

```
public void setRedirectSessionCode(int redirectSessionCode)
```

Set session redirect HTTP response code (default 302)

**Parameters:**

redirectSessionCode - session redirect HTTP response code

---

## getRedirectSessionURL

```
public String getRedirectSessionURL()
```

Get redirect session URL

**Returns:**

redirect session URL

---

## setRedirectSessionURL

```
public void setRedirectSessionURL(String redirectSessionURL)
```

Set redirect session URL

**Parameters:**

redirectSessionURL - redirect session URL

---

## redirectSession

```
public void redirectSession(String redirectSessionURL)
```

Redirect session

**Parameters:**

redirectSessionURL - redirect session URL

---

## redirectSession

```
public void redirectSession(String redirectSessionURL,  
int redirectSessionCode)
```

Redirect session

**Parameters:**

redirectSessionURL - redirect session URL

redirectSessionCode - redirect session response code (default 302)

---

## getRedirectSessionBody

```
public byte[] getRedirectSessionBody()
```

Get redirect session body

**Returns:**

redirect session body

---



(continued from last page)

---

## setRedirectSessionBody

```
public void setRedirectSessionBody(byte[] redirectSessionBody)
```

Set redirect session body

**Parameters:**

redirectSessionBody - redirect session body

---

## getRedirectSessionContentType

```
public String getRedirectSessionContentType()
```

Get redirect session HTTP Content-Type

**Returns:**

redirect session HTTP Content-Type

---

## setRedirectSessionContentType

```
public void setRedirectSessionContentType(String redirectSessionContentType)
```

Set redirect session HTTP Content-Type

**Parameters:**

redirectSessionContentType

---

## getLastRequest

```
public long getLastRequest()
```

Get the last timestamp of the last Io request

**Returns:**

last timestamp of the last Io request (milliseconds)

---

## isHTTPOrigin

```
public boolean isHTTPOrigin()
```

Return true if session in an HTTP origin session

**Returns:**

true if session in an HTTP origin session

---

## setHTTPOrigin

```
public void setHTTPOrigin(boolean isHTTPOrigin)
```

Set to true if HTTP origin session

**Parameters:**

isHTTPOrigin - true if HTTP origin session

---

## com.wowza.wms.httpstreamer.model Interface IHTTPStreamerSessionNotify

public interface IHTTPStreamerSessionNotify  
extends

IHTTPStreamerSessionNotify: HTTP session create/destroy interface

### Method Summary

void	<a href="#">onHTTPStreamerSessionCreate</a> ( <a href="#">IHTTPStreamerSession</a> httpStreamerSession) Called when an HTTP streaming session is created
void	<a href="#">onHTTPStreamerSessionDestroy</a> ( <a href="#">IHTTPStreamerSession</a> httpStreamerSession) Called when an HTTP streaming session is destroyed

### Methods

#### onHTTPStreamerSessionCreate

public void **onHTTPStreamerSessionCreate**([IHTTPStreamerSession](#) httpStreamerSession)

Called when an HTTP streaming session is created

**Parameters:**

httpStreamerSession - HTTP streaming session

#### onHTTPStreamerSessionDestroy

public void **onHTTPStreamerSessionDestroy**([IHTTPStreamerSession](#) httpStreamerSession)

Called when an HTTP streaming session is destroyed

**Parameters:**

httpStreamerSession - HTTP streaming session

## com.wowza.wms.httpstreamer.model Interface **ILiveStreamPacketizerChunkWriter**

public interface **ILiveStreamPacketizerChunkWriter**  
extends

### Method Summary

void	<a href="#"><u>addToChunk</u></a> (LiveStreamPacketizerPacketHolder holder)
void	<a href="#"><u>endChunk</u></a> (long timecode)
boolean	<a href="#"><u>isPacketizeAudio</u></a> ()
boolean	<a href="#"><u>isPacketizeData</u></a> ()
boolean	<a href="#"><u>isPacketizeVideo</u></a> ()
boolean	<a href="#"><u>isValidAudioCodec</u></a> (int codec)
boolean	<a href="#"><u>isValidVideoCodec</u></a> (int codec)
void	<a href="#"><u>resetStream</u></a> ()
void	<a href="#"><u>setCodecInfoAudio</u></a> (com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio)
void	<a href="#"><u>setCodecInfoVideo</u></a> (com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo)
void	<a href="#"><u>startChunk</u></a> (int streamMode, int videoCodecId, int audioCodecId, long timecode)

### Methods

#### **startChunk**

```
public void startChunk(int streamMode,  
    int videoCodecId,  
    int audioCodecId,  
    long timecode)
```

#### **endChunk**

```
public void endChunk(long timecode)
```

(continued from last page)

---

## addToChunk

```
public void addToChunk(LiveStreamPacketizerPacketHolder holder)
```

---

## setCodecInfoAudio

```
public void setCodecInfoAudio(com.wowza.wms.media.model.MediaCodecInfoAudio  
codecInfoAudio)
```

---

## setCodecInfoVideo

```
public void setCodecInfoVideo(com.wowza.wms.media.model.MediaCodecInfoVideo  
codecInfoVideo)
```

---

## resetStream

```
public void resetStream()
```

---

## isPacketizeAudio

```
public boolean isPacketizeAudio()
```

---

## isPacketizeVideo

```
public boolean isPacketizeVideo()
```

---

## isPacketizeData

```
public boolean isPacketizeData()
```

---

## isValidAudioCodec

```
public boolean isValidAudioCodec(int codec)
```

---

## isValidVideoCodec

```
public boolean isValidVideoCodec(int codec)
```

---

Package

**com.wowza.wms.httpstreamer.mpegdashstreaming.httpstreamer**

com.wowza.wms.httpstreamer.mpegdashstreaming.httpstreamer  
Class HTTPStreamerSessionMPGEDash

java.lang.Object

+

-

com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

+

-

com.wowza.wms.httpstreamer.mpegdashstreaming.httpstreamer.HTTPStreamerSessionMPGEDash

All Implemented Interfaces:  
[IHTTPStreamerSession](#)

public class **HTTPStreamerSessionMPGEDash**  
extends HTTPStreamerSessionBase

Fields inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase
acceptSession, appInstance, connectionHolder, cookieStr, DATEFORMAT, elapsedTime, fastDateFormat, fileInfoMap, firstCheck, httpHeaders, httpStreamerAdapter, ioPerformanceCounter, ipAddress, isActive, isHTTPOrigin, isPlayLogged, lastRequest, liveStreamingPacketizer, lock, mediaCasterStreamLock, playDuration, playStart, properties, queryStr, redirectSession, redirectSessionBody, redirectSessionCode, redirectSessionContentType, redirectSessionURL, referrer, serverIp, serverPort, sessionId, sessionProtocol, sessionTimeout, sessionType, stream, streamDomainStrSet, streamExt, streamName, streamNamePartMap, streamPosition, timeoutSession, totalIOPerformance2Last, totalIOPerformanceLast, uri, userAgent, userHTTPHeaders, userQueryStr, vhost
Fields inherited from interface <a href="#">com.wowza.wms.httpstreamer.model.IHTTPStreamerSession</a>
<a href="#">SESSIONPROTOCOL_COUNT</a> , <a href="#">SESSIONPROTOCOL_CUPERTINOSTREAMING</a> , <a href="#">SESSIONPROTOCOL_DVRCHUNKSTREAMING</a> , <a href="#">SESSIONPROTOCOL_MPEGDASHSTREAMING</a> , <a href="#">SESSIONPROTOCOL_SANJOSESTREAMING</a> , <a href="#">SESSIONPROTOCOL_SMOOTHSTREAMING</a> , <a href="#">SESSIONPROTOCOL_UNKNOWN</a> , <a href="#">SESSIONPROTOCOL_WEBMSTREAMING</a> , <a href="#">SESSIONTYPE_LIVE</a> , <a href="#">SESSIONTYPE_LIVEDVR</a> , <a href="#">SESSIONTYPE_UNKNOWN</a> , <a href="#">SESSIONTYPE_VOD</a>

Constructor Summary	
public	<a href="#">HTTPStreamerSessionMPGEDash()</a>

Method Summary	
void	<a href="#">clearLoggingValues()</a>
boolean	<a href="#">containsIndex</a> (String streamName)
static IHTTPStreamerMPGEDash Index	<a href="#">createIndexLive</a> ( <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName)
IHTTPStreamerMPGEDash Index	<a href="#">getIndex</a> ( <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName, long playStart, long playDuration)

IHTTPStreamerMPEGDash Index	<a href="#">getIndexLive(IHTTPStreamerApplicationContext appContext, IHTTPStreamerSession httpStreamerSession, String rawStreamName, String streamExt, String streamName)</a>
void	<a href="#">logLiveChunk</a> (MPEGDashDashChunk chunk)
void	<a href="#">logVODChunk</a> (MPEGDashDashChunk chunk)
void	<a href="#">notifyHTTPSessionCreate(IApplicationInstance appInstance, IHTTPStreamerSession httpStreamerSession)</a>
void	<a href="#">notifyHTTPSessionDestroy(IApplicationInstance appInstance, IHTTPStreamerSession httpStreamerSession)</a>
void	<a href="#">shutdown()</a>
void	<a href="#">updateLoggingValues()</a>

#### Methods inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, addIOPerformance, addIOPerformance2, addStreamDomainStr, addStreamDomainStrs, addUserHTTPHeaders, checkAndSetPlayLogged, clearLoggingValues, containsStreamDomainStr, containsStreamNameParts, doSessionRedirect, extractHTTPRequestInfo, getAppInstance, getConnectionHolder, getCookieStr, getDvrSessionInfo, getElapsedTime, getFileInfo, getHTTPDate, getHTTPHeader, getHTTPHeaderMap, getHTTPHeaderNames, getHTTPIntHeader, getHTTPStreamerAdapter, getIOPerformanceCounter, getIpAddress, getLastRequest, getLiveStreamingPacketizer, getLock, getPlayDuration, getPlayStart, getProperties, getQueryStr, getRedirectSessionBody, getRedirectSessionCode, getRedirectSessionContentType, getRedirectSessionURL, getReferrer, getServerIp, getServerPort, getSessionId, getSessionProtocol, getSessionTimeout, getSessionType, getStream, getStreamDomainStr, getStreamDomainStrList, getStreamExt, getStreamName, getStreamNameParts, getStreamPosition, getTimeRunning, getTimeRunningSeconds, getUri, getUserAgent, getUserHTTPHeaders, getUserQueryStr, getVHost, isAcceptSession, isActive, isFileInfo, isHTTPOrigin, isPlayLogged, isRedirectSession, isTimeout, isTimeoutSession, isValidated, isValidStreamDomainStr, lockRepeaterStreams, putFileInfo, putStreamNameParts, redirectSession, redirectSession, rejectSession, removeStreamDomainStr, setAcceptSession, setActive, setAppInstance, setCookieStr, setDvrSessionInfo, setHTTPOrigin, setHTTPStreamerAdapter, setIpAddress, setLiveStreamingPacketizer, setPlayDuration, setPlayLogged, setPlayStart, setQueryStr, setRedirectSession, setRedirectSessionBody, setRedirectSessionCode, setRedirectSessionContentType, setRedirectSessionURL, setReferrer, setServerIp, setServerPort, setSessionId, setSessionProtocol, setSessionTimeout, setSessionType, setStream, setStreamExt, setStreamName, setStreamPosition, setThreadContext, setTimeoutSession, setUri, setUserAgent, setUserHTTPHeader, setUserQueryStr, setValidated, setVHost, shutdown, shutdownLocked, touch, updateLoggingValues, validStreamDomainToString

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[acceptSession](#), [addIOPerformance](#), [addIOPerformance2](#), [addStreamDomainStr](#), [addStreamDomainStrs](#), [addUserHTTPHeaders](#), [checkAndSetPlayLogged](#), [clearLoggingValues](#), [containsStreamDomainStr](#), [containsStreamNameParts](#), [doSessionRedirect](#), [extractHTTPRequestInfo](#), [getAppInstance](#), [getConnectionHolder](#), [getCookieStr](#), [getDvrSessionInfo](#), [getElapsedTime](#), [getFileInfo](#), [getHTTPHeader](#), [getHTTPHeaderMap](#), [getHTTPHeaderNames](#), [getHTTPIntHeader](#), [getHTTPStreamerAdapter](#), [getIOPerformanceCounter](#), [getIpAddress](#), [getLastRequest](#), [getLiveStreamingPacketizer](#), [getLock](#), [getPlayDuration](#), [getPlayStart](#), [getProperties](#), [getQueryStr](#), [getRedirectSessionBody](#), [getRedirectSessionCode](#), [getRedirectSessionContentType](#), [getRedirectSessionURL](#), [getReferrer](#), [getServerIp](#), [getServerPort](#), [getSessionId](#), [getSessionProtocol](#), [getSessionTimeout](#), [getSessionType](#), [getStream](#), [getStreamExt](#), [getStreamName](#), [getStreamNameParts](#), [getStreamPosition](#), [getTimeRunning](#), [getTimeRunningSeconds](#), [getUri](#), [getUserAgent](#), [getUserHTTPHeaders](#), [getUserQueryStr](#), [getVHost](#), [isAcceptSession](#), [isActive](#), [isFileInfo](#), [isHTTPOrigin](#), [isPlayLogged](#), [isRedirectSession](#), [isTimeout](#), [isTimeoutSession](#), [isValidated](#), [isValidStreamDomainStr](#), [lockRepeaterStreams](#), [putFileInfo](#), [putStreamNameParts](#), [redirectSession](#), [redirectSession](#), [rejectSession](#), [removeStreamDomainStr](#), [setAcceptSession](#), [setActive](#), [setAppInstance](#), [setCookieStr](#), [setDvrSessionInfo](#), [setHTTPOrigin](#), [setHTTPStreamerAdapter](#), [setIpAddress](#), [setLiveStreamingPacketizer](#), [setPlayDuration](#), [setPlayLogged](#), [setPlayStart](#), [setQueryStr](#), [setRedirectSession](#), [setRedirectSessionBody](#), [setRedirectSessionCode](#), [setRedirectSessionContentType](#), [setRedirectSessionURL](#), [setReferrer](#), [setServerIp](#), [setServerPort](#), [getSessionId](#), [setSessionProtocol](#), [setSessionTimeout](#), [setSessionType](#), [setStream](#), [setStreamExt](#), [setStreamName](#), [setStreamPosition](#), [setTimeoutSession](#), [setUri](#), [setUserAgent](#), [setUserHTTPHeader](#), [setUserQueryStr](#), [setVHost](#), [shutdown](#), [touch](#), [updateLoggingValues](#), [validStreamDomainToString](#)

## Constructors

### HTTPStreamerSessionMPEGDash

```
public HTTPStreamerSessionMPEGDash()
```

## Methods

### shutdown

```
public void shutdown()
```

### containsIndex

```
public boolean containsIndex(String streamName)
```



(continued from last page)

---

## createIndexLive

```
public static IHTTPStreamerMPEGDashIndex  
createIndexLive(IHTTPStreamerApplicationContext appContext,  
                IHTTPStreamerSession httpStreamerSession,  
                String rawStreamName,  
                String streamExt,  
                String streamName)
```

---

## getIndexLive

```
public IHTTPStreamerMPEGDashIndex getIndexLive(IHTTPStreamerApplicationContext  
appContext,  
        IHTTPStreamerSession httpStreamerSession,  
        String rawStreamName,  
        String streamExt,  
        String streamName)
```

---

## getIndex

```
public IHTTPStreamerMPEGDashIndex getIndex(IHTTPStreamerApplicationContext appContext,  
        IHTTPStreamerSession httpStreamerSession,  
        String rawStreamName,  
        String streamExt,  
        String streamName,  
        long playStart,  
        long playDuration)
```

---

## updateLoggingValues

```
public void updateLoggingValues()
```

---

## clearLoggingValues

```
public void clearLoggingValues()
```

---

## logLiveChunk

```
public void logLiveChunk(MPEGDashDashChunk chunk)
```

---

## logVODChunk

```
public void logVODChunk(MPEGDashDashChunk chunk)
```

---

(continued from last page)

## **notifyHTTPSessionCreate**

```
public void notifyHTTPSessionCreate(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---

## **notifyHTTPSessionDestroy**

```
public void notifyHTTPSessionDestroy(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---

Package

**com.wowza.wms.httpstreamer.sanjoestream  
ing.httpstreamer**

## com.wowza.wms.httpstreamer.sanjosestreaming.httpstreamer Class HTTPStreamerSessionSanJose

java.lang.Object

└─com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

└─

com.wowza.wms.httpstreamer.sanjosestreaming.httpstreamer.HTTPStreamerSessionSanJose

All Implemented Interfaces:

[IHTTPSessionNotify](#), [IHTTPStreamerSession](#)

public class **HTTPStreamerSessionSanJose**  
 extends HTTPStreamerSessionBase  
 implements [IHTTPStreamerSession](#), [IHTTPSessionNotify](#)

### Fields inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, appInstance, connectionHolder, cookieStr, DATEFORMAT, elapsedTime, fastDateFormat, fileInfoMap, firstCheck, httpHeaders, httpStreamerAdapter, ioPerformanceCounter, ipAddress, isActive, isHTTPOrigin, isPlayLogged, lastRequest, liveStreamingPacketizer, lock, mediaCasterStreamLock, playDuration, playStart, properties, queryStr, redirectSession, redirectSessionBody, redirectSessionCode, redirectSessionContentType, redirectSessionURL, referrer, serverIp, serverPort, sessionId, sessionProtocol, sessionTimeout, sessionType, stream, streamDomainStrSet, streamExt, streamName, streamNamePartMap, streamPosition, timeoutSession, totalIOPerformance2Last, totalIOPerformanceLast, uri, userAgent, userHTTPHeaders, userQueryStr, vhost

### Fields inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[SESSIONPROTOCOL\\_COUNT](#), [SESSIONPROTOCOL\\_CUPERTINOSTREAMING](#), [SESSIONPROTOCOL\\_DVRCHUNKSTREAMING](#), [SESSIONPROTOCOL\\_MPEGDASHSTREAMING](#), [SESSIONPROTOCOL\\_SANJOSESTREAMING](#), [SESSIONPROTOCOL\\_SMOOTHSTREAMING](#), [SESSIONPROTOCOL\\_UNKNOWN](#), [SESSIONPROTOCOL\\_WEBMSTREAMING](#), [SESSIONTYPE\\_LIVE](#), [SESSIONTYPE\\_LIVEDVR](#), [SESSIONTYPE\\_UNKNOWN](#), [SESSIONTYPE\\_VOD](#)

## Constructor Summary

public	<a href="#">HTTPStreamerSessionSanJose()</a>
--------	--

## Method Summary

void	<a href="#">addFirstABSTRequest</a> (String streamName)
------	---

void	<a href="#">clearLoggingValues</a> ()
------	---------------------------------------

boolean	<a href="#">containsIndex</a> (String streamName)
---------	---

static IHTTPStreamerSanJoseIndex	<a href="#">createIndexLive</a> ( <a href="#">IHTTPStreamerApplicationContext</a> appContext, <a href="#">IHTTPStreamerSession</a> httpStreamerSession, String rawStreamName, String streamExt, String streamName)
-------------------------------------	--

IHTTPStreamerSanJoseIndex	<a href="#">getIndex(IHTTPStreamerApplicationContext appContext, IHTTPStreamerSession httpStreamerSession, String rawStreamName, String streamExt, String streamName, long playStart, long playDuration, TimedTextRequest captionRequest)</a>
IHTTPStreamerSanJoseIndex	<a href="#">getIndexLive(IHTTPStreamerApplicationContext appContext, IHTTPStreamerSession httpStreamerSession, String rawStreamName, String streamExt, String streamName)</a>
boolean	<a href="#">isFirstABSTRequest</a> (String streamName)
void	<a href="#">logLiveChunk</a> (LiveStreamPacketizerSanJoseChunk chunk)
void	<a href="#">logVODChunk</a> (LiveStreamPacketizerSanJoseChunk chunk)
void	<a href="#">notifyHTTPSessionCreate(IApplicationInstance appInstance, IHTTPStreamerSession httpStreamerSession)</a>
void	<a href="#">notifyHTTPSessionDestroy(IApplicationInstance appInstance, IHTTPStreamerSession httpStreamerSession)</a>
void	<a href="#">shutdown</a> ()
void	<a href="#">updateLoggingValues</a> ()

#### Methods inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, addIOPerformance, addIOPerformance2, addStreamDomainStr, addStreamDomainStrs, addUserHTTPHeaders, checkAndSetPlayLogged, clearLoggingValues, containsStreamDomainStr, containsStreamNameParts, doSessionRedirect, extractHTTPRequestInfo, getAppInstance, getConnectionHolder, getCookieStr, getDvrSessionInfo, getElapsedTime, getFileInfo, getHTTPDate, getHTTPHeader, getHTTPHeaderMap, getHTTPHeaderNames, getHTTPIntHeader, getHTTPStreamerAdapter, getIOPerformanceCounter, getIpAddress, getLastRequest, getLiveStreamingPacketizer, getLock, getPlayDuration, getPlayStart, getProperties, getQueryStr, getRedirectSessionBody, getRedirectSessionCode, getRedirectSessionContentType, getRedirectSessionURL, getReferrer, getServerIp, getServerPort, getSessionId, getSessionProtocol, getSessionTimeout, getSessionType, getStream, getStreamDomainStr, getStreamDomainStrList, getStreamExt, getStreamName, getStreamNameParts, getStreamPosition, getTimeRunning, getTimeRunningSeconds, getUri, getUserAgent, getUserHTTPHeaders, getUserQueryStr, getVHost, isAcceptSession, isActive, isFileInfo, isHTTPOrigin, isPlayLogged, isRedirectSession, isTimeout, isTimeoutSession, isValidated, isValidStreamDomainStr, lockRepeaterStreams, putFileInfo, putStreamNameParts, redirectSession, redirectSession, rejectSession, removeStreamDomainStr, setAcceptSession, setActive, setAppInstance, setCookieStr, setDvrSessionInfo, setHTTPOrigin, setHTTPStreamerAdapter, setIpAddress, setLiveStreamingPacketizer, setPlayDuration, setPlayLogged, setPlayStart, setQueryStr, setRedirectSession, setRedirectSessionBody, setRedirectSessionCode, setRedirectSessionContentType, setRedirectSessionURL, setReferrer, setServerIp, setServerPort, setSessionId, setSessionProtocol, setSessionTimeout, setSessionType, setStream, setStreamExt, setStreamName, setStreamPosition, setThreadContext, setTimeoutSession, setUri, setUserAgent, setUserHTTPHeader, setUserQueryStr, setValidated, setVHost, shutdown, shutdownLocked, touch, updateLoggingValues, validStreamDomainToString

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[acceptSession](#), [addIOPerformance](#), [addIOPerformance2](#), [addStreamDomainStr](#), [addStreamDomainStrs](#), [addUserHTTPHeaders](#), [checkAndSetPlayLogged](#), [clearLoggingValues](#), [containsStreamDomainStr](#), [containsStreamNameParts](#), [doSessionRedirect](#), [extractHTTPRequestInfo](#), [getAppInstance](#), [getConnectionHolder](#), [getCookieStr](#), [getDvrSessionInfo](#), [getElapsedTime](#), [getFileInfo](#), [getHTTPHeader](#), [getHTTPHeaderMap](#), [getHTTPHeaderNames](#), [getHTTPIntHeader](#), [getHTTPStreamerAdapter](#), [getIOPerformanceCounter](#), [getIpAddress](#), [getLastRequest](#), [getLiveStreamingPacketizer](#), [getLock](#), [getPlayDuration](#), [getPlayStart](#), [getProperties](#), [getQueryStr](#), [getRedirectSessionBody](#), [getRedirectSessionCode](#), [getRedirectSessionContentType](#), [getRedirectSessionURL](#), [getReferrer](#), [getServerIp](#), [getServerPort](#), [getSessionId](#), [getSessionProtocol](#), [getSessionTimeout](#), [getSessionType](#), [getStream](#), [getStreamExt](#), [getStreamName](#), [getStreamNameParts](#), [getStreamPosition](#), [getTimeRunning](#), [getTimeRunningSeconds](#), [getUri](#), [getUserAgent](#), [getUserHTTPHeaders](#), [getUserQueryStr](#), [getVHost](#), [isAcceptSession](#), [isActive](#), [isFileInfo](#), [isHTTPOrigin](#), [isPlayLogged](#), [isRedirectSession](#), [isTimeout](#), [isTimeoutSession](#), [isValidated](#), [isValidStreamDomainStr](#), [lockRepeaterStreams](#), [putFileInfo](#), [putStreamNameParts](#), [redirectSession](#), [redirectSession](#), [rejectSession](#), [removeStreamDomainStr](#), [setAcceptSession](#), [setActive](#), [setAppInstance](#), [setCookieStr](#), [setDvrSessionInfo](#), [setHTTPOrigin](#), [setHTTPStreamerAdapter](#), [setIpAddress](#), [setLiveStreamingPacketizer](#), [setPlayDuration](#), [setPlayLogged](#), [setPlayStart](#), [setQueryStr](#), [setRedirectSession](#), [setRedirectSessionBody](#), [setRedirectSessionCode](#), [setRedirectSessionContentType](#), [setRedirectSessionURL](#), [setReferrer](#), [setServerIp](#), [setServerPort](#), [setSessionId](#), [setSessionProtocol](#), [setSessionTimeout](#), [setSessionType](#), [setStream](#), [setStreamExt](#), [setStreamName](#), [setStreamPosition](#), [setTimeoutSession](#), [setUri](#), [setUserAgent](#), [setUserHTTPHeader](#), [setUserQueryStr](#), [setVHost](#), [shutdown](#), [touch](#), [updateLoggingValues](#), [validStreamDomainToString](#)

Methods inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPSessionNotify](#)

[notifyHTTPSessionCreate](#), [notifyHTTPSessionDestroy](#)

## Constructors

### HTTPStreamerSessionSanJose

```
public HTTPStreamerSessionSanJose()
```

## Methods

### shutdown

```
public void shutdown()
```

(continued from last page)

---

## containsIndex

```
public boolean containsIndex(String streamName)
```

---

## createIndexLive

```
public static IHTTPStreamerSanJoseIndex  
createIndexLive(IHTTPStreamerApplicationContext appContext,  
                IHTTPStreamerSession httpStreamerSession,  
                String rawStreamName,  
                String streamExt,  
                String streamName)
```

---

## getIndexLive

```
public IHTTPStreamerSanJoseIndex getIndexLive(IHTTPStreamerApplicationContext  
appContext,  
        IHTTPStreamerSession httpStreamerSession,  
        String rawStreamName,  
        String streamExt,  
        String streamName)
```

---

## getIndex

```
public IHTTPStreamerSanJoseIndex getIndex(IHTTPStreamerApplicationContext appContext,  
        IHTTPStreamerSession httpStreamerSession,  
        String rawStreamName,  
        String streamExt,  
        String streamName,  
        long playStart,  
        long playDuration,  
        TimedTextRequest captionRequest)
```

---

## updateLoggingValues

```
public void updateLoggingValues()
```

---

## clearLoggingValues

```
public void clearLoggingValues()
```

---

## logLiveChunk

```
public void logLiveChunk(LiveStreamPacketizerSanJoseChunk chunk)
```

---

(continued from last page)

## logVODChunk

```
public void logVODChunk(LiveStreamPacketizerSanJoseChunk chunk)
```

---

## isFirstABSTRequest

```
public boolean isFirstABSTRequest(String streamName)
```

---

## addFirstABSTRequest

```
public void addFirstABSTRequest(String streamName)
```

---

## notifyHTTPSessionCreate

```
public void notifyHTTPSessionCreate(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---

## notifyHTTPSessionDestroy

```
public void notifyHTTPSessionDestroy(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---



---

Package

**com.wowza.wms.httpstreamer.smoothstream  
ing.httpstreamer**

## com.wowza.wms.httpstreamer.smoothstreaming.httpstreamer Class HTTPStreamerSessionSmoothStreamer

java.lang.Object

└─com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

└─

com.wowza.wms.httpstreamer.smoothstreaming.httpstreamer.HTTPStreamerSessionSmoothStreamer

All Implemented Interfaces:

[IHTTPSessionNotify](#), [IHTTPStreamerSession](#)

```
public class HTTPStreamerSessionSmoothStreamer
extends HTTPStreamerSessionBase
implements IHTTPStreamerSession, IHTTPSessionNotify
```

### Fields inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, appInstance, connectionHolder, cookieStr, DATEFORMAT, elapsedTime, fastDateFormat, fileInfoMap, firstCheck, httpHeaders, httpStreamerAdapter, ioPerformanceCounter, ipAddress, isActive, isHTTPOrigin, isPlayLogged, lastRequest, liveStreamingPacketizer, lock, mediaCasterStreamLock, playDuration, playStart, properties, queryStr, redirectSession, redirectSessionBody, redirectSessionCode, redirectSessionContentType, redirectSessionURL, referrer, serverIp, serverPort, sessionId, sessionProtocol, sessionTimeout, sessionType, stream, streamDomainStrSet, streamExt, streamName, streamNamePartMap, streamPosition, timeoutSession, totalIOPerformance2Last, totalIOPerformanceLast, uri, userAgent, userHTTPHeaders, userQueryStr, vhost

### Fields inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[SESSIONPROTOCOL\\_COUNT](#), [SESSIONPROTOCOL\\_CUPERTINOSTREAMING](#), [SESSIONPROTOCOL\\_DVRCHUNKSTREAMING](#), [SESSIONPROTOCOL\\_MPEGDASHSTREAMING](#), [SESSIONPROTOCOL\\_SANJOSESTREAMING](#), [SESSIONPROTOCOL\\_SMOOTHSTREAMING](#), [SESSIONPROTOCOL\\_UNKNOWN](#), [SESSIONPROTOCOL\\_WEBMSTREAMING](#), [SESSIONTYPE\\_LIVE](#), [SESSIONTYPE\\_LIVEDVR](#), [SESSIONTYPE\\_UNKNOWN](#), [SESSIONTYPE\\_VOD](#)

## Constructor Summary

public	<a href="#">HTTPStreamerSessionSmoothStreamer()</a>
--------	---

## Method Summary

void	<a href="#">clearLoggingValues()</a>
------	--------------------------------------

boolean	<a href="#">containsIndex</a> (String streamName)
---------	---

IHTTPStreamerSmoothStreamerIndex	<a href="#">getIndex</a> ( <a href="#">IHTTPStreamerSession</a> httpStreamerSession, <a href="#">IHTTPStreamerApplicationContext</a> appContext, String streamExt, String streamName, long playStart, long playDuration)
----------------------------------	--

SmoothStreamingLivePlaylist	<a href="#">getLivePlaylist()</a>
void	<a href="#">logLiveFragment</a> (SmoothStreamerFragmentId fragmentId, PacketFragmentList fragmentData)
void	<a href="#">logVODFragment</a> (SmoothStreamerFragmentId fragmentId, PacketFragmentList fragmentData)
void	<a href="#">notifyHTTPSessionCreate</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IHTTPStreamerSession</a> httpStreamerSession)
void	<a href="#">notifyHTTPSessionDestroy</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IHTTPStreamerSession</a> httpStreamerSession)
void	<a href="#">setLivePlaylist</a> (SmoothStreamingLivePlaylist livePlaylist)
void	<a href="#">shutdown</a> ()
void	<a href="#">updateLoggingValues</a> ()

#### Methods inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, addIOPerformance, addIOPerformance2, addStreamDomainStr, addStreamDomainStrs, addUserHTTPHeaders, checkAndSetPlayLogged, clearLoggingValues, containsStreamDomainStr, containsStreamNameParts, doSessionRedirect, extractHTTPRequestInfo, getAppInstance, getConnectionHolder, getCookieStr, getDvrSessionInfo, getElapsedTime, getFileInfo, getHTTPDate, getHTTPHeader, getHTTPHeaderMap, getHTTPHeaderNames, getHTTPIntHeader, getHTTPStreamerAdapter, getIOPerformanceCounter, getIpAddress, getLastRequest, getLiveStreamingPacketizer, getLock, getPlayDuration, getPlayStart, getProperties, getQueryStr, getRedirectSessionBody, getRedirectSessionCode, getRedirectSessionContentType, getRedirectSessionURL, getReferrer, getServerIp, getServerPort, getSessionId, getSessionProtocol, getSessionTimeout, getSessionType, getStream, getStreamDomainStr, getStreamDomainStrList, getStreamExt, getStreamName, getStreamNameParts, getStreamPosition, getTimeRunning, getTimeRunningSeconds, getUri, getUserAgent, getUserHTTPHeaders, getUserQueryStr, getVHost, isAcceptSession, isActive, isFileInfo, isHTTPOrigin, isPlayLogged, isRedirectSession, isTimeout, isTimeoutSession, isValidated, isValidStreamDomainStr, lockRepeaterStreams, putFileInfo, putStreamNameParts, redirectSession, redirectSession, rejectSession, removeStreamDomainStr, setAcceptSession, setActive, setAppInstance, setCookieStr, setDvrSessionInfo, setHTTPOrigin, setHTTPStreamerAdapter, setIpAddress, setLiveStreamingPacketizer, setPlayDuration, setPlayLogged, setPlayStart, setQueryStr, setRedirectSession, setRedirectSessionBody, setRedirectSessionCode, setRedirectSessionContentType, setRedirectSessionURL, setReferrer, setServerIp, setServerPort, setSessionId, setSessionProtocol, setSessionTimeout, setSessionType, setStream, setStreamExt, setStreamName, setStreamPosition, setThreadContext, setTimeoutSession, setUri, setUserAgent, setUserHTTPHeader, setUserQueryStr, setValidated, setVHost, shutdown, shutdownLocked, touch, updateLoggingValues, validStreamDomainToString

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface** [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[acceptSession](#), [addIOPerformance](#), [addIOPerformance2](#), [addStreamDomainStr](#),  
[addStreamDomainStrs](#), [addUserHTTPHeaders](#), [checkAndSetPlayLogged](#), [clearLoggingValues](#),  
[containsStreamDomainStr](#), [containsStreamNameParts](#), [doSessionRedirect](#),  
[extractHTTPRequestInfo](#), [getAppInstance](#), [getConnectionHolder](#), [getCookieStr](#),  
[getDvrSessionInfo](#), [getElapsedTime](#), [getFileInfo](#), [getHTTPHeader](#), [getHTTPHeaderMap](#),  
[getHTTPHeaderNames](#), [getHTTPIntHeader](#), [getHTTPStreamerAdapter](#),  
[getIOPerformanceCounter](#), [getIpAddress](#), [getLastRequest](#), [getLiveStreamingPacketizer](#),  
[getLock](#), [getPlayDuration](#), [getPlayStart](#), [getProperties](#), [getQueryStr](#),  
[getRedirectSessionBody](#), [getRedirectSessionCode](#), [getRedirectSessionContentType](#),  
[getRedirectSessionURL](#), [getReferrer](#), [getServerIp](#), [getServerPort](#), [getSessionId](#),  
[getSessionProtocol](#), [getSessionTimeout](#), [getSessionType](#), [getStream](#), [getStreamExt](#),  
[getStreamName](#), [getStreamNameParts](#), [getStreamPosition](#), [getTimeRunning](#),  
[getTimeRunningSeconds](#), [getUri](#), [getUserAgent](#), [getUserHTTPHeaders](#), [getUserQueryStr](#),  
[getVHost](#), [isAcceptSession](#), [isActive](#), [isFileInfo](#), [isHTTPOrigin](#), [isPlayLogged](#),  
[isRedirectSession](#), [isTimeout](#), [isTimeoutSession](#), [isValidated](#), [isValidStreamDomainStr](#),  
[lockRepeaterStreams](#), [putFileInfo](#), [putStreamNameParts](#), [redirectSession](#),  
[redirectSession](#), [rejectSession](#), [removeStreamDomainStr](#), [setAcceptSession](#), [setActive](#),  
[setAppInstance](#), [setCookieStr](#), [setDvrSessionInfo](#), [setHTTPOrigin](#),  
[setHTTPStreamerAdapter](#), [setIpAddress](#), [setLiveStreamingPacketizer](#), [setPlayDuration](#),  
[setPlayLogged](#), [setPlayStart](#), [setQueryStr](#), [setRedirectSession](#), [setRedirectSessionBody](#),  
[setRedirectSessionCode](#), [setRedirectSessionContentType](#), [setRedirectSessionURL](#),  
[setReferrer](#), [setServerIp](#), [setServerPort](#), [setSessionId](#), [setSessionProtocol](#),  
[setSessionTimeout](#), [setSessionType](#), [setStream](#), [setStreamExt](#), [setStreamName](#),  
[setStreamPosition](#), [setTimeoutSession](#), [setUri](#), [setUserAgent](#), [setUserHTTPHeader](#),  
[setUserQueryStr](#), [setVHost](#), [shutdown](#), [touch](#), [updateLoggingValues](#),  
[validStreamDomainToString](#)

**Methods inherited from interface** [com.wowza.wms.httpstreamer.model.IHTTPSessionNotify](#)

[notifyHTTPSessionCreate](#), [notifyHTTPSessionDestroy](#)

## Constructors

### HTTPStreamerSessionSmoothStreamer

```
public HTTPStreamerSessionSmoothStreamer()
```

## Methods

### shutdown

```
public void shutdown()
```

### containsIndex

```
public boolean containsIndex(String streamName)
```

(continued from last page)

---

## getIndex

```
public IHTTPStreamerSmoothStreamerIndex getIndex(IHTTPStreamerSession
httpStreamerSession,
IHTTPStreamerApplicationContext appContext,
String streamExt,
String streamName,
long playStart,
long playDuration)
```

---

## updateLoggingValues

```
public void updateLoggingValues()
```

---

## clearLoggingValues

```
public void clearLoggingValues()
```

---

## getLivePlaylist

```
public SmoothStreamingLivePlaylist getLivePlaylist()
```

---

## setLivePlaylist

```
public void setLivePlaylist(SmoothStreamingLivePlaylist livePlaylist)
```

---

## logLiveFragment

```
public void logLiveFragment(SmoothStreamerFragmentId fragmentId,
PacketFragmentList fragmentData)
```

---

## logVODFragment

```
public void logVODFragment(SmoothStreamerFragmentId fragmentId,
PacketFragmentList fragmentData)
```

---

## notifyHTTPSessionCreate

```
public void notifyHTTPSessionCreate(IApplicationInstance appInstance,
IHTTPStreamerSession httpStreamerSession)
```

---

(continued from last page)

## **notifyHTTPSessionDestroy**

```
public void notifyHTTPSessionDestroy(IApplicationInstance appInstance,  
    IHTTPStreamerSession httpStreamerSession)
```

---

Package

**com.wowza.wms.httpstreamer.webmstreami  
ng.httpstreamer**

## com.wowza.wms.httpstreamer.webmstreaming.httpstreamer Class HTTPStreamerSessionWebM

java.lang.Object

└-com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

└-com.wowza.wms.httpstreamer.webmstreaming.httpstreamer.HTTPStreamerSessionWebM

All Implemented Interfaces:

[IHTTPStreamerSession](#)

```
public class HTTPStreamerSessionWebM
extends HTTPStreamerSessionBase
```

### Fields inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase

acceptSession, appInstance, connectionHolder, cookieStr, DATEFORMAT, elapsedTime, fastDateFormat, fileInfoMap, firstCheck, httpHeaders, httpStreamerAdapter, ioPerformanceCounter, ipAddress, isActive, isHTTPOrigin, isPlayLogged, lastRequest, liveStreamingPacketizer, lock, mediaCasterStreamLock, playDuration, playStart, properties, queryStr, redirectSession, redirectSessionBody, redirectSessionCode, redirectSessionContentType, redirectSessionURL, referrer, serverIp, serverPort, sessionId, sessionProtocol, sessionTimeout, sessionType, stream, streamDomainStrSet, streamExt, streamName, streamNamePartMap, streamPosition, timeoutSession, totalIOPerformance2Last, totalIOPerformanceLast, uri, userAgent, userHTTPHeaders, userQueryStr, vhost

### Fields inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)

[SESSIONPROTOCOL\\_COUNT](#), [SESSIONPROTOCOL\\_CUPERTINOSTREAMING](#), [SESSIONPROTOCOL\\_DVRCHUNKSTREAMING](#), [SESSIONPROTOCOL\\_MPEGDASHSTREAMING](#), [SESSIONPROTOCOL\\_SANJOSESTREAMING](#), [SESSIONPROTOCOL\\_SMOOTHSTREAMING](#), [SESSIONPROTOCOL\\_UNKNOWN](#), [SESSIONPROTOCOL\\_WEBMSTREAMING](#), [SESSIONTYPE\\_LIVE](#), [SESSIONTYPE\\_LIVEDVR](#), [SESSIONTYPE\\_UNKNOWN](#), [SESSIONTYPE\\_VOD](#)

## Constructor Summary

public	<a href="#">HTTPStreamerSessionWebM()</a>
--------	---

## Method Summary

WebMPacketizerSessionTracker	<a href="#">getSessionTracker()</a>
------------------------------	-------------------------------------

void	<a href="#">setSessionTracker</a> (WebMPacketizerSessionTracker sessionTracker)
------	---

void	<a href="#">shutdown()</a>
------	----------------------------

### Methods inherited from class com.wowza.wms.httpstreamer.model.HTTPStreamerSessionBase



```
acceptSession, addIOPerformance, addIOPerformance2, addStreamDomainStr,
addStreamDomainStrs, addUserHTTPHeaders, checkAndSetPlayLogged, clearLoggingValues,
containsStreamDomainStr, containsStreamNameParts, doSessionRedirect,
extractHTTPRequestInfo, getAppInstance, getConnectionHolder, getCookieStr,
getDvrSessionInfo, getElapsedTime, getFileInfo, getHTTPDate, getHTTPHeader,
getHTTPHeaderMap, getHTTPHeaderNames, getHTTPIntHeader, getHTTPStreamerAdapter,
getIOPerformanceCounter, getIpAddress, getLastRequest, getLiveStreamingPacketizer,
getLock, getPlayDuration, getPlayStart, getProperties, getQueryStr,
getRedirectSessionBody, getRedirectSessionCode, getRedirectSessionContentType,
getRedirectSessionURL, getReferrer, getServerIp, getServerPort, getSessionId,
getSessionProtocol, getSessionTimeout, getSessionType, getStream, getStreamDomainStr,
getStreamDomainStrList, getStreamExt, getStreamName, getStreamNameParts,
getStreamPosition, getTimeRunning, getTimeRunningSeconds, getUri, getUserAgent,
getUserHTTPHeaders, getUserQueryStr, getVHost, isAcceptSession, isActive, isFileInfo,
isHTTPOrigin, isPlayLogged, isRedirectSession, isTimeout, isTimeoutSession,
isValidated, isValidStreamDomainStr, lockRepeaterStreams, putFileInfo,
putStreamNameParts, redirectSession, redirectSession, rejectSession,
removeStreamDomainStr, setAcceptSession, setActive, setAppInstance, setCookieStr,
setDvrSessionInfo, setHTTPOrigin, setHTTPStreamerAdapter, setIpAddress,
setLiveStreamingPacketizer, setPlayDuration, setPlayLogged, setPlayStart,
setQueryStr, setRedirectSession, setRedirectSessionBody, setRedirectSessionCode,
setRedirectSessionContentType, setRedirectSessionURL, setReferrer, setServerIp,
setServerPort, setSessionId, setSessionProtocol, setSessionTimeout, setSessionType,
setStream, setStreamExt, setStreamName, setStreamPosition, setThreadContext,
setTimeoutSession, setUri, setUserAgent, setUserHTTPHeader, setUserQueryStr,
setValidated, setVHost, shutdown, shutdownLocked, touch, updateLoggingValues,
validStreamDomainToString
```

**Methods inherited from class `java.lang.Object`**

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait,
wait
```

**Methods inherited from interface [com.wowza.wms.httpstreamer.model.IHTTPStreamerSession](#)**

[acceptSession](#), [addIOPerformance](#), [addIOPerformance2](#), [addStreamDomainStr](#),  
[addStreamDomainStrs](#), [addUserHTTPHeaders](#), [checkAndSetPlayLogged](#), [clearLoggingValues](#),  
[containsStreamDomainStr](#), [containsStreamNameParts](#), [doSessionRedirect](#),  
[extractHTTPRequestInfo](#), [getAppInstance](#), [getConnectionHolder](#), [getCookieStr](#),  
[getDvrSessionInfo](#), [getElapsedTime](#), [getFileInfo](#), [getHTTPHeader](#), [getHTTPHeaderMap](#),  
[getHTTPHeaderNames](#), [getHTTPIntHeader](#), [getHTTPStreamerAdapter](#),  
[getIOPerformanceCounter](#), [getIpAddress](#), [getLastRequest](#), [getLiveStreamingPacketizer](#),  
[getLock](#), [getPlayDuration](#), [getPlayStart](#), [getProperties](#), [getQueryStr](#),  
[getRedirectSessionBody](#), [getRedirectSessionCode](#), [getRedirectSessionContentType](#),  
[getRedirectSessionURL](#), [getReferrer](#), [getServerIp](#), [getServerPort](#), [getSessionId](#),  
[getSessionProtocol](#), [getSessionTimeout](#), [getSessionType](#), [getStream](#), [getStreamExt](#),  
[getStreamName](#), [getStreamNameParts](#), [getStreamPosition](#), [getTimeRunning](#),  
[getTimeRunningSeconds](#), [getUri](#), [getUserAgent](#), [getUserHTTPHeaders](#), [getUserQueryStr](#),  
[getVHost](#), [isAcceptSession](#), [isActive](#), [isFileInfo](#), [isHTTPOrigin](#), [isPlayLogged](#),  
[isRedirectSession](#), [isTimeout](#), [isTimeoutSession](#), [isValidated](#), [isValidStreamDomainStr](#),  
[lockRepeaterStreams](#), [putFileInfo](#), [putStreamNameParts](#), [redirectSession](#),  
[redirectSession](#), [rejectSession](#), [removeStreamDomainStr](#), [setAcceptSession](#), [setActive](#),  
[setAppInstance](#), [setCookieStr](#), [setDvrSessionInfo](#), [setHTTPOrigin](#),  
[setHTTPStreamerAdapter](#), [setIpAddress](#), [setLiveStreamingPacketizer](#), [setPlayDuration](#),  
[setPlayLogged](#), [setPlayStart](#), [setQueryStr](#), [setRedirectSession](#), [setRedirectSessionBody](#),  
[setRedirectSessionCode](#), [setRedirectSessionContentType](#), [setRedirectSessionURL](#),  
[setReferrer](#), [setServerIp](#), [setServerPort](#), [getSessionId](#), [setSessionProtocol](#),  
[setSessionTimeout](#), [setSessionType](#), [setStream](#), [setStreamExt](#), [setStreamName](#),  
[setStreamPosition](#), [setTimeoutSession](#), [setUri](#), [setUserAgent](#), [setUserHTTPHeader](#),  
[setUserQueryStr](#), [setVHost](#), [shutdown](#), [touch](#), [updateLoggingValues](#),  
[validStreamDomainToString](#)

## Constructors

### HTTPStreamerSessionWebM

```
public HTTPStreamerSessionWebM()
```

## Methods

### getSessionTracker

```
public WebMPacketizerSessionTracker getSessionTracker()
```

### setSessionTracker

```
public void setSessionTracker(WebMPacketizerSessionTracker sessionTracker)
```

### shutdown

```
public void shutdown()
```


---

Package

**com.wowza.wms.livestreamrecord.http**

## com.wowza.wms.livestreamrecord.http Class HTTPLiveStreamRecord

java.lang.Object



### All Implemented Interfaces:

com.wowza.wms.livestreamrecord.streamnamerecorder.ILiveStreamRecordStreamNameRecorderActionNotify,  
[IHTTPProvider2](#)

```

public class HTTPLiveStreamRecord
extends HTTPProvider2Base
implements IHTTPProvider2,
com.wowza.wms.livestreamrecord.streamnamerecorder.ILiveStreamRecordStreamNameRecorderActionNotify
  
```

### Field Summary

public static final	<a href="#">FORMAT_FLV</a> Value: <b>1</b>
public static final	<a href="#">FORMAT_MP4</a> Value: <b>2</b>
public static final	<a href="#">FORMAT_UNKNOWN</a> Value: <b>0</b>

### Fields inherited from class [com.wowza.wms.http.HTTPProvider2Base](#)

[authenticateHandler](#), [authenticateHTTPProviderHandler](#), [authenticationMethod](#), [filters](#),  
[properties](#), [requestFilters](#)

### Constructor Summary

public	<a href="#">HTTPLiveStreamRecord()</a>
--------	--

### Method Summary

static String	<a href="#">HTMLEncode</a> (String s)
void	<a href="#">init</a> ()
void	<a href="#">onBind</a> ( <a href="#">IVHost</a> vhost, <a href="#">HostPort</a> hostPort)
void	<a href="#">onHTTPRequest</a> ( <a href="#">IVHost</a> vhost, <a href="#">IHTTPRequest</a> req, <a href="#">IHTTPResponse</a> resp)

void	<a href="#">onStartRecord(IApplicationInstance</a> appInstance, <a href="#">IMediaStream</a> stream, String streamName, Object opaque)
void	<a href="#">onStopRecord(IApplicationInstance</a> appInstance, <a href="#">IMediaStream</a> stream, String streamName, Object opaque)
void	<a href="#">onSwitchRecord(IApplicationInstance</a> appInstance, <a href="#">IMediaStream</a> streamOld, <a href="#">IMediaStream</a> streamNew, String streamName, Object opaque)

#### Methods inherited from class [com.wowza.wms.http.HTTPProvider2Base](#)

[canHandle](#), [doHTTPAuthentication](#), [getAuthenticationMethod](#), [getPath](#), [getRequestFilters](#), [init](#), [onBind](#), [onUnbind](#), [setAuthenticationMethod](#), [setProperties](#), [setRequestFilters](#)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface [com.wowza.wms.http.IHTTPProvider2](#)

[canHandle](#), [getAuthenticationMethod](#), [getRequestFilters](#), [init](#), [setAuthenticationMethod](#), [setRequestFilters](#)

#### Methods inherited from interface [com.wowza.wms.http.IHTTPProvider](#)

[onBind](#), [onHTTPRequest](#), [onUnbind](#), [setProperties](#)

#### Methods inherited from interface

com.wowza.wms.livestreamrecord.streamnamerecorder.ILiveStreamRecordStreamNameRecorderActionNotify

onStartRecord, onStopRecord, onSwitchRecord

## Fields

### FORMAT\_UNKNOWN

```
public static final int FORMAT_UNKNOWN
```

Constant value: **0**

### FORMAT\_FLV

```
public static final int FORMAT_FLV
```

Constant value: **1**

### FORMAT\_MP4

```
public static final int FORMAT_MP4
```

Constant value: **2**

## Constructors

### HTTPLiveStreamRecord

```
public HTTPLiveStreamRecord()
```

## Methods

### HTMLEncode

```
public static String HTMLEncode(String s)
```

---

### init

```
public void init()
```

Initialize the HTTPProvider

---

### onBind

```
public void onBind(IVHost vhost,  
                  HostPort hostPort)
```

Called when bind is called on port

---

### onHTTPRequest

```
public void onHTTPRequest(IVHost vhost,  
                          IHTTPRequest req,  
                          IHTTPResponse resp)
```

---

### onStartRecord

```
public void onStartRecord(IApplicationInstance appInstance,  
                          IMediaStream stream,  
                          String streamName,  
                          Object opaque)
```

---

### onSwitchRecord

```
public void onSwitchRecord(IApplicationInstance appInstance,  
                           IMediaStream streamOld,  
                           IMediaStream streamNew,  
                           String streamName,  
                           Object opaque)
```

---

(continued from last page)

## onStopRecord

```
public void onStopRecord(IApplicationInstance appInstance,  
    IMediaStream stream,  
    String streamName,  
    Object opaque)
```

---

Package

**com.wowza.wms.livestreamrecord.model**



## com.wowza.wms.livestreamrecord.model Interface **ILiveStreamRecord**

All Known Implementing Classes:  
[LiveStreamRecorderBase](#)

public interface **ILiveStreamRecord**  
 extends

### Field Summary

public static final	<a href="#">SPLIT_ON_DISCONTINUITY_ALWAYS</a> Value: <b>1</b>
public static final	<a href="#">SPLIT_ON_DISCONTINUITY_DEFAULT</a> Value: <b>0</b>
public static final	<a href="#">SPLIT_ON_DISCONTINUITY_NEVER</a> Value: <b>2</b>
public static final	<a href="#">SPLIT_TYPE_BY_DURATION</a> Value: <b>3</b>
public static final	<a href="#">SPLIT_TYPE_BY_SCHEDULE</a> Value: <b>1</b>
public static final	<a href="#">SPLIT_TYPE_BY_SIZE</a> Value: <b>2</b>
public static final	<a href="#">SPLIT_TYPE_NONE</a> Value: <b>0</b>

### Method Summary

<a href="#">ILiveStreamRecordNotify</a>	<a href="#">addListener()</a> ( <a href="#">ILiveStreamRecordNotify</a> listener)
String	<a href="#">getBaseFilePath()</a>
long	<a href="#">getCurrentDuration()</a>
String	<a href="#">getCurrentFile()</a>
long	<a href="#">getCurrentSize()</a>
String	<a href="#">getFilePath()</a>

<a href="#"><u>ILiveStreamRecordFileVersionDelegate</u></a>	<a href="#"><u>getFileVersionDelegate()</u></a>
long	<a href="#"><u>getSegmentDuration()</u></a>
int	<a href="#"><u>getSegmentNumber()</u></a>
<a href="#"><u>CrontabEvent</u></a>	<a href="#"><u>getSegmentSchedule()</u></a>
long	<a href="#"><u>getSegmentSize()</u></a>
int	<a href="#"><u>getSplitType()</u></a>
org.joda.time.DateTim e	<a href="#"><u>getStartTime()</u></a>
String	<a href="#"><u>getStreamName()</u></a>
Object	<a href="#"><u>getWriteLock()</u></a>
void	<a href="#"><u>init()</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance)
boolean	<a href="#"><u>isAppendFile()</u></a>
boolean	<a href="#"><u>isMoveFirstVideoFrameToZero()</u></a>
boolean	<a href="#"><u>isRecordData()</u></a>
boolean	<a href="#"><u>isStartOnKeyFrame()</u></a>
boolean	<a href="#"><u>isVersionFile()</u></a>
void	<a href="#"><u>onPublish()</u></a>
void	<a href="#"><u>onUnPublish()</u></a>
boolean	<a href="#"><u>removeListener()</u></a> ( <a href="#"><u>ILiveStreamRecordNotify</u></a> listener)
void	<a href="#"><u>setFileVersionDelegate()</u></a> ( <a href="#"><u>ILiveStreamRecordFileVersionDelegate</u></a> delegate)
void	<a href="#"><u>setMoveFirstVideoFrameToZero()</u></a> (boolean moveFirstVideoFrameToZero)
void	<a href="#"><u>setRecordData()</u></a> (boolean recordData)
void	<a href="#"><u>setSegmentDuration()</u></a> (long duration)
void	<a href="#"><u>setSegmentSize()</u></a> (long size)
void	<a href="#"><u>setStartOnKeyFrame()</u></a> (boolean startOnKeyFrame)

void	<a href="#"><u>setVersionFile</u></a> (boolean versionFile)
void	<a href="#"><u>splitRecordingNow</u></a> ()
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, boolean append)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, java.util.Map extraMetadata)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, java.util.Map extraMetadata, int splitOnTcDiscontinuity)
void	<a href="#"><u>startRecordingSegmentByDuration</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, long duration)
void	<a href="#"><u>startRecordingSegmentBySchedule</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, String schedule)
void	<a href="#"><u>startRecordingSegmentBySize</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, long size)
void	<a href="#"><u>stopRecording</u></a> ()
void	<a href="#"><u>work</u></a> ()
void	<a href="#"><u>workStop</u></a> ()

## Fields

### SPLIT\_TYPE\_NONE

```
public static final int SPLIT_TYPE_NONE
```

Constant value: **0**

### SPLIT\_TYPE\_BY\_SCHEDULE

```
public static final int SPLIT_TYPE_BY_SCHEDULE
```

Constant value: **1**

### SPLIT\_TYPE\_BY\_SIZE

```
public static final int SPLIT_TYPE_BY_SIZE
```

Constant value: **2**

---

## SPLIT\_TYPE\_BY\_DURATION

```
public static final int SPLIT_TYPE_BY_DURATION
```

Constant value: **3**

---

## SPLIT\_ON\_DISCONTINUITY\_DEFAULT

```
public static final int SPLIT_ON_DISCONTINUITY_DEFAULT
```

Constant value: **0**

---

## SPLIT\_ON\_DISCONTINUITY\_ALWAYS

```
public static final int SPLIT_ON_DISCONTINUITY_ALWAYS
```

Constant value: **1**

---

## SPLIT\_ON\_DISCONTINUITY\_NEVER

```
public static final int SPLIT_ON_DISCONTINUITY_NEVER
```

Constant value: **2**

## Methods

### init

```
public void init(IApplicationInstance appInstance)
```

---

### startRecording

```
public void startRecording(IMediaStream stream,  
    boolean append)
```

---

### startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append)
```

---

### getFilePath

```
public String getFilePath()
```

---

(continued from last page)

---

## isStartOnKeyFrame

```
public boolean isStartOnKeyFrame()
```

---

## setStartOnKeyFrame

```
public void setStartOnKeyFrame(boolean startOnKeyFrame)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata,  
    int splitOnTcDiscontinuity)
```

---

## startRecordingSegmentBySize

```
public void startRecordingSegmentBySize(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long size)
```

---

## startRecordingSegmentByDuration

```
public void startRecordingSegmentByDuration(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long duration)
```

---

## startRecordingSegmentBySchedule

```
public void startRecordingSegmentBySchedule(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    String schedule)
```

---

(continued from last page)

## **stopRecording**

```
public void stopRecording()
```

---

## **onPublish**

```
public void onPublish()
```

---

## **onUnPublish**

```
public void onUnPublish()
```

---

## **workStop**

```
public void workStop()
```

---

## **work**

```
public void work()
```

---

## **isRecordData**

```
public boolean isRecordData()
```

---

## **setRecordData**

```
public void setRecordData(boolean recordData)
```

---

## **isVersionFile**

```
public boolean isVersionFile()
```

---

## **setVersionFile**

```
public void setVersionFile(boolean versionFile)
```

---

## **isAppendFile**

```
public boolean isAppendFile()
```

---

(continued from last page)

---

**getWriteLock**

```
public Object getWriteLock()
```

---

**isMoveFirstVideoFrameToZero**

```
public boolean isMoveFirstVideoFrameToZero()
```

---

**setMoveFirstVideoFrameToZero**

```
public void setMoveFirstVideoFrameToZero(boolean moveFirstVideoFrameToZero)
```

---

**setFileVersionDelegate**

```
public void setFileVersionDelegate(ILiveStreamRecordFileVersionDelegate delegate)
```

---

**getFileVersionDelegate**

```
public ILiveStreamRecordFileVersionDelegate getFileVersionDelegate()
```

---

**splitRecordingNow**

```
public void splitRecordingNow()
```

---

**getSplitType**

```
public int getSplitType()
```

---

**getSegmentSize**

```
public long getSegmentSize()
```

---

**getSegmentDuration**

```
public long getSegmentDuration()
```

---

(continued from last page)

**getCurrentSize**

```
public long getCurrentSize()
```

---

**getCurrentDuration**

```
public long getCurrentDuration()
```

---

**setSegmentSize**

```
public void setSegmentSize(long size)
```

---

**setSegmentDuration**

```
public void setSegmentDuration(long duration)
```

---

**getBaseFilePath**

```
public String getBaseFilePath()
```

---

**getCurrentFile**

```
public String getCurrentFile()
```

---

**getSegmentSchedule**

```
public CrontabEvent getSegmentSchedule()
```

---

**getStreamName**

```
public String getStreamName()
```

---

**getSegmentNumber**

```
public int getSegmentNumber()
```

---

**getStartTime**

```
public org.joda.time.DateTime getStartTime()
```

---



(continued from last page)

---

## **addListener**

```
public ILiveStreamRecordNotify addListener(ILiveStreamRecordNotify listener)
```

---

## **removeListener**

```
public boolean removeListener(ILiveStreamRecordNotify listener)
```

## com.wowza.wms.livestreamrecord.model Interface **ILiveStreamRecordFileVersionDelegate**

All Known Implementing Classes:

[LiveStreamRecordFileVersionDelegate](#)

public interface **ILiveStreamRecordFileVersionDelegate**  
extends

### Method Summary

String	<a href="#">getFilename</a> ( <a href="#">ILiveStreamRecord</a> recorder)
--------	---

### Methods

#### **getFilename**

public String **getFilename**([ILiveStreamRecord](#) recorder)

---

## com.wowza.wms.livestreamrecord.model Interface **ILiveStreamRecordNotify**

---

public interface **ILiveStreamRecordNotify**  
extends

---

### Method Summary

void	<a href="#"><u>onSegmentEnd</u></a> ( <a href="#"><u>ILiveStreamRecord</u></a> recorder)
void	<a href="#"><u>onSegmentStart</u></a> ( <a href="#"><u>ILiveStreamRecord</u></a> recorder)

---

### Methods

#### **onSegmentStart**

public void **onSegmentStart**([ILiveStreamRecord](#) recorder)

---

#### **onSegmentEnd**

public void **onSegmentEnd**([ILiveStreamRecord](#) recorder)

## com.wowza.wms.livestreamrecord.model Class LiveStreamRecordActionNotifier

java.lang.Object

└─com.wowza.wms.livestreamrecord.model.LiveStreamRecordActionNotifier

All Implemented Interfaces:

[IMediaStreamActionNotify](#)

public class **LiveStreamRecordActionNotifier**  
extends Object  
implements [IMediaStreamActionNotify](#)

### Method Summary

void	<a href="#">onPause</a> ( <a href="#">IMediaStream</a> stream, boolean isPause, double location)
void	<a href="#">onPlay</a> ( <a href="#">IMediaStream</a> stream, String streamName, double playStart, double playLen, int playReset)
void	<a href="#">onPublish</a> ( <a href="#">IMediaStream</a> stream, String streamName, boolean isRecord, boolean isAppend)
void	<a href="#">onSeek</a> ( <a href="#">IMediaStream</a> stream, double location)
void	<a href="#">onStop</a> ( <a href="#">IMediaStream</a> stream)
void	<a href="#">onUnPublish</a> ( <a href="#">IMediaStream</a> stream, String streamName, boolean isRecord, boolean isAppend)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface [com.wowza.wms.stream.IMediaStreamActionNotify](#)

[onPause](#), [onPlay](#), [onPublish](#), [onSeek](#), [onStop](#), [onUnPublish](#)

## Methods

### onPause

```
public void onPause(IMediaStream stream,  
                    boolean isPause,  
                    double location)
```

## onPlay

```
public void onPlay(IMediaStream stream,  
    String streamName,  
    double playStart,  
    double playLen,  
    int playReset)
```

---

## onPublish

```
public void onPublish(IMediaStream stream,  
    String streamName,  
    boolean isRecord,  
    boolean isAppend)
```

---

## onSeek

```
public void onSeek(IMediaStream stream,  
    double location)
```

---

## onStop

```
public void onStop(IMediaStream stream)
```

---

## onUnPublish

```
public void onUnPublish(IMediaStream stream,  
    String streamName,  
    boolean isRecord,  
    boolean isAppend)
```

---

## com.wowza.wms.livestreamrecord.model

### Class LiveStreamRecorderBase

java.lang.Object

└-com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase

All Implemented Interfaces:

[ICrontabEventHandler](#), [ILiveStreamRecord](#)

Direct Known Subclasses:

[LiveStreamRecorderMediaWriter](#), [LiveStreamRecorderMP4](#), [LiveStreamRecorderFLV](#)

public class **LiveStreamRecorderBase**

extends Object

implements [ILiveStreamRecord](#), [ICrontabEventHandler](#)

#### Field Summary

protected	<a href="#">appendFile</a>
protected	<a href="#">appInstance</a>
protected	<a href="#">baseFilePath</a>
protected	<a href="#">contextStr</a>
protected	<a href="#">cronEventWorker</a>
protected	<a href="#">currentDuration</a>
protected	<a href="#">currentOutputFile</a>
protected	<a href="#">currentSize</a>
protected	<a href="#">debugLog</a>
protected	<a href="#">file</a>
protected	<a href="#">filePath</a>
protected	<a href="#">fileVersionDelegate</a>
protected	<a href="#">listeners</a>
protected	<a href="#">moveFirstVideoFrameToZero</a>

protected	<a href="#">recordData</a>
protected	<a href="#">recordStartTime</a>
protected	<a href="#">segmentDuration</a>
protected	<a href="#">segmentNumber</a>
protected	<a href="#">segmentScheduler</a>
protected	<a href="#">segmentSize</a>
protected	<a href="#">splitNow</a>
protected	<a href="#">splitOnTcDiscontinuity</a>
protected	<a href="#">splitType</a>
protected	<a href="#">startOnKeyFrame</a>
protected	<a href="#">stream</a>
protected	<a href="#">streamNotifier</a>
protected	<a href="#">useSimpleFileVersionNaming</a>
protected	<a href="#">versionFile</a>
protected	<a href="#">worker</a>
protected	<a href="#">writeLock</a>

Fields inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[SPLIT\\_ON\\_DISCONTINUITY\\_ALWAYS](#), [SPLIT\\_ON\\_DISCONTINUITY\\_DEFAULT](#),  
[SPLIT\\_ON\\_DISCONTINUITY\\_NEVER](#), [SPLIT\\_TYPE\\_BY\\_DURATION](#), [SPLIT\\_TYPE\\_BY\\_SCHEDULE](#),  
[SPLIT\\_TYPE\\_BY\\_SIZE](#), [SPLIT\\_TYPE\\_NONE](#)

## Constructor Summary

public	<a href="#">LiveStreamRecorderBase</a> ( )
--------	--

## Method Summary

<a href="#">ILiveStreamRecordNotify</a>	<a href="#">addListener</a> ( <a href="#">ILiveStreamRecordNotify</a> listener) Add ILiveStreamRecordNotify listener
void	<a href="#">debug</a> (Class c, String string)

String	<a href="#"><u>getBaseFilePath()</u></a>
long	<a href="#"><u>getCurrentDuration()</u></a>
String	<a href="#"><u>getCurrentFile()</u></a>
long	<a href="#"><u>getCurrentSize()</u></a>
String	<a href="#"><u>getFilePath()</u></a>
<a href="#"><u>ILiveStreamRecordFileVersionDelegate</u></a>	<a href="#"><u>getFileVersionDelegate()</u></a>
java.util.List	<a href="#"><u>getLocalListeners()</u></a> Get a list of ILiveStreamRecordNotify listeners
long	<a href="#"><u>getSegmentDuration()</u></a>
int	<a href="#"><u>getSegmentNumber()</u></a>
<a href="#"><u>CrontabEvent</u></a>	<a href="#"><u>getSegmentSchedule()</u></a>
long	<a href="#"><u>getSegmentSize()</u></a>
int	<a href="#"><u>getSplitType()</u></a>
org.joda.time.DateTime	<a href="#"><u>getStartTime()</u></a>
String	<a href="#"><u>getStreamName()</u></a>
Object	<a href="#"><u>getWriteLock()</u></a>
void	<a href="#"><u>init()</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance)
boolean	<a href="#"><u>isAppendFile()</u></a>
boolean	<a href="#"><u>isMoveFirstVideoFrameToZero()</u></a>
boolean	<a href="#"><u>isRecordData()</u></a>
boolean	<a href="#"><u>isStartOnKeyFrame()</u></a>
boolean	<a href="#"><u>isVersionFile()</u></a>
void	<a href="#"><u>notifySegmentEnd()</u></a> ( <a href="#"><u>ILiveStreamRecord</u></a> recorder) Notify segment end
void	<a href="#"><u>notifySegmentStart()</u></a> ( <a href="#"><u>ILiveStreamRecord</u></a> recorder) Notify segment start



void	<a href="#"><u>onCronEvent</u></a> ( <a href="#"><u>CrontabEvent</u></a> event) handles segmentBySchedule timer events
void	<a href="#"><u>onPublish</u></a> ()
void	<a href="#"><u>onUnPublish</u></a> ()
boolean	<a href="#"><u>removeListener</u></a> ( <a href="#"><u>ILiveStreamRecordNotify</u></a> listener) remove ILiveStreamRecordNotify listener
void	<a href="#"><u>setFileVersionDelegate</u></a> ( <a href="#"><u>ILiveStreamRecordFileVersionDelegate</u></a> delegate)
void	<a href="#"><u>setMoveFirstVideoFrameToZero</u></a> (boolean moveFirstVideoFrameToZero)
void	<a href="#"><u>setRecordData</u></a> (boolean recordData)
void	<a href="#"><u>setSegmentDuration</u></a> (long duration) Allows the changing of the segmentDuration without the need to stop an active recording
void	<a href="#"><u>setSegmentSize</u></a> (long size) Allows the changing of the segmentSize without the need to stop an active recording
void	<a href="#"><u>setStartOnKeyFrame</u></a> (boolean startOnKeyFrame)
void	<a href="#"><u>setVersionFile</u></a> (boolean versionFile)
void	<a href="#"><u>splitRecordingNow</u></a> ()
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, boolean append)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, java.util.Map extraMetadata)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, java.util.Map extraMetadata, int splitOnTcDiscontinuity)
void	<a href="#"><u>startRecordingSegmentByDuration</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, long duration)
void	<a href="#"><u>startRecordingSegmentBySchedule</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, String schedule)
void	<a href="#"><u>startRecordingSegmentBySize</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, long size)
void	<a href="#"><u>stopRecording</u></a> ()
void	<a href="#"><u>work</u></a> ()
void	<a href="#"><u>workStop</u></a> ()

**Methods inherited from class** `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

**Methods inherited from interface** `com.wowza.wms.livestreamrecord.model.ILiveStreamRecord`

[`addListener`](#), [`getBaseFilePath`](#), [`getCurrentDuration`](#), [`getCurrentFile`](#), [`getCurrentSize`](#), [`getFilePath`](#), [`getFileVersionDelegate`](#), [`getSegmentDuration`](#), [`getSegmentNumber`](#), [`getSegmentSchedule`](#), [`getSegmentSize`](#), [`getSplitType`](#), [`getStartTime`](#), [`getStreamName`](#), [`getWriteLock`](#), [`init`](#), [`isAppendFile`](#), [`isMoveFirstVideoFrameToZero`](#), [`isRecordData`](#), [`isStartOnKeyFrame`](#), [`isVersionFile`](#), [`onPublish`](#), [`onUnPublish`](#), [`removeListener`](#), [`setFileVersionDelegate`](#), [`setMoveFirstVideoFrameToZero`](#), [`setRecordData`](#), [`setSegmentDuration`](#), [`setSegmentSize`](#), [`setStartOnKeyFrame`](#), [`setVersionFile`](#), [`splitRecordingNow`](#), [`startRecording`](#), [`startRecording`](#), [`startRecording`](#), [`startRecording`](#), [`startRecordingSegmentByDuration`](#), [`startRecordingSegmentBySchedule`](#), [`startRecordingSegmentBySize`](#), [`stopRecording`](#), [`work`](#), [`workStop`](#)

**Methods inherited from interface** `com.wowza.wms.util.crontab.ICrontabEventHandler`

[`onCronEvent`](#)

## Fields

**worker**

protected `com.wowza.wms.livestreamrecord.model.LiveStreamRecorderWorker` **worker**

**filePath**

protected `java.lang.String` **filePath**

**stream**

protected `com.wowza.wms.stream.IMediaStream` **stream**

**appInstance**

protected `com.wowza.wms.application.IApplicationInstance` **appInstance**

**streamNotifier**

protected `com.wowza.wms.livestreamrecord.model.LiveStreamRecordActionNotifier`  
**streamNotifier**

---

**writeLock**

protected java.lang.Object **writeLock**

---

---

**recordData**

protected boolean **recordData**

---

---

**versionFile**

protected boolean **versionFile**

---

---

**appendFile**

protected boolean **appendFile**

---

---

**startOnKeyFrame**

protected boolean **startOnKeyFrame**

---

---

**moveFirstVideoFrameToZero**

protected boolean **moveFirstVideoFrameToZero**

---

---

**fileVersionDelegate**

protected com.wowza.wms.livestreamrecord.model.ILiveStreamRecordFileVersionDelegate  
**fileVersionDelegate**

---

---

**baseFilePath**

protected java.lang.String **baseFilePath**

---

---

**splitType**

protected int **splitType**

---

(continued from last page)

---

## splitNow

protected boolean **splitNow**

---

---

## segmentSize

protected long **segmentSize**

---

---

## segmentDuration

protected long **segmentDuration**

---

---

## currentSize

protected long **currentSize**

---

---

## currentDuration

protected long **currentDuration**

---

---

## segmentScheduler

protected com.wowza.wms.util.crontab.CrontabEvent **segmentScheduler**

---

---

## cronEventWorker

protected com.wowza.wms.livestreamrecord.model.LiveStreamRecordCronEventWorker  
**cronEventWorker**

---

---

## listeners

protected java.util.List **listeners**

---

---

## file

protected java.io.File **file**

---

---

## segmentNumber

protected int **segmentNumber**

---

(continued from last page)

---

## recordStartTime

protected org.joda.time.DateTime **recordStartTime**

---

## debugLog

protected boolean **debugLog**

---

## contextStr

protected java.lang.String **contextStr**

---

## currentOutputFile

protected java.lang.String **currentOutputFile**

---

## splitOnTcDiscontinuity

protected boolean **splitOnTcDiscontinuity**

---

## useSimpleFileVersionNaming

protected boolean **useSimpleFileVersionNaming**

---

## Constructors

### LiveStreamRecorderBase

public **LiveStreamRecorderBase**()

## Methods

### init

public void **init**([IApplicationInstance](#) appInstance)

---

### getSplitType

public int **getSplitType**()

---

(continued from last page)

---

## getSegmentSize

```
public long getSegmentSize()
```

---

---

## getSegmentDuration

```
public long getSegmentDuration()
```

---

---

## getCurrentSize

```
public long getCurrentSize()
```

---

---

## getCurrentDuration

```
public long getCurrentDuration()
```

---

---

## setSegmentSize

```
public void setSegmentSize(long size)
```

Allows the changing of the segmentSize without the need to stop an active recording

### Parameters:

size - long new maximum size for recording segments

---

---

## setSegmentDuration

```
public void setSegmentDuration(long duration)
```

Allows the changing of the segmentDuration without the need to stop an active recording

### Parameters:

duration - long new maximum duration for recording segments

---

---

## getSegmentSchedule

```
public CrontabEvent getSegmentSchedule()
```

---

---

## getSegmentNumber

```
public int getSegmentNumber()
```

---

(continued from last page)

---

## getBaseFilePath

```
public String getBaseFilePath()
```

---

---

## getCurrentFile

```
public String getCurrentFile()
```

---

---

## setFileVersionDelegate

```
public void setFileVersionDelegate(ILiveStreamRecordFileVersionDelegate delegate)
```

---

---

## getFileVersionDelegate

```
public ILiveStreamRecordFileVersionDelegate getFileVersionDelegate()
```

---

---

## getFilePath

```
public String getFilePath()
```

---

---

## getStreamName

```
public String getStreamName()
```

---

---

## getStartTime

```
public org.joda.time.DateTime getStartTime()
```

---

---

## isStartOnKeyFrame

```
public boolean isStartOnKeyFrame()
```

---

---

## setStartOnKeyFrame

```
public void setStartOnKeyFrame(boolean startOnKeyFrame)
```

---

---

## isRecordData

```
public boolean isRecordData()
```

---

(continued from last page)

---

### setRecordData

```
public void setRecordData(boolean recordData)
```

---

### isVersionFile

```
public boolean isVersionFile()
```

---

### setVersionFile

```
public void setVersionFile(boolean versionFile)
```

---

### isAppendFile

```
public boolean isAppendFile()
```

---

### getWriteLock

```
public Object getWriteLock()
```

---

### isMoveFirstVideoFrameToZero

```
public boolean isMoveFirstVideoFrameToZero()
```

---

### setMoveFirstVideoFrameToZero

```
public void setMoveFirstVideoFrameToZero(boolean moveFirstVideoFrameToZero)
```

---

### splitRecordingNow

```
public void splitRecordingNow()
```

---

### addListener

```
public ILiveStreamRecordNotify addListener(ILiveStreamRecordNotify listener)
```

Add ILiveStreamRecordNotify listener

**Parameters:**

listener - ILiveStreamRecordNotify listener

---



## removeListener

```
public boolean removeListener(ILiveStreamRecordNotify listener)
```

remove ILiveStreamRecordNotify listener

**Parameters:**

listener - ILiveStreamRecordNotify listener

**Returns:**

true if removed

---

## onCronEvent

```
public void onCronEvent(CrontabEvent event)
```

handles segmentBySchedule timer events

**Parameters:**

event - CrontabEvent which caused the timer to fire

---

## getLocalListeners

```
protected java.util.List getLocalListeners()
```

Get a list of ILiveStreamRecordNotify listeners

**Returns:**

list of ILiveStreamRecordNotify listeners

---

## notifySegmentStart

```
protected void notifySegmentStart(ILiveStreamRecord recorder)
```

Notify segment start

**Parameters:**

recorder - liveStreamRecord instance

---

## notifySegmentEnd

```
protected void notifySegmentEnd(ILiveStreamRecord recorder)
```

Notify segment end

**Parameters:**

recorder - liveStreamRecord instance

---

## debug

```
protected void debug(Class c,  
    String string)
```

---

(continued from last page)

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    boolean append)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata,  
    int splitOnTcDiscontinuity)
```

---

## startRecordingSegmentBySize

```
public void startRecordingSegmentBySize(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long size)
```

---

## startRecordingSegmentByDuration

```
public void startRecordingSegmentByDuration(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long duration)
```

---

## startRecordingSegmentBySchedule

```
public void startRecordingSegmentBySchedule(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    String schedule)
```

---

## **stopRecording**

```
public void stopRecording()
```

---

---

## **onPublish**

```
public void onPublish()
```

---

---

## **onUnPublish**

```
public void onUnPublish()
```

---

---

## **workStop**

```
public void workStop()
```

---

---

## **work**


```
public void work()
```

---

## com.wowza.wms.livestreamrecord.model

### Class LiveStreamRecorderFLV

java.lang.Object



All Implemented Interfaces:

[ICrontabEventHandler](#), [ILiveStreamRecord](#)

public class **LiveStreamRecorderFLV**  
 extends [LiveStreamRecorderBase](#)

Fields inherited from class [com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase](#)

[appendFile](#), [appInstance](#), [baseFilePath](#), [contextStr](#), [cronEventWorker](#), [currentDuration](#), [currentOutputFile](#), [currentSize](#), [debugLog](#), [file](#), [filePath](#), [fileVersionDelegate](#), [listeners](#), [moveFirstVideoFrameToZero](#), [recordData](#), [recordStartTime](#), [segmentDuration](#), [segmentNumber](#), [segmentScheduler](#), [segmentSize](#), [splitNow](#), [splitOnTcDiscontinuity](#), [splitType](#), [startOnKeyFrame](#), [stream](#), [streamNotifier](#), [useSimpleFileVersionNaming](#), [versionFile](#), [worker](#), [writeLock](#)

Fields inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[SPLIT\\_ON\\_DISCONTINUITY\\_ALWAYS](#), [SPLIT\\_ON\\_DISCONTINUITY\\_DEFAULT](#), [SPLIT\\_ON\\_DISCONTINUITY\\_NEVER](#), [SPLIT\\_TYPE\\_BY\\_DURATION](#), [SPLIT\\_TYPE\\_BY\\_SCHEDULE](#), [SPLIT\\_TYPE\\_BY\\_SIZE](#), [SPLIT\\_TYPE\\_NONE](#)

## Constructor Summary

public	<a href="#">LiveStreamRecorderFLV()</a>
--------	---

## Method Summary

java.util.List	<a href="#">getPlayPackets()</a>
----------------	----------------------------------

void	<a href="#">onPublish()</a>
------	-----------------------------

void	<a href="#">onUnPublish()</a>
------	-------------------------------

void	<a href="#">startRecording(<a href="#">IMediaStream</a> stream, boolean append)</a>
------	---

void	<a href="#">startRecording(<a href="#">IMediaStream</a> stream, String filePath, boolean append)</a>
------	--

void	<a href="#">startRecording(<a href="#">IMediaStream</a> stream, String filePath, boolean append, java.util.Map extraMetadata)</a>
------	---

void	<a href="#">startRecording(<a href="#">IMediaStream</a> stream, String filePath, boolean append, java.util.Map extraMetadata, int splitOnTcDiscontinuity)</a>
------	---

void	<a href="#"><u>startRecordingSegmentByDuration</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, long duration)
void	<a href="#"><u>startRecordingSegmentBySchedule</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, String schedule)
void	<a href="#"><u>startRecordingSegmentBySize</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, java.util.Map extraMetadata, long size)
void	<a href="#"><u>stopRecording</u></a> ()
void	<a href="#"><u>work</u></a> ()
void	<a href="#"><u>workStop</u></a> ()

#### Methods inherited from class [com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase](#)

[addListener](#), [debug](#), [getBaseFilePath](#), [getCurrentDuration](#), [getCurrentFile](#), [getCurrentSize](#), [getFilePath](#), [getFileVersionDelegate](#), [getLocalListeners](#), [getSegmentDuration](#), [getSegmentNumber](#), [getSegmentSchedule](#), [getSegmentSize](#), [getSplitType](#), [getStartTime](#), [getStreamName](#), [getWriteLock](#), [init](#), [isAppendFile](#), [isMoveFirstVideoFrameToZero](#), [isRecordData](#), [isStartOnKeyFrame](#), [isVersionFile](#), [notifySegmentEnd](#), [notifySegmentStart](#), [onCronEvent](#), [onPublish](#), [onUnPublish](#), [removeListener](#), [setFileVersionDelegate](#), [setMoveFirstVideoFrameToZero](#), [setRecordData](#), [setSegmentDuration](#), [setSegmentSize](#), [setStartOnKeyFrame](#), [setVersionFile](#), [splitRecordingNow](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecordingSegmentByDuration](#), [startRecordingSegmentBySchedule](#), [startRecordingSegmentBySize](#), [stopRecording](#), [work](#), [workStop](#)

#### Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

#### Methods inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[addListener](#), [getBaseFilePath](#), [getCurrentDuration](#), [getCurrentFile](#), [getCurrentSize](#), [getFilePath](#), [getFileVersionDelegate](#), [getSegmentDuration](#), [getSegmentNumber](#), [getSegmentSchedule](#), [getSegmentSize](#), [getSplitType](#), [getStartTime](#), [getStreamName](#), [getWriteLock](#), [init](#), [isAppendFile](#), [isMoveFirstVideoFrameToZero](#), [isRecordData](#), [isStartOnKeyFrame](#), [isVersionFile](#), [onPublish](#), [onUnPublish](#), [removeListener](#), [setFileVersionDelegate](#), [setMoveFirstVideoFrameToZero](#), [setRecordData](#), [setSegmentDuration](#), [setSegmentSize](#), [setStartOnKeyFrame](#), [setVersionFile](#), [splitRecordingNow](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecordingSegmentByDuration](#), [startRecordingSegmentBySchedule](#), [startRecordingSegmentBySize](#), [stopRecording](#), [work](#), [workStop](#)

#### Methods inherited from interface [com.wowza.wms.util.crontab.ICrontabEventHandler](#)

[onCronEvent](#)

## Constructors

(continued from last page)

## LiveStreamRecorderFLV

```
public LiveStreamRecorderFLV()
```

## Methods

### startRecording

```
public void startRecording(IMediaStream stream,  
    boolean append)
```

### startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append)
```

### startRecordingSegmentBySize

```
public void startRecordingSegmentBySize(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long size)
```

### startRecordingSegmentByDuration

```
public void startRecordingSegmentByDuration(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long duration)
```

### startRecordingSegmentBySchedule

```
public void startRecordingSegmentBySchedule(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    String schedule)
```

### startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata)
```

(continued from last page)

## **startRecording**

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata,  
    int splitOnTcDiscontinuity)
```

---

## **stopRecording**

```
public void stopRecording()
```

---

## **onPublish**

```
public void onPublish()
```

---

## **onUnPublish**

```
public void onUnPublish()
```

---

## **workStop**

```
public void workStop()
```

---

## **getPlayPackets**

```
protected java.util.List getPlayPackets()
```

---

## **work**


```
public void work()
```

---

## com.wowza.wms.livestreamrecord.model

### Class LiveStreamRecorderMediaWriter

java.lang.Object



All Implemented Interfaces:

[ICrontabEventHandler](#), [ILiveStreamRecord](#)

public class **LiveStreamRecorderMediaWriter**  
 extends [LiveStreamRecorderBase](#)

Fields inherited from class [com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase](#)

[appendFile](#), [appInstance](#), [baseFilePath](#), [contextStr](#), [cronEventWorker](#), [currentDuration](#), [currentOutputFile](#), [currentSize](#), [debugLog](#), [file](#), [filePath](#), [fileVersionDelegate](#), [listeners](#), [moveFirstVideoFrameToZero](#), [recordData](#), [recordStartTime](#), [segmentDuration](#), [segmentNumber](#), [segmentScheduler](#), [segmentSize](#), [splitNow](#), [splitOnTcDiscontinuity](#), [splitType](#), [startOnKeyFrame](#), [stream](#), [streamNotifier](#), [useSimpleFileVersionNaming](#), [versionFile](#), [worker](#), [writeLock](#)

Fields inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[SPLIT\\_ON\\_DISCONTINUITY\\_ALWAYS](#), [SPLIT\\_ON\\_DISCONTINUITY\\_DEFAULT](#), [SPLIT\\_ON\\_DISCONTINUITY\\_NEVER](#), [SPLIT\\_TYPE\\_BY\\_DURATION](#), [SPLIT\\_TYPE\\_BY\\_SCHEDULE](#), [SPLIT\\_TYPE\\_BY\\_SIZE](#), [SPLIT\\_TYPE\\_NONE](#)

## Constructor Summary

public	<a href="#">LiveStreamRecorderMediaWriter()</a>
--------	---

## Method Summary

java.util.List	<a href="#">getPlayPackets()</a>
----------------	----------------------------------

void	<a href="#">onPublish()</a>
------	-----------------------------

void	<a href="#">onUnPublish()</a>
------	-------------------------------

void	<a href="#">setMediaWriterType</a> (String mediaWriterType)
------	---

void	<a href="#">splitRecordingNow()</a>
------	-------------------------------------

void	<a href="#">startRecording</a> ( <a href="#">IMediaStream</a> stream, boolean append)
------	---

void	<a href="#">startRecording</a> ( <a href="#">IMediaStream</a> stream, String filePath, boolean append)
------	--



void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, <a href="#"><u>java.util.Map</u></a> extraMetadata)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, <a href="#"><u>java.util.Map</u></a> extraMetadata, int splitOnTcDiscontinuity)
void	<a href="#"><u>startRecordingSegmentByDuration</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, <a href="#"><u>java.util.Map</u></a> extraMetadata, long duration)
void	<a href="#"><u>startRecordingSegmentBySchedule</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, <a href="#"><u>java.util.Map</u></a> extraMetadata, String schedule)
void	<a href="#"><u>startRecordingSegmentBySize</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, <a href="#"><u>java.util.Map</u></a> extraMetadata, long size)
void	<a href="#"><u>stopRecording</u></a> ()
void	<a href="#"><u>work</u></a> ()
void	<a href="#"><u>workStop</u></a> ()

#### Methods inherited from class [com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase](#)

[addListener](#), [debug](#), [getBaseFilePath](#), [getCurrentDuration](#), [getCurrentFile](#), [getCurrentSize](#), [getFilePath](#), [getFileVersionDelegate](#), [getLocalListeners](#), [getSegmentDuration](#), [getSegmentNumber](#), [getSegmentSchedule](#), [getSegmentSize](#), [getSplitType](#), [getStartTime](#), [getStreamName](#), [getWriteLock](#), [init](#), [isAppendFile](#), [isMoveFirstVideoFrameToZero](#), [isRecordData](#), [isStartOnKeyFrame](#), [isVersionFile](#), [notifySegmentEnd](#), [notifySegmentStart](#), [onCronEvent](#), [onPublish](#), [onUnPublish](#), [removeListener](#), [setFileVersionDelegate](#), [setMoveFirstVideoFrameToZero](#), [setRecordData](#), [setSegmentDuration](#), [setSegmentSize](#), [setStartOnKeyFrame](#), [setVersionFile](#), [splitRecordingNow](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecordingSegmentByDuration](#), [startRecordingSegmentBySchedule](#), [startRecordingSegmentBySize](#), [stopRecording](#), [work](#), [workStop](#)

#### Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

#### Methods inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[addListener](#), [getBaseFilePath](#), [getCurrentDuration](#), [getCurrentFile](#), [getCurrentSize](#), [getFilePath](#), [getFileVersionDelegate](#), [getSegmentDuration](#), [getSegmentNumber](#), [getSegmentSchedule](#), [getSegmentSize](#), [getSplitType](#), [getStartTime](#), [getStreamName](#), [getWriteLock](#), [init](#), [isAppendFile](#), [isMoveFirstVideoFrameToZero](#), [isRecordData](#), [isStartOnKeyFrame](#), [isVersionFile](#), [onPublish](#), [onUnPublish](#), [removeListener](#), [setFileVersionDelegate](#), [setMoveFirstVideoFrameToZero](#), [setRecordData](#), [setSegmentDuration](#), [setSegmentSize](#), [setStartOnKeyFrame](#), [setVersionFile](#), [splitRecordingNow](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecordingSegmentByDuration](#), [startRecordingSegmentBySchedule](#), [startRecordingSegmentBySize](#), [stopRecording](#), [work](#), [workStop](#)

#### Methods inherited from interface [com.wowza.wms.util.crontab.ICrontabEventHandler](#)

[onCronEvent](#)

## Constructors

### LiveStreamRecorderMediaWriter

```
public LiveStreamRecorderMediaWriter()
```

## Methods

### setMediaWriterType

```
public void setMediaWriterType(String mediaWriterType)
```

### startRecording

```
public void startRecording(IMediaStream stream,  
    boolean append)
```

### startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append)
```

### startRecordingSegmentBySize

```
public void startRecordingSegmentBySize(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long size)
```

### startRecordingSegmentByDuration

```
public void startRecordingSegmentByDuration(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long duration)
```

### startRecordingSegmentBySchedule

```
public void startRecordingSegmentBySchedule(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    String schedule)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata,  
    int splitOnTcDiscontinuity)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata)
```

---

## stopRecording

```
public void stopRecording()
```

---

## splitRecordingNow

```
public void splitRecordingNow()
```

---

## onPublish

```
public void onPublish()
```

---

## onUnPublish

```
public void onUnPublish()
```

---

## workStop

```
public void workStop()
```

---

## getPlayPackets

```
protected java.util.List getPlayPackets()
```

---

## work


```
public void work()
```

---

(continued from last page)

## com.wowza.wms.livestreamrecord.model Class LiveStreamRecorderMP4

java.lang.Object



All Implemented Interfaces:

[ICrontabEventHandler](#), [ILiveStreamRecord](#)

public class **LiveStreamRecorderMP4**  
extends [LiveStreamRecorderBase](#)

Fields inherited from class [com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase](#)

[appendFile](#), [appInstance](#), [baseFilePath](#), [contextStr](#), [cronEventWorker](#), [currentDuration](#), [currentOutputFile](#), [currentSize](#), [debugLog](#), [file](#), [filePath](#), [fileVersionDelegate](#), [listeners](#), [moveFirstVideoFrameToZero](#), [recordData](#), [recordStartTime](#), [segmentDuration](#), [segmentNumber](#), [segmentScheduler](#), [segmentSize](#), [splitNow](#), [splitOnTcDiscontinuity](#), [splitType](#), [startOnKeyFrame](#), [stream](#), [streamNotifier](#), [useSimpleFileVersionNaming](#), [versionFile](#), [worker](#), [writeLock](#)

Fields inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[SPLIT\\_ON\\_DISCONTINUITY\\_ALWAYS](#), [SPLIT\\_ON\\_DISCONTINUITY\\_DEFAULT](#), [SPLIT\\_ON\\_DISCONTINUITY\\_NEVER](#), [SPLIT\\_TYPE\\_BY\\_DURATION](#), [SPLIT\\_TYPE\\_BY\\_SCHEDULE](#), [SPLIT\\_TYPE\\_BY\\_SIZE](#), [SPLIT\\_TYPE\\_NONE](#)

### Constructor Summary

public	<a href="#">LiveStreamRecorderMP4()</a>
--------	---

### Method Summary

java.util.List	<a href="#">getPlayPackets()</a>
----------------	----------------------------------

boolean	<a href="#">isRecordOnMetaData()</a>
---------	--------------------------------------

void	<a href="#">onPublish()</a>
------	-----------------------------

void	<a href="#">onUnPublish()</a>
------	-------------------------------

void	<a href="#">setRecordOnMetaData</a> (boolean recordOnMetaData)
------	--

void	<a href="#">startRecording</a> ( <a href="#">IMediaStream</a> stream, boolean append)
------	---

void	<a href="#">startRecording</a> ( <a href="#">IMediaStream</a> stream, String filePath, boolean append)
------	--

void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, <a href="#"><u>java.util.Map</u></a> extraMetadata)
void	<a href="#"><u>startRecording</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, boolean append, <a href="#"><u>java.util.Map</u></a> extraMetadata, int splitOnTcDiscontinuity)
void	<a href="#"><u>startRecordingSegmentByDuration</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, <a href="#"><u>java.util.Map</u></a> extraMetadata, long duration)
void	<a href="#"><u>startRecordingSegmentBySchedule</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, <a href="#"><u>java.util.Map</u></a> extraMetadata, String schedule)
void	<a href="#"><u>startRecordingSegmentBySize</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String filePath, <a href="#"><u>java.util.Map</u></a> extraMetadata, long size)
void	<a href="#"><u>stopRecording</u></a> ()
void	<a href="#"><u>work</u></a> ()
void	<a href="#"><u>workStop</u></a> ()

#### Methods inherited from class [com.wowza.wms.livestreamrecord.model.LiveStreamRecorderBase](#)

[addListener](#), [debug](#), [getBaseFilePath](#), [getCurrentDuration](#), [getCurrentFile](#), [getCurrentSize](#), [getFilePath](#), [getFileVersionDelegate](#), [getLocalListeners](#), [getSegmentDuration](#), [getSegmentNumber](#), [getSegmentSchedule](#), [getSegmentSize](#), [getSplitType](#), [getStartTime](#), [getStreamName](#), [getWriteLock](#), [init](#), [isAppendFile](#), [isMoveFirstVideoFrameToZero](#), [isRecordData](#), [isStartOnKeyFrame](#), [isVersionFile](#), [notifySegmentEnd](#), [notifySegmentStart](#), [onCronEvent](#), [onPublish](#), [onUnPublish](#), [removeListener](#), [setFileVersionDelegate](#), [setMoveFirstVideoFrameToZero](#), [setRecordData](#), [setSegmentDuration](#), [setSegmentSize](#), [setStartOnKeyFrame](#), [setVersionFile](#), [splitRecordingNow](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecordingSegmentByDuration](#), [startRecordingSegmentBySchedule](#), [startRecordingSegmentBySize](#), [stopRecording](#), [work](#), [workStop](#)

#### Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

#### Methods inherited from interface [com.wowza.wms.livestreamrecord.model.ILiveStreamRecord](#)

[addListener](#), [getBaseFilePath](#), [getCurrentDuration](#), [getCurrentFile](#), [getCurrentSize](#), [getFilePath](#), [getFileVersionDelegate](#), [getSegmentDuration](#), [getSegmentNumber](#), [getSegmentSchedule](#), [getSegmentSize](#), [getSplitType](#), [getStartTime](#), [getStreamName](#), [getWriteLock](#), [init](#), [isAppendFile](#), [isMoveFirstVideoFrameToZero](#), [isRecordData](#), [isStartOnKeyFrame](#), [isVersionFile](#), [onPublish](#), [onUnPublish](#), [removeListener](#), [setFileVersionDelegate](#), [setMoveFirstVideoFrameToZero](#), [setRecordData](#), [setSegmentDuration](#), [setSegmentSize](#), [setStartOnKeyFrame](#), [setVersionFile](#), [splitRecordingNow](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecording](#), [startRecordingSegmentByDuration](#), [startRecordingSegmentBySchedule](#), [startRecordingSegmentBySize](#), [stopRecording](#), [work](#), [workStop](#)

#### Methods inherited from interface [com.wowza.wms.util.crontab.ICrontabEventHandler](#)

[onCronEvent](#)

## Constructors

### LiveStreamRecorderMP4

```
public LiveStreamRecorderMP4()
```

## Methods

### onPublish

```
public void onPublish()
```

### onUnPublish

```
public void onUnPublish()
```

### startRecording

```
public void startRecording(IMediaStream stream,  
    boolean append)
```

### startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append)
```

### startRecordingSegmentBySize

```
public void startRecordingSegmentBySize(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long size)
```

### startRecordingSegmentByDuration

```
public void startRecordingSegmentByDuration(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    long duration)
```

(continued from last page)

---

## startRecordingSegmentBySchedule

```
public void startRecordingSegmentBySchedule(IMediaStream stream,  
    String filePath,  
    java.util.Map extraMetadata,  
    String schedule)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata)
```

---

## startRecording

```
public void startRecording(IMediaStream stream,  
    String filePath,  
    boolean append,  
    java.util.Map extraMetadata,  
    int splitOnTcDiscontinuity)
```

---

## stopRecording

```
public void stopRecording()
```

---

## workStop

```
public void workStop()
```

---

## getPlayPackets

```
protected java.util.List getPlayPackets()
```

---

## work

```
public void work()
```

---

## isRecordOnMetaData

```
public boolean isRecordOnMetaData()
```

---



(continued from last page)

## **setRecordOnMetaData**

```
public void setRecordOnMetaData(boolean recordOnMetaData)
```

## com.wowza.wms.livestreamrecord.model Class LiveStreamRecordFileVersionDelegate

java.lang.Object

└─com.wowza.wms.livestreamrecord.model.LiveStreamRecordFileVersionDelegate

All Implemented Interfaces:

[ILiveStreamRecordFileVersionDelegate](#)

public class **LiveStreamRecordFileVersionDelegate**  
extends Object  
implements [ILiveStreamRecordFileVersionDelegate](#)

Default FileVersionDelegate class

This delegate allows the configuration of a custom FileName using a template string. The tags in the template string are replaced with their associated values, to generate a filename.

Valid template tags are;

`${SourceStreamName}` - The name of the stream

`${SegmentNumber}` - An incrementing value representing the current number of segments which have been created for this recording, starting at 0

`${RecordingStartTime}` - The time at which the recording was started

`${SegmentTime}` - Time time at which the segment was created

### Field Summary

public static final	<a href="#">BASE_NAME_TAG</a> Value: <code>\${BaseFileName}</code>
public static final	<a href="#">DATETIME_FORMAT</a>
public static final	<a href="#">SEGMENT_NUMBER_TAG</a> Value: <code>\${SegmentNumber}</code>
public static final	<a href="#">SEGMENT_TIME_TAG</a> Value: <code>\${SegmentTime}</code>
public static final	<a href="#">START_TIME_TAG</a> Value: <code>\${RecordingStartTime}</code>
public static final	<a href="#">STREAM_NAME_TAG</a> Value: <code>\${SourceStreamName}</code>

### Constructor Summary

public	<a href="#">LiveStreamRecordFileVersionDelegate()</a>
--------	---

### Method Summary

String	<a href="#"><code>getFilename(ILiveStreamRecord recContext)</code></a> Creates a new filename using the default template string,
String	<a href="#"><code>getFileTemplate()</code></a> Returns the current template string
void	<a href="#"><code>setFileTemplate(String template)</code></a> Sets the template string for creating the versioned file name.

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

#### Methods inherited from interface

[`com.wowza.wms.livestreamrecord.model.ILiveStreamRecordFileVersionDelegate`](#)

[`getFilename`](#)

## Fields

### DATETIME\_FORMAT

```
public static final org.joda.time.format.DateTimeFormatter DATETIME_FORMAT
```

### STREAM\_NAME\_TAG

```
public static final java.lang.String STREAM_NAME_TAG
```

Constant value: `${SourceStreamName}`

### BASE\_NAME\_TAG

```
public static final java.lang.String BASE_NAME_TAG
```

Constant value: `${BaseFileName}`

### SEGMENT\_NUMBER\_TAG

```
public static final java.lang.String SEGMENT_NUMBER_TAG
```

Constant value: `${SegmentNumber}`

### START\_TIME\_TAG

```
public static final java.lang.String START_TIME_TAG
```

Constant value: `${RecordingStartTime}`

(continued from last page)

## SEGMENT\_TIME\_TAG

```
public static final java.lang.String SEGMENT_TIME_TAG
```

Constant value: `${SegmentTime}`

## Constructors

### LiveStreamRecordFileVersionDelegate

```
public LiveStreamRecordFileVersionDelegate()
```

## Methods

### getFilename

```
public String getFilename(ILiveStreamRecord recContext)
```

Creates a new filename using the default template string,

**Parameters:**

recContext - The LiveStreamRecord context

**Returns:**

String The versioned file name

### setFileTemplate

```
public void setFileTemplate(String template)
```

Sets the template string for creating the versioned file name. If null is passed in, the template string reverts to the default template string

**Parameters:**

template - new template String

### getFileTemplate

```
public String getFileTemplate()
```

Returns the current template string

**Returns:**

String current template string

---

Package

**com.wowza.wms.logging**

## com.wowza.wms.logging Interface Constants

public interface **Constants**  
extends

Constants used internally throughout log4j.

### Field Summary

public static final	<a href="#"><u>ABSOLUTE_FORMAT</u></a> ABSOLUTE string literal. Value: <b>ABSOLUTE</b>
public static final	<a href="#"><u>ABSOLUTE_TIME_PATTERN</u></a> SimpleTimePattern for ABSOLUTE. Value: <b>HH:mm:ss,SSS</b>
public static final	<a href="#"><u>APPLICATION_KEY</u></a> application string literal. Value: <b>application</b>
public static final	<a href="#"><u>CODES_HREF</u></a> Codes URL string literal. Value: <b>http://logging.apache.org/log4j/docs/codes.html</b>
public static final	<a href="#"><u>CONFIGURATOR_CLASS_KEY</u></a> log4j.configuratorClass string literal. Value: <b>log4j.configuratorClass</b>
public static final	<a href="#"><u>DATE_AND_TIME_FORMAT</u></a> DATE string literal. Value: <b>DATE</b>
public static final	<a href="#"><u>DATE_AND_TIME_PATTERN</u></a> SimpleTimePattern for DATE. Value: <b>dd MMM yyyy HH:mm:ss,SSS</b>
public static final	<a href="#"><u>DEFAULT_CONFIGURATION_FILE</u></a> The default property file name for automatic configuration. Value: <b>log4j.properties</b>
public static final	<a href="#"><u>DEFAULT_CONFIGURATION_KEY</u></a> log4j.configuration string literal. Value: <b>log4j.configuration</b>
public static final	<a href="#"><u>DEFAULT_REPOSITORY_NAME</u></a> The name of the default repository is "default" (without the quotes). Value: <b>default</b>
public static final	<a href="#"><u>DEFAULT_XML_CONFIGURATION_FILE</u></a> The default XML configuration file name for automatic configuration. Value: <b>log4j.xml</b>

public static final	<a href="#">HOSTNAME_KEY</a> hostname string literal. Value: <b>hostname</b>
public static final	<a href="#">ISO8601_FORMAT</a> ISO8601 string literal. Value: <b>ISO8601</b>
public static final	<a href="#">ISO8601_PATTERN</a> SimpleTimePattern for ISO8601. Value: <b>yyyy-MM-dd HH:mm:ss,SSS</b>
public static final	<a href="#">JNDI_CONTEXT_NAME</a> JNDI context name string literal. Value: <b>java:comp/env/log4j/context-name</b>
public static final	<a href="#">LOG4J_ID_KEY</a> log4jid string literal. Value: <b>log4jid</b>
public static final	<a href="#">LOG4J_PACKAGE_NAME</a> log4j package name string literal. Value: <b>org.apache.log4j</b>
public static final	<a href="#">RECEIVER_NAME_KEY</a> receiver string literal. Value: <b>receiver</b>
public static final	<a href="#">TEMP_CONSOLE_APPENDER_NAME</a> TEMP_CONSOLE_APPENDER string literal. Value: <b>TEMP_CONSOLE_APPENDER</b>
public static final	<a href="#">TEMP_LIST_APPENDER_NAME</a> TEMP_LIST_APPENDER string literal. Value: <b>TEMP_LIST_APPENDER</b>
public static final	<a href="#">TIMESTAMP_RULE_FORMAT</a> time stamp pattern string literal. Value: <b>yyyy/MM/dd HH:mm:ss</b>

## Fields

### LOG4J\_PACKAGE\_NAME

public static final java.lang.String **LOG4J\_PACKAGE\_NAME**

log4j package name string literal.  
Constant value: **org.apache.log4j**

### DEFAULT\_REPOSITORY\_NAME

public static final java.lang.String **DEFAULT\_REPOSITORY\_NAME**

The name of the default repository is "default" (without the quotes).  
Constant value: **default**

## APPLICATION\_KEY

```
public static final java.lang.String APPLICATION_KEY
```

application string literal.

Constant value: **application**

---

## HOSTNAME\_KEY

```
public static final java.lang.String HOSTNAME_KEY
```

hostname string literal.

Constant value: **hostname**

---

## RECEIVER\_NAME\_KEY

```
public static final java.lang.String RECEIVER_NAME_KEY
```

receiver string literal.

Constant value: **receiver**

---

## LOG4J\_ID\_KEY

```
public static final java.lang.String LOG4J_ID_KEY
```

log4jid string literal.

Constant value: **log4jid**

---

## TIMESTAMP\_RULE\_FORMAT

```
public static final java.lang.String TIMESTAMP_RULE_FORMAT
```

time stamp pattern string literal.

Constant value: **yyyy/MM/dd HH:mm:ss**

---

## DEFAULT\_CONFIGURATION\_FILE

```
public static final java.lang.String DEFAULT_CONFIGURATION_FILE
```

The default property file name for automatic configuration.

Constant value: **log4j.properties**

---

## DEFAULT\_XML\_CONFIGURATION\_FILE

```
public static final java.lang.String DEFAULT_XML_CONFIGURATION_FILE
```

The default XML configuration file name for automatic configuration.

Constant value: **log4j.xml**

---

## DEFAULT\_CONFIGURATION\_KEY

```
public static final java.lang.String DEFAULT_CONFIGURATION_KEY
```

log4j.configuration string literal.

Constant value: **log4j.configuration**

---



(continued from last page)

---

## CONFIGURATOR\_CLASS\_KEY

```
public static final java.lang.String CONFIGURATOR_CLASS_KEY
```

log4j.configuratorClass string literal.

Constant value: **log4j.configuratorClass**

---

## JNDI\_CONTEXT\_NAME

```
public static final java.lang.String JNDI_CONTEXT_NAME
```

JNDI context name string literal.

Constant value: **java:comp/env/log4j/context-name**

---

## TEMP\_LIST\_APPENDER\_NAME

```
public static final java.lang.String TEMP_LIST_APPENDER_NAME
```

TEMP\_LIST\_APPENDER string literal.

Constant value: **TEMP\_LIST\_APPENDER**

---

## TEMP\_CONSOLE\_APPENDER\_NAME

```
public static final java.lang.String TEMP_CONSOLE_APPENDER_NAME
```

TEMP\_CONSOLE\_APPENDER string literal.

Constant value: **TEMP\_CONSOLE\_APPENDER**

---

## CODES\_HREF

```
public static final java.lang.String CODES_HREF
```

Codes URL string literal.

Constant value: **http://logging.apache.org/log4j/docs/codes.html**

---

## ABSOLUTE\_FORMAT

```
public static final java.lang.String ABSOLUTE_FORMAT
```

ABSOLUTE string literal.

Constant value: **ABSOLUTE**

---

## ABSOLUTE\_TIME\_PATTERN

```
public static final java.lang.String ABSOLUTE_TIME_PATTERN
```

SimpleTimePattern for ABSOLUTE.

Constant value: **HH:mm:ss,SSS**

---

## DATE\_AND\_TIME\_FORMAT

```
public static final java.lang.String DATE_AND_TIME_FORMAT
```

DATE string literal.

Constant value: **DATE**

---

## DATE\_AND\_TIME\_PATTERN

```
public static final java.lang.String DATE_AND_TIME_PATTERN
```

---

(continued from last page)

SimpleTimePattern for DATE.

Constant value: **dd MMM yyyy HH:mm:ss,SSS**

---

## ISO8601\_FORMAT

```
public static final java.lang.String ISO8601_FORMAT
```

ISO8601 string literal.

Constant value: **ISO8601**

---

## ISO8601\_PATTERN

```
public static final java.lang.String ISO8601_PATTERN
```

SimpleTimePattern for ISO8601.

Constant value: **yyyy-MM-dd HH:mm:ss,SSS**

## com.wowza.wms.logging Interface ILogNotify

All Known Implementing Classes:

[LogNotifyCalculateIncremental](#)

---

public interface **ILogNotify**  
extends

ILogNotify: Interface to add custom fields to the Wowza Pro log files. To add your own custom log fields, define a class that implements this interface. The onLog method will be called each time the Wowza Pro server logs a message. Here is an example of a simple ILogNotify class that logs the current system time in milliseconds as a Long (systime-long) and as a String (systime-string).

```
package com.wowza.wms.plugin.newlogfields;

import org.apache.log4j.*;

import com.wowza.wms.logging.*;
import com.wowza.wms.stream.*;

public class LogNotifyDocs implements ILogNotify
{
    public void onLog(Level level, String comment, IMediaStream stream, String category,
String event, int status, String context)
    {
        long systime = System.currentTimeMillis();
        WMSLoggerFactory.putGlobalLogValue("systime-long", new Long(systime));
        WMSLoggerFactory.putGlobalLogValue("systime-string", systime+"");
    }
}
```

*Note: To get any of the values currently being logged use the logging API  
WMSLoggerFactory.getGlobalLogValue(WMSLoggerIDs.FD\_\*)*

To add your class to Wowza Pro, compile your class into a .class file, bind the class into a .jar file and copy the .jar file into the Wowza Pro server /lib folder. Next, edit:

- [install-dir]/bin/setenv.bat (Windows)
- [install-dir]/bin/setenv.sh (Linux, OSX, Solaris)

Add **-Dcom.wowza.wms.logging.LogNotify=[full-path-to-your-ILogNotify-class]** to the **JAVA\_OPTS**. For example for the class above the JAVA\_OPTS would look like:

```
Linux/OSX
JAVA_OPTS="-Xmx768M -
Dcom.wowza.wms.logging.LogNotify=com.wowza.wms.plugin.newlogfields.NewLogFields"

Windows
JAVA_OPTS=-Xmx768M -
Dcom.wowza.wms.logging.LogNotify=com.wowza.wms.plugin.newlogfields.NewLogFields
```

If on Windows, also edit `[install-dir]/bin/WowzaMediaServerPro-Service.conf` and add `wrapper.java.additional.[n]=-Dcom.wowza.wms.logging.LogNotify=[full-path-to-your-ILogNotify-class]` to the **Java Additional Parameters** section where `[n]` is the next number in the list of active parameters. For example for the class above if the last active additional parameter is 6, the entry would look like this:

```
wrapper.java.additional.7=-
Dcom.wowza.wms.logging.LogNotify=com.wowza.wms.plugin.newlogfields.NewLogFields
```

Next, edit `[install-dir]/conf/log4j.properties` and add the new field names to any `log4j.appender.[appender-name].layout.Fields` fields lists to which you want to log these values. For example:

```
log4j.appender.stdout.layout.Fields=x-severity,x-category,x-event,x-ctx,x-comment,systemtime-long,systemtime-string
```

## Method Summary

void	<code>onLog(org.apache.log4j.Level level, String comment, <a href="#">IMediaStream</a> stream, String category, String event, int status, String context)</code> Called each time the server logs a message.
------	---

## Methods

### onLog

```
public void onLog(org.apache.log4j.Level level,
    String comment,
    IMediaStream stream,
    String category,
    String event,
    int status,
    String context)
```

Called each time the server logs a message.

#### Parameters:

level - log level as defined by (org.apache.log4j.Level)  
comment - comment part of the log statement  
stream - if stream category log message it's the source stream

(continued from last page)

`category` - log category as defined by `WMSLoggerIDs.CAT_*`

`event` - log event as defined by `WMSLoggerIDs.EVT_*`

`status` - log status (same as HTTP status field) as defined by `WMSLoggerIDs.STAT_*`

`context` - log context value like stream name, vhost name, application name

## com.wowza.wms.logging Class LogNotifyCalculateIncremental

java.lang.Object

└─com.wowza.wms.logging.LogNotifyCalculateIncremental

All Implemented Interfaces:

[ILogNotify](#)

public class **LogNotifyCalculateIncremental**  
extends Object  
implements [ILogNotify](#)

LogNotifyCalculateIncremental: pre-built implementation of ILogNotify that adds 5 new log fields:

- cs-bytes-inc (client to server bytes streamed since last log entry)
- sc-bytes-inc (server to client bytesstreamed since last log entry)
- cs-stream-bytes-inc (client to server stream bytesstreamed since last log entry)
- sc-stream-bytes-inc (server to client stream bytesstreamed since last log entry)
- x-duration-inc (time in seconds that have passed since the last log event)

These are incremental versions of the regular log values. To add this to Wowza Pro edit:

- [install-dir]/bin/setenv.bat (Windows)
- [install-dir]/bin/setenv.sh (Linux, OSX)

Add **-Dcom.wowza.wms.logging.LogNotify=com.wowza.wms.logging.LogNotifyCalculateIncremental** to the **JAVA\_OPTS**. Also, edit [install-dir]/conf/log4j.properties and add these field names to any log4j.appender.[appender-name].layout.Fields fields lists to which you want to log these values.

*NOTE: These new log values are only accurate if all the events are included for the **session** and **stream** log categories.*

### Field Summary

public static final	<a href="#">FD_cs_bytes_inc</a> Value: <b>cs-bytes-inc</b>
public static final	<a href="#">FD_cs_stream_bytes_inc</a> Value: <b>cs-stream-bytes-inc</b>
public static final	<a href="#">FD_sc_bytes_inc</a> Value: <b>sc-bytes-inc</b>
public static final	<a href="#">FD_sc_stream_bytes_inc</a> Value: <b>sc-stream-bytes-inc</b>
public static final	<a href="#">FD_x_duration_inc</a> Value: <b>x-duration-inc</b>

### Constructor Summary

public	<a href="#">LogNotifyCalculateIncremental()</a>
--------	---

## Method Summary

void	<a href="#">onLog</a> (org.apache.log4j.Level level, String comment, <a href="#">IMediaStream</a> stream, String category, String event, int status, String context)
------	--

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Methods inherited from interface [com.wowza.wms.logging.ILogNotify](#)

[onLog](#)

## Fields

### FD\_cs\_bytes\_inc

public static final java.lang.String **FD\_cs\_bytes\_inc**

Constant value: **cs-bytes-inc**

### FD\_sc\_bytes\_inc

public static final java.lang.String **FD\_sc\_bytes\_inc**

Constant value: **sc-bytes-inc**

### FD\_cs\_stream\_bytes\_inc

public static final java.lang.String **FD\_cs\_stream\_bytes\_inc**

Constant value: **cs-stream-bytes-inc**

### FD\_sc\_stream\_bytes\_inc

public static final java.lang.String **FD\_sc\_stream\_bytes\_inc**

Constant value: **sc-stream-bytes-inc**

### FD\_x\_duration\_inc

public static final java.lang.String **FD\_x\_duration\_inc**

Constant value: **x-duration-inc**

## Constructors

(continued from last page)

## LogNotifyCalculateIncremental

```
public LogNotifyCalculateIncremental()
```

## Methods

### onLog

```
public void onLog(org.apache.log4j.Level level,  
    String comment,  
    IMediaStream stream,  
    String category,  
    String event,  
    int status,  
    String context)
```



## com.wowza.wms.logging Class UDPAppender

```
java.lang.Object
|
|--org.apache.log4j.AppenderSkeleton
|   |
|   |--com.wowza.wms.logging.UDPAppender
```

### All Implemented Interfaces:

PortBased, org.apache.log4j.spi.OptionHandler, org.apache.log4j.Appender

```
public class UDPAppender
extends org.apache.log4j.AppenderSkeleton
implements org.apache.log4j.Appender, org.apache.log4j.spi.OptionHandler, PortBased
```

Sends log information as a UDP datagrams.

The UDPAppender is meant to be used as a diagnostic logging tool so that logging can be monitored by a simple UDP client.

Messages are not sent as LoggingEvent objects but as text after applying the designated Layout.

The port and remoteHost properties can be set in configuration properties. By setting the remoteHost to a broadcast address any number of clients can listen for log messages.

This was inspired and really extended/copied from SocketAppender. Please see the docs for the proper credit to the authors of that class.

## Field Summary

public static final	<a href="#">DEFAULT_PORT</a> The default port number for the UDP packets, 9991. Value: <b>9991</b>
---------------------	--

## Fields inherited from class org.apache.log4j.AppenderSkeleton

closed, errorHandler, headFilter, layout, name, tailFilter, threshold

## Constructor Summary

public	<a href="#">UDPAppender</a> ()
public	<a href="#">UDPAppender</a> (java.net.InetAddress address, int port) Sends UDP packets to the address and port.
public	<a href="#">UDPAppender</a> (String host, int port) Sends UDP packets to the address and port.

## Method Summary

void	<a href="#">activateOptions</a> () Open the UDP sender for the <b>RemoteHost</b> and <b>Port</b> .
void	<a href="#">append</a> (org.apache.log4j.spi.LoggingEvent event)

void	<a href="#"><code>cleanUp()</code></a> Close the UDP Socket and release the underlying connector thread if it has been created
void	<a href="#"><code>close()</code></a> Close this appender.
String	<a href="#"><code>getApplication()</code></a> Returns value of the <b>App</b> option.
String	<a href="#"><code>getEncoding()</code></a> Returns value of the <b>Encoding</b> option.
int	<a href="#"><code>getPort()</code></a> Returns value of the <b>Port</b> option.
String	<a href="#"><code>getRemoteHost()</code></a> Returns value of the <b>RemoteHost</b> option.
boolean	<a href="#"><code>isActive()</code></a>
boolean	<a href="#"><code>requiresLayout()</code></a> The UDPAppender uses layouts.
void	<a href="#"><code>setApplication(String app)</code></a> The <b>App</b> option takes a string value which should be the name of the application getting logged.
void	<a href="#"><code>setEncoding(String encoding)</code></a> The <b>Encoding</b> option specifies how the bytes are encoded.
void	<a href="#"><code>setPort(int port)</code></a> The <b>Port</b> option takes a positive integer representing the port where UDP packets will be sent.
void	<a href="#"><code>setRemoteHost(String host)</code></a> The <b>RemoteHost</b> option takes a string value which should be the host name or ipaddress to send the UDP packets.

**Methods inherited from class org.apache.log4j.AppenderSkeleton**

activateOptions, addFilter, append, clearFilters, doAppend, finalize, getErrorHandler, getFilter, getFirstFilter, getLayout, getName, getThreshold, isAsSevereAsThreshold, setErrorHandler, setLayout, setName, setThreshold

**Methods inherited from class java.lang.Object**

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface org.apache.log4j.Appender**

addFilter, clearFilters, close, doAppend, getErrorHandler, getFilter, getLayout, getName, requiresLayout, setErrorHandler, setLayout, setName

**Methods inherited from interface org.apache.log4j.spi.OptionHandler**

activateOptions

**Methods inherited from interface com.wowza.wms.logging.PortBased**

```
getPort
```

Methods inherited from interface `com.wowza.wms.logging.NetworkBased`

```
getName, isActive
```

## Fields

### DEFAULT\_PORT

```
public static final int DEFAULT_PORT
```

The default port number for the UDP packets, 9991.  
Constant value: **9991**

## Constructors

### UDPAppender

```
public UDPAppender()
```

### UDPAppender

```
public UDPAppender(java.net.InetAddress address,  
                    int port)
```

Sends UDP packets to the address and port.

### UDPAppender

```
public UDPAppender(String host,  
                    int port)
```

Sends UDP packets to the address and port.

## Methods

### activateOptions

```
public void activateOptions()
```

Open the UDP sender for the **RemoteHost** and **Port**.

### close

```
public void close()
```

Close this appender.

This will mark the appender as closed and call then [cleanUp\(\)](#) method.

(continued from last page)

## cleanUp

```
public void cleanUp()
```

Close the UDP Socket and release the underlying connector thread if it has been created

---

## append

```
public void append(org.apache.log4j.spi.LoggingEvent event)
```

---

## isActive

```
public boolean isActive()
```

---

## requiresLayout

```
public boolean requiresLayout()
```

The **UDPAppender** uses layouts. Hence, this method returns true.

---

## setRemoteHost

```
public void setRemoteHost(String host)
```

The **RemoteHost** option takes a string value which should be the host name or ipaddress to send the UDP packets.

---

## getRemoteHost

```
public String getRemoteHost()
```

Returns value of the **RemoteHost** option.

---

## setApplication

```
public void setApplication(String app)
```

The **App** option takes a string value which should be the name of the application getting logged. If property was already set (via system property), don't set here.

---

## getApplication

```
public String getApplication()
```

Returns value of the **App** option.

---

## setEncoding

```
public void setEncoding(String encoding)
```

The **Encoding** option specifies how the bytes are encoded. If this option is not specified, the System encoding is used.

---

## getEncoding

```
public String getEncoding()
```

---

(continued from last page)

Returns value of the **Encoding** option.

---

## **setPort**

```
public void setPort(int port)
```

The **Port** option takes a positive integer representing the port where UDP packets will be sent.

---

## **getPort**

```
public int getPort()
```

Returns value of the **Port** option.

## com.wowza.wms.logging Class WMSLogger

```

java.lang.Object
  |
  +--org.apache.log4j.Category
        |
        +--org.apache.log4j.Logger
              |
              +--com.wowza.wms.logging.WMSLogger
  
```

### All Implemented Interfaces:

org.apache.log4j.spi.AppenderAttachable

```

public class WMSLogger
extends org.apache.log4j.Logger
  
```

### Fields inherited from class org.apache.log4j.Category

additive, level, name, parent, repository, resourceBundle

## Constructor Summary

public	<a href="#">WMSLogger</a> (String name, org.apache.log4j.Logger tmpLogger)
public	<a href="#">WMSLogger</a> (String name)

## Method Summary

void	<a href="#">debug</a> (Object o)
void	<a href="#">debug</a> (Object o, Throwable e)
void	<a href="#">debug</a> (String comment)
void	<a href="#">debug</a> (String comment, <a href="#">IMediaStream</a> stream)
void	<a href="#">debug</a> (String comment, <a href="#">IMediaStream</a> stream, String category, String event, int status, String context)
void	<a href="#">debug</a> (String comment, String category, String event)
void	<a href="#">debug</a> (String comment, String category, String event, int status, String context)
void	<a href="#">debug</a> (String comment, Throwable e)
void	<a href="#">error</a> (Object o)
void	<a href="#">error</a> (Object o, Throwable e)

void	<a href="#"><u>error</u></a> (String comment)
void	<a href="#"><u>error</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream)
void	<a href="#"><u>error</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event, int status, String context)
void	<a href="#"><u>error</u></a> (String comment, String category, String event)
void	<a href="#"><u>error</u></a> (String comment, String category, String event, int status, String context)
void	<a href="#"><u>error</u></a> (String comment, Throwable e)
void	<a href="#"><u>fatal</u></a> (Object o)
void	<a href="#"><u>fatal</u></a> (Object o, Throwable e)
void	<a href="#"><u>fatal</u></a> (String comment)
void	<a href="#"><u>fatal</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream)
void	<a href="#"><u>fatal</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event, int status, String context)
void	<a href="#"><u>fatal</u></a> (String comment, String category, String event)
void	<a href="#"><u>fatal</u></a> (String comment, String category, String event, int status, String context)
void	<a href="#"><u>fatal</u></a> (String comment, Throwable e)
static <a href="#"><u>WMSLogger</u></a>	<a href="#"><u>getLogger</u></a> (String name)
void	<a href="#"><u>info</u></a> (Object o)
void	<a href="#"><u>info</u></a> (Object o, Throwable e)
void	<a href="#"><u>info</u></a> (String comment)
void	<a href="#"><u>info</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream)
void	<a href="#"><u>info</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event, int status, String context)
void	<a href="#"><u>info</u></a> (String comment, String category, String event)
void	<a href="#"><u>info</u></a> (String comment, String category, String event, int status, String context)

void	<a href="#"><u>info</u></a> (String comment, Throwable e)
boolean	<a href="#"><u>isDebugEnabled</u></a> ()
boolean	<a href="#"><u>isEnabledFor</u></a> (org.apache.log4j.Priority level)
boolean	<a href="#"><u>isErrorEnabled</u></a> ()
boolean	<a href="#"><u>isInfoEnabled</u></a> ()
boolean	<a href="#"><u>isTraceEnabled</u></a> ()
boolean	<a href="#"><u>isWarnEnabled</u></a> ()
void	<a href="#"><u>log</u></a> (org.apache.log4j.Level level, String comment)
void	<a href="#"><u>log</u></a> (org.apache.log4j.Level level, String comment, <a href="#"><u>IMediaStream</u></a> stream)
void	<a href="#"><u>log</u></a> (org.apache.log4j.Level level, String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event)
void	<a href="#"><u>log</u></a> (org.apache.log4j.Level level, String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event, int status, String context)
void	<a href="#"><u>log</u></a> (org.apache.log4j.Level level, String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event, int status, String context, Throwable e)
void	<a href="#"><u>log</u></a> (org.apache.log4j.Level level, String comment, String category, String event)
void	<a href="#"><u>warn</u></a> (Object o)
void	<a href="#"><u>warn</u></a> (Object o, Throwable e)
void	<a href="#"><u>warn</u></a> (String comment)
void	<a href="#"><u>warn</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream)
void	<a href="#"><u>warn</u></a> (String comment, <a href="#"><u>IMediaStream</u></a> stream, String category, String event, int status, String context)
void	<a href="#"><u>warn</u></a> (String comment, String category, String event)
void	<a href="#"><u>warn</u></a> (String comment, String category, String event, int status, String context)
void	<a href="#"><u>warn</u></a> (String comment, Throwable e)

#### Methods inherited from class org.apache.log4j.Logger

getLogger, getLogger, getLogger, getLogger, getRootLogger, isTraceEnabled, trace, trace



**Methods inherited from class** org.apache.log4j.Category

addAppender, assertLog, callAppenders, debug, debug, error, error, exists, fatal, fatal, forcedLog, getAdditivity, getAllAppenders, getAppender, getChainedPriority, getCurrentCategories, getDefaultHierarchy, getEffectiveLevel, getHierarchy, getInstance, getInstance, getLevel, getLoggerRepository, getName, getParent, getPriority, getResourceBundle, getResourceBundleString, getRoot, info, info, isAttached, isDebugEnabled, isEnabledFor, isInfoEnabled, l7dlog, l7dlog, log, log, log, removeAllAppenders, removeAppender, removeAppender, setAdditivity, setLevel, setPriority, setResourceBundle, shutdown, warn, warn

**Methods inherited from class** java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface** org.apache.log4j.spi.AppenderAttachable

addAppender, getAllAppenders, getAppender, isAttached, removeAllAppenders, removeAppender, removeAppender

## Constructors

### WMSLogger

```
public WMSLogger(String name,
                 org.apache.log4j.Logger tmpLogger)
```

### WMSLogger

```
public WMSLogger(String name)
```

## Methods

### getLogger

```
public static WMSLogger getLogger(String name)
```

### isWarnEnabled

```
public boolean isWarnEnabled()
```

### isErrorEnabled

```
public boolean isErrorEnabled()
```

---

## isTraceEnabled

```
public boolean isTraceEnabled()
```

---

---

## isDebugEnabled

```
public boolean isDebugEnabled()
```

---

---

## isInfoEnabled

```
public boolean isInfoEnabled()
```

---

---

## isEnabledFor

```
public boolean isEnabledFor(org.apache.log4j.Priority level)
```

---

---

## log

```
public void log(org.apache.log4j.Level level,  
               String comment,  
               IMediaStream stream,  
               String category,  
               String event,  
               int status,  
               String context,  
               Throwable e)
```

---

---

## log

```
public void log(org.apache.log4j.Level level,  
               String comment,  
               IMediaStream stream,  
               String category,  
               String event,  
               int status,  
               String context)
```

---

---

## log

```
public void log(org.apache.log4j.Level level,  
               String comment,  
               IMediaStream stream,  
               String category,  
               String event)
```

---

(continued from last page)

**log**

```
public void log(org.apache.log4j.Level level,
               String comment,
               String category,
               String event)
```

---

**log**

```
public void log(org.apache.log4j.Level level,
               String comment)
```

---

**log**

```
public void log(org.apache.log4j.Level level,
               String comment,
               IMediaStream stream)
```

---

**info**

```
public void info(Object o)
```

---

**info**

```
public void info(Object o,
               Throwable e)
```

---

**info**

```
public void info(String comment)
```

---

**info**

```
public void info(String comment,
               Throwable e)
```

---

**info**

```
public void info(String comment,
               IMediaStream stream)
```

---

(continued from last page)

**info**

```
public void info(String comment,  
                String category,  
                String event)
```

---

**info**

```
public void info(String comment,  
                String category,  
                String event,  
                int status,  
                String context)
```

---

**info**

```
public void info(String comment,  
                IMediaStream stream,  
                String category,  
                String event,  
                int status,  
                String context)
```

---

**error**

```
public void error(Object o)
```

---

**error**

```
public void error(Object o,  
                Throwable e)
```

---

**error**

```
public void error(String comment)
```

---

**error**

```
public void error(String comment,  
                Throwable e)
```

---

**error**

```
public void error(String comment,  
                IMediaStream stream)
```

---

**error**

```
public void error(String comment,
                  String category,
                  String event)
```

---

**error**

```
public void error(String comment,
                  String category,
                  String event,
                  int status,
                  String context)
```

---

**error**

```
public void error(String comment,
                  IMediaStream stream,
                  String category,
                  String event,
                  int status,
                  String context)
```

---

**fatal**

```
public void fatal(Object o)
```

---

**fatal**

```
public void fatal(Object o,
                  Throwable e)
```

---

**fatal**

```
public void fatal(String comment)
```

---

**fatal**

```
public void fatal(String comment,
                  Throwable e)
```

---

**fatal**

```
public void fatal(String comment,
                  IMediaStream stream)
```

---

(continued from last page)

---

**fatal**

```
public void fatal(String comment,  
                  String category,  
                  String event)
```

---

**fatal**

```
public void fatal(String comment,  
                  String category,  
                  String event,  
                  int status,  
                  String context)
```

---

**fatal**

```
public void fatal(String comment,  
                  IMediaStream stream,  
                  String category,  
                  String event,  
                  int status,  
                  String context)
```

---

**debug**

```
public void debug(Object o)
```

---

**debug**

```
public void debug(Object o,  
                  Throwable e)
```

---

**debug**

```
public void debug(String comment)
```

---

**debug**

```
public void debug(String comment,  
                  Throwable e)
```

---

(continued from last page)

## debug

```
public void debug(String comment,  
    IMediaStream stream)
```

---

## debug

```
public void debug(String comment,  
    String category,  
    String event)
```

---

## debug

```
public void debug(String comment,  
    String category,  
    String event,  
    int status,  
    String context)
```

---

## debug

```
public void debug(String comment,  
    IMediaStream stream,  
    String category,  
    String event,  
    int status,  
    String context)
```

---

## warn

```
public void warn(Object o)
```

---

## warn

```
public void warn(Object o,  
    Throwable e)
```

---

## warn

```
public void warn(String comment)
```

---

## warn

```
public void warn(String comment,  
    Throwable e)
```

---

**warn**

```
public void warn(String comment,  
    IMediaStream stream)
```

---

**warn**

```
public void warn(String comment,  
    String category,  
    String event)
```

---

**warn**

```
public void warn(String comment,  
    String category,  
    String event,  
    int status,  
    String context)
```

---

**warn**

```
public void warn(String comment,  
    IMediaStream stream,  
    String category,  
    String event,  
    int status,  
    String context)
```



## com.wowza.wms.logging Class WMSLoggerFactory

java.lang.Object

└-com.wowza.wms.logging.WMSLoggerFactory

### All Implemented Interfaces:

org.apache.log4j.spi.LoggerFactory

public class **WMSLoggerFactory**  
 extends Object  
 implements org.apache.log4j.spi.LoggerFactory

### Field Summary

public static final	<a href="#">LOGGERNAME_SERVER</a> Value: <b>_Server_</b>
---------------------	---

### Constructor Summary

public	<a href="#">WMSLoggerFactory()</a>
--------	------------------------------------

### Method Summary

<a href="#">WMSLogger</a>	<a href="#">forceNewLoggerInstance</a> (String name, org.apache.log4j.Logger tmpLogger)
static Object	<a href="#">getGlobalLogValue</a> (String key)
static <a href="#">WMSLoggerFactory</a>	<a href="#">getInstance</a> ()
static <a href="#">WMSLogger</a>	<a href="#">getLogger</a> (Class classObj)
static <a href="#">WMSLogger</a>	<a href="#">getLoggerObj</a> ( <a href="#">IApplication</a> application)
static <a href="#">WMSLogger</a>	<a href="#">getLoggerObj</a> ( <a href="#">IApplicationInstance</a> appInstance)
static <a href="#">WMSLogger</a>	<a href="#">getLoggerObj</a> ( <a href="#">IVHost</a> vhost)
<a href="#">WMSLogger</a>	<a href="#">getLoggerObj</a> (String name)
static void	<a href="#">initContextLogging</a> ( <a href="#">IApplication</a> application)
static void	<a href="#">initContextLogging</a> ( <a href="#">IApplicationInstance</a> appInstance)
static void	<a href="#">initContextLogging</a> ( <a href="#">IVHost</a> vhost)

static <a href="#">WMSLogger</a>	<a href="#">initializeLogging</a> (String loggingConfigURL)
static <a href="#">WMSLogger</a>	<a href="#">initializeLogging</a> (String loggingConfigURL, <a href="#">IVHost</a> vhost)
static boolean	<a href="#">isGlobalLogValueSet</a> (String key)
org.apache.log4j.Logger	<a href="#">makeNewLoggerInstance</a> (String name)
static void	<a href="#">putGlobalLogValue</a> (String key, Object obj)
static void	<a href="#">removeGlobalLogValue</a> (String key)
static void	<a href="#">removeGlobalLogValues</a> ()
static void	<a href="#">resetMDC</a> ()

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface org.apache.log4j.spi.LoggerFactory

makeNewLoggerInstance

## Fields

### LOGGERNAME\_SERVER

```
public static final java.lang.String LOGGERNAME_SERVER
```

Constant value: **\_Server\_**

## Constructors

### WMSLoggerFactory

```
public WMSLoggerFactory()
```

## Methods

### getLoggerObj

```
public WMSLogger getLoggerObj(String name)
```

(continued from last page)

## forceNewLoggerInstance

```
public WMSLogger forceNewLoggerInstance(String name,  
    org.apache.log4j.Logger tmpLogger)
```

---

## getInstance

```
public static WMSLoggerFactory getInstance()
```

---

## initContextLogging

```
public static void initContextLogging(IVHost vhost)
```

---

## initContextLogging

```
public static void initContextLogging(IApplication application)
```

---

## initContextLogging

```
public static void initContextLogging(IApplicationInstance appInstance)
```

---

## initializeLogging

```
public static WMSLogger initializeLogging(String loggingConfigURL)
```

---

## initializeLogging

```
public static WMSLogger initializeLogging(String loggingConfigURL,  
    IVHost vhost)
```

---

## makeNewLoggerInstance

```
public org.apache.log4j.Logger makeNewLoggerInstance(String name)
```

---

## resetMDC

```
public static void resetMDC()
```

---

(continued from last page)

## removeGlobalLogValues

```
public static void removeGlobalLogValues()
```

---

## removeGlobalLogValue

```
public static void removeGlobalLogValue(String key)
```

---

## isGlobalLogValueSet

```
public static boolean isGlobalLogValueSet(String key)
```

---

## putGlobalLogValue

```
public static void putGlobalLogValue(String key,  
                                     Object obj)
```

---

## getGlobalLogValue

```
public static Object getGlobalLogValue(String key)
```

---

## getLoggerObj

```
public static WMSLogger getLoggerObj(IVHost vhost)
```

---

## getLoggerObj

```
public static WMSLogger getLoggerObj(IApplication application)
```

---

## getLoggerObj

```
public static WMSLogger getLoggerObj(IApplicationInstance appInstance)
```

---

## getLogger

```
public static WMSLogger getLogger(Class classObj)
```

---

## com.wowza.wms.logging

### Class WMSLoggerIDs

java.lang.Object

└-com.wowza.wms.logging.WMSLoggerIDs

public class **WMSLoggerIDs**  
extends Object

#### Field Summary

public static final	<a href="#">CAT_ALL</a>
public static final	<a href="#">CAT_application</a> Value: <b>application</b>
public static final	<a href="#">CAT_cupertino</a> Value: <b>cupertino</b>
public static final	<a href="#">CAT_dvrchunk</a> Value: <b>dvrchunk</b>
public static final	<a href="#">CAT_mpegdash</a> Value: <b>mpegdash</b>
public static final	<a href="#">CAT_rtsp</a> Value: <b>rtsp</b>
public static final	<a href="#">CAT_sanjose</a> Value: <b>sanjose</b>
public static final	<a href="#">CAT_server</a> Value: <b>server</b>
public static final	<a href="#">CAT_session</a> Value: <b>session</b>
public static final	<a href="#">CAT_smoothstreaming</a> Value: <b>smoothstreaming</b>
public static final	<a href="#">CAT_stream</a> Value: <b>stream</b>
public static final	<a href="#">CAT_transcoder</a> Value: <b>transcoder</b>

public static final	<a href="#">CAT_vhost</a> Value: <b>vhost</b>
public static final	<a href="#">CAT_webm</a> Value: <b>webm</b>
public static final	<a href="#">CTRL_playlist_node</a> Value: <b>CTRL-playlist-node</b>
public static final	<a href="#">EVT_ALL</a>
public static final	<a href="#">EVT_announce</a> Value: <b>announce</b>
public static final	<a href="#">EVT_app_start</a> Value: <b>app-start</b>
public static final	<a href="#">EVT_app_stop</a> Value: <b>app-stop</b>
public static final	<a href="#">EVT_comment</a> Value: <b>comment</b>
public static final	<a href="#">EVT_connect</a> Value: <b>connect</b>
public static final	<a href="#">EVT_connect_burst</a> Value: <b>connect-burst</b>
public static final	<a href="#">EVT_connect_pending</a> Value: <b>connect-pending</b>
public static final	<a href="#">EVT_create</a> Value: <b>create</b>
public static final	<a href="#">EVT_decoderaudiostart</a> Value: <b>decoder-audio-start</b>
public static final	<a href="#">EVT_decoderaudiostop</a> Value: <b>decoder-audio-stop</b>
public static final	<a href="#">EVT_decodervideostart</a> Value: <b>decoder-video-start</b>
public static final	<a href="#">EVT_decodervideostop</a> Value: <b>decoder-video-stop</b>

public static final	<a href="#">EVT_describe</a> Value: <b>describe</b>
public static final	<a href="#">EVT_destroy</a> Value: <b>destroy</b>
public static final	<a href="#">EVT_disconnect</a> Value: <b>disconnect</b>
public static final	<a href="#">EVT_encoderaudiostart</a> Value: <b>encoder-audio-start</b>
public static final	<a href="#">EVT_encoderaudiostop</a> Value: <b>encoder-audio-stop</b>
public static final	<a href="#">EVT_encodervideostart</a> Value: <b>encoder-video-start</b>
public static final	<a href="#">EVT_encodervideostop</a> Value: <b>encoder-video-stop</b>
public static final	<a href="#">EVT_pause</a> Value: <b>pause</b>
public static final	<a href="#">EVT_play</a> Value: <b>play</b>
public static final	<a href="#">EVT_publish</a> Value: <b>publish</b>
public static final	<a href="#">EVT_record</a> Value: <b>record</b>
public static final	<a href="#">EVT_recordstop</a> Value: <b>recordstop</b>
public static final	<a href="#">EVT_seek</a> Value: <b>seek</b>
public static final	<a href="#">EVT_server_start</a> Value: <b>server-start</b>
public static final	<a href="#">EVT_server_stop</a> Value: <b>server-stop</b>
public static final	<a href="#">EVT_setbuffertime</a> Value: <b>setbuffertime</b>

public static final	<a href="#">EVT_setstreamtype</a> Value: <b>setstreamtype</b>
public static final	<a href="#">EVT_stop</a> Value: <b>stop</b>
public static final	<a href="#">EVT_unpause</a> Value: <b>unpause</b>
public static final	<a href="#">EVT_unpublish</a> Value: <b>unpublish</b>
public static final	<a href="#">EVT_vhost_start</a> Value: <b>vhost-start</b>
public static final	<a href="#">EVT_vhost_stop</a> Value: <b>vhost-stop</b>
public static final	<a href="#">FD_ALL</a>
public static final	<a href="#">FD_c_client_id</a> Value: <b>c-client-id</b>
public static final	<a href="#">FD_c_ip</a> Value: <b>c-ip</b>
public static final	<a href="#">FD_c_proto</a> Value: <b>c-proto</b>
public static final	<a href="#">FD_c_referrer</a> Value: <b>c-referrer</b>
public static final	<a href="#">FD_c_user_agent</a> Value: <b>c-user-agent</b>
public static final	<a href="#">FD_cs_bytes</a> Value: <b>cs-bytes</b>
public static final	<a href="#">FD_cs_stream_bytes</a> Value: <b>cs-stream-bytes</b>
public static final	<a href="#">FD_cs_uri_query</a> Value: <b>cs-uri-query</b>
public static final	<a href="#">FD_cs_uri_stem</a> Value: <b>cs-uri-stem</b>



public static final	<a href="#">FD_date</a> Value: <b>date</b>
public static final	<a href="#">FD_s_ip</a> Value: <b>s-ip</b>
public static final	<a href="#">FD_s_port</a> Value: <b>s-port</b>
public static final	<a href="#">FD_s_uri</a> Value: <b>s-uri</b>
public static final	<a href="#">FD_sc_bytes</a> Value: <b>sc-bytes</b>
public static final	<a href="#">FD_sc_stream_bytes</a> Value: <b>sc-stream-bytes</b>
public static final	<a href="#">FD_time</a> Value: <b>time</b>
public static final	<a href="#">FD_tz</a> Value: <b>tz</b>
public static final	<a href="#">FD_x_app</a> Value: <b>x-app</b>
public static final	<a href="#">FD_x_appinst</a> Value: <b>x-appinst</b>
public static final	<a href="#">FD_x_category</a> Value: <b>x-category</b>
public static final	<a href="#">FD_x_comment</a> Value: <b>x-comment</b>
public static final	<a href="#">FD_x_ctx</a> Value: <b>x-ctx</b>
public static final	<a href="#">FD_x_ctx_override</a> Value: <b>x-ctx-override</b>
public static final	<a href="#">FD_x_duration</a> Value: <b>x-duration</b>
public static final	<a href="#">FD_x_event</a> Value: <b>x-event</b>

public static final	<a href="#">FD_x_file_ext</a> Value: <b>x-file-ext</b>
public static final	<a href="#">FD_x_file_length</a> Value: <b>x-file-length</b>
public static final	<a href="#">FD_x_file_name</a> Value: <b>x-file-name</b>
public static final	<a href="#">FD_x_file_size</a> Value: <b>x-file-size</b>
public static final	<a href="#">FD_x_severity</a> Value: <b>x-severity</b>
public static final	<a href="#">FD_x_sname</a> Value: <b>x-sname</b>
public static final	<a href="#">FD_x_sname_query</a> Value: <b>x-sname-query</b>
public static final	<a href="#">FD_x_spos</a> Value: <b>x-spos</b>
public static final	<a href="#">FD_x_status</a> Value: <b>x-status</b>
public static final	<a href="#">FD_x_stream_id</a> Value: <b>x-stream-id</b>
public static final	<a href="#">FD_x_suri</a> Value: <b>x-suri</b>
public static final	<a href="#">FD_x_suri_query</a> Value: <b>x-suri-query</b>
public static final	<a href="#">FD_x_suri_stem</a> Value: <b>x-suri-stem</b>
public static final	<a href="#">FD_x_vhost</a> Value: <b>x-vhost</b>
public static final	<a href="#">PROTO_HTTPCUPERTINO</a> Value: <b>http (cupertino)</b>
public static final	<a href="#">PROTO_HTTPDVRCHUNK</a> Value: <b>http (dvr)</b>

public static final	<a href="#">PROTO_HTTPMPEGDASH</a> Value: <b>http (mpegdash)</b>
public static final	<a href="#">PROTO_HTTPSANJOSE</a> Value: <b>http (sanjose)</b>
public static final	<a href="#">PROTO_HTTPSCUPERTINO</a> Value: <b>https (cupertino)</b>
public static final	<a href="#">PROTO_HTTPSDVRCHUNK</a> Value: <b>https (dvr)</b>
public static final	<a href="#">PROTO_HTTPSMOOTH</a> Value: <b>http (smooth)</b>
public static final	<a href="#">PROTO_HTTPSSANJOSE</a> Value: <b>https (sanjose)</b>
public static final	<a href="#">PROTO_HTTPSMOOTH</a> Value: <b>https (smooth)</b>
public static final	<a href="#">PROTO_HTTPSSTREAMER</a> Value: <b>https (streamer)</b>
public static final	<a href="#">PROTO_HTTPSTREAMER</a> Value: <b>http (streamer)</b>
public static final	<a href="#">PROTO_RTMP</a> Value: <b>rtmp</b>
public static final	<a href="#">PROTO_RTMPE</a> Value: <b>rtmpe</b>
public static final	<a href="#">PROTO_RTMPs</a> Value: <b>rtmps</b>
public static final	<a href="#">PROTO_RTMPt</a> Value: <b>rtmpt (HTTP-1.1)</b>
public static final	<a href="#">PROTO_RTMPtE</a> Value: <b>rtmpte (HTTP-1.1)</b>
public static final	<a href="#">PROTO_RTMPts</a> Value: <b>rtmpts (HTTP-1.1)</b>
public static final	<a href="#">PROTO_RTSP</a> Value: <b>rtsp</b>

public static final	<a href="#">PROTO_WOWZ</a> Value: <b>wowz</b>
public static final	<a href="#">PROTO_WOWZE</a> Value: <b>wowze</b>
public static final	<a href="#">PROTO_WOWZS</a> Value: <b>wowzs</b>
public static final	<a href="#">STAT_connect_application_not_available</a> Value: <b>302</b>
public static final	<a href="#">STAT_connect_application_not_found</a> Value: <b>404</b>
public static final	<a href="#">STAT_connect_bad_gateway</a> Value: <b>502</b>
public static final	<a href="#">STAT_connect_internal_error</a> Value: <b>500</b>
public static final	<a href="#">STAT_connect_license_limit</a> Value: <b>413</b>
public static final	<a href="#">STAT_connect_pending_wating</a> Value: <b>100</b>
public static final	<a href="#">STAT_connect_redirect</a> Value: <b>302</b>
public static final	<a href="#">STAT_connect_rejected_by_application</a> Value: <b>401</b>
public static final	<a href="#">STAT_connect_rejected_by_module</a> Value: <b>403</b>
public static final	<a href="#">STAT_connect_resource_limit</a> Value: <b>409</b>
public static final	<a href="#">STAT_connect_service_unavailable</a> Value: <b>503</b>
public static final	<a href="#">STAT_connect_successful</a> Value: <b>200</b>
public static final	<a href="#">STAT_connect_unknown_protocol</a> Value: <b>400</b>

public static final	<a href="#"><u>STAT_general_internal_error</u></a> Value: <b>500</b>
public static final	<a href="#"><u>STAT_general_successful</u></a> Value: <b>200</b>
public static final	<a href="#"><u>STAT_play_bad_request</u></a> Value: <b>400</b>
public static final	<a href="#"><u>STAT_play_internal_error</u></a> Value: <b>500</b>
public static final	<a href="#"><u>STAT_play_rejected_by_application</u></a> Value: <b>401</b>
public static final	<a href="#"><u>STAT_play_rejected_by_module</u></a> Value: <b>403</b>
public static final	<a href="#"><u>STAT_play_stream_not_found</u></a> Value: <b>404</b>
public static final	<a href="#"><u>STAT_play_successful</u></a> Value: <b>200</b>
public static final	<a href="#"><u>STAT_play_unsupported_media_type</u></a> Value: <b>415</b>
public static final	<a href="#"><u>STAT_publish_bad_request</u></a> Value: <b>400</b>
public static final	<a href="#"><u>STAT_publish_in_use</u></a> Value: <b>409</b>
public static final	<a href="#"><u>STAT_publish_internal_error</u></a> Value: <b>500</b>
public static final	<a href="#"><u>STAT_publish_rejected_by_application</u></a> Value: <b>401</b>
public static final	<a href="#"><u>STAT_publish_successful</u></a> Value: <b>200</b>
public static final	<a href="#"><u>STAT_publish_unsupported_media_type</u></a> Value: <b>415</b>
public static final	<a href="#"><u>STAT_stop_client_disconnect</u></a> Value: <b>408</b>

```
public static final
```

```
STAT\_stop\_successful
```

```
Value: 200
```

## Constructor Summary

```
public
```

```
WMSLoggerIDs( )
```

Methods inherited from class `java.lang.Object`

`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

## Fields

### FD\_x\_event

```
public static final java.lang.String FD_x_event
```

Constant value: **x-event**

### FD\_x\_category

```
public static final java.lang.String FD_x_category
```

Constant value: **x-category**

### FD\_date

```
public static final java.lang.String FD_date
```

Constant value: **date**

### FD\_time

```
public static final java.lang.String FD_time
```

Constant value: **time**

### FD\_tz

```
public static final java.lang.String FD_tz
```

Constant value: **tz**

### FD\_x\_ctx

```
public static final java.lang.String FD_x_ctx
```

Constant value: **x-ctx**

---

## FD\_x\_ctx\_override

```
public static final java.lang.String FD_x_ctx_override
```

Constant value: **x-ctx-override**

---

## FD\_x\_vhost

```
public static final java.lang.String FD_x_vhost
```

Constant value: **x-vhost**

---

## FD\_x\_app

```
public static final java.lang.String FD_x_app
```

Constant value: **x-app**

---

## FD\_x\_appinst

```
public static final java.lang.String FD_x_appinst
```

Constant value: **x-appinst**

---

## FD\_c\_ip

```
public static final java.lang.String FD_c_ip
```

Constant value: **c-ip**

---

## FD\_c\_proto

```
public static final java.lang.String FD_c_proto
```

Constant value: **c-proto**

---

## FD\_s\_uri

```
public static final java.lang.String FD_s_uri
```

Constant value: **s-uri**

---

## FD\_c\_referrer

```
public static final java.lang.String FD_c_referrer
```

Constant value: **c-referrer**

---

(continued from last page)

---

## FD\_c\_user\_agent

```
public static final java.lang.String FD_c_user_agent
```

Constant value: **c-user-agent**

---

## FD\_c\_client\_id

```
public static final java.lang.String FD_c_client_id
```

Constant value: **c-client-id**

---

## FD\_cs\_bytes

```
public static final java.lang.String FD_cs_bytes
```

Constant value: **cs-bytes**

---

## FD\_sc\_bytes

```
public static final java.lang.String FD_sc_bytes
```

Constant value: **sc-bytes**

---

## FD\_x\_sname

```
public static final java.lang.String FD_x_sname
```

Constant value: **x-sname**

---

## FD\_x\_file\_size

```
public static final java.lang.String FD_x_file_size
```

Constant value: **x-file-size**

---

## FD\_x\_file\_length

```
public static final java.lang.String FD_x_file_length
```

Constant value: **x-file-length**

---

## FD\_x\_spos

```
public static final java.lang.String FD_x_spos
```

Constant value: **x-spos**

---

## FD\_cs\_stream\_bytes

```
public static final java.lang.String FD_cs_stream_bytes
```

---



(continued from last page)

---

Constant value: **cs-stream-bytes**

---

## FD\_sc\_stream\_bytes

```
public static final java.lang.String FD_sc_stream_bytes
```

---

Constant value: **sc-stream-bytes**

---

## FD\_s\_ip

```
public static final java.lang.String FD_s_ip
```

---

Constant value: **s-ip**

---

## FD\_x\_duration

```
public static final java.lang.String FD_x_duration
```

---

Constant value: **x-duration**

---

## FD\_x\_status

```
public static final java.lang.String FD_x_status
```

---

Constant value: **x-status**

---

## FD\_cs\_uri\_stem

```
public static final java.lang.String FD_cs_uri_stem
```

---

Constant value: **cs-uri-stem**

---

## FD\_cs\_uri\_query

```
public static final java.lang.String FD_cs_uri_query
```

---

Constant value: **cs-uri-query**

---

## FD\_x\_sname\_query

```
public static final java.lang.String FD_x_sname_query
```

---

Constant value: **x-sname-query**

---

## FD\_x\_file\_name

```
public static final java.lang.String FD_x_file_name
```

---

Constant value: **x-file-name**

---

## FD\_x\_file\_ext

```
public static final java.lang.String FD_x_file_ext
```

Constant value: **x-file-ext**

---

## FD\_x\_suri\_query

```
public static final java.lang.String FD_x_suri_query
```

Constant value: **x-suri-query**

---

## FD\_x\_suri\_stem

```
public static final java.lang.String FD_x_suri_stem
```

Constant value: **x-suri-stem**

---

## FD\_x\_suri

```
public static final java.lang.String FD_x_suri
```

Constant value: **x-suri**

---

## FD\_x\_severity

```
public static final java.lang.String FD_x_severity
```

Constant value: **x-severity**

---

## FD\_x\_comment

```
public static final java.lang.String FD_x_comment
```

Constant value: **x-comment**

---

## FD\_s\_port

```
public static final java.lang.String FD_s_port
```

Constant value: **s-port**

---

## FD\_x\_stream\_id

```
public static final java.lang.String FD_x_stream_id
```

Constant value: **x-stream-id**

---

(continued from last page)

---

## CAT\_server

```
public static final java.lang.String CAT_server
```

Constant value: **server**

---

## CAT\_vhost

```
public static final java.lang.String CAT_vhost
```

Constant value: **vhost**

---

## CAT\_application

```
public static final java.lang.String CAT_application
```

Constant value: **application**

---

## CAT\_session

```
public static final java.lang.String CAT_session
```

Constant value: **session**

---

## CAT\_stream

```
public static final java.lang.String CAT_stream
```

Constant value: **stream**

---

## CAT\_rtsp

```
public static final java.lang.String CAT_rtsp
```

Constant value: **rtsp**

---

## CAT\_cupertino

```
public static final java.lang.String CAT_cupertino
```

Constant value: **cupertino**

---

## CAT\_sanjose

```
public static final java.lang.String CAT_sanjose
```

Constant value: **sanjose**

---

## CAT\_smoothstreaming

```
public static final java.lang.String CAT_smoothstreaming
```

(continued from last page)

---

Constant value: **smoothstreaming**

---

## CAT\_dvrchunk

```
public static final java.lang.String CAT_dvrchunk
```

Constant value: **dvrchunk**

---

## CAT\_webm

```
public static final java.lang.String CAT_webm
```

Constant value: **webm**

---

## CAT\_transcoder

```
public static final java.lang.String CAT_transcoder
```

Constant value: **transcoder**

---

## CAT\_mpegdash

```
public static final java.lang.String CAT_mpegdash
```

Constant value: **mpegdash**

---

## EVT\_connect\_pending

```
public static final java.lang.String EVT_connect_pending
```

Constant value: **connect-pending**

---

## EVT\_connect

```
public static final java.lang.String EVT_connect
```

Constant value: **connect**

---

## EVT\_connect\_burst

```
public static final java.lang.String EVT_connect_burst
```

Constant value: **connect-burst**

---

## EVT\_disconnect

```
public static final java.lang.String EVT_disconnect
```

Constant value: **disconnect**

## EVT\_publish

```
public static final java.lang.String EVT_publish
```

Constant value: **publish**

---

## EVT\_unpublish

```
public static final java.lang.String EVT_unpublish
```

Constant value: **unpublish**

---

## EVT\_play

```
public static final java.lang.String EVT_play
```

Constant value: **play**

---

## EVT\_pause

```
public static final java.lang.String EVT_pause
```

Constant value: **pause**

---

## EVT\_setbuffertime

```
public static final java.lang.String EVT_setbuffertime
```

Constant value: **setbuffertime**

---

## EVT\_create

```
public static final java.lang.String EVT_create
```

Constant value: **create**

---

## EVT\_destroy

```
public static final java.lang.String EVT_destroy
```

Constant value: **destroy**

---

## EVT\_setstreamtype

```
public static final java.lang.String EVT_setstreamtype
```

Constant value: **setstreamtype**

---

(continued from last page)

---

## EVT\_unpause

```
public static final java.lang.String EVT_unpause
```

Constant value: **unpause**

---

## EVT\_seek

```
public static final java.lang.String EVT_seek
```

Constant value: **seek**

---

## EVT\_stop

```
public static final java.lang.String EVT_stop
```

Constant value: **stop**

---

## EVT\_record

```
public static final java.lang.String EVT_record
```

Constant value: **record**

---

## EVT\_recordstop

```
public static final java.lang.String EVT_recordstop
```

Constant value: **recordstop**

---

## EVT\_server\_start

```
public static final java.lang.String EVT_server_start
```

Constant value: **server-start**

---

## EVT\_server\_stop

```
public static final java.lang.String EVT_server_stop
```

Constant value: **server-stop**

---

## EVT\_vhost\_start

```
public static final java.lang.String EVT_vhost_start
```

Constant value: **vhost-start**

---

## EVT\_vhost\_stop

```
public static final java.lang.String EVT_vhost_stop
```

---

(continued from last page)

---

Constant value: **vhost-stop**

---

## EVT\_app\_start

```
public static final java.lang.String EVT_app_start
```

---

Constant value: **app-start**

---

## EVT\_app\_stop

```
public static final java.lang.String EVT_app_stop
```

---

Constant value: **app-stop**

---

## EVT\_comment

```
public static final java.lang.String EVT_comment
```

---

Constant value: **comment**

---

## EVT\_announce

```
public static final java.lang.String EVT_announce
```

---

Constant value: **announce**

---

## EVT\_describe

```
public static final java.lang.String EVT_describe
```

---

Constant value: **describe**

---

## EVT\_decoderaudiostart

```
public static final java.lang.String EVT_decoderaudiostart
```

---

Constant value: **decoder-audio-start**

---

## EVT\_decoderaudiostop

```
public static final java.lang.String EVT_decoderaudiostop
```

---

Constant value: **decoder-audio-stop**

---

## EVT\_decodervideostart

```
public static final java.lang.String EVT_decodervideostart
```

---

Constant value: **decoder-video-start**

## EVT\_decodervideostop

```
public static final java.lang.String EVT_decodervideostop
```

Constant value: **decoder-video-stop**

---

## EVT\_encoderaudiostart

```
public static final java.lang.String EVT_encoderaudiostart
```

Constant value: **encoder-audio-start**

---

## EVT\_encoderaudiostop

```
public static final java.lang.String EVT_encoderaudiostop
```

Constant value: **encoder-audio-stop**

---

## EVT\_encodervideostart

```
public static final java.lang.String EVT_encodervideostart
```

Constant value: **encoder-video-start**

---

## EVT\_encodervideostop

```
public static final java.lang.String EVT_encodervideostop
```

Constant value: **encoder-video-stop**

---

## CTRL\_playlist\_node

```
public static final java.lang.String CTRL_playlist_node
```

Constant value: **CTRL-playlist-node**

---

## STAT\_connect\_pending\_wating

```
public static final int STAT_connect_pending_wating
```

Constant value: **100**

---

## STAT\_connect\_successful

```
public static final int STAT_connect_successful
```

Constant value: **200**

---



(continued from last page)

---

**STAT\_connect\_application\_not\_available**

```
public static final int STAT_connect_application_not_available
```

Constant value: **302**

---

**STAT\_connect\_unknown\_protocol**

```
public static final int STAT_connect_unknown_protocol
```

Constant value: **400**

---

**STAT\_connect\_rejected\_by\_application**

```
public static final int STAT_connect_rejected_by_application
```

Constant value: **401**

---

**STAT\_connect\_rejected\_by\_module**

```
public static final int STAT_connect_rejected_by_module
```

Constant value: **403**

---

**STAT\_connect\_application\_not\_found**

```
public static final int STAT_connect_application_not_found
```

Constant value: **404**

---

**STAT\_connect\_resource\_limit**

```
public static final int STAT_connect_resource_limit
```

Constant value: **409**

---

**STAT\_connect\_license\_limit**

```
public static final int STAT_connect_license_limit
```

Constant value: **413**

---

**STAT\_connect\_redirect**

```
public static final int STAT_connect_redirect
```

Constant value: **302**

---

**STAT\_connect\_internal\_error**

```
public static final int STAT_connect_internal_error
```

---

(continued from last page)

---

Constant value: **500**

---

**STAT\_connect\_bad\_gateway**

```
public static final int STAT_connect_bad_gateway
```

Constant value: **502**

---

**STAT\_connect\_service\_unavailable**

```
public static final int STAT_connect_service_unavailable
```

Constant value: **503**

---

**STAT\_play\_successful**

```
public static final int STAT_play_successful
```

Constant value: **200**

---

**STAT\_play\_bad\_request**

```
public static final int STAT_play_bad_request
```

Constant value: **400**

---

**STAT\_play\_rejected\_by\_application**

```
public static final int STAT_play_rejected_by_application
```

Constant value: **401**

---

**STAT\_play\_rejected\_by\_module**

```
public static final int STAT_play_rejected_by_module
```

Constant value: **403**

---

**STAT\_play\_stream\_not\_found**

```
public static final int STAT_play_stream_not_found
```

Constant value: **404**

---

**STAT\_play\_unsupported\_media\_type**

```
public static final int STAT_play_unsupported_media_type
```

Constant value: **415**

---

## STAT\_play\_internal\_error

public static final int **STAT\_play\_internal\_error**

Constant value: **500**

---

## STAT\_publish\_successful

public static final int **STAT\_publish\_successful**

Constant value: **200**

---

## STAT\_publish\_bad\_request

public static final int **STAT\_publish\_bad\_request**

Constant value: **400**

---

## STAT\_publish\_rejected\_by\_application

public static final int **STAT\_publish\_rejected\_by\_application**

Constant value: **401**

---

## STAT\_publish\_in\_use

public static final int **STAT\_publish\_in\_use**

Constant value: **409**

---

## STAT\_publish\_unsupported\_media\_type

public static final int **STAT\_publish\_unsupported\_media\_type**

Constant value: **415**

---

## STAT\_publish\_internal\_error

public static final int **STAT\_publish\_internal\_error**

Constant value: **500**

---

## STAT\_stop\_successful

public static final int **STAT\_stop\_successful**

Constant value: **200**

---

(continued from last page)

---

## STAT\_stop\_client\_disconnect

```
public static final int STAT_stop_client_disconnect
```

Constant value: **408**

---

## STAT\_general\_successful

```
public static final int STAT_general_successful
```

Constant value: **200**

---

## STAT\_general\_internal\_error

```
public static final int STAT_general_internal_error
```

Constant value: **500**

---

## PROTO\_RTMP

```
public static final java.lang.String PROTO_RTMP
```

Constant value: **rtmp**

---

## PROTO\_RTMPs

```
public static final java.lang.String PROTO_RTMPs
```

Constant value: **rtmps**

---

## PROTO\_RTMPT

```
public static final java.lang.String PROTO_RTMPT
```

Constant value: **rtmpt (HTTP-1.1)**

---

## PROTO\_RTMPTs

```
public static final java.lang.String PROTO_RTMPTs
```

Constant value: **rtmpts (HTTP-1.1)**

---

## PROTO\_RTMPE

```
public static final java.lang.String PROTO_RTMPE
```

Constant value: **rtmpe**

---

## PROTO\_RTMPTE

```
public static final java.lang.String PROTO_RTMPTE
```

---

(continued from last page)

---

Constant value: **rtmpte (HTTP-1.1)**

---

## PROTO\_WOWZ

```
public static final java.lang.String PROTO_WOWZ
```

---

Constant value: **wowz**

---

## PROTO\_WOWZE

```
public static final java.lang.String PROTO_WOWZE
```

---

Constant value: **wowze**

---

## PROTO\_WOWZS

```
public static final java.lang.String PROTO_WOWZS
```

---

Constant value: **wowzs**

---

## PROTO\_RTSP

```
public static final java.lang.String PROTO_RTSP
```

---

Constant value: **rtsp**

---

## PROTO\_HTTPSTREAMER

```
public static final java.lang.String PROTO_HTTPSTREAMER
```

---

Constant value: **http (streamer)**

---

## PROTO\_HTTPCUPERTINO

```
public static final java.lang.String PROTO_HTTPCUPERTINO
```

---

Constant value: **http (cupertino)**

---

## PROTO\_HTTPSMOOTH

```
public static final java.lang.String PROTO_HTTPSMOOTH
```

---

Constant value: **http (smooth)**

---

## PROTO\_HTTPSANJOSE

```
public static final java.lang.String PROTO_HTTPSANJOSE
```

---

Constant value: **http (sanjose)**

---

---

## PROTO\_HTTPDVARCHUNK

public static final java.lang.String **PROTO\_HTTPDVARCHUNK**

Constant value: **http (dvr)**

---

## PROTO\_HTTPMPEGDASH

public static final java.lang.String **PROTO\_HTTPMPEGDASH**

Constant value: **http (mpegdash)**

---

## PROTO\_HTTPSSTREAMER

public static final java.lang.String **PROTO\_HTTPSSTREAMER**

Constant value: **https (streamer)**

---

## PROTO\_HTTPSCUPERTINO

public static final java.lang.String **PROTO\_HTTPSCUPERTINO**

Constant value: **https (cupertino)**

---

## PROTO\_HTTPSSMOOTH

public static final java.lang.String **PROTO\_HTTPSSMOOTH**

Constant value: **https (smooth)**

---

## PROTO\_HTTPSSANJOSE

public static final java.lang.String **PROTO\_HTTPSSANJOSE**

Constant value: **https (sanjose)**

---

## PROTO\_HTTPSDVARCHUNK

public static final java.lang.String **PROTO\_HTTPSDVARCHUNK**

Constant value: **https (dvr)**

---

## FD\_ALL

public static final java.lang.String **FD\_ALL**

---

## CAT\_ALL

public static final java.lang.String **CAT\_ALL**

---

(continued from last page)

---

## EVT\_ALL

```
public static final java.lang.String EVT_ALL
```

## Constructors

### WMSLoggerIDs

```
public WMSLoggerIDs()
```

---

Package

**com.wowza.wms.media.mp3.model.idtags**



## com.wowza.wms.media.mp3.model.idtags Class ID3Frames

java.lang.Object

└─com.wowza.wms.media.mp3.model.idtags.ID3Frames

public class **ID3Frames**  
extends Object

### Field Summary

public static final	<a href="#"><u>ID3FOOTER_SIZE</u></a> Value: <b>10</b>
public static final	<a href="#"><u>ID3HEADER_SIZE</u></a> Value: <b>10</b>
public static final	<a href="#"><u>ID3HEADER_VERSION</u></a> Value: <b>1024</b>
public static final	<a href="#"><u>ID3HEADERFLAGS_DEFAULT</u></a> Value: <b>0</b>
public static final	<a href="#"><u>ID3HEADERFLAGS_EXPERIMENTAL</u></a> Value: <b>32</b>
public static final	<a href="#"><u>ID3HEADERFLAGS_EXTENDED</u></a> Value: <b>64</b>
public static final	<a href="#"><u>ID3HEADERFLAGS_FOOTERPRESENT</u></a> Value: <b>16</b>
public static final	<a href="#"><u>ID3HEADERFLAGS_UNSYNC</u></a> Value: <b>128</b>

### Constructor Summary

public	<a href="#"><u>ID3Frames</u></a> ( )
--------	--------------------------------------

### Method Summary

void	<a href="#"><u>clear</u></a> ( )
java.util.List	<a href="#"><u>getFrameMapIds</u></a> ( )

java.util.List	<a href="#">getFrames()</a>
Object	<a href="#">getLock()</a>
int	<a href="#">getSize()</a>
boolean	<a href="#">isEmpty()</a>
void	<a href="#">putFrame(IID3V2Frame frame)</a>
<a href="#">IID3V2Frame</a>	<a href="#">removeFrame(IID3V2Frame frame)</a>
byte[]	<a href="#">serialize()</a>
byte[]	<a href="#">serialize(boolean includeHeader, boolean includeFooter, int flags)</a>
static int	<a href="#">serializeFooter(byte[] buffer, int offset, int flags, int size)</a>
static int	<a href="#">serializeHeader(byte[] buffer, int offset, int flags, int size)</a>
int	<a href="#">serializeTags(byte[] buffer, int offset)</a>

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### ID3HEADER\_VERSION

```
public static final int ID3HEADER_VERSION
```

Constant value: **1024**

### ID3HEADER\_SIZE

```
public static final int ID3HEADER_SIZE
```

Constant value: **10**

### ID3FOOTER\_SIZE

```
public static final int ID3FOOTER_SIZE
```

Constant value: **10**

(continued from last page)

---

## ID3HEADERFLAGS\_DEFAULT

```
public static final int ID3HEADERFLAGS_DEFAULT
```

Constant value: **0**

---

## ID3HEADERFLAGS\_UNSYNC

```
public static final int ID3HEADERFLAGS_UNSYNC
```

Constant value: **128**

---

## ID3HEADERFLAGS\_EXTENDED

```
public static final int ID3HEADERFLAGS_EXTENDED
```

Constant value: **64**

---

## ID3HEADERFLAGS\_EXPERIMENTAL

```
public static final int ID3HEADERFLAGS_EXPERIMENTAL
```

Constant value: **32**

---

## ID3HEADERFLAGS\_FOOTERPRESENT

```
public static final int ID3HEADERFLAGS_FOOTERPRESENT
```

Constant value: **16**

## Constructors

### ID3Frames

```
public ID3Frames()
```

## Methods

### getLock

```
public Object getLock()
```

---

### clear

```
public void clear()
```

---

(continued from last page)

---

## isEmpty

```
public boolean isEmpty()
```

---

---

## putFrame

```
public void putFrame(IID3V2Frame frame)
```

---

---

## removeFrame

```
public IID3V2Frame removeFrame(IID3V2Frame frame)
```

---

---

## getFrames

```
public java.util.List getFrames()
```

---

---

## getFrameMapIds

```
public java.util.List getFrameMapIds()
```

---

---

## getSize

```
public int getSize()
```

---

---

## serializeTags

```
public int serializeTags(byte[] buffer,  
    int offset)
```

---

---

## serializeHeader

```
public static int serializeHeader(byte[] buffer,  
    int offset,  
    int flags,  
    int size)
```

---

---

## serializeFooter

```
public static int serializeFooter(byte[] buffer,  
    int offset,  
    int flags,  
    int size)
```

---

(continued from last page)

---

**serialize**

```
public byte[] serialize()
```

---

**serialize**

```
public byte[] serialize(boolean includeHeader,  
                        boolean includeFooter,  
                        int flags)
```

## com.wowza.wms.media.mp3.model.idtags Class ID3V2FrameAttachedPicture

java.lang.Object

└- [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)  
└- [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameAttachedPicture](#)

All Implemented Interfaces:

[IID3V2Frame](#)

```
public class ID3V2FrameAttachedPicture
extends ID3V2FrameBase
```

### Field Summary

public static final	<a href="#">MIMETYPES_JPEG</a> Value: <b>image/jpeg</b>
public static final	<a href="#">MIMETYPES_PNG</a> Value: <b>image/png</b>
public static final	<a href="#">MIMETYPES_URL</a> Value: <b>--&gt;</b>
public static	<a href="#">PICTUREMAXFILESIZE</a>
public static final	<a href="#">PICTURETYPE_ARTISTLOGO</a> Value: <b>19</b>
public static final	<a href="#">PICTURETYPE_COVERBACK</a> Value: <b>4</b>
public static final	<a href="#">PICTURETYPE_COVERFRONT</a> Value: <b>3</b>
public static final	<a href="#">PICTURETYPE_FILEICON</a> Value: <b>1</b>
public static final	<a href="#">PICTURETYPE_ILLUSTRATION</a> Value: <b>18</b>
public static final	<a href="#">PICTURETYPE_MOVIESCREENCAPTURE</a> Value: <b>16</b>
public static final	<a href="#">PICTURETYPE_OTHER</a> Value: <b>0</b>

public static final	<a href="#">PICTURETYPE_OTHERFILEICON</a> Value: <b>2</b>
public static final	<a href="#">PICTURETYPE_PUBLISHERLOGO</a> Value: <b>20</b>

#### Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOP](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

## Constructor Summary

public	<a href="#">ID3V2FrameAttachedPicture</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameAttachedPicture</a> ()

## Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
String	<a href="#">getDescription</a> ()
String	<a href="#">getMapIdStr</a> ()
String	<a href="#">getMimeType</a> ()
byte[]	<a href="#">getPictureData</a> ()
int	<a href="#">getPictureType</a> ()
int	<a href="#">getTextEncoding</a> ()
boolean	<a href="#">loadFile</a> (java.io.File file)
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)
void	<a href="#">setDescription</a> (String description)
void	<a href="#">setMimeType</a> (String mimeType)

void	<a href="#">setPictureData</a> (byte[] pictureData)
void	<a href="#">setPictureDataAsURL</a> (String urlStr)
void	<a href="#">setPictureType</a> (int pictureType)
void	<a href="#">setTextEncoding</a> (int textEncoding)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Fields

### PICTURETYPE\_OTHER

```
public static final int PICTURETYPE_OTHER
```

Constant value: **0**

### PICTURETYPE\_FILEICON

```
public static final int PICTURETYPE_FILEICON
```

Constant value: **1**

### PICTURETYPE\_OTHERFILEICON

```
public static final int PICTURETYPE_OTHERFILEICON
```

Constant value: **2**

### PICTURETYPE\_COVERFRONT

```
public static final int PICTURETYPE_COVERFRONT
```

Constant value: **3**



---

## PICTURETYPE\_COVERBACK

```
public static final int PICTURETYPE_COVERBACK
```

Constant value: **4**

---

## PICTURETYPE\_MOVIESCREENCAPTURE

```
public static final int PICTURETYPE_MOVIESCREENCAPTURE
```

Constant value: **16**

---

## PICTURETYPE\_ILLUSTRATION

```
public static final int PICTURETYPE_ILLUSTRATION
```

Constant value: **18**

---

## PICTURETYPE\_ARTISTLOGO

```
public static final int PICTURETYPE_ARTISTLOGO
```

Constant value: **19**

---

## PICTURETYPE\_PUBLISHERLOGO

```
public static final int PICTURETYPE_PUBLISHERLOGO
```

Constant value: **20**

---

## MIMETYPES\_JPEG

```
public static final java.lang.String MIMETYPES_JPEG
```

Constant value: **image/jpeg**

---

## MIMETYPES\_PNG

```
public static final java.lang.String MIMETYPES_PNG
```

Constant value: **image/png**

---

## MIMETYPES\_URL

```
public static final java.lang.String MIMETYPES_URL
```

Constant value: **-->**

---

(continued from last page)

## PICTUREMAXFILESIZE

```
public static long PICTUREMAXFILESIZE
```

## Constructors

### ID3V2FrameAttachedPicture

```
public ID3V2FrameAttachedPicture(String idStr,  
                                int flags)
```

### ID3V2FrameAttachedPicture

```
public ID3V2FrameAttachedPicture()
```

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,  
                        int offset)
```

### deserializeBody

```
public void deserializeBody(byte[] buffer,  
                           int offset,  
                           int len)
```

### getMapIdStr

```
public String getMapIdStr()
```

### getBodySize

```
public int getBodySize()
```

### getTextEncoding

```
public int getTextEncoding()
```

(continued from last page)

## setTextEncoding

```
public void setTextEncoding(int textEncoding)
```

---

## getMimeType

```
public String getMimeType()
```

---

## setMimeType

```
public void setMimeType(String mimeType)
```

---

## getPictureType

```
public int getPictureType()
```

---

## setPictureType

```
public void setPictureType(int pictureType)
```

---

## getDescription

```
public String getDescription()
```

---

## setDescription

```
public void setDescription(String description)
```

---

## getPictureData

```
public byte[] getPictureData()
```

---

## setPictureData

```
public void setPictureData(byte[] pictureData)
```

---

## setPictureDataAsURL

```
public void setPictureDataAsURL(String urlStr)
```

---

(continued from last page)

---

## loadFile

```
public boolean loadFile(java.io.File file)
```

## com.wowza.wms.media.mp3.model.idtags Class ID3V2FrameBase

java.lang.Object

└--com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase

All Implemented Interfaces:

[IID3V2Frame](#)

Direct Known Subclasses:

[ID3V2FrameURLLink](#), [ID3V2FrameTextInformation](#), [ID3V2FrameSynchronizedText](#),  
[ID3V2FrameRecommendedBufferSize](#), [ID3V2FrameRawBytes](#), [ID3V2FramePrivate](#), [ID3V2FrameLinkedInformation](#),  
[ID3V2FrameComment](#), [ID3V2FrameAttachedPicture](#)

public abstract class **ID3V2FrameBase**

extends Object

implements [IID3V2Frame](#)

### Field Summary

public static final	<a href="#">FLAGS_DEFAULT</a> Value: <b>0</b>
public static final	<a href="#">HEADERSIZE</a> Value: <b>10</b>
public static final	<a href="#">TAG_APIC</a> Value: <b>APIC</b>
public static final	<a href="#">TAG_COMM</a> Value: <b>COMM</b>
public static final	<a href="#">TAG_LINK</a> Value: <b>LINK</b>
public static final	<a href="#">TAG_PRIV</a> Value: <b>PRIV</b>
public static final	<a href="#">TAG_RBUF</a> Value: <b>RBUF</b>
public static final	<a href="#">TAG_SYLT</a> Value: <b>SYLT</b>
public static final	<a href="#">TAG_TALB</a> Value: <b>TALB</b>

public static final	<a href="#">TAG_TBPM</a> Value: <b>TBPM</b>
public static final	<a href="#">TAG_TCOM</a> Value: <b>TCOM</b>
public static final	<a href="#">TAG_TCON</a> Value: <b>TCON</b>
public static final	<a href="#">TAG_TCOP</a> Value: <b>TCOP</b>
public static final	<a href="#">TAG_TDEN</a> Value: <b>TDEN</b>
public static final	<a href="#">TAG_TDLY</a> Value: <b>TDLY</b>
public static final	<a href="#">TAG_TDOR</a> Value: <b>TDOR</b>
public static final	<a href="#">TAG_TDRC</a> Value: <b>TDRC</b>
public static final	<a href="#">TAG_TDRL</a> Value: <b>TDRL</b>
public static final	<a href="#">TAG_TDTG</a> Value: <b>TDTG</b>
public static final	<a href="#">TAG_TENC</a> Value: <b>TENC</b>
public static final	<a href="#">TAG_TEXT</a> Value: <b>TEXT</b>
public static final	<a href="#">TAG_TFLT</a> Value: <b>TFLT</b>
public static final	<a href="#">TAG_TIPL</a> Value: <b>TIPL</b>
public static final	<a href="#">TAG_TIT1</a> Value: <b>TIT1</b>
public static final	<a href="#">TAG_TIT2</a> Value: <b>TIT2</b>

public static final	<a href="#">TAG_TIT3</a> Value: <b>TIT3</b>
public static final	<a href="#">TAG_TKEY</a> Value: <b>TKEY</b>
public static final	<a href="#">TAG_TLAN</a> Value: <b>TLAN</b>
public static final	<a href="#">TAG_TLEN</a> Value: <b>TLEN</b>
public static final	<a href="#">TAG_TMCL</a> Value: <b>TMCL</b>
public static final	<a href="#">TAG_TMED</a> Value: <b>TMED</b>
public static final	<a href="#">TAG_TMOO</a> Value: <b>TMOO</b>
public static final	<a href="#">TAG_TOAL</a> Value: <b>TOAL</b>
public static final	<a href="#">TAG_TOFN</a> Value: <b>TOFN</b>
public static final	<a href="#">TAG_TOLY</a> Value: <b>TOLY</b>
public static final	<a href="#">TAG_TOPE</a> Value: <b>TOPE</b>
public static final	<a href="#">TAG_TOWN</a> Value: <b>TOWN</b>
public static final	<a href="#">TAG_TPE1</a> Value: <b>TPE1</b>
public static final	<a href="#">TAG_TPE2</a> Value: <b>TPE2</b>
public static final	<a href="#">TAG_TPE3</a> Value: <b>TPE3</b>
public static final	<a href="#">TAG_TPE4</a> Value: <b>TPE4</b>

public static final	<a href="#">TAG_TPOS</a> Value: <b>TPOS</b>
public static final	<a href="#">TAG_TPRO</a> Value: <b>TPRO</b>
public static final	<a href="#">TAG_TPUB</a> Value: <b>TPUB</b>
public static final	<a href="#">TAG_TRCK</a> Value: <b>TRCK</b>
public static final	<a href="#">TAG_TRSN</a> Value: <b>TRSN</b>
public static final	<a href="#">TAG_TRSO</a> Value: <b>TRSO</b>
public static final	<a href="#">TAG_TSOA</a> Value: <b>TSOA</b>
public static final	<a href="#">TAG_TSOP</a> Value: <b>TSOP</b>
public static final	<a href="#">TAG_TSOT</a> Value: <b>TSOT</b>
public static final	<a href="#">TAG_TSRC</a> Value: <b>TSRC</b>
public static final	<a href="#">TAG_TSSE</a> Value: <b>TSSE</b>
public static final	<a href="#">TAG_TSST</a> Value: <b>TSST</b>
public static final	<a href="#">TAG_TXXX</a> Value: <b>TXXX</b>
public static final	<a href="#">TAG_UNKN</a> Value: <b>UNKN</b>
public static final	<a href="#">TAG_WCOM</a> Value: <b>WCOM</b>
public static final	<a href="#">TAG_WCOP</a> Value: <b>WCOP</b>



public static final	<a href="#">TAG_WOAF</a> Value: <b>WOAF</b>
public static final	<a href="#">TAG_WOAR</a> Value: <b>WOAR</b>
public static final	<a href="#">TAG_WOAS</a> Value: <b>WOAS</b>
public static final	<a href="#">TAG_WORS</a> Value: <b>WORS</b>
public static final	<a href="#">TAG_WPAY</a> Value: <b>WPAY</b>
public static final	<a href="#">TAG_WPUB</a> Value: <b>WPUB</b>
public static final	<a href="#">TAG_WXXX</a> Value: <b>WXXX</b>
public static final	<a href="#">TAGS_TEXTINFORMATION</a>
public static final	<a href="#">TEXTENCODING_ISO_8859_1</a> Value: <b>0</b>
public static final	<a href="#">TEXTENCODING_UTF16</a> Value: <b>1</b>
public static final	<a href="#">TEXTENCODING_UTF16BE</a> Value: <b>2</b>
public static final	<a href="#">TEXTENCODING_UTF8</a> Value: <b>3</b>

## Constructor Summary

public	<a href="#">ID3V2FrameBase</a> (String idStr, int flags)
--------	--

## Method Summary

static int	<a href="#">byteStringLen</a> (String value)
static <a href="#">ID3V2FrameBase</a>	<a href="#">deserializeFrame</a> (byte[] buffer, int offset, int len)
static String	<a href="#">deserializeString</a> (byte[] buffer, int offset, int len)
int	<a href="#">getFlags</a> ()

String	<a href="#">getIdStr()</a>
String	<a href="#">getMapIdStr()</a>
int	<a href="#">getSize()</a>
int	<a href="#">serialize</a> (byte[] buffer, int offset)
static int	<a href="#">serializeString</a> (String value, byte[] buffer, int offset)
static int	<a href="#">serializeStringLen</a> (String value)
void	<a href="#">setFlags</a> (int flags)
void	<a href="#">setIdStr</a> (String idStr)
static String	<a href="#">trimTrailingZero</a> (String value)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.ID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Fields

### HEADERSIZE

```
public static final int HEADERSIZE
```

Constant value: **10**

### TEXTENCODING\_ISO\_8859\_1

```
public static final int TEXTENCODING_ISO_8859_1
```

Constant value: **0**

### TEXTENCODING\_UTF16

```
public static final int TEXTENCODING_UTF16
```

Constant value: **1**

(continued from last page)

---

## TEXTENCODING\_UTF16BE

```
public static final int TEXTENCODING_UTF16BE
```

Constant value: **2**

---

## TEXTENCODING\_UTF8

```
public static final int TEXTENCODING_UTF8
```

Constant value: **3**

---

## TAG\_UNKN

```
public static final java.lang.String TAG_UNKN
```

Constant value: **UNKN**

---

## TAG\_PRIV

```
public static final java.lang.String TAG_PRIV
```

Constant value: **PRIV**

---

## TAG\_APIC

```
public static final java.lang.String TAG_APIC
```

Constant value: **APIC**

---

## TAG\_LINK

```
public static final java.lang.String TAG_LINK
```

Constant value: **LINK**

---

## TAG\_SYLT

```
public static final java.lang.String TAG_SYLT
```

Constant value: **SYLT**

---

## TAG\_RBUF

```
public static final java.lang.String TAG_RBUF
```

Constant value: **RBUF**

---

## TAG\_TALB

```
public static final java.lang.String TAG_TALB
```

---

(continued from last page)

---

Constant value: **TALB**

---

## TAG\_TBPM

```
public static final java.lang.String TAG_TBPM
```

---

Constant value: **TBPM**

---

## TAG\_TCOM

```
public static final java.lang.String TAG_TCOM
```

---

Constant value: **TCOM**

---

## TAG\_TCON

```
public static final java.lang.String TAG_TCON
```

---

Constant value: **TCON**

---

## TAG\_TCOP

```
public static final java.lang.String TAG_TCOP
```

---

Constant value: **TCOP**

---

## TAG\_TDEN

```
public static final java.lang.String TAG_TDEN
```

---

Constant value: **TDEN**

---

## TAG\_TDLY

```
public static final java.lang.String TAG_TDLY
```

---

Constant value: **TDLY**

---

## TAG\_TDOR

```
public static final java.lang.String TAG_TDOR
```

---

Constant value: **TDOR**

---

## TAG\_TDRC

```
public static final java.lang.String TAG_TDRC
```

---

Constant value: **TDRC**

---

## TAG\_TDRL

```
public static final java.lang.String TAG_TDRL
```

Constant value: **TDRL**

---

## TAG\_TDTG

```
public static final java.lang.String TAG_TDTG
```

Constant value: **TDTG**

---

## TAG\_TENC

```
public static final java.lang.String TAG_TENC
```

Constant value: **TENC**

---

## TAG\_TEXT

```
public static final java.lang.String TAG_TEXT
```

Constant value: **TEXT**

---

## TAG\_TFLT

```
public static final java.lang.String TAG_TFLT
```

Constant value: **TFLT**

---

## TAG\_TIPL

```
public static final java.lang.String TAG_TIPL
```

Constant value: **TIPL**

---

## TAG\_TIT1

```
public static final java.lang.String TAG_TIT1
```

Constant value: **TIT1**

---

## TAG\_TIT2

```
public static final java.lang.String TAG_TIT2
```

Constant value: **TIT2**

---

(continued from last page)

---

## TAG\_TIT3

```
public static final java.lang.String TAG_TIT3
```

Constant value: **TIT3**

---

## TAG\_TKEY

```
public static final java.lang.String TAG_TKEY
```

Constant value: **TKEY**

---

## TAG\_TLAN

```
public static final java.lang.String TAG_TLAN
```

Constant value: **TLAN**

---

## TAG\_TLEN

```
public static final java.lang.String TAG_TLEN
```

Constant value: **TLEN**

---

## TAG\_TMCL

```
public static final java.lang.String TAG_TMCL
```

Constant value: **TMCL**

---

## TAG\_TMED

```
public static final java.lang.String TAG_TMED
```

Constant value: **TMED**

---

## TAG\_TMOO

```
public static final java.lang.String TAG_TMOO
```

Constant value: **TMOO**

---

## TAG\_TOAL

```
public static final java.lang.String TAG_TOAL
```

Constant value: **TOAL**

---

## TAG\_TOFN

```
public static final java.lang.String TAG_TOFN
```

---

(continued from last page)

---

Constant value: **TOFN**

---

## TAG\_TOLY

```
public static final java.lang.String TAG_TOLY
```

Constant value: **TOLY**

---

## TAG\_TOPE

```
public static final java.lang.String TAG_TOPE
```

Constant value: **TOPE**

---

## TAG\_TOWN

```
public static final java.lang.String TAG_TOWN
```

Constant value: **TOWN**

---

## TAG\_TPE1

```
public static final java.lang.String TAG_TPE1
```

Constant value: **TPE1**

---

## TAG\_TPE2

```
public static final java.lang.String TAG_TPE2
```

Constant value: **TPE2**

---

## TAG\_TPE3

```
public static final java.lang.String TAG_TPE3
```

Constant value: **TPE3**

---

## TAG\_TPE4

```
public static final java.lang.String TAG_TPE4
```

Constant value: **TPE4**

---

## TAG\_TPOS

```
public static final java.lang.String TAG_TPOS
```

Constant value: **TPOS**

---

## TAG\_TPRO

```
public static final java.lang.String TAG_TPRO
```

Constant value: **TPRO**

---

## TAG\_TPUB

```
public static final java.lang.String TAG_TPUB
```

Constant value: **TPUB**

---

## TAG\_TRCK

```
public static final java.lang.String TAG_TRCK
```

Constant value: **TRCK**

---

## TAG\_TRSN

```
public static final java.lang.String TAG_TRSN
```

Constant value: **TRSN**

---

## TAG\_TRSO

```
public static final java.lang.String TAG_TRSO
```

Constant value: **TRSO**

---

## TAG\_TSOA

```
public static final java.lang.String TAG_TSOA
```

Constant value: **TSOA**

---

## TAG\_TSOP

```
public static final java.lang.String TAG_TSOP
```

Constant value: **TSOP**

---

## TAG\_TSOT

```
public static final java.lang.String TAG_TSOT
```

Constant value: **TSOT**

---



(continued from last page)

---

## TAG\_TSRC

```
public static final java.lang.String TAG_TSRC
```

Constant value: **TSRC**

---

## TAG\_TSSE

```
public static final java.lang.String TAG_TSSE
```

Constant value: **TSSE**

---

## TAG\_TSST

```
public static final java.lang.String TAG_TSST
```

Constant value: **TSST**

---

## TAGS\_TEXTINFORMATION

```
public static final java.lang.String TAGS_TEXTINFORMATION
```

---

## TAG\_WCOM

```
public static final java.lang.String TAG_WCOM
```

Constant value: **WCOM**

---

## TAG\_WCOP

```
public static final java.lang.String TAG_WCOP
```

Constant value: **WCOP**

---

## TAG\_WOAF

```
public static final java.lang.String TAG_WOAF
```

Constant value: **WOAF**

---

## TAG\_WOAR

```
public static final java.lang.String TAG_WOAR
```

Constant value: **WOAR**

---

## TAG\_WOAS

```
public static final java.lang.String TAG_WOAS
```

(continued from last page)

Constant value: **WOAS**

---

## TAG\_WORS

```
public static final java.lang.String TAG_WORS
```

Constant value: **WORS**

---

## TAG\_WPAY

```
public static final java.lang.String TAG_WPAY
```

Constant value: **WPAY**

---

## TAG\_WPUB

```
public static final java.lang.String TAG_WPUB
```

Constant value: **WPUB**

---

## TAG\_TXXX

```
public static final java.lang.String TAG_TXXX
```

Constant value: **TXXX**

---

## TAG\_COMM

```
public static final java.lang.String TAG_COMM
```

Constant value: **COMM**

---

## TAG\_WXXX

```
public static final java.lang.String TAG_WXXX
```

Constant value: **WXXX**

---

## FLAGS\_DEFAULT

```
public static final int FLAGS_DEFAULT
```

Constant value: **0**

---

## Constructors

### ID3V2FrameBase

```
public ID3V2FrameBase(String idStr,  
                      int flags)
```

## Methods

### byteStringLen

```
public static int byteStringLen(String value)
```

### serializeStringLen

```
public static int serializeStringLen(String value)
```

### trimTrailingZero

```
public static String trimTrailingZero(String value)
```

### serializeString

```
public static int serializeString(String value,  
    byte[] buffer,  
    int offset)
```

### deserializeString

```
public static String deserializeString(byte[] buffer,  
    int offset,  
    int len)
```

### deserializeFrame

```
public static ID3V2FrameBase deserializeFrame(byte[] buffer,  
    int offset,  
    int len)
```

### serialize

```
public int serialize(byte[] buffer,  
    int offset)
```

### getIdStr

```
public String getIdStr()
```

(continued from last page)

**setIdStr**

```
public void setIdStr(String idStr)
```

---

**getFlags**

```
public int getFlags()
```

---

**setFlags**

```
public void setFlags(int flags)
```

---

**getSize**

```
public int getSize()
```

---


**getMapIdStr**

```
public String getMapIdStr()
```

---

## com.wowza.wms.media.mp3.model.idtags Class ID3V2FrameComment

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

```

public class ID3V2FrameComment
extends ID3V2FrameBase

```

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOP](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

### Constructor Summary

public	<a href="#">ID3V2FrameComment</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameComment</a> (String idStr)
public	<a href="#">ID3V2FrameComment</a> ()

### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
String	<a href="#">getDescription</a> ()
int	<a href="#">getTextEncoding</a> ()
String	<a href="#">getValue</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)

void	<a href="#"><u>setDescription</u></a> (String description)
void	<a href="#"><u>setTextEncoding</u></a> (int textEncoding)
void	<a href="#"><u>setValue</u></a> (String value)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Constructors

### ID3V2FrameComment

```
public ID3V2FrameComment(String idStr,
                          int flags)
```

### ID3V2FrameComment

```
public ID3V2FrameComment(String idStr)
```

### ID3V2FrameComment

```
public ID3V2FrameComment()
```

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,
                          int offset)
```

(continued from last page)

## deserializeBody

```
public void deserializeBody(byte[] buffer,  
    int offset,  
    int len)
```

---

## getBodySize

```
public int getBodySize()
```

---

## getValue

```
public String getValue()
```

---

## setValue

```
public void setValue(String value)
```

---

## getTextEncoding

```
public int getTextEncoding()
```

---

## setTextEncoding

```
public void setTextEncoding(int textEncoding)
```

---

## getDescription

```
public String getDescription()
```

---

## setDescription


```
public void setDescription(String description)
```

---

## com.wowza.wms.media.mp3.model.idtags

### Class ID3V2FrameLinkedInformation

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FrameLinkedInformation**  
 extends [ID3V2FrameBase](#)

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#),  
[TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOPI](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#),  
[TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#),  
[TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#),  
[TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#),  
[TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#),  
[TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#),  
[TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#),  
[TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

### Constructor Summary

public	<a href="#">ID3V2FrameLinkedInformation</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameLinkedInformation</a> ()

### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
byte[]	<a href="#">getData</a> ()
String	<a href="#">getDescription</a> ()
long	<a href="#">getFrameIdentifier</a> ()
String	<a href="#">getURL</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)



void	<a href="#"><u>setData</u></a> (byte[] data)
void	<a href="#"><u>setDescription</u></a> (String description)
void	<a href="#"><u>setFrameIdentifier</u></a> (long frameIdentifier)
void	<a href="#"><u>setURL</u></a> (String url)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Constructors

### ID3V2FrameLinkedInformation

```
public ID3V2FrameLinkedInformation(String idStr,
                                   int flags)
```

### ID3V2FrameLinkedInformation

```
public ID3V2FrameLinkedInformation()
```

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,
                          int offset)
```

### deserializeBody

```
public void deserializeBody(byte[] buffer,
                              int offset,
                              int len)
```

(continued from last page)

---

### getBodySize

```
public int getBodySize()
```

---

### getDescription

```
public String getDescription()
```

---

### setDescription

```
public void setDescription(String description)
```

---

### getFrameIdentifier

```
public long getFrameIdentifier()
```

---

### setFrameIdentifier

```
public void setFrameIdentifier(long frameIdentifier)
```

---

### getURL

```
public String getURL()
```

---

### setURL

```
public void setURL(String url)
```

---

### getData

```
public byte[] getData()
```

---


### setData

```
public void setData(byte[] data)
```

## com.wowza.wms.media.mp3.model.idtags

### Class ID3V2FramePrivate

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FramePrivate**  
 extends [ID3V2FrameBase](#)

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOPI](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

### Constructor Summary

public	<a href="#">ID3V2FramePrivate</a> (String idStr, int flags)
public	<a href="#">ID3V2FramePrivate</a> ()

### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
byte[]	<a href="#">getData</a> ()
String	<a href="#">getOwnerIdentifier</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)
void	<a href="#">setData</a> (byte[] data)
void	<a href="#">setOwnerIdentifier</a> (String ownerIdentifier)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Constructors

### ID3V2FramePrivate

```
public ID3V2FramePrivate(String idStr,  
                          int flags)
```

### ID3V2FramePrivate

```
public ID3V2FramePrivate()
```

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,  
                          int offset)
```

### deserializeBody

```
public void deserializeBody(byte[] buffer,  
                             int offset,  
                             int len)
```

### getBodySize

```
public int getBodySize()
```

### getOwnerIdentifier

```
public String getOwnerIdentifier()
```

(continued from last page)

---

**setOwnerIdentifier**

```
public void setOwnerIdentifier(String ownerIdentifier)
```

---

**getData**

```
public byte[] getData()
```

---


**setData**

```
public void setData(byte[] data)
```

## com.wowza.wms.media.mp3.model.idtags

### Class ID3V2FrameRawBytes

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FrameRawBytes**

extends [ID3V2FrameBase](#)

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOPI](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

### Constructor Summary

public	<a href="#">ID3V2FrameRawBytes</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameRawBytes</a> (String idStr)

### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

---

## Constructors

### ID3V2FrameRawBytes

```
public ID3V2FrameRawBytes(String idStr,  
                           int flags)
```

---

### ID3V2FrameRawBytes

```
public ID3V2FrameRawBytes(String idStr)
```

---

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,  
                        int offset)
```

---

### deserializeBody

```
public void deserializeBody(byte[] buffer,  
                          int offset,  
                          int len)
```

---


### getBodySize

```
public int getBodySize()
```

---

## com.wowza.wms.media.mp3.model.idtags Class ID3V2FrameRecommendedBufferSize

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FrameRecommendedBufferSize**  
extends [ID3V2FrameBase](#)

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOPI](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

### Constructor Summary

public	<a href="#">ID3V2FrameRecommendedBufferSize</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameRecommendedBufferSize</a> ()

### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
int	<a href="#">getBufferSize</a> ()
byte	<a href="#">getEmbeddedFlag</a> ()
long	<a href="#">getOffsetToNextTag</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)
void	<a href="#">setBufferSize</a> (int bufferSize)



void	<a href="#">setEmbeddedFlag</a> (byte embeddedFlag)
void	<a href="#">setOffsetToNextTag</a> (long offsetToNextTag)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Constructors

### ID3V2FrameRecommendedBufferSize

```
public ID3V2FrameRecommendedBufferSize(String idStr,
                                       int flags)
```

### ID3V2FrameRecommendedBufferSize

```
public ID3V2FrameRecommendedBufferSize()
```

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,
                        int offset)
```

### deserializeBody

```
public void deserializeBody(byte[] buffer,
                          int offset,
                          int len)
```

### getBodySize

```
public int getBodySize()
```

(continued from last page)

---

### **getBufferSize**

```
public int getBufferSize()
```

---

### **setBufferSize**

```
public void setBufferSize(int bufferSize)
```

---

### **getEmbeddedFlag**

```
public byte getEmbeddedFlag()
```

---

### **setEmbeddedFlag**

```
public void setEmbeddedFlag(byte embeddedFlag)
```

---

### **getOffsetToNextTag**

```
public long getOffsetToNextTag()
```

---

### **setOffsetToNextTag**

```
public void setOffsetToNextTag(long offsetToNextTag)
```

## com.wowza.wms.media.mp3.model.idtags Class ID3V2FrameSynchronizedText

java.lang.Object

└- [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)  
└- [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameSynchronizedText](#)

All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FrameSynchronizedText**  
extends [ID3V2FrameBase](#)

### Field Summary

public static final	<a href="#">CONTENTTYPE_CHORD</a> Value: <b>5</b>
public static final	<a href="#">CONTENTTYPE_EVENTS</a> Value: <b>4</b>
public static final	<a href="#">CONTENTTYPE_LYRICS</a> Value: <b>1</b>
public static final	<a href="#">CONTENTTYPE_MOVEMENT</a> Value: <b>3</b>
public static final	<a href="#">CONTENTTYPE_OTHER</a> Value: <b>0</b>
public static final	<a href="#">CONTENTTYPE_TRANSCRIPTION</a> Value: <b>2</b>
public static final	<a href="#">CONTENTTYPE_TRIVIA</a> Value: <b>6</b>
public static final	<a href="#">CONTENTTYPE_URLIMAGES</a> Value: <b>8</b>
public static final	<a href="#">CONTENTTYPE_URLWEBPAGES</a> Value: <b>7</b>
public static final	<a href="#">TIMESTAMPFORMAT_MILLISECONDS</a> Value: <b>2</b>

public static final	<a href="#"><u>TIMESTAMPFORMAT_MPEG</u></a> Value: <b>1</b>
---------------------	--

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOPI](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

## Constructor Summary

public	<a href="#"><u>ID3V2FrameSynchronizedText</u></a> (String idStr, int flags)
public	<a href="#"><u>ID3V2FrameSynchronizedText</u></a> ()

## Method Summary

void	<a href="#"><u>addContentDescriptor</u></a> ( <a href="#"><u>ID3V2FrameSynchronizedTextDescriptor</u></a> contentDescriptor)
void	<a href="#"><u>addContentDescriptor</u></a> (long timecode, String value)
void	<a href="#"><u>deserializeBody</u></a> (byte[] buffer, int offset, int len)
int	<a href="#"><u>getBodySize</u></a> ()
java.util.List	<a href="#"><u>getContentDescriptors</u></a> ()
byte	<a href="#"><u>getContentType</u></a> ()
String	<a href="#"><u>getLanguage</u></a> ()
int	<a href="#"><u>getTextEncoding</u></a> ()
byte	<a href="#"><u>getTimeStampFormat</u></a> ()
int	<a href="#"><u>serializeBody</u></a> (byte[] buffer, int offset)
void	<a href="#"><u>setContentType</u></a> (byte contentType)
void	<a href="#"><u>setLanguage</u></a> (String language)
void	<a href="#"><u>setTextEncoding</u></a> (int textEncoding)

void	<a href="#"><u>setTimeStampFormat</u></a> (byte timeStampFormat)
------	--

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Fields

### CONTENTTYPE\_OTHER

```
public static final int CONTENTTYPE_OTHER
```

Constant value: **0**

### CONTENTTYPE\_LYRICS

```
public static final int CONTENTTYPE_LYRICS
```

Constant value: **1**

### CONTENTTYPE\_TRANSCRIPTION

```
public static final int CONTENTTYPE_TRANSCRIPTION
```

Constant value: **2**

### CONTENTTYPE\_MOVEMENT

```
public static final int CONTENTTYPE_MOVEMENT
```

Constant value: **3**

### CONTENTTYPE\_EVENTS

```
public static final int CONTENTTYPE_EVENTS
```

Constant value: **4**

(continued from last page)

---

## CONTENTTYPE\_CHORD

```
public static final int CONTENTTYPE_CHORD
```

Constant value: **5**

---

## CONTENTTYPE\_TRIVIA

```
public static final int CONTENTTYPE_TRIVIA
```

Constant value: **6**

---

## CONTENTTYPE\_URLWEBPAGES

```
public static final int CONTENTTYPE_URLWEBPAGES
```

Constant value: **7**

---

## CONTENTTYPE\_URLIMAGES

```
public static final int CONTENTTYPE_URLIMAGES
```

Constant value: **8**

---

## TIMESTAMPFORMAT\_MPEG

```
public static final int TIMESTAMPFORMAT_MPEG
```

Constant value: **1**

---

## TIMESTAMPFORMAT\_MILLISECONDS

```
public static final int TIMESTAMPFORMAT_MILLISECONDS
```

Constant value: **2**

---

## Constructors

### ID3V2FrameSynchronizedText

```
public ID3V2FrameSynchronizedText(String idStr,  
                                   int flags)
```

---

### ID3V2FrameSynchronizedText

```
public ID3V2FrameSynchronizedText()
```

---

## Methods

(continued from last page)

## serializeBody

```
public int serializeBody(byte[] buffer,  
    int offset)
```

---

## deserializeBody

```
public void deserializeBody(byte[] buffer,  
    int offset,  
    int len)
```

---

## getBodySize

```
public int getBodySize()
```

---

## getTextEncoding

```
public int getTextEncoding()
```

---

## setTextEncoding

```
public void setTextEncoding(int textEncoding)
```

---

## getLanguage

```
public String getLanguage()
```

---

## setLanguage

```
public void setLanguage(String language)
```

---

## getTimeStampFormat

```
public byte getTimeStampFormat()
```

---

## setTimeStampFormat

```
public void setTimeStampFormat(byte timeStampFormat)
```

---

(continued from last page)

## getContentType

```
public byte getContentType()
```

---

## setContentType

```
public void setContentType(byte contentType)
```

---

## getContentDescriptors

```
public java.util.List getContentDescriptors()
```

---

## addContentDescriptor

```
public void addContentDescriptor(ID3V2FrameSynchronizedTextDescriptor  
contentDescriptor)
```

---

## addContentDescriptor

```
public void addContentDescriptor(long timecode,  
                                String value)
```

---



## com.wowza.wms.media.mp3.model.idtags Class ID3V2FrameSynchronizedTextDescriptor

java.lang.Object

└-com.wowza.wms.media.mp3.model.idtags.ID3V2FrameSynchronizedTextDescriptor

public class **ID3V2FrameSynchronizedTextDescriptor**  
extends Object

### Constructor Summary

public	<a href="#">ID3V2FrameSynchronizedTextDescriptor()</a>
public	<a href="#">ID3V2FrameSynchronizedTextDescriptor</a> (long timecode, String value)

### Method Summary

long	<a href="#">getTimecode()</a>
String	<a href="#">getValue()</a>
void	<a href="#">setTimecode</a> (long timecode)
void	<a href="#">setValue</a> (String value)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### ID3V2FrameSynchronizedTextDescriptor

public **ID3V2FrameSynchronizedTextDescriptor**()

#### ID3V2FrameSynchronizedTextDescriptor

public **ID3V2FrameSynchronizedTextDescriptor**(long timecode,  
String value)

### Methods

(continued from last page)

## **getTimecode**

```
public long getTimecode()
```

---

## **setTimecode**

```
public void setTimecode(long timecode)
```

---

## **getValue**

```
public String getValue()
```

---

## **setValue**


```
public void setValue(String value)
```

---

## com.wowza.wms.media.mp3.model.idtags

### Class ID3V2FrameTextInformation

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FrameTextInformation**  
 extends [ID3V2FrameBase](#)

#### Field Summary

protected	<a href="#">addTrailingZero</a>
-----------	---------------------------------

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOP](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

#### Constructor Summary

public	<a href="#">ID3V2FrameTextInformation</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameTextInformation</a> (String idStr)

#### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
int	<a href="#">getTextEncoding</a> ()
String	<a href="#">getValue</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)

void	<a href="#">setTextEncoding</a> (int textEncoding)
void	<a href="#">setValue</a> (String value)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Fields

### **addTrailingZero**

protected boolean **addTrailingZero**

## Constructors

### **ID3V2FrameTextInformation**

```
public ID3V2FrameTextInformation(String idStr,  
                                int flags)
```

### **ID3V2FrameTextInformation**

```
public ID3V2FrameTextInformation(String idStr)
```

## Methods

### **serializeBody**

```
public int serializeBody(byte[] buffer,  
                        int offset)
```

(continued from last page)

## deserializeBody

```
public void deserializeBody(byte[] buffer,  
    int offset,  
    int len)
```

---

## getBodySize

```
public int getBodySize()
```

---

## getValue

```
public String getValue()
```

---

## setValue

```
public void setValue(String value)
```

---

## getTextEncoding

```
public int getTextEncoding()
```

---

## setTextEncoding


```
public void setTextEncoding(int textEncoding)
```

---

## com.wowza.wms.media.mp3.model.idtags

### Class ID3V2FrameURLLink

java.lang.Object



All Implemented Interfaces:

[IID3V2Frame](#)

public class **ID3V2FrameURLLink**

extends [ID3V2FrameBase](#)

Fields inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[FLAGS\\_DEFAULT](#), [HEADERSIZE](#), [TAG\\_APIC](#), [TAG\\_COMM](#), [TAG\\_LINK](#), [TAG\\_PRIV](#), [TAG\\_RBUF](#), [TAG\\_SYLT](#), [TAG\\_TALB](#), [TAG\\_TBPM](#), [TAG\\_TCOM](#), [TAG\\_TCON](#), [TAG\\_TCOPI](#), [TAG\\_TDEN](#), [TAG\\_TDLY](#), [TAG\\_TDOR](#), [TAG\\_TDRC](#), [TAG\\_TDRL](#), [TAG\\_TDTG](#), [TAG\\_TENC](#), [TAG\\_TEXT](#), [TAG\\_TFLT](#), [TAG\\_TIPL](#), [TAG\\_TIT1](#), [TAG\\_TIT2](#), [TAG\\_TIT3](#), [TAG\\_TKEY](#), [TAG\\_TLAN](#), [TAG\\_TLEN](#), [TAG\\_TMCL](#), [TAG\\_TMED](#), [TAG\\_TMOO](#), [TAG\\_TOAL](#), [TAG\\_TOFN](#), [TAG\\_TOLY](#), [TAG\\_TOPE](#), [TAG\\_TOWN](#), [TAG\\_TPE1](#), [TAG\\_TPE2](#), [TAG\\_TPE3](#), [TAG\\_TPE4](#), [TAG\\_TPOS](#), [TAG\\_TPRO](#), [TAG\\_TPUB](#), [TAG\\_TRCK](#), [TAG\\_TRSN](#), [TAG\\_TRSO](#), [TAG\\_TSOA](#), [TAG\\_TSOP](#), [TAG\\_TSOT](#), [TAG\\_TSRC](#), [TAG\\_TSSE](#), [TAG\\_TSST](#), [TAG\\_TXXX](#), [TAG\\_UNKN](#), [TAG\\_WCOM](#), [TAG\\_WCOP](#), [TAG\\_WOAF](#), [TAG\\_WOAR](#), [TAG\\_WOAS](#), [TAG\\_WORS](#), [TAG\\_WPAY](#), [TAG\\_WPUB](#), [TAG\\_WXXX](#), [TAGS\\_TEXTINFORMATION](#), [TEXTENCODING\\_ISO\\_8859\\_1](#), [TEXTENCODING\\_UTF16](#), [TEXTENCODING\\_UTF16BE](#), [TEXTENCODING\\_UTF8](#)

## Constructor Summary

public	<a href="#">ID3V2FrameURLLink</a> (String idStr, int flags)
public	<a href="#">ID3V2FrameURLLink</a> (String idStr)

## Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
int	<a href="#">getTextEncoding</a> ()
String	<a href="#">getURL</a> ()
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)
void	<a href="#">setTextEncoding</a> (int textEncoding)
void	<a href="#">setURL</a> (String value)

Methods inherited from class [com.wowza.wms.media.mp3.model.idtags.ID3V2FrameBase](#)

[byteStringLen](#), [deserializeFrame](#), [deserializeString](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeString](#), [serializeStringLen](#), [setFlags](#), [setIdStr](#), [trimTrailingZero](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Methods inherited from interface [com.wowza.wms.media.mp3.model.idtags.IID3V2Frame](#)

[deserializeBody](#), [getBodySize](#), [getFlags](#), [getIdStr](#), [getMapIdStr](#), [getSize](#), [serialize](#), [serializeBody](#), [setFlags](#), [setIdStr](#)

## Constructors

### ID3V2FrameURLLink

```
public ID3V2FrameURLLink(String idStr,
                          int flags)
```

### ID3V2FrameURLLink

```
public ID3V2FrameURLLink(String idStr)
```

## Methods

### serializeBody

```
public int serializeBody(byte[] buffer,
                          int offset)
```

### deserializeBody

```
public void deserializeBody(byte[] buffer,
                              int offset,
                              int len)
```

### getBodySize

```
public int getBodySize()
```

### getURL

```
public String getURL()
```

(continued from last page)

---

## **setURL**

```
public void setURL(String value)
```

---

## **getTextEncoding**

```
public int getTextEncoding()
```

---

## **setTextEncoding**

```
public void setTextEncoding(int textEncoding)
```



com.wowza.wms.media.mp3.model.idtags

Class ID3V2Utils

java.lang.Object

└─com.wowza.wms.media.mp3.model.idtags.ID3V2Utils

public class ID3V2Utils

extends Object

Constructor Summary

public	<a href="#">ID3V2Utils()</a>
--------	------------------------------

Method Summary

static int	<a href="#">byteArrayToIntSafeSync</a> (byte[] b, int offset, int count)
static long	<a href="#">byteArrayToLongSafeSync</a> (byte[] b, int offset, int count)
static void	<a href="#">intToByteArraySafeSync</a> (int value, byte[] buffer, int offset, int size)

Methods inherited from class java.lang.Object
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructors

ID3V2Utils

public ID3V2Utils()

Methods

byteArrayToLongSafeSync

public static long **byteArrayToLongSafeSync**(byte[] b,  
int offset,  
int count)

(continued from last page)

## **byteArrayToIntSafeSync**

```
public static int byteArrayToIntSafeSync(byte[] b,  
    int offset,  
    int count)
```

---

## **intToByteArraySafeSync**

```
public static void intToByteArraySafeSync(int value,  
    byte[] buffer,  
    int offset,  
    int size)
```

## com.wowza.wms.media.mp3.model.idtags Interface IID3V2Frame

All Known Implementing Classes:  
[IID3V2FrameBase](#)

public interface **IID3V2Frame**  
extends

### Method Summary

void	<a href="#">deserializeBody</a> (byte[] buffer, int offset, int len)
int	<a href="#">getBodySize</a> ()
int	<a href="#">getFlags</a> ()
String	<a href="#">getIdStr</a> ()
String	<a href="#">getMapIdStr</a> ()
int	<a href="#">getSize</a> ()
int	<a href="#">serialize</a> (byte[] buffer, int offset)
int	<a href="#">serializeBody</a> (byte[] buffer, int offset)
void	<a href="#">setFlags</a> (int flags)
void	<a href="#">setIdStr</a> (String idStr)

### Methods

#### getIdStr

public String **getIdStr**()

#### setIdStr

public void **setIdStr**(String idStr)

(continued from last page)

---

## getMapIdStr

```
public String getMapIdStr()
```

---

## getFlags

```
public int getFlags()
```

---

## setFlags

```
public void setFlags(int flags)
```

---

## getSize

```
public int getSize()
```

---

## getBodySize

```
public int getBodySize()
```

---

## deserializeBody

```
public void deserializeBody(byte[] buffer,  
                             int offset,  
                             int len)
```

---

## serializeBody

```
public int serializeBody(byte[] buffer,  
                          int offset)
```

---

## serialize

```
public int serialize(byte[] buffer,  
                    int offset)
```

---

---

Package

**com.wowza.wms.mediacaster**

## com.wowza.wms.mediacaster Interface IMediaCaster

public interface **IMediaCaster**  
extends

### Field Summary

public static final	<a href="#"><u>MEDIACASTERTYPE_LIVEREPEATER</u></a> Value: <b>1</b>
public static final	<a href="#"><u>MEDIACASTERTYPE_RTPLIVE</u></a> Value: <b>3</b>
public static final	<a href="#"><u>MEDIACASTERTYPE_SHOUTCAST</u></a> Value: <b>2</b>
public static final	<a href="#"><u>MEDIACASTERTYPE_UNKNOWN</u></a> Value: <b>0</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_GOOD</u></a> Value: <b>100</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_MISSING</u></a> Value: <b>101</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_NORTSPSESSION</u></a> Value: <b>6</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_NOSESSION</u></a> Value: <b>2</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_NOSTREAM</u></a> Value: <b>4</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_NOTIMEOUT</u></a> Value: <b>1</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_NOURL</u></a> Value: <b>3</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_RECONNECTRUNNING</u></a> Value: <b>5</b>
public static final	<a href="#"><u>STREAMTIMEOUTREASON_UNKNOWN</u></a> Value: <b>0</b>

## Method Summary

boolean	<a href="#"><u>doWatchdog</u></a> ( ) Idle processor
void	<a href="#"><u>forceReset</u></a> ( ) Force a reset/reconnect of this media caster
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance</u></a> ( ) Get the application instance this media caster is associated with
long	<a href="#"><u>getConnectLastAttempt</u></a> ( ) Get system time in milliseconds of last connection attempt
long	<a href="#"><u>getConnectLastForceReset</u></a> ( ) Get system time in milliseconds of last time forceReset was called
long	<a href="#"><u>getConnectLastSuccess</u></a> ( ) Get system time in milliseconds of last connection success
int	<a href="#"><u>getIdleTimeout</u></a> ( ) Get the idle timeout for this media caster (milliseconds)
<a href="#"><u>MediaCasterItem</u></a>	<a href="#"><u>getMediaCasterDef</u></a> ( ) Get the media caster definition
String	<a href="#"><u>getMediaCasterId</u></a> ( ) Get the media caster id
<a href="#"><u>MediaCasterStreamItem</u></a>	<a href="#"><u>getMediaCasterStreamItem</u></a> ( ) Get the media caster item associated with this media caster
int	<a href="#"><u>getMediaCasterType</u></a> ( ) Get the media caster type.
int	<a href="#"><u>getReconnectWaitTime</u></a> ( ) Get the minimum time between reconnect attempts (milliseconds)
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream</u></a> ( ) Get the underlying stream being used by this media caster
Object	<a href="#"><u>getStreamIsRunningLock</u></a> ( ) Get stream running lock
long	<a href="#"><u>getStreamLastSeq</u></a> ( ) Get the AMFPacket sequence number of last watchdog processed packet
long	<a href="#"><u>getStreamMissingTime</u></a> ( ) Get the time in milliseconds the stream has been missing
int	<a href="#"><u>getStreamTimeout</u></a> ( ) Get the watchdog stream timeout (milliseconds)
long	<a href="#"><u>getStreamTimeoutLastReset</u></a> ( ) Get system time in milliseconds of last time stream was reset due to stream timeout (debug)
long	<a href="#"><u>getStreamTimeoutLastTime</u></a> ( ) Get system time in milliseconds of last time stream was considered in missing state (debug)

int	<a href="#"><u>getStreamTimeoutReason()</u></a> Get the reason the stream is in timeout condition (debug)
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost()</u></a> Get the virtual host associated with this media caster
void	<a href="#"><u>init(MediaCasterStreamItem mediaCasterStreamItem, MediaCasterItem mediaCasterDef, IApplicationInstance appInstance, String mediaCasterId, String streamExt)</u></a> Initialize the media caster
boolean	<a href="#"><u>isSession()</u></a> Is there current a session attached to this MediaCaster
boolean	<a href="#"><u>isStream()</u></a> Is there a stream associated with this MediaCaster
boolean	<a href="#"><u>isStreamIsRunning()</u></a> Return true if stream is currently running
void	<a href="#"><u>registerPlayer(IMediaStreamPlay player)</u></a> Register a player with this media caster
void	<a href="#"><u>sessionClosed(org.apache.mina.common.IoSession session)</u></a> sessionClosed callback
void	<a href="#"><u>sessionOpened(org.apache.mina.common.IoSession session)</u></a> sessionOpened callback
void	<a href="#"><u>setAppInstance(IApplicationInstance appInstance)</u></a> Set the application instance this media caster is assoicated with
void	<a href="#"><u>setMediaCasterDef(MediaCasterItem mediaCasterDef)</u></a> Set the media caster definition
void	<a href="#"><u>setMediaCasterId(String mediaCasterId)</u></a> Get the media caster id
void	<a href="#"><u>setMediaCasterType(int mediaCasterType)</u></a> Set the media caster type.
void	<a href="#"><u>setReconnectWaitTime(int reconnectWaitTime)</u></a> Set the minimum time between reconnect attempts (milliseconds)
void	<a href="#"><u>setStream(IMediaStream stream)</u></a> Set the underlying stream being used by this media caster
void	<a href="#"><u>setStreamTimeout(int streamTimeout)</u></a> Set the watchdog stream timeout (milliseconds)
void	<a href="#"><u>shutdown(boolean isAppInstanceShutdown)</u></a> Shutdown media caster
void	<a href="#"><u>unregisterPlayer(IMediaStreamPlay player)</u></a> Unregister a player with this media caster

## Fields



(continued from last page)

---

## STREAMTIMEOUTREASON\_UNKNOWN

```
public static final int STREAMTIMEOUTREASON_UNKNOWN
```

Constant value: **0**

---

## STREAMTIMEOUTREASON\_NOTIMEOUT

```
public static final int STREAMTIMEOUTREASON_NOTIMEOUT
```

Constant value: **1**

---

## STREAMTIMEOUTREASON\_NOSESSION

```
public static final int STREAMTIMEOUTREASON_NOSESSION
```

Constant value: **2**

---

## STREAMTIMEOUTREASON\_NOURL

```
public static final int STREAMTIMEOUTREASON_NOURL
```

Constant value: **3**

---

## STREAMTIMEOUTREASON\_NOSTREAM

```
public static final int STREAMTIMEOUTREASON_NOSTREAM
```

Constant value: **4**

---

## STREAMTIMEOUTREASON\_RECONNECTRUNNING

```
public static final int STREAMTIMEOUTREASON_RECONNECTRUNNING
```

Constant value: **5**

---

## STREAMTIMEOUTREASON\_NORTSPSESSION

```
public static final int STREAMTIMEOUTREASON_NORTSPSESSION
```

Constant value: **6**

---

## STREAMTIMEOUTREASON\_GOOD

```
public static final int STREAMTIMEOUTREASON_GOOD
```

Constant value: **100**

---

(continued from last page)

## STREAMTIMEOUTREASON\_MISSING

```
public static final int STREAMTIMEOUTREASON_MISSING
```

Constant value: **101**

## MEDIACASTERTYPE\_UNKNOWN

```
public static final int MEDIACASTERTYPE_UNKNOWN
```

Constant value: **0**

## MEDIACASTERTYPE\_LIVEREPEATER

```
public static final int MEDIACASTERTYPE_LIVEREPEATER
```

Constant value: **1**

## MEDIACASTERTYPE\_SHOUTCAST

```
public static final int MEDIACASTERTYPE_SHOUTCAST
```

Constant value: **2**

## MEDIACASTERTYPE\_RTPLIVE

```
public static final int MEDIACASTERTYPE_RTPLIVE
```

Constant value: **3**

## Methods

### init

```
public void init(MediaCasterStreamItem mediaCasterStreamItem,  
    MediaCasterItem mediaCasterDef,  
    IApplicationInstance appInstance,  
    String mediaCasterId,  
    String streamExt)
```

Initialize the media caster

#### Parameters:

`mediaCasterStreamItem` - media caster item  
`mediaCasterDef` - media caster definition  
`appInstance` - application instance  
`mediaCasterId` - media caster id  
`streamExt` - stream ext or prefix

### getVHost

```
public IVHost getVHost()
```

Get the virtual host associated with this media caster

(continued from last page)

**Returns:**

virtual host associated with this media caster

---

**getMediaCasterId**

```
public String getMediaCasterId()
```

Get the media caster id

**Returns:**

media caster id

---

**setMediaCasterId**

```
public void setMediaCasterId(String mediaCasterId)
```

Get the media caster id

**Parameters:**

mediaCasterId - media caster id

---

**getStream**

```
public IMediaStream getStream()
```

Get the underlying stream being used by this media caster

**Returns:**

underlying stream being used by this media caster

---

**setStream**

```
public void setStream(IMediaStream stream)
```

Set the underlying stream being used by this media caster

**Parameters:**

stream - underlying stream being used by this media caster

---

**getAppInstance**

```
public IApplicationInstance getAppInstance()
```

Get the application instance this media caster is associated with

**Returns:**

application instance this media caster is associated with

---

**setAppInstance**

```
public void setAppInstance(IApplicationInstance appInstance)
```

Set the application instance this media caster is associated with

**Parameters:**

appInstance - application instance this media caster is associated with

(continued from last page)

## getMediaCasterDef

```
public MediaCasterItem getMediaCasterDef( )
```

Get the media caster definition

**Returns:**

media caster definition

---

## setMediaCasterDef

```
public void setMediaCasterDef(MediaCasterItem mediaCasterDef)
```

Set the media caster definition

**Parameters:**

mediaCasterDef - media caster definition

---

## shutdown

```
public void shutdown(boolean isAppInstanceShutdown)
```

Shutdown media caster

**Parameters:**

isAppInstanceShutdown - is server shutdown

---

## registerPlayer

```
public void registerPlayer(IMediaStreamPlay player)
```

Register a player with this media caster

**Parameters:**

player - player to register

---

## unregisterPlayer

```
public void unregisterPlayer(IMediaStreamPlay player)
```

Unregister a player with this media caster

**Parameters:**

player - player to unregister

---

## getIdleTimeout

```
public int getIdleTimeout( )
```

Get the idle timeout for this media caster (milliseconds)

**Returns:**

idle timeout for this media caster (milliseconds)

---

## sessionOpened

```
public void sessionOpened(org.apache.mina.common.Session session)
```

(continued from last page)

sessionOpened callback

**Parameters:**

session - IO Session

---

**sessionClosed**

```
public void sessionClosed(org.apache.mina.common.Session session)
```

sessionClosed callback

**Parameters:**

session - IO Session

---

**getMediaCasterStreamItem**

```
public MediaCasterStreamItem getMediaCasterStreamItem()
```

Get the media caster item associated with this media caster

**Returns:**

media caster item associated with this media caster

---

**forceReset**

```
public void forceReset()
```

Force a reset/reconnect of this media caster

---

**doWatchdog**

```
public boolean doWatchdog()
```

Idle processor

**Returns:**

return true if media caster unloaded due to idle event

---

**getStreamTimeout**

```
public int getStreamTimeout()
```

Get the watchdog stream timeout (milliseconds)

**Returns:**

stream timeout

---

**setStreamTimeout**

```
public void setStreamTimeout(int streamTimeout)
```

Set the watchdog stream timeout (milliseconds)

**Parameters:**

streamTimeout - stream timeout

(continued from last page)

---

## getStreamMissingTime

```
public long getStreamMissingTime()
```

Get the time in milliseconds the stream has been missing

**Returns:**

time in milliseconds the stream has been missing

---

## getStreamLastSeq

```
public long getStreamLastSeq()
```

Get the AMFPacket sequence number of last watchdog processed packet

**Returns:**

AMFPacket sequence number

---

## getStreamTimeoutReason

```
public int getStreamTimeoutReason()
```

Get the reason the stream is in timeout condition (debug)

**Returns:**

reason the stream is in timeout condition (debug)

---

## getStreamTimeoutLastTime

```
public long getStreamTimeoutLastTime()
```

Get system time in milliseconds of last time stream was considered in missing state (debug)

**Returns:**

time in milliseconds of last time stream was considered in missing

---

## getStreamTimeoutLastReset

```
public long getStreamTimeoutLastReset()
```

Get system time in milliseconds of last time stream was reset due to stream timeout (debug)

**Returns:**

time in milliseconds of last time stream was reset

---

## isSession

```
public boolean isSession()
```

Is there current a session attached to this MediaCaster

**Returns:**

true is MediaCaster has session

---

## isStream

```
public boolean isStream()
```

---

(continued from last page)

Is there a stream associated with this MediaCaster

**Returns:**

true if stream associated with this MediaCaster

---

**getConnectLastAttempt**

```
public long getConnectLastAttempt( )
```

Get system time in milliseconds of last connection attempt

**Returns:**

system time in milliseconds of last connection attempt

---

**getConnectLastSuccess**

```
public long getConnectLastSuccess( )
```

Get system time in milliseconds of last connection success

**Returns:**

system time in milliseconds of last connection success

---

**getConnectLastForceReset**

```
public long getConnectLastForceReset( )
```

Get system time in milliseconds of last time forceReset was called

**Returns:**

system time in milliseconds of last time forceReset was called

---

**isStreamIsRunning**

```
public boolean isStreamIsRunning( )
```

Return true if stream is currently running

**Returns:**

true if stream is currently running

---

**getStreamIsRunningLock**

```
public Object getStreamIsRunningLock( )
```

Get stream running lock

**Returns:**

stream running lock

---

**getReconnectWaitTime**

```
public int getReconnectWaitTime( )
```

Get the minimum time between reconnect attempts (milliseconds)

**Returns:**

minimum time between reconnect attempts (milliseconds)

---

## setReconnectWaitTime

```
public void setReconnectWaitTime(int reconnectWaitTime)
```

Set the minimum time between reconnect attempts (milliseconds)

**Parameters:**

reconnectWaitTime - minimum time between reconnect attempts (milliseconds)

---

## getMediaCasterType

```
public int getMediaCasterType()
```

Get the media caster type. See IMediaCaster.MEDIACASTERTYPE\_\*

**Returns:**

media caster type

---

## setMediaCasterType

```
public void setMediaCasterType(int mediaCasterType)
```

Set the media caster type. See IMediaCaster.MEDIACASTERTYPE\_\*

**Parameters:**

mediaCasterType - media caster type

---



---

## com.wowza.wms.mediacaster Interface IMediaCasterDataReceiver

---

public interface **IMediaCasterDataReceiver**  
extends

IMediaCasterDataReceiver: For internal use only.

---

### Method Summary

void	<a href="#">onData</a> (org.apache.mina.common.ByteBuffer data) Data callback
------	--

---

### Methods

#### **onData**

public void **onData**(org.apache.mina.common.ByteBuffer data)

Data callback

**Parameters:**

data - data

---

## com.wowza.wms.mediacaster Interface IMediaCasterNetConnection

---

public interface **IMediaCasterNetConnection**  
extends

IMediaCasterNetConnection: Internal use only

---

### Method Summary

com.wowza.wms.netconnection.NetConnection	<a href="#">getNetConnection()</a> Receives the INetConnection interface for a live repeater connection
---	--

---

### Methods

#### getNetConnection

public com.wowza.wms.netconnection.NetConnection **getNetConnection()**

Receives the INetConnection interface for a live repeater connection

**Returns:**

INetConnection interface

## com.wowza.wms.mediacaster Interface IMediaCasterNotify

All Subinterfaces:

[IMediaCasterNotify2](#)

public interface **IMediaCasterNotify**  
extends

IMediaCasterNotify: listener interface to MediaCaster system. See IApplicationInstance.addMediaCasterListener().

### Method Summary

void	<a href="#">onMediaCasterCreate</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when mediaCaster created
void	<a href="#">onMediaCasterDestroy</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when MediaCaster destroyed
void	<a href="#">onRegisterPlayer</a> ( <a href="#">IMediaCaster</a> mediaCaster, <a href="#">IMediaStreamPlay</a> player) Invoked when a player is added to this mediaCaster
void	<a href="#">onSetSourceStream</a> ( <a href="#">IMediaCaster</a> mediaCaster, <a href="#">IMediaStream</a> stream) Invoked when soure stream is set (can be called with stream of null)
void	<a href="#">onUnRegisterPlayer</a> ( <a href="#">IMediaCaster</a> mediaCaster, <a href="#">IMediaStreamPlay</a> player) Invoked when a player is removed from this mediaCaster

### Methods

#### onMediaCasterCreate

public void **onMediaCasterCreate**([IMediaCaster](#) mediaCaster)

Invoked when mediaCaster created

**Parameters:**

mediaCaster

#### onMediaCasterDestroy

public void **onMediaCasterDestroy**([IMediaCaster](#) mediaCaster)

Invoked when MediaCaster destroyed

**Parameters:**

mediaCaster

#### onRegisterPlayer

public void **onRegisterPlayer**([IMediaCaster](#) mediaCaster,  
[IMediaStreamPlay](#) player)

(continued from last page)

Invoked when a player is added to this mediaCaster

**Parameters:**

mediaCaster  
player

---

## onUnRegisterPlayer

```
public void onUnRegisterPlayer(IMediaCaster mediaCaster,  
    IMediaStreamPlay player)
```

Invoked when a player is removed from this mediaCaster

**Parameters:**

mediaCaster  
player

---

## onSetSourceStream

```
public void onSetSourceStream(IMediaCaster mediaCaster,  
    IMediaStream stream)
```

Invoked when source stream is set (can be called with stream of null)

**Parameters:**

mediaCaster  
stream

## com.wowza.wms.mediacaster Interface IMediaCasterNotify2

All Superinterfaces:

[IMediaCasterNotify](#)

public interface **IMediaCasterNotify2**

extends [IMediaCasterNotify](#)

### Method Summary

void	<a href="#">onConnectFailure</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when a connection or reconnection attempt fails
void	<a href="#">onConnectStart</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when a connection or reconnection attempt is invoked
void	<a href="#">onConnectSuccess</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when a connection or reconnection attempt is successful
void	<a href="#">onStreamStart</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when the stream starts receiving media data from the media source.
void	<a href="#">onStreamStop</a> ( <a href="#">IMediaCaster</a> mediaCaster) Invoked when the stream stops receiving media data from the media source after the streamTimeout value has passed.

Methods inherited from interface [com.wowza.wms.mediacaster.IMediaCasterNotify](#)

[onMediaCasterCreate](#), [onMediaCasterDestroy](#), [onRegisterPlayer](#), [onSetSourceStream](#), [onUnRegisterPlayer](#)

### Methods

#### onConnectStart

public void **onConnectStart**([IMediaCaster](#) mediaCaster)

Invoked when a connection or reconnection attempt is invoked

**Parameters:**

mediaCaster

#### onConnectSuccess

public void **onConnectSuccess**([IMediaCaster](#) mediaCaster)

Invoked when a connection or reconnection attempt is successful

**Parameters:**

mediaCaster

## onConnectFailure

```
public void onConnectFailure(IMediaCaster mediaCaster)
```

Invoked when a connection or reconnection attempt fails

**Parameters:**

mediaCaster

---

## onStreamStart

```
public void onStreamStart(IMediaCaster mediaCaster)
```

Invoked when the stream starts receiving media data from the media source. This event will only be thrown if the MediaCaster property streamTimeout is set to a non-zero value. NOTE: This is not implemented yet (coming soon)

**Parameters:**

mediaCaster

---

## onStreamStop

```
public void onStreamStop(IMediaCaster mediaCaster)
```

Invoked when the stream stops receiving media data from the media source after the streamTimeout value has passed. This event will only be thrown if the MediaCaster property streamTimeout is set to a non-zero value. NOTE: This is not implemented yet (coming soon)

**Parameters:**

mediaCaster

---

## com.wowza.wms.mediacaster Interface IMediaCasterValidateMediaCaster

All Known Implementing Classes:

[ModuleMediaCasterStreamMonitorAdvanced](#)

public interface **IMediaCasterValidateMediaCaster**  
extends

IMediaCasterValidateMediaCaster: interface for implementing stream validators. See  
IApplicationInstance.setMediaCasterValidator(IMediaCasterValidateMediaCaster mediaCasterValidator)

### Method Summary

boolean	<a href="#">onResetMediaCaster</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaCaster</a> mediaCaster) Called when media caster is reset
boolean	<a href="#">onValidateMediaCaster</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaCaster</a> mediaCaster) Called for each media caster to validate the media caster.
void	<a href="#">onValidateMediaCastersStart</a> ( <a href="#">IApplicationInstance</a> appInstance) Called when validation for all streams of an application instance is starting
void	<a href="#">onValidateMediaCastersStop</a> ( <a href="#">IApplicationInstance</a> appInstance) Called when validation for all streams of an application instance is done

### Methods

#### onValidateMediaCastersStart

public void **onValidateMediaCastersStart**([IApplicationInstance](#) appInstance)

Called when validation for all streams of an application instance is starting

**Parameters:**

appInstance - application instance

#### onValidateMediaCastersStop

public void **onValidateMediaCastersStop**([IApplicationInstance](#) appInstance)

Called when validation for all streams of an application instance is done

**Parameters:**

appInstance

#### onValidateMediaCaster

public boolean **onValidateMediaCaster**([IApplicationInstance](#) appInstance, [IMediaCaster](#) mediaCaster)

(continued from last page)

Called for each media caster to validate the media caster. Return true if valid.

**Parameters:**

appInstance - application instance  
mediaCaster - media caster

**Returns:**

true, if valid

---

## onResetMediaCaster

```
public boolean onResetMediaCaster(IApplicationInstance appInstance,  
    IMediaCaster mediaCaster)
```

Called when media caster is reset

**Parameters:**

appInstance - application instance  
mediaCaster - media caster

**Returns:**

return true



## com.wowza.wms.mediacaster

### Class MediaCasterItem

java.lang.Object

└─com.wowza.wms.mediacaster.MediaCasterItem

public class **MediaCasterItem**  
extends Object

#### Constructor Summary

public	<a href="#">MediaCasterItem</a> (String name, String streamType, String baseClass) Media caster item constructor
--------	---

#### Method Summary

void	<a href="#">clearProperty</a> (String name) Clear property
String	<a href="#">getBaseClass</a> () Get base class
int	<a href="#">getConnectionTimeout</a> () Get connection timeout (milliseconds)
String	<a href="#">getDescription</a> () Get description
static String	<a href="#">getIdString</a> (String name, String liveStreamPacketizer, String liveStreamRepeater) Get id string for this media caster item (not used - returns name unchanged)
int	<a href="#">getKeepAliveTime</a> () Get keep alive time (milliseconds)
String	<a href="#">getName</a> () Get name
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> () Get properties collection
String	<a href="#">getProperty</a> (String name) Get property value
String	<a href="#">getStreamType</a> () Get the stream type
String	<a href="#">idStringToName</a> (String idString) Convert name to id string (not used - returns id string unchanged)
static MediaCasterStreamId	<a href="#">parseIdString</a> (String idString)

void	<a href="#"><code>setBaseClass</code></a> (String baseClass) Set base class
void	<a href="#"><code>setConnectionTimeout</code></a> (int connectionTimeout) Set connection timeout (milliseconds)
void	<a href="#"><code>setDescription</code></a> (String description) Set description
void	<a href="#"><code>setKeepAliveTime</code></a> (int keepAliveTime) Set keep alive time (milliseconds)
void	<a href="#"><code>setName</code></a> (String name) Set name
void	<a href="#"><code>setProperty</code></a> (String name, String value) Set a property
void	<a href="#"><code>setStreamType</code></a> (String streamType) Set stream type
String	<a href="#"><code>toString</code></a> () toString

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### MediaCasterItem

```
public MediaCasterItem(String name,
                      String streamType,
                      String baseClass)
```

Media caster item constructor

#### Parameters:

name - media caster name  
streamType - stream type  
baseClass - base class

## Methods

### getStreamType

```
public String getStreamType()
```

Get the stream type

#### Returns:

stream type

(continued from last page)

## setStreamType

```
public void setStreamType(String streamType)
```

Set stream type

**Parameters:**

streamType - stream type

---

## getName

```
public String getName()
```

Get name

**Returns:**

name

---

## setName

```
public void setName(String name)
```

Set name

**Parameters:**

name - name

---

## setProperty

```
public void setProperty(String name,  
                        String value)
```

Set a property

**Parameters:**

name - name

value - value

---

## clearProperty

```
public void clearProperty(String name)
```

Clear property

**Parameters:**

name - name

---

## getProperty

```
public String getProperty(String name)
```

Get property value

**Parameters:**

name - name

**Returns:**

property value

---

## getProperties

```
public WMSProperties getProperties()
```

Get properties collection

**Returns:**  
properties collection

---

## getDescription

```
public String getDescription()
```

Get description

**Returns:**  
description

---

## setDescription

```
public void setDescription(String description)
```

Set description

**Parameters:**  
description - description

---

## getBaseClass

```
public String getBaseClass()
```

Get base class

**Returns:**  
base class

---

## setBaseClass

```
public void setBaseClass(String baseClass)
```

Set base class

**Parameters:**  
baseClass - base class

---

## getConnectionTimeout

```
public int getConnectionTimeout()
```

Get connection timeout (milliseconds)

**Returns:**  
connection timeout (milliseconds)

---

## setConnectionTimeout

```
public void setConnectionTimeout(int connectionTimeout)
```

---

(continued from last page)

Set connection timeout (milliseconds)

**Parameters:**

connectionTimeout - connection timeout (milliseconds)

---

## getKeepAliveTime

```
public int getKeepAliveTime()
```

Get keep alive time (milliseconds)

**Returns:**

keep alive time (milliseconds)

---

## setKeepAliveTime

```
public void setKeepAliveTime(int keepAliveTime)
```

Set keep alive time (milliseconds)

**Parameters:**

keepAliveTime - keep alive time (milliseconds)

---

## getIdString

```
public static String getIdString(String name,  
    String liveStreamPacketizer,  
    String liveStreamRepeater)
```

Get id string for this media caster item (not used - returns name unchanged)

**Parameters:**

name - name

**Returns:**

id string for this media caster item

---

## parseIdString

```
public static MediaCasterStreamId parseIdString(String idString)
```

---

## idStringToName

```
public String idStringToName(String idString)
```

Convert name to id string (not used - returns id string unchanged)

**Parameters:**

idString - id string

**Returns:**

name

---

## toString

```
public String toString()
```

(continued from last page)

toString

## com.wowza.wms.mediacaster Class MediaCasterList

java.lang.Object

└─com.wowza.wms.mediacaster.MediaCasterList

public class **MediaCasterList**  
extends Object

### Constructor Summary

public	<a href="#"><u>MediaCasterList()</u></a> Constructor
--------	---

### Method Summary

<a href="#"><u>MediaCasterItem</u></a>	<a href="#"><u>getMediaCasterDef(String name)</u></a> Get media caster definition by name
java.util.Map	<a href="#"><u>getMediaCasterDefs()</u></a> Get map of media caster items
java.util.List	<a href="#"><u>getMediaCasterNames()</u></a> Get list of media caster names

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### MediaCasterList

public **MediaCasterList()**

Constructor

### Methods

#### getMediaCasterDefs

public java.util.Map **getMediaCasterDefs()**

Get map of media caster items

##### Returns:

map of media caster items

(continued from last page)

## getMediaCasterNames

```
public java.util.List getMediaCasterNames()
```

Get list of media caster names

**Returns:**

list of media caster names

---

## getMediaCasterDef

```
public MediaCasterItem getMediaCasterDef(String name)
```

Get media caster definition by name

**Parameters:**

name - name

**Returns:**

media caster definition

---



com.wowza.wms.mediacaster

# Class MediaCasterSettings



public class **MediaCasterSettings**  
extends Object

## Constructor Summary

public	<a href="#">MediaCasterSettings()</a>
--------	---------------------------------------

## Method Summary

HostPortConfig	<a href="#">getMediaCasterHostPortConfig()</a> Get media caster host port config
int	<a href="#">getMediaCasterProcessorCount()</a> Get the thread count use for this host port
void	<a href="#">setMediaCasterHostPortConfig</a> (HostPortConfig mediaCasterHostPortConfig) Set media caster host port config
void	<a href="#">setMediaCasterProcessorCount</a> (int mediaCasterProcessorCount) Set the thread count for this processor

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

**MediaCasterSettings**  
public **MediaCasterSettings()**

## Methods

**getMediaCasterHostPortConfig**  
public HostPortConfig **getMediaCasterHostPortConfig()**  
  
Get media caster host port config  
  
**Returns:**  
host port config

---

## setMediaCasterHostPortConfig

```
public void setMediaCasterHostPortConfig(HostPortConfig mediaCasterHostPortConfig)
```

Set media caster host port config

**Parameters:**

mediaCasterHostPortConfig

---

## getMediaCasterProcessorCount

```
public int getMediaCasterProcessorCount()
```

Get the thread count use for this host port

**Returns:**

thread count use for this host port

---

## setMediaCasterProcessorCount

```
public void setMediaCasterProcessorCount(int mediaCasterProcessorCount)
```

Set the thread count for this processor

**Parameters:**

mediaCasterProcessorCount - thread count use for this host port

---

## com.wowza.wms.mediacaster Class MediaCasterStreamItem

java.lang.Object

└─com.wowza.wms.mediacaster.MediaCasterStreamItem

public class **MediaCasterStreamItem**  
extends Object

### Constructor Summary

public	<a href="#">MediaCasterStreamItem</a> (long uniqueId) Media caster item constructor
--------	--

### Method Summary

void	<a href="#">acquire</a> () Increment acquire lock count for this media caster item
void	<a href="#">acquireAndRelease</a> () Increment then decrement acquire lock count for this media caster item
boolean	<a href="#">doWatchdog</a> () Do idle processing
String	<a href="#">getLiveStreamPacketizer</a> () Get the live stream packetizer for this media caster stream item
String	<a href="#">getLiveStreamRepeater</a> () Get the live stream repeater for this media caster stream item
Object	<a href="#">getLock</a> ()
int	<a href="#">getLockCount</a> () Get the current number of acquire locks on this media caster item
<a href="#">IMediaCaster</a>	<a href="#">getMediaCaster</a> () Get the underlying IMediaCaster interface for this MediaCaster
String	<a href="#">getMediaCasterId</a> () Get this media caster item id
int	<a href="#">getPlayerCount</a> () Get the current number of players associated with this media caster item
String	<a href="#">getStreamExt</a> ()
long	<a href="#">getUniqueId</a> ()

void	<a href="#"><code>init</code></a> (String mediaCasterId, String streamExt, <a href="#"><code>MediaCasterItem</code></a> mediaCasterDef, <a href="#"><code>MediaCasterStreamMap</code></a> parent, String liveStreamPacketizer, String liveStreamRepeater) Initialize the media caster item (internal use)
boolean	<a href="#"><code>isShutdownOnRelease</code></a> ( ) On last release shutdown the stream even if clients are connected
boolean	<a href="#"><code>isValid</code></a> ( )
void	<a href="#"><code>registerPlayer</code></a> ( <a href="#"><code>IMediaStreamPlay</code></a> player) Register a player with a media caster item (internal use)
void	<a href="#"><code>release</code></a> ( ) Decrement acquire lock count for this media caster item
void	<a href="#"><code>reset</code></a> ( ) Force a reconnect or reset for this media caster item
void	<a href="#"><code>setLiveStreamPacketizer</code></a> (String liveStreamPacketizer) Set the live stream packetizer for this media caster stream item
void	<a href="#"><code>setLiveStreamRepeater</code></a> (String liveStreamRepeater) Set the live stream repeater for this media caster stream item
void	<a href="#"><code>setShutdownOnRelease</code></a> (boolean shutdownOnRelease) On last release shutdown the stream even if clients are connected
void	<a href="#"><code>setStreamExt</code></a> (String streamExt)
void	<a href="#"><code>setValid</code></a> (boolean isValid)
void	<a href="#"><code>shutdown</code></a> (boolean isAppInstanceShutdown) Shutdown this media caster item
void	<a href="#"><code>unregisterPlayer</code></a> ( <a href="#"><code>IMediaStreamPlay</code></a> player) Unregister a player with a media caster item (internal use)

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### MediaCasterStreamItem

```
public MediaCasterStreamItem(long uniqueId)
```

Media caster item constructor

## Methods

(continued from last page)

---

## getLock

```
public Object getLock()
```

---

## getUniqueId

```
public long getUniqueId()
```

---

## isValid

```
public boolean isValid()
```

---

## setValid

```
public void setValid(boolean isValid)
```

---

## init

```
public void init(String mediaCasterId,  
                String streamExt,  
                MediaCasterItem mediaCasterDef,  
                MediaCasterStreamMap parent,  
                String liveStreamPacketizer,  
                String liveStreamRepeater)
```

Initialize the media caster item (internal use)

### Parameters:

mediaCasterId - media caster id  
streamExt - stream extension or prefix  
mediaCasterDef - media caster definition  
parent - parent map

---

## getMediaCasterId

```
public String getMediaCasterId()
```

Get this media caster item id

### Returns:

media caster item id

---

## getMediaCaster

```
public IMediaCaster getMediaCaster()
```

Get the underlying IMediaCaster interface for this MediaCaster

### Returns:

underlying IMediaCaster interface

## registerPlayer

```
public void registerPlayer(IMediaStreamPlay player)
```

Register a player with a media caster item (internal use)

**Parameters:**

player - player to register

---

## unregisterPlayer

```
public void unregisterPlayer(IMediaStreamPlay player)
```

Unregister a player with a media caster item (internal use)

**Parameters:**

player - player to unregister

---

## doWatchdog

```
public boolean doWatchdog()
```

Do idle processing

**Returns:**

return true if caused shutdown of item

---

## reset

```
public void reset()
```

Force a reconnect or reset for this media caster item

---

## shutdown

```
public void shutdown(boolean isAppInstanceShutdown)
```

Shutdown this media caster item

**Parameters:**

isAppInstanceShutdown - is this due to application shutdown

---

## getPlayerCount

```
public int getPlayerCount()
```

Get the current number of players associated with this media caster item

**Returns:**

current number of players associated with this media caster item

---

## getLockCount

```
public int getLockCount()
```

Get the current number of acquire locks on this media caster item

---

---

(continued from last page)

**Returns:**

current number of acquire locks on this media caster item

---

**acquireAndRelease**

```
public void acquireAndRelease()
```

Increment then decrement acquire lock count for this media caster item

---

**acquire**

```
public void acquire()
```

Increment acquire lock count for this media caster item

---

**release**

```
public void release()
```

Decrement acquire lock count for this media caster item

---

**getStreamExt**

```
public String getStreamExt()
```

---

**setStreamExt**

```
public void setStreamExt(String streamExt)
```

---

**isShutdownOnRelease**

```
public boolean isShutdownOnRelease()
```

On last release shutdown the stream even if clients are connected

**Returns:**

true if shutting down on release

---

**setShutdownOnRelease**

```
public void setShutdownOnRelease(boolean shutdownOnRelease)
```

On last release shutdown the stream even if clients are connected

**Parameters:**

shutdownOnRelease - true if shutting down on release

---

**getLiveStreamPacketizer**

```
public String getLiveStreamPacketizer()
```

Get the live stream packetizer for this media caster stream item

**Returns:**

(continued from last page)

live stream packetizer

---

## setLiveStreamPacketizer

```
public void setLiveStreamPacketizer(String liveStreamPacketizer)
```

Set the live stream packetizer for this media caster stream item

**Parameters:**

liveStreamPacketizer - live stream packetizer

---

## getLiveStreamRepeater

```
public String getLiveStreamRepeater()
```

Get the live stream repeater for this media caster stream item

**Returns:**

live stream repeater

---

## setLiveStreamRepeater

```
public void setLiveStreamRepeater(String liveStreamRepeater)
```

Set the live stream repeater for this media caster stream item

**Parameters:**

liveStreamRepeater - live stream repeater



## com.wowza.wms.mediacaster

### Class MediaCasterStreamManager

java.lang.Object

└─com.wowza.wms.mediacaster.MediaCasterStreamManager

public class **MediaCasterStreamManager**  
extends Object

#### Constructor Summary

public	<a href="#">MediaCasterStreamManager</a> ( <a href="#">MediaCasterStreamMap</a> mediaCasterStreamMap)
--------	---

#### Method Summary

String[]	<a href="#">getStreamArray</a> () Get a list of active streams
java.util.List	<a href="#">getStreamList</a> () Get a list of active streams
boolean	<a href="#">startStream</a> (String streamName, String mediaCasterType) Start a stream by name
boolean	<a href="#">stopStream</a> (String streamName) Stop a stream by name
boolean	<a href="#">streamExists</a> (String streamName) Returns true if stream exists

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### MediaCasterStreamManager

public **MediaCasterStreamManager**([MediaCasterStreamMap](#) mediaCasterStreamMap)

## Methods

### getStreamArray

public String[] **getStreamArray**()

Get a list of active streams

---

(continued from last page)

**Returns:**

list of active streams

---

## getStreamList

```
public java.util.List getStreamList()
```

Get a list of active streams

**Returns:**

list of active streams

---

## streamExists

```
public boolean streamExists(String streamName)
```

Returns true if stream exists

**Parameters:**

streamName - stream name

**Returns:**

true if stream exists

---

## stopStream

```
public boolean stopStream(String streamName)
```

Stop a stream by name

**Parameters:**

streamName - stream name

**Returns:**

true is successful

---

## startStream

```
public boolean startStream(String streamName,  
                             String mediaCasterType)
```

Start a stream by name

**Parameters:**

streamName - stream name

mediaCasterType - MediaCaster type as defined in the name field of conf/MediaCasters.xml

**Returns:**

true is successful

---

## com.wowza.wms.mediacaster

### Class MediaCasterStreamMap

java.lang.Object

└─com.wowza.wms.mediacaster.MediaCasterStreamMap

public class **MediaCasterStreamMap**  
extends Object

#### Constructor Summary

public	<a href="#">MediaCasterStreamMap</a> ( <a href="#">IApplicationInstance</a> appInstance) Create a new mediacaster map
--------	--

#### Method Summary

<a href="#">MediaCasterStreamItem</a>	<a href="#">acquire</a> (String streamName) Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away).
<a href="#">MediaCasterStreamItem</a>	<a href="#">acquire</a> (String inStreamName, <a href="#">MediaCasterItem</a> mediaCasterDef) Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away).
<a href="#">MediaCasterStreamItem</a>	<a href="#">acquire</a> (String inStreamName, String streamType) Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away).
<a href="#">MediaCasterStreamItem</a>	<a href="#">acquire</a> (String streamName, String liveStreamPacketizer, String liveStreamRepeater) Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away).
<a href="#">MediaCasterStreamItem</a>	<a href="#">acquire</a> (String inStreamName, String liveStreamPacketizer, String liveStreamRepeater, <a href="#">MediaCasterItem</a> mediaCasterDef) Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away).
<a href="#">MediaCasterStreamItem</a>	<a href="#">acquire</a> (String inStreamName, String liveStreamPacketizer, String liveStreamRepeater, String streamType) Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away).
<a href="#">MediaCasterStreamItem</a>	<a href="#">acquireAndRelease</a> (String inStreamName, String liveStreamPacketizer, String liveStreamRepeater, <a href="#">MediaCasterItem</a> mediaCasterDef) Increment and then decrement the lock count for a media caster item (so that it is loaded and will stay loaded for at least the KeepAliveTime).
void	<a href="#">addStreamSrcToMediaCaster</a> (long streamSrc, String mediaCasterId)
void	<a href="#">clearStreamSrcToMediaCaster</a> (long streamSrc)
void	<a href="#">doWatchdog</a> () Do periodic idle time processing

<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getApplicationInstance()</u></a> Get the parent application instance for this map
edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock	<a href="#"><u>getLock()</u></a> Get the read/write lock for this interface
<a href="#"><u>MediaCasterStreamItem</u></a>	<a href="#"><u>getMediaCaster(String streamName)</u></a> Get media caster item based on given stream name
<a href="#"><u>MediaCasterStreamItem</u></a>	<a href="#"><u>getMediaCaster(String streamName, String liveStreamPacketizer, String liveStreamRepeater)</u></a> Get media caster item based on given stream name
int	<a href="#"><u>getMediaCasterCount()</u></a> Get the number of mediacasters current running
java.util.List	<a href="#"><u>getMediaCasterNames()</u></a> Get a list of all the currently running media caster names
<a href="#"><u>MediaCasterStreamManager</u></a>	<a href="#"><u>getStreamManager()</u></a> Get the stream manager interface for managing the starting and stopping of streams
void	<a href="#"><u>registerPlayer(IMediaStreamPlay player, MediaCasterItem mediaCasterDef)</u></a> Register a player to a media caster item (internal use)
void	<a href="#"><u>release(MediaCasterStreamItem mediaCasterStreamItem)</u></a> Decrement lock count on media caster item
void	<a href="#"><u>release(MediaCasterStreamItem mediaCasterStreamItem, boolean removeIfZero)</u></a>
void	<a href="#"><u>remove(MediaCasterStreamItem mediaCasterStreamItem)</u></a>
void	<a href="#"><u>shutdown(boolean isAppInstanceShutdown)</u></a> Shutdown this media caster and close all running media casters
String	<a href="#"><u>streamSrcToMediaCaster(long streamSrc)</u></a>
void	<a href="#"><u>unregisterPlayer(IMediaStreamPlay player, MediaCasterItem mediaCasterDef)</u></a> Unregister a player to a media caster item (internal use)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### MediaCasterStreamMap

public **MediaCasterStreamMap**([IApplicationInstance](#) appInstance)

Create a new mediacaster map

(continued from last page)

**Parameters:**

appInstance - application instance

## Methods

### getLock

```
public edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock getLock()
```

Get the read/write lock for this interface

**Returns:**

read/write lock

### getStreamManager

```
public MediaCasterStreamManager getStreamManager()
```

Get the stream manager interface for managing the starting and stopping of streams

**Returns:**

stream manager interface

### getApplicationInstance

```
public IApplicationInstance getApplicationInstance()
```

Get the parent application instance for this map

**Returns:**

parent application instance for this map

### getMediaCasterCount

```
public int getMediaCasterCount()
```

Get the number of mediacasters current running

**Returns:**

number of mediacasters current running

### doWatchdog

```
public void doWatchdog()
```

Do periodic idle time processing

### shutdown

```
public void shutdown(boolean isAppInstanceShutdown)
```

Shutdown this media caster and close all running media casters

**Parameters:**

isAppInstanceShutdown - is this due to application shutdown

(continued from last page)

## getMediaCasterNames

```
public java.util.List getMediaCasterNames()
```

Get a list of all the currently running media caster names

**Returns:**

list of all the currently running media caster names

---

## getMediaCaster

```
public MediaCasterStreamItem getMediaCaster(String streamName)
```

Get media caster item based on given stream name

**Parameters:**

streamName - stream name

**Returns:**

media caster item

---

## getMediaCaster

```
public MediaCasterStreamItem getMediaCaster(String streamName,  
String liveStreamPacketizer,  
String liveStreamRepeater)
```

Get media caster item based on given stream name

**Parameters:**

streamName - stream name

liveStreamPacketizer - live stream packetizer name

liveStreamRepeater - live stream repeater name

**Returns:**

media caster item

---

## acquire

```
public MediaCasterStreamItem acquire(String streamName,  
String liveStreamPacketizer,  
String liveStreamRepeater)
```

Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away). Will load the media caster if not already loaded. Uses default application instance stream type.

**Parameters:**

streamName - stream name

liveStreamPacketizer - live stream packetizer name

liveStreamRepeater - live stream repeater name

**Returns:**

media caster item

---

## acquire

```
public MediaCasterStreamItem acquire(String streamName)
```

Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away). Will load the media caster if not already loaded. Uses default application instance stream type.

(continued from last page)

**Parameters:**

streamName - stream name

**Returns:**

media caster item

---

## acquire

```
public MediaCasterStreamItem acquire(String inStreamName,  
    MediaCasterItem mediaCasterDef)
```

Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away). Will load the media caster if not already loaded. This API allow loading of a MediaCaster into a non-MediaCaster stream type such as the "live" or "liverepeater-origin" stream type.

**Parameters:**

inStreamName - stream name

mediaCasterDef - MediaCaster definition

**Returns:**

media caster item

---

## acquire

```
public MediaCasterStreamItem acquire(String inStreamName,  
    String liveStreamPacketizer,  
    String liveStreamRepeater,  
    MediaCasterItem mediaCasterDef)
```

Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away). Will load the media caster if not already loaded. This API allow loading of a MediaCaster into a non-MediaCaster stream type such as the "live" or "liverepeater-origin" stream type.

**Parameters:**

inStreamName - stream name

liveStreamPacketizer - live stream packetizer name

liveStreamRepeater - live stream repeater name

mediaCasterDef - MediaCaster definition

**Returns:**

media caster item

---

## acquireAndRelease

```
public MediaCasterStreamItem acquireAndRelease(String inStreamName,  
    String liveStreamPacketizer,  
    String liveStreamRepeater,  
    MediaCasterItem mediaCasterDef)
```

Increment and then decrement the lock count for a media caster item (so that it is loaded and will stay loaded for at least the KeepAliveTime). Will load the media caster if not already loaded. This API allow loading of a MediaCaster into a non-MediaCaster stream type such as the "live" or "liverepeater-origin" stream type.

**Parameters:**

inStreamName - stream name

liveStreamPacketizer - live stream packetizer name

liveStreamRepeater - live stream repeater name

mediaCasterDef - MediaCaster definition

**Returns:**

(continued from last page)

media caster item

---

## acquire

```
public MediaCasterStreamItem acquire(String inStreamName,  
    String streamType)
```

Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away). Will load the media caster if not already loaded.

**Parameters:**

inStreamName - stream name

streamType - stream type to use (null will use default application streamType)

**Returns:**

media caster item

---

## acquire

```
public MediaCasterStreamItem acquire(String inStreamName,  
    String liveStreamPacketizer,  
    String liveStreamRepeater,  
    String streamType)
```

Increment the lock count for a media caster item (so that it remains loaded even if all listeners go away). Will load the media caster if not already loaded.

**Parameters:**

inStreamName - stream name

liveStreamPacketizer - live stream packetizer name

liveStreamRepeater - live stream repeater name

streamType - stream type to use (null will use default application streamType)

**Returns:**

media caster item

---

## release

```
public void release(MediaCasterStreamItem mediaCasterStreamItem)
```

Decrement lock count on media caster item

**Parameters:**

mediaCasterStreamItem - media caster item to decrement

---

## release

```
public void release(MediaCasterStreamItem mediaCasterStreamItem,  
    boolean removeIfZero)
```

---

## remove

```
public void remove(MediaCasterStreamItem mediaCasterStreamItem)
```

---



(continued from last page)

---

## streamSrcToMediaCaster

```
public String streamSrcToMediaCaster(long streamSrc)
```

---

## addStreamSrcToMediaCaster

```
public void addStreamSrcToMediaCaster(long streamSrc,  
    String mediaCasterId)
```

---

## clearStreamSrcToMediaCaster

```
public void clearStreamSrcToMediaCaster(long streamSrc)
```

---

## registerPlayer

```
public void registerPlayer(IMediaStreamPlay player,  
    MediaCasterItem mediaCasterDef)
```

Register a player to a media caster item (internal use)

**Parameters:**

player - player to register

mediaCasterDef - media caster definition

---

## unregisterPlayer

```
public void unregisterPlayer(IMediaStreamPlay player,  
    MediaCasterItem mediaCasterDef)
```

Unregister a player to a media caster item (internal use)

**Parameters:**


player - player to unregister

mediaCasterDef - media caster definition

---

## com.wowza.wms.mediacaster Class ModuleMediaCaster

java.lang.Object



All Implemented Interfaces:

[IModuleOnApp](#)

public class **ModuleMediaCaster**  
 extends [ModuleBase](#)  
 implements [IModuleOnApp](#)

ModuleMediaCaster: Module for manipulating media casters through a Flash UI.

### Fields inherited from class [com.wowza.wms.module.ModuleBase](#)

[CALLBACK\\_PARAM1](#), [CALLBACK\\_PARAM10](#), [CALLBACK\\_PARAM2](#), [CALLBACK\\_PARAM3](#), [CALLBACK\\_PARAM4](#),  
[CALLBACK\\_PARAM5](#), [CALLBACK\\_PARAM6](#), [CALLBACK\\_PARAM7](#), [CALLBACK\\_PARAM8](#), [CALLBACK\\_PARAM9](#), [PARAM1](#),  
[PARAM10](#), [PARAM2](#), [PARAM3](#), [PARAM4](#), [PARAM5](#), [PARAM6](#), [PARAM7](#), [PARAM8](#), [PARAM9](#), [PARAMMETHODNAME](#),  
[PLAYTRANSITION\\_APPEND](#), [PLAYTRANSITION\\_APPEND\\_IMMEDIATE](#), [PLAYTRANSITION\\_RESET](#),  
[PLAYTRANSITION\\_RESET\\_IMMEDIATE](#), [PLAYTRANSITION\\_STOP](#), [PLAYTRANSITION\\_SWAP](#),  
[PLAYTRANSITION\\_SWITCH](#), [PLAYTRANSITION\\_UNKNOWN](#), [PLAYTRANSITIONSTR\\_APPEND](#),  
[PLAYTRANSITIONSTR\\_RESET](#), [PLAYTRANSITIONSTR\\_STOP](#), [PLAYTRANSITIONSTR\\_SWAP](#),  
[PLAYTRANSITIONSTR\\_SWITCH](#), [PLAYTRANSITIONSTR\\_UNKNOWN](#)

### Constructor Summary

public	<a href="#">ModuleMediaCaster</a> ()
--------	--------------------------------------

### Method Summary

void	<a href="#">acquireMediaCaster</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Increment the lock count of a media caster stream.
void	<a href="#">getLockCount</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the current lock count for a stream
void	<a href="#">getPlayerCount</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the numbers of players associated with a particular media caster
void	<a href="#">getStreamNames</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get an array of stream names that are media casters associate with this application instance (returned as AMFDataArray)
void	<a href="#">onAppStart</a> ( <a href="#">IApplicationInstance</a> appInstance) onAppStart

void	<a href="#">onAppStop</a> ( <a href="#">IApplicationInstance</a> appInstance) onAppStop
void	<a href="#">releaseMediaCaster</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Decrement the lock count of a media caster stream
void	<a href="#">resetStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Reset a media caster stream
void	<a href="#">shutdownStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Force shutdown a media caster stream

#### Methods inherited from class [com.wowza.wms.module.ModuleBase](#)

[getAppInstance](#), [getApplication](#), [getCallbackParamCount](#), [getLogger](#), [getParam](#), [getParamBoolean](#), [getParamBoolean](#), [getParamCount](#), [getParamDate](#), [getParamDouble](#), [getParamDouble](#), [getParamInt](#), [getParamInt](#), [getParamLong](#), [getParamLong](#), [getParamMixedArray](#), [getParamObj](#), [getParamString](#), [getParamString](#), [getParamType](#), [getStream](#), [getVHost](#), [invokePrevious](#), [invokePrevious](#), [isSendResult](#), [sendClientOnStatusError](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendStreamOnStatusError](#)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

#### Methods inherited from interface [com.wowza.wms.module.IModuleOnApp](#)

[onAppStart](#), [onAppStop](#)

## Constructors

### ModuleMediaCaster

```
public ModuleMediaCaster()
```

## Methods

### onAppStart

```
public void onAppStart(IApplicationInstance appInstance)
```

onAppStart

### onAppStop

```
public void onAppStop(IApplicationInstance appInstance)
```

onAppStop

## getLockCount

```
public void getLockCount(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the current lock count for a stream

**Parameters:**

client - client  
function - function  
params - {streamName}

---

## getPlayerCount

```
public void getPlayerCount(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the numbers of players associated with a particular media caster

**Parameters:**

client - client  
function - function  
params - {streamName}

---

## getStreamNames

```
public void getStreamNames(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get an array of stream names that are media casters associate with this application instance (returned as AMFDataArray)

**Parameters:**

client - client  
function - function  
params - (no params)

---

## resetStream

```
public void resetStream(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Reset a media caster stream

**Parameters:**

client - client  
function - function  
params - {streamName}

---

## shutdownStream

```
public void shutdownStream(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Force shutdown a media caster stream

---

(continued from last page)

**Parameters:**

client - client  
function - function  
params - {streamName}

---

**acquireMediaCaster**

```
public void acquireMediaCaster(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Increment the lock count of a media caster stream. If the media caster does not exists create it and connect.

**Parameters:**

client - client  
function - function  
params - {streamName, streamType [optional]}

---

**releaseMediaCaster**

```
public void releaseMediaCaster(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Decrement the lock count of a media caster stream

**Parameters:**

client - client  
function - function  
params - {streamName}

---

Package

**com.wowza.wms.mediacaster.rtp**

## com.wowza.wms.mediacaster.rtp Interface IRTPSessionDescriptionDataProvider

public interface **IRTPSessionDescriptionDataProvider**  
extends

IRTPSessionDescriptionDataProvider: Internal use.

### Method Summary

boolean	<a href="#">doIdle</a> (MediaCaster mediaCaster)
RTPSessionDescription Data	<a href="#">getSessionDescriptionData</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, int retryCount, <a href="#">IRTPSessionDescriptionSessionHandler</a> handler, <a href="#">IMediaCaster</a> mediaCaster)
void	<a href="#">init</a> (MediaCaster mediaCaster)
void	<a href="#">sessionStart</a> ( <a href="#">RTPSession</a> rtpSession)
void	<a href="#">sessionStop</a> ( <a href="#">RTPSession</a> rtpSession)

### Methods

#### **init**

```
public void init(MediaCaster mediaCaster)
```

#### **getSessionDescriptionData**

```
public RTPSessionDescriptionData getSessionDescriptionData(IApplicationInstance appInstance,  
    String streamName,  
    int retryCount,  
    IRTPSessionDescriptionSessionHandler handler,  
    IMediaCaster mediaCaster)
```

#### **sessionStart**

```
public void sessionStart(RTPSession rtpSession)
```

#### **sessionStop**

```
public void sessionStop(RTPSession rtpSession)
```

(continued from last page)

---

## **doIdle**

```
public boolean doIdle(MediaCaster mediaCaster)
```



---

## com.wowza.wms.mediacaster.rtp Interface IRTPSessionDescriptionSessionHandler

---

public interface **IRTPSessionDescriptionSessionHandler**  
extends

IRTPSessionDescriptionSessionHandler: Internal use.

---

### Method Summary

void	<a href="#">onDisconnect()</a>
------	--------------------------------

---

### Methods

#### **onDisconnect**

public void **onDisconnect()**

---

Package

**com.wowza.wms.mediacaster.shoutcast**

## com.wowza.wms.mediacaster.shoutcast Interface IShoutCastFrameReceiver

public interface **IShoutCastFrameReceiver**  
extends

IShoutCastFrameReceiver: Internal use.

### Method Summary

void	<a href="#">onCodecConfigAAC</a> (com.wowza.wms.media.aac.AACFrame frame, byte[] buffer, long offset)
void	<a href="#">onFrameAAC</a> (com.wowza.wms.media.aac.AACFrame frame, byte[] buffer, long offset)
void	<a href="#">onFrameMP3</a> (int frequency, int samplesPerFrame, int channels, byte[] syncHeader, byte[] packetHeader, byte[] frameData)
void	<a href="#">onHeaderData</a> (java.util.Map headerMap)
void	<a href="#">onMetaData</a> (java.util.Map metaMap)
void	<a href="#">onTrim</a> ()

### Methods

#### onFrameMP3

```
public void onFrameMP3(int frequency,
    int samplesPerFrame,
    int channels,
    byte[] syncHeader,
    byte[] packetHeader,
    byte[] frameData)
```

#### onCodecConfigAAC

```
public void onCodecConfigAAC(com.wowza.wms.media.aac.AACFrame frame,
    byte[] buffer,
    long offset)
```

#### onFrameAAC

```
public void onFrameAAC(com.wowza.wms.media.aac.AACFrame frame,
    byte[] buffer,
    long offset)
```

(continued from last page)

---

## **onTrim**

```
public void onTrim()
```

---

## **onHeaderData**

```
public void onHeaderData(java.util.Map headerMap)
```

---

## **onMetaData**

```
public void onMetaData(java.util.Map metaMap)
```

---

## com.wowza.wms.mediacaster.shoutcast Interface IShoutCastMetaDataListener

---

public interface **IShoutCastMetaDataListener**  
extends

IShoutCastMetaDataListener: Internal use.

---

### Method Summary

void	<a href="#">addMetaDataListener</a> ( <a href="#">IShoutCastMetaDataNotify</a> listener)
boolean	<a href="#">removeMetaDataListener</a> ( <a href="#">IShoutCastMetaDataNotify</a> listener)

---

### Methods

#### **addMetaDataListener**

public void **addMetaDataListener**([IShoutCastMetaDataNotify](#) listener)

---

#### **removeMetaDataListener**

public boolean **removeMetaDataListener**([IShoutCastMetaDataNotify](#) listener)

## com.wowza.wms.mediacaster.shoutcast Interface IShoutCastMetaDataNotify

public interface **IShoutCastMetaDataNotify**  
extends

IShoutCastMetaDataNotify: Internal use.

### Method Summary

void	<a href="#">onAACEncodeInfo</a> ( <a href="#">IMediaCaster</a> mediaCaster, int frequency, int channels, int samplesPerFrame)
void	<a href="#">onHeaderData</a> ( <a href="#">IMediaCaster</a> mediaCaster, java.util.Map headerMap)
void	<a href="#">onMetaData</a> ( <a href="#">IMediaCaster</a> mediaCaster, java.util.Map metaMap)
void	<a href="#">onMP3EncodeInfo</a> ( <a href="#">IMediaCaster</a> mediaCaster, int frequency, int channels, int samplesPerFrame)

### Methods

#### onHeaderData

```
public void onHeaderData(IMediaCaster mediaCaster,  
    java.util.Map headerMap)
```

#### onMetaData

```
public void onMetaData(IMediaCaster mediaCaster,  
    java.util.Map metaMap)
```

#### onAACEncodeInfo

```
public void onAACEncodeInfo(IMediaCaster mediaCaster,  
    int frequency,  
    int channels,  
    int samplesPerFrame)
```

#### onMP3EncodeInfo

```
public void onMP3EncodeInfo(IMediaCaster mediaCaster,  
    int frequency,  
    int channels,  
    int samplesPerFrame)
```

(continued from last page)

---

Package

**com.wowza.wms.medialist**



## com.wowza.wms.medialist Class MediaList

java.lang.Object

└─com.wowza.wms.medialist.MediaList

public class **MediaList**  
extends Object

### Field Summary

protected	<a href="#">lock</a>
protected	<a href="#">name</a>
protected	<a href="#">properties</a>
protected	<a href="#">segments</a>

### Constructor Summary

public	<a href="#">MediaList()</a>
--------	-----------------------------

### Method Summary

void	<a href="#">addSegment</a> (int index, <a href="#">MediaListSegment</a> mediaListSegment)
void	<a href="#">addSegment</a> ( <a href="#">MediaListSegment</a> mediaListSegment)
void	<a href="#">clearSegments</a> ()
<a href="#">MediaListSegment</a>	<a href="#">getFirstSegment</a> ()
Object	<a href="#">getLock</a> ()
String	<a href="#">getName</a> ()
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> ()
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> (boolean write)
java.util.List	<a href="#">getSegment</a> ()
<a href="#">MediaListSegment</a>	<a href="#">getSegment</a> (int index)

<a href="#">MediaListSegment</a>	<a href="#">removeSegment</a> (int index)
void	<a href="#">removeSegment</a> ( <a href="#">MediaListSegment</a> mediaListSegment)
void	<a href="#">reset</a> ()
void	<a href="#">setName</a> (String name)
String	<a href="#">toSMILString</a> ()
String	<a href="#">toString</a> ()

**Methods inherited from class** `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Fields

**name**

protected `java.lang.String` **name**

**segments**

protected `java.util.List` **segments**

**properties**

protected `com.wowza.wms.application.WMSProperties` **properties**

**lock**

protected `java.lang.Object` **lock**

## Constructors

**MediaList**

public **MediaList**()

## Methods

(continued from last page)

---

**toString**

```
public String toString()
```

---

**toSMILString**

```
public String toSMILString()
```

---

**reset**

```
public void reset()
```

---

**getSegment**

```
public java.util.List getSegment()
```

---

**addSegment**

```
public void addSegment(MediaListSegment mediaListSegment)
```

---

**addSegment**

```
public void addSegment(int index,  
    MediaListSegment mediaListSegment)
```

---

**removeSegment**

```
public void removeSegment(MediaListSegment mediaListSegment)
```

---

**removeSegment**

```
public MediaListSegment removeSegment(int index)
```

---

**clearSegments**

```
public void clearSegments()
```

---

(continued from last page)

---

## getFirstSegment

```
public MediaListSegment getFirstSegment()
```

---

## getSegment

```
public MediaListSegment getSegment(int index)
```

---

## getLock

```
public Object getLock()
```

---

## getProperties

```
public WMSPProperties getProperties()
```

---

## getProperties

```
public WMSPProperties getProperties(boolean write)
```

---

## getName

```
public String getName()
```

---

## setName

```
public void setName(String name)
```

---

com.wowza.wms.medialist

Class MediaListRendition

java.lang.Object

└-com.wowza.wms.medialist.MediaListRendition

public class **MediaListRendition**  
extends Object

Field Summary	
protected	<a href="#">audioCodecId</a>
protected	<a href="#">bitrateAudio</a>
protected	<a href="#">bitrateTotal</a>
protected	<a href="#">bitrateVideo</a>
protected	<a href="#">height</a>
protected	<a href="#">lock</a>
protected	<a href="#">mediaListSegment</a>
protected	<a href="#">name</a>
protected	<a href="#">playDuration</a>
protected	<a href="#">playStart</a>
protected	<a href="#">properties</a>
protected	<a href="#">type</a>
protected	<a href="#">videoCodecId</a>
protected	<a href="#">width</a>
protected	<a href="#">wowzaAudioOnly</a>
Constructor Summary	
public	<a href="#">MediaListRendition()</a>

## Method Summary

String	<a href="#"><u>getAudioCodecId()</u></a>
int	<a href="#"><u>getBitrateAudio()</u></a>
int	<a href="#"><u>getBitrateTotal()</u></a>
int	<a href="#"><u>getBitrateVideo()</u></a>
String	<a href="#"><u>getCodecId()</u></a>
int	<a href="#"><u>getHeight()</u></a>
Object	<a href="#"><u>getLock()</u></a>
<a href="#"><u>MediaListSegment</u></a>	<a href="#"><u>getMediaListSegment()</u></a>
String	<a href="#"><u>getName()</u></a>
long	<a href="#"><u>getPlayDuration()</u></a>
long	<a href="#"><u>getPlayStart()</u></a>
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties()</u></a>
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties</u></a> (boolean write)
int[]	<a href="#"><u>getSize()</u></a>
int	<a href="#"><u>getType()</u></a>
String	<a href="#"><u>getTypeAsString()</u></a>
String	<a href="#"><u>getVideoCodecId()</u></a>
int	<a href="#"><u>getWidth()</u></a>
boolean	<a href="#"><u>isWowzaAudioOnly()</u></a>
void	<a href="#"><u>setAudioCodecId</u></a> (String audioCodecId)
void	<a href="#"><u>setBitrateAudio</u></a> (int bitrateAudio)
void	<a href="#"><u>setBitrateTotal</u></a> (int bitrateTotal)
void	<a href="#"><u>setBitrateVideo</u></a> (int bitrateVideo)

void	<a href="#">setHeight</a> (int height)
void	<a href="#">setLock</a> (Object lock)
void	<a href="#">setMediaListSegment</a> ( <a href="#">MediaListSegment</a> mediaListSegment)
void	<a href="#">setName</a> (String name)
void	<a href="#">setPlayDuration</a> (long playDuration)
void	<a href="#">setPlayStart</a> (long playStart)
void	<a href="#">setSize</a> (int width, int height)
void	<a href="#">setType</a> (int type)
void	<a href="#">setVideoCodecId</a> (String videoCodecId)
void	<a href="#">setWidth</a> (int width)
void	<a href="#">setWowzaAudioOnly</a> (boolean wowzaAudioOnly)
String	<a href="#">toSMILString</a> ()
String	<a href="#">toString</a> ()

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### lock

protected java.lang.Object **lock**

### mediaListSegment

protected com.wowza.wms.medialist.MediaListSegment **mediaListSegment**

### properties

protected com.wowza.wms.application.WMSProperties **properties**

---

**name**

protected java.lang.String **name**

---

**type**

protected int **type**

---

**bitrateTotal**

protected int **bitrateTotal**

---

**bitrateAudio**

protected int **bitrateAudio**

---

**bitrateVideo**

protected int **bitrateVideo**

---

**videoCodecId**

protected java.lang.String **videoCodecId**

---

**audioCodecId**

protected java.lang.String **audioCodecId**

---

**wowzaAudioOnly**

protected boolean **wowzaAudioOnly**

---

**width**

protected int **width**

---

**height**

protected int **height**

---



(continued from last page)

---

## playStart

protected long **playStart**

---

---

## playDuration

protected long **playDuration**

---

## Constructors

### MediaListRendition

public **MediaListRendition**()

## Methods

### toString

public String **toString**()

---

### toSMILString

public String **toSMILString**()

---

### getTypeAsString

public String **getTypeAsString**()

---

### getLock

public Object **getLock**()

---

### setLock

public void **setLock**(Object lock)

---

### getMediaListSegment

public [MediaListSegment](#) **getMediaListSegment**()

---

(continued from last page)

---

## setMediaListSegment

```
public void setMediaListSegment(MediaListSegment mediaListSegment)
```

---

## getProperties

```
public WMSProperties getProperties()
```

---

## getProperties

```
public WMSProperties getProperties(boolean write)
```

---

## getBitrateTotal

```
public int getBitrateTotal()
```

---

## setBitrateTotal

```
public void setBitrateTotal(int bitrateTotal)
```

---

## getBitrateAudio

```
public int getBitrateAudio()
```

---

## setBitrateAudio

```
public void setBitrateAudio(int bitrateAudio)
```

---

## getBitrateVideo

```
public int getBitrateVideo()
```

---

## setBitrateVideo

```
public void setBitrateVideo(int bitrateVideo)
```

---

(continued from last page)

## getVideoCodecId

```
public String getVideoCodecId()
```

---

## setVideoCodecId

```
public void setVideoCodecId(String videoCodecId)
```

---

## getCodecId

```
public String getCodecId()
```

---

## getAudioCodecId

```
public String getAudioCodecId()
```

---

## setAudioCodecId

```
public void setAudioCodecId(String audioCodecId)
```

---

## isWowzaAudioOnly

```
public boolean isWowzaAudioOnly()
```

---

## setWowzaAudioOnly

```
public void setWowzaAudioOnly(boolean wowzaAudioOnly)
```

---

## getName

```
public String getName()
```

---

## setName

```
public void setName(String name)
```

---

## getType

```
public int getType()
```

---

(continued from last page)

---

### setType

```
public void setType(int type)
```

---

### getWidth

```
public int getWidth()
```

---

### setWidth

```
public void setWidth(int width)
```

---

### getHeight

```
public int getHeight()
```

---

### setHeight

```
public void setHeight(int height)
```

---

### setSize

```
public void setSize(int width,  
                    int height)
```

---

### getSize

```
public int[] getSize()
```

---

### getPlayStart

```
public long getPlayStart()
```

---

### setPlayStart

```
public void setPlayStart(long playStart)
```

---

(continued from last page)

## **getPlayDuration**

```
public long getPlayDuration()
```

---

## **setPlayDuration**

```
public void setPlayDuration(long playDuration)
```

## com.wowza.wms.medialist

### Class MediaListSegment

java.lang.Object

└─com.wowza.wms.medialist.MediaListSegment

public class **MediaListSegment**  
extends Object

#### Field Summary

protected	<a href="#">lock</a>
protected	<a href="#">mediaList</a>
protected	<a href="#">properties</a>
protected	<a href="#">renditions</a>

#### Constructor Summary

public	<a href="#">MediaListSegment()</a>
--------	------------------------------------

#### Method Summary

void	<a href="#">addRendition</a> (int index, <a href="#">MediaListRendition</a> mediaListRendition)
void	<a href="#">addRendition</a> ( <a href="#">MediaListRendition</a> mediaListRendition)
void	<a href="#">clearSegments</a> ()
<a href="#">MediaListRendition</a>	<a href="#">getFirstRendition</a> ()
Object	<a href="#">getLock</a> ()
<a href="#">MediaList</a>	<a href="#">getMediaList</a> ()
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> ()
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> (boolean write)
<a href="#">MediaListRendition</a>	<a href="#">getRendition</a> (int index)
java.util.List	<a href="#">getRenditions</a> ()

<a href="#">MediaListRendition</a>	<a href="#">removeRendition</a> (int index)
void	<a href="#">removeRendition</a> ( <a href="#">MediaListRendition</a> mediaListRendition)
void	<a href="#">setLock</a> (Object lock)
void	<a href="#">setMediaList</a> ( <a href="#">MediaList</a> mediaList)
String	<a href="#">toSMILString</a> ()
String	<a href="#">toString</a> ()

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### lock

protected java.lang.Object **lock**

### mediaList

protected com.wowza.wms.medialist.MediaList **mediaList**

### renditions

protected java.util.List **renditions**

### properties

protected com.wowza.wms.application.WMSProperties **properties**

## Constructors

### MediaListSegment

public **MediaListSegment**()

## Methods

(continued from last page)

---

## toString

```
public String toString()
```

---

## toSMILString

```
public String toSMILString()
```

---

## getRenditions

```
public java.util.List getRenditions()
```

---

## addRendition

```
public void addRendition(MediaListRendition mediaListRendition)
```

---

## addRendition

```
public void addRendition(int index,  
    MediaListRendition mediaListRendition)
```

---

## removeRendition

```
public void removeRendition(MediaListRendition mediaListRendition)
```

---

## removeRendition

```
public MediaListRendition removeRendition(int index)
```

---

## clearSegments

```
public void clearSegments()
```

---

## getFirstRendition

```
public MediaListRendition getFirstRendition()
```

---



(continued from last page)

## getRendition

```
public MediaListRendition getRendition(int index)
```

---

## getLock

```
public Object getLock()
```

---

## setLock

```
public void setLock(Object lock)
```

---

## getMediaList

```
public MediaList getMediaList()
```

---

## setMediaList

```
public void setMediaList(MediaList mediaList)
```

---

## getProperties

```
public WMSProperties getProperties()
```

---

## getProperties

```
public WMSProperties getProperties(boolean write)
```

---

Package

**com.wowza.wms.module**

## com.wowza.wms.module Interface IModuleCallResult

public interface **IModuleCallResult**  
extends

IModuleCallResult: callback interface used by IClient call.

### Method Summary

void	<code>onResult(<a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params)</code> Triggered on client side result from call to IClient.call
------	--

### Methods

#### onResult

```
public void onResult(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Triggered on client side result from call to IClient.call

#### Parameters:

client - client  
function - function object  
params - result parameters

## com.wowza.wms.module Interface IModuleNotify

public interface **IModuleNotify**  
extends

IModuleNotify: listener interface for listening to module loading and unloading. See  
IApplicationInstance.addModuleListener(IModuleNotify moduleListener)

### Method Summary

void	<a href="#"><u>onModuleLoad</u></a> (ModuleItem item) Called when module loaded
void	<a href="#"><u>onModuleUnload</u></a> (ModuleItem item) Called when module unloaded

### Methods

#### onModuleLoad

public void **onModuleLoad**(ModuleItem item)

Called when module loaded

**Parameters:**

item - module

#### onModuleUnload

public void **onModuleUnload**(ModuleItem item)

Called when module unloaded

**Parameters:**

item - module

## com.wowza.wms.module Interface IModuleOnApp

All Known Implementing Classes:  
[ModuleMediaCaster](#)

public interface **IModuleOnApp**  
extends

IModuleCallResult: method interface examples for application level methods in a module.

Since module method must be implemented as static method a module cannot directly implements this interface. This interface only serves as an example of the method names and call signature needed to implement these application methods.

### Method Summary

void	<a href="#">onAppStart</a> ( <a href="#">IApplicationInstance</a> appInstance) Invoked when an application instance is started.
void	<a href="#">onAppStop</a> ( <a href="#">IApplicationInstance</a> appInstance) Invoked when an application instance is stopped (destroyed).

### Methods

#### onAppStart

public void **onAppStart**([IApplicationInstance](#) appInstance)

Invoked when an application instance is started.

**Parameters:**

appInstance - application instance

#### onAppStop

public void **onAppStop**([IApplicationInstance](#) appInstance)

Invoked when an application instance is stopped (destroyed).

**Parameters:**

appInstance - application instance

## com.wowza.wms.module Interface IModuleOnCall

public interface **IModuleOnCall**  
extends

IModuleOnCall: method interface example for the catch-all method handler onCall.

Since module method must be implemented as static method a module cannot directly implements this interface. This interface only serves as an example of the method name and call signature needed to implement this method. The onCall method, when defined in a module, is invoked for all handlers that are undefined in a given module. The onCall handler can also be used to catch calls to server side component calls.

### Method Summary

void

[onCall](#)(String handlerName, [IClient](#) client,  
com.wowza.wms.request.RequestFunction function, [AMFDataList](#) params)  
Catch-all method handler.

### Methods

#### onCall

```
public void onCall(String handlerName,  
    IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Catch-all method handler. The onCall method, when defined in a module, is invoked for all handlers that are undefined in a given module.

##### Parameters:

handlerName - handler name  
client - client  
function - function object  
params - function parameters

## com.wowza.wms.module Interface IModuleOnConnect

public interface **IModuleOnConnect**  
extends

IModuleOnConnect: method interface examples for client level methods in a module.

Since module method must be implemented as static method a module cannot directly implements this interface. This interface only serves as an example of the method names and call signature needed to implement these client methods.

### Method Summary

void	<a href="#"><code>onConnect</code></a> ( <a href="#"><code>IClient</code></a> client, com.wowza.wms.request.RequestFunction function, <a href="#"><code>AMFDataList</code></a> params) Invoked when a client connection is initiated.
void	<a href="#"><code>onConnectAccept</code></a> ( <a href="#"><code>IClient</code></a> client) Invoked when a client connection is accepted.
void	<a href="#"><code>onConnectReject</code></a> ( <a href="#"><code>IClient</code></a> client) Invoked when a client connection is rejected.
void	<a href="#"><code>onDisconnect</code></a> ( <a href="#"><code>IClient</code></a> client) Invoked when a client disconnects.

### Methods

#### **onConnect**

```
public void onConnect(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Invoked when a client connection is initiated. It is within this method that module can call to client.acceptConnection or client.rejectConnection.

**Parameters:**

client - client  
function - function object  
params - function parameters

#### **onDisconnect**

```
public void onDisconnect(IClient client)
```

Invoked when a client disconnects.

**Parameters:**

client - client

(continued from last page)

## onConnectAccept

```
public void onConnectAccept(IClient client)
```

Invoked when a client connection is accepted.

**Parameters:**

client - client

---

## onConnectReject

```
public void onConnectReject(IClient client)
```

Invoked when a client connection is rejected.

**Parameters:**

client - client

---



## com.wowza.wms.module Interface IModuleOnHTTPCupertinoEncryption

public interface **IModuleOnHTTPCupertinoEncryption**  
extends

IModuleOnHTTPCupertinoEncryption: listener interface for listening to AES-128 encryption events.

### Field Summary

public static final	<a href="#"><u>KEYDATA_MODE_ENCRYPT</u></a> Value: <b>3</b>
public static final	<a href="#"><u>KEYDATA_MODE_INIT</u></a> Value: <b>1</b>
public static final	<a href="#"><u>KEYDATA_MODE_PLAYLIST</u></a> Value: <b>2</b>

### Method Summary

void	<a href="#"><u>onHTTPCupertinoEncryptionKeyCreateLive</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance, String streamName, byte[] encKey) Called when live stream key is requested (per-published stream)
void	<a href="#"><u>onHTTPCupertinoEncryptionKeyCreateVOD</u></a> ( <a href="#"><u>HTTPStreamerSessionCupertino</u></a> httpSession, byte[] encKey) Called when video on demand key is requested (per-session)
void	<a href="#"><u>onHTTPCupertinoEncryptionKeyData</u></a> ( <a href="#"><u>HTTPStreamerSessionCupertino</u></a> httpSession, <a href="#"><u>IHTTPRequest</u></a> req, <a href="#"><u>IHTTPResponse</u></a> resp, byte[] encKeyData) Called when a key data is requested.
void	<a href="#"><u>onHTTPCupertinoEncryptionKeyLiveChunk</u></a> ( <a href="#"><u>ILiveStreamPacketizer</u></a> liveStreamPacketizer, String streamName, <a href="#"><u>CupertinoEncInfo</u></a> encInfo, long chunkId, int mode) Called when live stream key is requested (per-published stream, per-chunk - for rotating keys)
void	<a href="#"><u>onHTTPCupertinoEncryptionKeyRequest</u></a> ( <a href="#"><u>HTTPStreamerSessionCupertino</u></a> httpSession, <a href="#"><u>IHTTPRequest</u></a> req, <a href="#"><u>IHTTPResponse</u></a> resp) Called when a key is requested.
void	<a href="#"><u>onHTTPCupertinoEncryptionKeyVODChunk</u></a> ( <a href="#"><u>HTTPStreamerSessionCupertino</u></a> httpSession, <a href="#"><u>IHTTPStreamerCupertinoIndex</u></a> index, <a href="#"><u>CupertinoEncInfo</u></a> encInfo, long chunkId, int mode) Called when video on demand key is requested (per-session).

### Fields

(continued from last page)

## KEYDATA\_MODE\_INIT

```
public static final int KEYDATA_MODE_INIT
```

Constant value: **1**

## KEYDATA\_MODE\_PLAYLIST

```
public static final int KEYDATA_MODE_PLAYLIST
```

Constant value: **2**

## KEYDATA\_MODE\_ENCRYPT

```
public static final int KEYDATA_MODE_ENCRYPT
```

Constant value: **3**

## Methods

### onHTTPCupertinoEncryptionKeyRequest

```
public void onHTTPCupertinoEncryptionKeyRequest(HTTPStreamerSessionCupertino
httpSession,
IHTTPRequest req,
IHTTPResponse resp)
```

Called when a key is requested. Call `httpSession.rejectSession` to reject the streaming session and stop delivery of the encryption key.

**Parameters:**

`httpSession` - HTTP session  
`req` - HTTP request  
`resp` - HTTP response

### onHTTPCupertinoEncryptionKeyData

```
public void onHTTPCupertinoEncryptionKeyData(HTTPStreamerSessionCupertino httpSession,
IHTTPRequest req,
IHTTPResponse resp,
byte[] encKeyData)
```

Called when a key data is requested. Set `encKeyData` to the key data to be sent to the client.

**Parameters:**

`httpSession` - HTTP session  
`req` - request  
`resp` - response  
`encKeyData` - key data

### onHTTPCupertinoEncryptionKeyCreateVOD

```
public void onHTTPCupertinoEncryptionKeyCreateVOD(HTTPStreamerSessionCupertino
httpSession,
byte[] encKey)
```

(continued from last page)

Called when video on demand key is requested (per-session)

**Parameters:**

httpSession - HTTP session  
encKey - encryption key

---

## onHTTPCupertinoEncryptionKeyVODChunk

```
public void onHTTPCupertinoEncryptionKeyVODChunk(HTTPStreamerSessionCupertino
httpSession,
    IHTTPStreamerCupertinoIndex index,
    CupertinoEncInfo encInfo,
    long chunkId,
    int mode)
```

Called when video on demand key is requested (per-session). Allows setting of encryption key and URL.

**Parameters:**

httpSession - HTTP session  
index - file index  
encInfo - encryption key  
mode - KEYDATA\_MODE\_\*

---

## onHTTPCupertinoEncryptionKeyCreateLive

```
public void onHTTPCupertinoEncryptionKeyCreateLive(IApplicationInstance appInstance,
    String streamName,
    byte[] encKey)
```

Called when live stream key is requested (per-published stream)

**Parameters:**

appInstance - application instance  
streamName - stream name  
encKey - encryption key

---

## onHTTPCupertinoEncryptionKeyLiveChunk

```
public void onHTTPCupertinoEncryptionKeyLiveChunk(ILiveStreamPacketizer
liveStreamPacketizer,
    String streamName,
    CupertinoEncInfo encInfo,
    long chunkId,
    int mode)
```

Called when live stream key is requested (per-published stream, per-chunk - for rotating keys)

**Parameters:**

liveStreamPacketizer - live stream packetizer  
streamName - stream name  
encInfo - encryption info  
chunkId - chunk ID, -1 for stream creation  
mode - KEYDATA\_MODE\_\*

## com.wowza.wms.module Interface IModuleOnHTTPCupertinoStreamingSession

public interface **IModuleOnHTTPCupertinoStreamingSession**  
extends

IModuleOnHTTPSession: method interface for HTTP Cupertino Streaming session create/destroy.

### Method Summary

void	<a href="#">onHTTPCupertinoStreamingSessionCreate</a> ( <a href="#">HTTPStreamerSessionCupertino</a> <a href="#">httpCupertinoStreamingSession</a> ) Invoked when an HTTP Cupertino Streaming session is created.
void	<a href="#">onHTTPCupertinoStreamingSessionDestroy</a> ( <a href="#">HTTPStreamerSessionCupertino</a> <a href="#">httpCupertinoStreamingSession</a> ) Invoked when an HTTP Cupertino Streaming session is destroyed.

### Methods

#### onHTTPCupertinoStreamingSessionCreate

public void **onHTTPCupertinoStreamingSessionCreate**([HTTPStreamerSessionCupertino](#) [httpCupertinoStreamingSession](#))

Invoked when an HTTP Cupertino Streaming session is created.

**Parameters:**

[httpCupertinoStreamingSession](#) - [httpCupertinoStreamingSession](#)

#### onHTTPCupertinoStreamingSessionDestroy

public void **onHTTPCupertinoStreamingSessionDestroy**([HTTPStreamerSessionCupertino](#) [httpCupertinoStreamingSession](#))

Invoked when an HTTP Cupertino Streaming session is destroyed.

**Parameters:**

[httpCupertinoStreamingSession](#) - [httpCupertinoStreamingSession](#)

com.wowza.wms.module

# Interface IModuleOnHTTPSanJoseStreamingSession

public interface IModuleOnHTTPSanJoseStreamingSession  
extends

IModuleOnHTTPSanJoseStreamingSession: method interface for HTTP SanJose Streaming session create/destroy.

Method Summary	
void	<a href="#">onHTTPSanJoseStreamingSessionCreate(HTTPStreamerSessionSanJose httpSanJoseStreamingSession)</a> Invoked when an HTTP SanJose Streaming session is created.
void	<a href="#">onHTTPSanJoseStreamingSessionDestroy(HTTPStreamerSessionSanJose httpSanJoseStreamingSession)</a> Invoked when an HTTP SanJose Streaming session is destroyed.

## Methods

### onHTTPSanJoseStreamingSessionCreate

public void **onHTTPSanJoseStreamingSessionCreate**([HTTPStreamerSessionSanJose httpSanJoseStreamingSession](#))

Invoked when an HTTP SanJose Streaming session is created.

**Parameters:**  
httpSanJoseStreamingSession - httpSanJoseStreamingSession

### onHTTPSanJoseStreamingSessionDestroy

public void **onHTTPSanJoseStreamingSessionDestroy**([HTTPStreamerSessionSanJose httpSanJoseStreamingSession](#))

Invoked when an HTTP SanJose Streaming session is destroyed.

**Parameters:**  
httpSanJoseStreamingSession - httpSanJoseStreamingSession

## com.wowza.wms.module Interface IModuleOnHTTPSession

public interface **IModuleOnHTTPSession**  
extends

IModuleOnHTTPSession: method interface for HTTP Streaming session create/destroy.

### Method Summary

void	<a href="#">onHTTPSessionCreate</a> ( <a href="#">IHTTPStreamerSession</a> httpSession) Invoked when an HTTP Session is created (both Smooth and Cupertino sessions).
void	<a href="#">onHTTPSessionDestroy</a> ( <a href="#">IHTTPStreamerSession</a> httpSession) Invoked when an HTTP Session is destroyed (both Smooth and Cupertino sessions).

### Methods

#### onHTTPSessionCreate

public void **onHTTPSessionCreate**([IHTTPStreamerSession](#) httpSession)

Invoked when an HTTP Session is created (both Smooth and Cupertino sessions).

**Parameters:**

httpSession - httpSession

#### onHTTPSessionDestroy

public void **onHTTPSessionDestroy**([IHTTPStreamerSession](#) httpSession)

Invoked when an HTTP Session is destroyed (both Smooth and Cupertino sessions).

**Parameters:**

httpSession - httpSession

## com.wowza.wms.module

# Interface IModuleOnHTTPSmoothStreamingPlayReady

public interface **IModuleOnHTTPSmoothStreamingPlayReady**  
extends

IModuleOnHTTPSmoothStreamingPlayReady: Still working on this...

## Method Summary

void	<a href="#">onHTTPSmoothStreamingPlayReadyCreateLive</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, com.wowza.wms.drm.playready.PlayReadyKeyInfo playReadyKeyInfo)
void	<a href="#">onHTTPSmoothStreamingPlayReadyCreateVOD</a> ( <a href="#">HTTPStreamerSessionSmoothStreamer</a> httpSession, com.wowza.wms.drm.playready.PlayReadyKeyInfo playReadyKeyInfo)

## Methods

### onHTTPSmoothStreamingPlayReadyCreateVOD

```
public void onHTTPSmoothStreamingPlayReadyCreateVOD(HTTPStreamerSessionSmoothStreamer
httpSession,
    com.wowza.wms.drm.playready.PlayReadyKeyInfo playReadyKeyInfo)
```

### onHTTPSmoothStreamingPlayReadyCreateLive

```
public void onHTTPSmoothStreamingPlayReadyCreateLive(IApplicationInstance appInstance,
    String streamName,
    com.wowza.wms.drm.playready.PlayReadyKeyInfo playReadyKeyInfo)
```

com.wowza.wms.module

# Interface IModuleOnHTTPSmoothStreamingSession

public interface IModuleOnHTTPSmoothStreamingSession  
extends

IModuleOnHTTPSession: method interface for HTTP Smooth Streaming session create/destroy.

Method Summary	
void	<a href="#">onHTTPSmoothStreamingSessionCreate</a> ( <a href="#">HTTPStreamerSessionSmoothStreamer</a> <a href="#">httpSmoothStreamingSession</a> ) Invoked when an HTTP Smooth Streaming session is created.
void	<a href="#">onHTTPSmoothStreamingSessionDestroy</a> ( <a href="#">HTTPStreamerSessionSmoothStreamer</a> <a href="#">httpSmoothStreamingSession</a> ) Invoked when an HTTP Smooth Streaming session is destroyed.

## Methods

### onHTTPSmoothStreamingSessionCreate

public void **onHTTPSmoothStreamingSessionCreate**([HTTPStreamerSessionSmoothStreamer](#) [httpSmoothStreamingSession](#))

Invoked when an HTTP Smooth Streaming session is created.

**Parameters:**

[httpSmoothStreamingSession](#) - [httpSmoothStreamingSession](#)

### onHTTPSmoothStreamingSessionDestroy

public void **onHTTPSmoothStreamingSessionDestroy**([HTTPStreamerSessionSmoothStreamer](#) [httpSmoothStreamingSession](#))

Invoked when an HTTP Smooth Streaming session is destroyed.

**Parameters:**

[httpSmoothStreamingSession](#) - [httpSmoothStreamingSession](#)



---

## com.wowza.wms.module Interface IModuleOnRTPSession

---

public interface **IModuleOnRTPSession**  
extends

IModuleOnRTPSession: method interface for RTP session create/destroy.

---

### Method Summary

void	<a href="#">onRTPSessionCreate(RTPSession rtpSession)</a> Invoked when an RTP Session is created.
void	<a href="#">onRTPSessionDestroy(RTPSession rtpSession)</a> Invoked when an RTP Session is destroyed.

---

### Methods

#### onRTPSessionCreate

public void **onRTPSessionCreate**([RTPSession](#) rtpSession)

Invoked when an RTP Session is created.

**Parameters:**

rtpSession - rtpSession

---

#### onRTPSessionDestroy

public void **onRTPSessionDestroy**([RTPSession](#) rtpSession)

Invoked when an RTP Session is destroyed.

**Parameters:**

rtpSession - rtpSession

## com.wowza.wms.module Interface IModuleOnStream

public interface **IModuleOnStream**  
extends

IModuleOnStream: method interface examples for stream level methods in a module.

### Method Summary

void	<a href="#">onStreamCreate</a> ( <a href="#">IMediaStream</a> stream) Invoked when a stream is created.
void	<a href="#">onStreamDestroy</a> ( <a href="#">IMediaStream</a> stream) Invoked when a stream is destroyed.

### Methods

#### onStreamCreate

public void **onStreamCreate**([IMediaStream](#) stream)

Invoked when a stream is created.

**Parameters:**

stream - stream object

#### onStreamDestroy

public void **onStreamDestroy**([IMediaStream](#) stream)

Invoked when a stream is destroyed.

**Parameters:**

stream - stream object

com.wowza.wms.module

# Interface IModulePingResult

public interface **IModulePingResult**  
extends

IModulePingResult: callback interface used by IClient ping.

Method Summary	
void	<a href="#">onResult</a> ( <a href="#">IClient</a> client, long pingTime, int pingId, boolean result) Triggered on client side result from call to IClient.ping.

## Methods

### onResult

```
public void onResult(IClient client,  
                    long pingTime,  
                    int pingId,  
                    boolean result)
```

Triggered on client side result from call to IClient.ping. This method will be called on a success or failure (ping timeout) of a ping.

**Parameters:**

- client - client
- pingTime - time in server time (milliseconds) when the ping was initiated
- pingId - internal server id for the ping request
- result - true is ping was successful false if failure (timeout)

## com.wowza.wms.module Class ModuleBase

java.lang.Object

└-com.wowza.wms.module.ModuleBase

Direct Known Subclasses:

[ModuleProperties](#), [ModuleMediaCasterStreamMonitorAdvanced](#), [ModuleFastPlay](#), [ModuleCore](#), [ModuleClientLogging](#),  
[ModuleMediaCaster](#)

public abstract class **ModuleBase**  
extends Object

ModuleBase: Base class that all server side modules should extend. Provides basic utility functionality for handling function parameters and return data. Also provides a simplified API for logging.

### Field Summary

public static final	<a href="#">CALLBACK_PARAM1</a> Callback param: param1 Value: <b>1</b>
public static final	<a href="#">CALLBACK_PARAM10</a> Callback param: param10 Value: <b>10</b>
public static final	<a href="#">CALLBACK_PARAM2</a> Callback param: param2 Value: <b>2</b>
public static final	<a href="#">CALLBACK_PARAM3</a> Callback param: param3 Value: <b>3</b>
public static final	<a href="#">CALLBACK_PARAM4</a> Callback param: param4 Value: <b>4</b>
public static final	<a href="#">CALLBACK_PARAM5</a> Callback param: param5 Value: <b>5</b>
public static final	<a href="#">CALLBACK_PARAM6</a> Callback param: param6 Value: <b>6</b>
public static final	<a href="#">CALLBACK_PARAM7</a> Callback param: param7 Value: <b>7</b>

public static final	<a href="#">CALLBACK_PARAM8</a> Callback param: param8 Value: <b>8</b>
public static final	<a href="#">CALLBACK_PARAM9</a> Callback param: param9 Value: <b>9</b>
public static final	<a href="#">PARAM1</a> Method param: param1 Value: <b>3</b>
public static final	<a href="#">PARAM10</a> Method param: param10 Value: <b>12</b>
public static final	<a href="#">PARAM2</a> Method param: param2 Value: <b>4</b>
public static final	<a href="#">PARAM3</a> Method param: param3 Value: <b>5</b>
public static final	<a href="#">PARAM4</a> Method param: param4 Value: <b>6</b>
public static final	<a href="#">PARAM5</a> Method param: param5 Value: <b>7</b>
public static final	<a href="#">PARAM6</a> Method param: param6 Value: <b>8</b>
public static final	<a href="#">PARAM7</a> Method param: param7 Value: <b>9</b>
public static final	<a href="#">PARAM8</a> Method param: param8 Value: <b>10</b>
public static final	<a href="#">PARAM9</a> Method param: param9 Value: <b>11</b>
public static final	<a href="#">PARAMMETHODNAME</a> Method: method name Value: <b>0</b>
public static final	<a href="#">PLAYTRANSITION_APPEND</a> Value: <b>0</b>

public static final	<a href="#"><u>PLAYTRANSITION_APPEND_IMMEDIATE</u></a> Value: <b>2</b>
public static final	<a href="#"><u>PLAYTRANSITION_RESET</u></a> Value: <b>1</b>
public static final	<a href="#"><u>PLAYTRANSITION_RESET_IMMEDIATE</u></a> Value: <b>3</b>
public static final	<a href="#"><u>PLAYTRANSITION_STOP</u></a> Value: <b>10</b>
public static final	<a href="#"><u>PLAYTRANSITION_SWAP</u></a> Value: <b>12</b>
public static final	<a href="#"><u>PLAYTRANSITION_SWITCH</u></a> Value: <b>13</b>
public static final	<a href="#"><u>PLAYTRANSITION_UNKNOWN</u></a> Value: <b>14</b>
public static final	<a href="#"><u>PLAYTRANSITIONSTR_APPEND</u></a> Play2 transition: APPEND Value: <b>append</b>
public static final	<a href="#"><u>PLAYTRANSITIONSTR_RESET</u></a> Play2 transition: RESET Value: <b>reset</b>
public static final	<a href="#"><u>PLAYTRANSITIONSTR_STOP</u></a> Play2 transition: STOP Value: <b>stop</b>
public static final	<a href="#"><u>PLAYTRANSITIONSTR_SWAP</u></a> Play2 transition: SWAP Value: <b>swap</b>
public static final	<a href="#"><u>PLAYTRANSITIONSTR_SWITCH</u></a> Play2 transition: SWITCH Value: <b>switch</b>
public static final	<a href="#"><u>PLAYTRANSITIONSTR_UNKNOWN</u></a> Play2 transition: UNKNOWN Value: <b>unknown</b>

## Constructor Summary

public	<a href="#"><u>ModuleBase</u></a> ( )
--------	---------------------------------------

## Method Summary

static <a href="#">IApplicationInstance</a>	<a href="#">getAppInstance</a> ( <a href="#">IClient</a> client) Get applicationInstace of a client.
static <a href="#">IApplication</a>	<a href="#">getApplication</a> ( <a href="#">IClient</a> client) Get application of a client.
static int	<a href="#">getCallbackParamCount</a> ( <a href="#">AMFDataList</a> params) Get the total number of parameters passed to callback.
static <a href="#">WMSLogger</a>	<a href="#">getLogger</a> () Get the logging interface.
static <a href="#">AMFData</a>	<a href="#">getParam</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index.
static boolean	<a href="#">getParamBoolean</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as boolean.
static boolean	<a href="#">getParamBoolean</a> ( <a href="#">AMFDataList</a> params, int index, boolean defaultVal) Get parameter by index, Return as boolean.
static int	<a href="#">getParamCount</a> ( <a href="#">AMFDataList</a> params) Get the total number of parameters passed to method.
static java.util.Date	<a href="#">getParamDate</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as Date.
static double	<a href="#">getParamDouble</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as double.
static double	<a href="#">getParamDouble</a> ( <a href="#">AMFDataList</a> params, int index, double defaultVal) Get parameter by index, Return as double.
static int	<a href="#">getParamInt</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as int.
static int	<a href="#">getParamInt</a> ( <a href="#">AMFDataList</a> params, int index, int defaultVal) Get parameter by index, Return as int.
static long	<a href="#">getParamLong</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as long.
static long	<a href="#">getParamLong</a> ( <a href="#">AMFDataList</a> params, int index, long defaultVal) Get parameter by index, Return as long.
static <a href="#">AMFDataMixedArray</a>	<a href="#">getParamMixedArray</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as AMFDataMixedArray.
static <a href="#">AMFDataObj</a>	<a href="#">getParamObj</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as Object.
static String	<a href="#">getParamString</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter by index, Return as String.
static String	<a href="#">getParamString</a> ( <a href="#">AMFDataList</a> params, int index, String defaultVal) Get parameter by index, Return as String.
static int	<a href="#">getParamType</a> ( <a href="#">AMFDataList</a> params, int index) Get parameter type.

static <a href="#">IMediaStream</a>	<a href="#">getStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function) For methods called from the client side object NetStream (publish, play, deleteStream) get the IMediaStream object associated with the call.
static <a href="#">IVHost</a>	<a href="#">getVHost</a> ( <a href="#">IClient</a> client) Get vHost of a client.
void	<a href="#">invokePrevious</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Wowza Pro will determine command priority based on the order of the modules in the module list.
static void	<a href="#">invokePrevious</a> (Object instance, <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Wowza Pro will determine command priority based on the order of the modules in the module list.
static boolean	<a href="#">isSendResult</a> ( <a href="#">AMFDataList</a> params) Is this method call expecting sendResult to be called.
static void	<a href="#">sendClientOnStatusError</a> ( <a href="#">IClient</a> client, String code, String description) Send an error message to the client-side client.onStatus handler
static boolean	<a href="#">sendResult</a> ( <a href="#">IClient</a> client, <a href="#">AMFDataList</a> params, <a href="#">AMFData</a> data) Send a result to client method call as a AMFData object.
static boolean	<a href="#">sendResult</a> ( <a href="#">IClient</a> client, <a href="#">AMFDataList</a> params, boolean value) Send a result to client method call as a single boolean value.
static boolean	<a href="#">sendResult</a> ( <a href="#">IClient</a> client, <a href="#">AMFDataList</a> params, double value) Send a result to client method call as a single double value.
static boolean	<a href="#">sendResult</a> ( <a href="#">IClient</a> client, <a href="#">AMFDataList</a> params, int value) Send a result to client method call as a single int value.
static boolean	<a href="#">sendResult</a> ( <a href="#">IClient</a> client, <a href="#">AMFDataList</a> params, String value) Send a result to client method call as a single String value.
static void	<a href="#">sendStreamOnStatusError</a> ( <a href="#">IMediaStream</a> stream, String code, String description) Send an error to the client-side NetStream.onStatus handler

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### PARAMMETHODNAME

public static final int **PARAMMETHODNAME**

Method: method name  
Constant value: 0



(continued from last page)

## PARAM1

```
public static final int PARAM1
```

Method param: param1  
Constant value: **3**

---

## PARAM2

```
public static final int PARAM2
```

Method param: param2  
Constant value: **4**

---

## PARAM3

```
public static final int PARAM3
```

Method param: param3  
Constant value: **5**

---

## PARAM4

```
public static final int PARAM4
```

Method param: param4  
Constant value: **6**

---

## PARAM5

```
public static final int PARAM5
```

Method param: param5  
Constant value: **7**

---

## PARAM6

```
public static final int PARAM6
```

Method param: param6  
Constant value: **8**

---

## PARAM7

```
public static final int PARAM7
```

Method param: param7  
Constant value: **9**

---

## PARAM8

```
public static final int PARAM8
```

Method param: param8  
Constant value: **10**

---

## PARAM9

```
public static final int PARAM9
```

(continued from last page)

Method param: param9  
Constant value: **11**

---

## PARAM10

public static final int **PARAM10**

Method param: param10  
Constant value: **12**

---

## CALLBACK\_PARAM1

public static final int **CALLBACK\_PARAM1**

Callback param: param1  
Constant value: **1**

---

## CALLBACK\_PARAM2

public static final int **CALLBACK\_PARAM2**

Callback param: param2  
Constant value: **2**

---

## CALLBACK\_PARAM3

public static final int **CALLBACK\_PARAM3**

Callback param: param3  
Constant value: **3**

---

## CALLBACK\_PARAM4

public static final int **CALLBACK\_PARAM4**

Callback param: param4  
Constant value: **4**

---

## CALLBACK\_PARAM5

public static final int **CALLBACK\_PARAM5**

Callback param: param5  
Constant value: **5**

---

## CALLBACK\_PARAM6

public static final int **CALLBACK\_PARAM6**

Callback param: param6  
Constant value: **6**

---

## CALLBACK\_PARAM7

public static final int **CALLBACK\_PARAM7**

Callback param: param7  
Constant value: **7**

---

## CALLBACK\_PARAM8

```
public static final int CALLBACK_PARAM8
```

Callback param: param8  
Constant value: **8**

---

## CALLBACK\_PARAM9

```
public static final int CALLBACK_PARAM9
```

Callback param: param9  
Constant value: **9**

---

## CALLBACK\_PARAM10

```
public static final int CALLBACK_PARAM10
```

Callback param: param10  
Constant value: **10**

---

## PLAYTRANSITIONSTR\_APPEND

```
public static final java.lang.String PLAYTRANSITIONSTR_APPEND
```

Play2 transition: APPEND  
Constant value: **append**

---

## PLAYTRANSITIONSTR\_RESET

```
public static final java.lang.String PLAYTRANSITIONSTR_RESET
```

Play2 transition: RESET  
Constant value: **reset**

---

## PLAYTRANSITIONSTR\_STOP

```
public static final java.lang.String PLAYTRANSITIONSTR_STOP
```

Play2 transition: STOP  
Constant value: **stop**

---

## PLAYTRANSITIONSTR\_SWAP

```
public static final java.lang.String PLAYTRANSITIONSTR_SWAP
```

Play2 transition: SWAP  
Constant value: **swap**

---

## PLAYTRANSITIONSTR\_SWITCH

```
public static final java.lang.String PLAYTRANSITIONSTR_SWITCH
```

Play2 transition: SWITCH  
Constant value: **switch**

---

(continued from last page)

---

## PLAYTRANSITIONSTR\_UNKNOWN

```
public static final java.lang.String PLAYTRANSITIONSTR_UNKNOWN
```

Play2 transition: UNKNOWN  
Constant value: **unknown**

---

## PLAYTRANSITION\_APPEND

```
public static final int PLAYTRANSITION_APPEND
```

Constant value: **0**

---

## PLAYTRANSITION\_RESET

```
public static final int PLAYTRANSITION_RESET
```

Constant value: **1**

---

## PLAYTRANSITION\_APPEND\_IMMEDIATE

```
public static final int PLAYTRANSITION_APPEND_IMMEDIATE
```

Constant value: **2**

---

## PLAYTRANSITION\_RESET\_IMMEDIATE

```
public static final int PLAYTRANSITION_RESET_IMMEDIATE
```

Constant value: **3**

---

## PLAYTRANSITION\_STOP

```
public static final int PLAYTRANSITION_STOP
```

Constant value: **10**

---

## PLAYTRANSITION\_SWAP

```
public static final int PLAYTRANSITION_SWAP
```

Constant value: **12**

---

## PLAYTRANSITION\_SWITCH

```
public static final int PLAYTRANSITION_SWITCH
```

Constant value: **13**

---

## PLAYTRANSITION\_UNKNOWN

```
public static final int PLAYTRANSITION_UNKNOWN
```

---

(continued from last page)

Constant value: **14**

## Constructors

### ModuleBase

```
public ModuleBase( )
```

## Methods

### getParamCount

```
protected static int getParamCount(AMFDataList params)
```

Get the total number of parameters passed to method.

**Parameters:**

params - parameters

**Returns:**

total number of parameters

### getCallbackParamCount

```
protected static int getCallbackParamCount(AMFDataList params)
```

Get the total number of parameters passed to callback.

**Parameters:**

params - parameters

**Returns:**

total number of parameters

### getParamType

```
protected static int getParamType(AMFDataList params,  
int index)
```

Get parameter type.

**Parameters:**

params - parameters

index - parameter index

**Returns:**

parameter type (AMFData.DATA\_TYPE\_\*)

### getParam

```
protected static AMFData getParam(AMFDataList params,  
int index)
```

Get parameter by index. Return as AMFData object.

(continued from last page)

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as AMFData object, null if out of bounds

---

## getParamMixedArray

```
protected static AMFDataMixedArray getParamMixedArray(AMFDataList params,  
int index)
```

Get parameter by index, Return as AMFDataMixedArray.

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as AMFDataMixedArray object, null if out of bounds

---

## getParamObj

```
protected static AMFDataObj getParamObj(AMFDataList params,  
int index)
```

Get parameter by index, Return as Object.

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as Object object, null if out of bounds

---

## getParamString

```
protected static String getParamString(AMFDataList params,  
int index)
```

Get parameter by index, Return as String.

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as String object, null if out of bounds

---

## getParamString

```
protected static String getParamString(AMFDataList params,  
int index,  
String defaultVal)
```

Get parameter by index, Return as String.

**Parameters:**

params - parameters

---

---

(continued from last page)

index - parameter index  
defaultVal - default value

**Returns:**

parameter value as String object, defaultVal if out of bounds

---

## getParamDate

```
protected static java.util.Date getParamDate(AMFDataList params,  
int index)
```

Get parameter by index, Return as Date.

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as Date object, null if out of bounds

---

## getParamInt

```
protected static int getParamInt(AMFDataList params,  
int index)
```

Get parameter by index, Return as int.

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as int, 0 if out of bounds

---

## getParamInt

```
protected static int getParamInt(AMFDataList params,  
int index,  
int defaultVal)
```

Get parameter by index, Return as int.

**Parameters:**

params - parameters  
index - parameter index  
defaultVal - default value

**Returns:**

parameter value as int, defaultVal if out of bounds

---

## getParamDouble

```
protected static double getParamDouble(AMFDataList params,  
int index)
```

Get parameter by index, Return as double.

**Parameters:**

params - parameters

---

(continued from last page)

index - parameter index

**Returns:**

parameter value as double, 0 if out of bounds

---

## getParamDouble

```
protected static double getParamDouble(AMFDataList params,  
    int index,  
    double defaultVal)
```

Get parameter by index, Return as double.

**Parameters:**

params - parameters  
index - parameter index  
defaultVal - default value

**Returns:**

parameter value as double, 0 if out of bounds

---

## getParamLong

```
protected static long getParamLong(AMFDataList params,  
    int index)
```

Get parameter by index, Return as long.

**Parameters:**

params - parameters  
index - parameter index

**Returns:**

parameter value as long, 0 if out of bounds

---

## getParamLong

```
protected static long getParamLong(AMFDataList params,  
    int index,  
    long defaultVal)
```

Get parameter by index, Return as long.

**Parameters:**

params - parameters  
index - parameter index  
defaultVal - default value

**Returns:**

parameter value as long, defaultVal if out of bounds

---

## getParamBoolean

```
protected static boolean getParamBoolean(AMFDataList params,  
    int index)
```

Get parameter by index, Return as boolean.

**Parameters:**

params - parameters

---



(continued from last page)

index - parameter index

**Returns:**

parameter value as boolean, false if out of bounds

---

## getParamBoolean

```
protected static boolean getParamBoolean(AMFDataList params,  
int index,  
boolean defaultVal)
```

Get parameter by index, Return as boolean.

**Parameters:**

params - parameters  
index - parameter index  
defaultVal - default value

**Returns:**

parameter value as boolean, defaultVal if out of bounds

---

## getAppInstance

```
protected static IApplicationInstance getAppInstance(IClient client)
```

Get applicationInstance of a client.

**Parameters:**

client - client

**Returns:**

applicationInstance

---

## getApplication

```
protected static IApplication getApplication(IClient client)
```

Get application of a client.

**Parameters:**

client - client

**Returns:**

application

---

## isSendResult

```
protected static boolean isSendResult(AMFDataList params)
```

Is this method call expecting sendResult to be called. If on the client side the call to `NetConnection.call("handlerName", resultObj, param1...)` had a value for resultObj (non-null), then the method is expecting some type of result or return data. Calling a variant of sendResult will provide this callback.

**Parameters:**

params - parameters

**Returns:**

true if client side call is expecting call to sendResult

---

## getVHost

protected static [IVHost](#) **getVHost**([IClient](#) client)

Get vHost of a client.

**Parameters:**

client - client

**Returns:**

vHost

---

## sendResult

protected static boolean **sendResult**([IClient](#) client,  
[AMFDataList](#) params,  
String value)

Send a result to client method call as a single String value.

**Parameters:**

client - client

params - parameters

value - return value

**Returns:**

true if client side call is expecting call to sendResult

---

## sendResult

protected static boolean **sendResult**([IClient](#) client,  
[AMFDataList](#) params,  
boolean value)

Send a result to client method call as a single boolean value.

**Parameters:**

client - client

params - parameters

value - return value

**Returns:**

true if client side call is expecting call to sendResult

---

## sendResult

protected static boolean **sendResult**([IClient](#) client,  
[AMFDataList](#) params,  
int value)

Send a result to client method call as a single int value.

**Parameters:**

client - client

params - parameters

value - return value

**Returns:**

true if client side call is expecting call to sendResult

---

## sendResult

```
protected static boolean sendResult(IClient client,  
    AMFDataList params,  
    double value)
```

Send a result to client method call as a single double value.

### Parameters:

client - client  
params - parameters  
value - return value

### Returns:

true if client side call is expecting call to sendResult

---

## sendResult

```
protected static boolean sendResult(IClient client,  
    AMFDataList params,  
    AMFData data)
```

Send a result to client method call as a AMFData object. This can be a single AMFData value like new AMFDataItem((double)1.234) or a complex type like AMFDataMixedArray, AMFDataArray or AMFDataObj.

### Parameters:

client - client  
params - parameters  
data - return value

### Returns:

true if client side call is expecting call to sendResult

---

## getLogger

```
protected static WMSLogger getLogger()
```

Get the logging interface.

### See Also:

[WMSLogger](#)

---

## getStream

```
protected static IMediaStream getStream(IClient client,  
    com.wowza.wms.request.RequestFunction function)
```

For methods called from the client side object NetStream (publish, play, deleteStream) get the IMediaStream object associated with the call.

### Parameters:

client - client  
function - functions

### Returns:

media stream

---

(continued from last page)

## invokePrevious

```
protected static void invokePrevious(Object instance,
    IClient client,
    com.wowza.wms.request.RequestFunction function,
    AMFDataList params)
```

Wowza Pro will determine command priority based on the order of the modules in the module list. Wowza Pro by default will only invoke the last module that defines a given command. This method enables you to call the method by the same name in the previous module that defines that command. For example if you have three modules defined in the module list; ModuleCore, ModuleSecureURLParams and ModuleMyModule and all three modules implement the "play" command. When "play" is invoked it will invoke the "play" command in ModuleMyModule. If in ModuleMyModule you would like to call the "play" command in ModuleSecureURLParams, you can call: invokePrevious(this, client, function, params); and it will invoke the "play" command defined in ModuleSecureURLParams.

### Parameters:

instance - instance of the current module  
 client - client object passed into command  
 function - function passed into command  
 params - parameters passed into command

## invokePrevious

```
protected void invokePrevious(IClient client,
    com.wowza.wms.request.RequestFunction function,
    AMFDataList params)
```

Wowza Pro will determine command priority based on the order of the modules in the module list. Wowza Pro by default will only invoke the last module that defines a given command. This method enables you to call the method by the same name in the previous module that defines that command. For example if you have three modules defined in the module list; ModuleCore, ModuleSecureURLParams and ModuleMyModule and all three modules implement the "play" command. When "play" is invoked it will invoke the "play" command in ModuleMyModule. If in ModuleMyModule you would like to call the "play" command in ModuleSecureURLParams, you can call: this.invokePrevious(client, function, params); and it will invoke the "play" command defined in ModuleSecureURLParams.

### Parameters:

client - client object passed into command  
 function - function passed into command  
 params - parameters passed into command

## sendClientOnStatusError

```
protected static void sendClientOnStatusError(IClient client,
    String code,
    String description)
```

Send an error message to the client-side client.onStatus handler

### Parameters:

client - destination client  
 code - code  
 description - description

## sendStreamOnStatusError

```
protected static void sendStreamOnStatusError(IMediaStream stream,
    String code,
    String description)
```

Send an error to the client-side NetStream.onStatus handler


### Parameters:

(continued from last page)

stream - destination stream  
code - code  
description - description

## com.wowza.wms.module Class ModuleClientLogging

java.lang.Object



public class **ModuleClientLogging**  
extends [ModuleBase](#)

### Fields inherited from class [com.wowza.wms.module.ModuleBase](#)

[CALLBACK\\_PARAM1](#), [CALLBACK\\_PARAM10](#), [CALLBACK\\_PARAM2](#), [CALLBACK\\_PARAM3](#), [CALLBACK\\_PARAM4](#), [CALLBACK\\_PARAM5](#), [CALLBACK\\_PARAM6](#), [CALLBACK\\_PARAM7](#), [CALLBACK\\_PARAM8](#), [CALLBACK\\_PARAM9](#), [PARAM1](#), [PARAM10](#), [PARAM2](#), [PARAM3](#), [PARAM4](#), [PARAM5](#), [PARAM6](#), [PARAM7](#), [PARAM8](#), [PARAM9](#), [PARAMMETHODNAME](#), [PLAYTRANSITION\\_APPEND](#), [PLAYTRANSITION\\_APPEND\\_IMMEDIATE](#), [PLAYTRANSITION\\_RESET](#), [PLAYTRANSITION\\_RESET\\_IMMEDIATE](#), [PLAYTRANSITION\\_STOP](#), [PLAYTRANSITION\\_SWAP](#), [PLAYTRANSITION\\_SWITCH](#), [PLAYTRANSITION\\_UNKNOWN](#), [PLAYTRANSITIONSTR\\_APPEND](#), [PLAYTRANSITIONSTR\\_RESET](#), [PLAYTRANSITIONSTR\\_STOP](#), [PLAYTRANSITIONSTR\\_SWAP](#), [PLAYTRANSITIONSTR\\_SWITCH](#), [PLAYTRANSITIONSTR\\_UNKNOWN](#)

### Constructor Summary

public	<a href="#">ModuleClientLogging()</a>
--------	---------------------------------------

### Method Summary

static void	<a href="#">logDebug</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Send a debug message to the logging system NetConnection.call("logDebug", null, message);
static void	<a href="#">logError</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Send a error message to the logging system NetConnection.call("logError", null, message);
static void	<a href="#">logInfo</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Send a info message to the logging system NetConnection.call("logInfo", null, message);
static void	<a href="#">logWarn</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Send a warning message to the logging system NetConnection.call("logWarn", null, message);

### Methods inherited from class [com.wowza.wms.module.ModuleBase](#)

[getAppInstance](#), [getApplication](#), [getCallbackParamCount](#), [getLogger](#), [getParam](#), [getParamBoolean](#), [getParamBoolean](#), [getParamCount](#), [getParamDate](#), [getParamDouble](#), [getParamDouble](#), [getParamInt](#), [getParamInt](#), [getParamLong](#), [getParamLong](#), [getParamMixedArray](#), [getParamObj](#), [getParamString](#), [getParamString](#), [getParamType](#), [getStream](#), [getVHost](#), [invokePrevious](#), [invokePrevious](#), [isSendResult](#), [sendClientOnStatusError](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendStreamOnStatusError](#)

**Methods inherited from class `java.lang.Object`**

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### ModuleClientLogging

```
public ModuleClientLogging()
```

## Methods

### logDebug

```
public static void logDebug(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Send a debug message to the logging system `NetConnection.call("logDebug", null, message);`

**Parameters:**

`client` - client  
`function` - function  
`params` - params (message)

### logInfo

```
public static void logInfo(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Send a info message to the logging system `NetConnection.call("logInfo", null, message);`

**Parameters:**

`client` - client  
`function` - function  
`params` - params (message)

### logWarn

```
public static void logWarn(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Send a warning message to the logging system `NetConnection.call("logWarn", null, message);`

**Parameters:**

`client` - client  
`function` - function  
`params` - params (message)

(continued from last page)

## logError

```
public static void logError(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Send a error message to the logging system `NetConnection.call("logError", null, message);`

### Parameters:

client - client

function - function

params - params (message)



## com.wowza.wms.module Class ModuleCore

```
java.lang.Object
|
+-com.wowza.wms.module.ModuleBase
|
+-com.wowza.wms.module.ModuleCore
```

```
public class ModuleCore
extends ModuleBase
```

ModuleCore includes all the basic commands support by the NetStream and NetConnection client side objects. Any of these methods can be overwritten in a custom module. Below is an example of custom module that overrides the play method to modify the name of the file to be played:

```
package com.wowza.wms.plugin.overrideexample;

import com.wowza.wms.amf.*;
import com.wowza.wms.client.*;
import com.wowza.wms.module.*;
import com.wowza.wms.request.*;

public class ModuleOverrideExample extends ModuleBase
{
    public void play(IClient client, RequestFunction function, AMFDataList params)
    {
        if (params.get(PARAM1).getType() == AMFData.DATA_TYPE_STRING)
        {
            String playName = params.getString(PARAM1);
            params.set(PARAM1, new AMFDataItem(playName+"_newname"));
        }
        this.invokePrevious(client, function, params);
    }
}
```

### Fields inherited from class [com.wowza.wms.module.ModuleBase](#)

[CALLBACK\\_PARAM1](#), [CALLBACK\\_PARAM10](#), [CALLBACK\\_PARAM2](#), [CALLBACK\\_PARAM3](#), [CALLBACK\\_PARAM4](#), [CALLBACK\\_PARAM5](#), [CALLBACK\\_PARAM6](#), [CALLBACK\\_PARAM7](#), [CALLBACK\\_PARAM8](#), [CALLBACK\\_PARAM9](#), [PARAM1](#), [PARAM10](#), [PARAM2](#), [PARAM3](#), [PARAM4](#), [PARAM5](#), [PARAM6](#), [PARAM7](#), [PARAM8](#), [PARAM9](#), [PARAMMETHODNAME](#), [PLAYTRANSITION\\_APPEND](#), [PLAYTRANSITION\\_APPEND\\_IMMEDIATE](#), [PLAYTRANSITION\\_RESET](#), [PLAYTRANSITION\\_RESET\\_IMMEDIATE](#), [PLAYTRANSITION\\_STOP](#), [PLAYTRANSITION\\_SWAP](#), [PLAYTRANSITION\\_SWITCH](#), [PLAYTRANSITION\\_UNKNOWN](#), [PLAYTRANSITIONSTR\\_APPEND](#), [PLAYTRANSITIONSTR\\_RESET](#), [PLAYTRANSITIONSTR\\_STOP](#), [PLAYTRANSITIONSTR\\_SWAP](#), [PLAYTRANSITIONSTR\\_SWITCH](#), [PLAYTRANSITIONSTR\\_UNKNOWN](#)

## Constructor Summary

public	<a href="#">ModuleCore()</a>
--------	------------------------------

## Method Summary

static void	<a href="#">closeStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.close();
static void	<a href="#">createStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Create new server side NetStream object (internal to Flash workings).
static void	<a href="#">deleteStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Delete server side stream object (internal to Flash workings).
static void	<a href="#">FCPublish</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) FCPublish method called by FME 2.5
static void	<a href="#">FCSubscribe</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) FCSubscribe subscribes to a live stream (if origin edge will start the stream from the origin to the edge)
static void	<a href="#">FCUnpublish</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params)
static void	<a href="#">FCUnPublish</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) FCUnpublish method called by FME 2.5
static void	<a href="#">FCUnsubscribe</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) FCUnSubscribe to a live stream
static void	<a href="#">FCUnSubscribe</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params)
static void	<a href="#">getClientID</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the clientId for a client connection NetConnection.call("getClientID", resultObj);
static void	<a href="#">getLastStreamId</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the id for the last created stream NetConnection.call("getLastStreamId", resultObj);
static void	<a href="#">getLiveStreamPacketizer</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the live stream packetizer list for a client connection NetConnection.call("getLiveStreamPacketizer", resultObj);
static void	<a href="#">getPageUrl</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) getPageUrl returns the pageUrl from the onConnect metadata
static void	<a href="#">getReferrer</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) getReferrer returns the referrer from the onConnect metadata

static void	<a href="#">getRepeaterOriginUrl</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the Repeater Origin URL for this client
void	<a href="#">getStreamBitrate</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get stream bitrate in bits-per-second for a video on demand stream (will not work for live).
static void	<a href="#">getStreamLength</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get stream length in seconds NetConnection.call("getStreamLength", resultObj, streamName); If you pass in an array of streamNames it will return an array of durations.
static void	<a href="#">getStreamType</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the default stream type for a client connection NetConnection.call("getStreamType", resultObj);
static void	<a href="#">getVersion</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get the Wowza Pro server version and build number NetConnection.call("getVersion", resultObj);
static void	<a href="#">initLiveStreamRepeating</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Initialize a stream for live stream repeating
static void	<a href="#">initStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Create new server side NetStream object (internal to Flash workings).
static void	<a href="#">pause</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.pause([ flag : Boolean]);
static void	<a href="#">pauseRaw</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) pauseRaw method introduced in Flash player 10
static void	<a href="#">play</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.play(name : Object [,start : Number[, len : Number[, reset : Object]]]);
static void	<a href="#">play2</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.play(playOptions : NetStreamPlayOptions);
static void	<a href="#">publish</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.publish(name : String [, howToPublish : String]);
static void	<a href="#">receiveAudio</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.receiveAudio(receive : Boolean);
static void	<a href="#">receiveVideo</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.receiveVideo(receive : Boolean   FPS : Number); FPS does not work the same as FMS.
static void	<a href="#">releaseStream</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params)

static void	<a href="#">seek</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.seek(offset : Number);
static void	<a href="#">setBandwidthLimit</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params)
static void	<a href="#">setBufferTime</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Server side implementation of NetStream.setBufferTime(bufferTime : Number);
static void	<a href="#">setLiveStreamPacketizer</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set the live stream packetizer for a stream
static void	<a href="#">setRepeaterOriginUrl</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set the Repeater Origin URL for this client
static void	<a href="#">setStreamType</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set the default stream type for a client connection NetConnection.call("setStreamType", null, streamType);

#### Methods inherited from class [com.wowza.wms.module.ModuleBase](#)

[getAppInstance](#), [getApplication](#), [getCallbackParamCount](#), [getLogger](#), [getParam](#), [getParamBoolean](#), [getParamBoolean](#), [getParamCount](#), [getParamDate](#), [getParamDouble](#), [getParamDouble](#), [getParamInt](#), [getParamInt](#), [getParamLong](#), [getParamLong](#), [getParamMixedArray](#), [getParamObj](#), [getParamString](#), [getParamString](#), [getParamType](#), [getStream](#), [getVHost](#), [invokePrevious](#), [invokePrevious](#), [isSendResult](#), [sendClientOnStatusError](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendStreamOnStatusError](#)

#### Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

## Constructors

### ModuleCore

```
public ModuleCore()
```

## Methods

### createStream

```
public static void createStream(IClient client,
    com.wowza.wms.request.RequestFunction function,
    AMFDataList params)
```

Create new server side NetStream object (internal to Flash workings).

#### Parameters:

(continued from last page)

client - client  
function - function  
params - parameters (no params)

---

## initStream

```
public static void initStream(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Create new server side NetStream object (internal to Flash workings).

### Parameters:

client - client  
function - function  
params - parameters (streamIndex, boolean)

---

## releaseStream

```
public static void releaseStream(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

---

## getLastStreamId

```
public static void getLastStreamId(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the id for the last created stream NetConnection.call("getLastStreamId", resultObj);

### Parameters:

client - client  
function - client  
params - params (no params)

---

## deleteStream

```
public static void deleteStream(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Delete server side stream object (internal to Flash workings).

### Parameters:

client - client  
function - function  
params - params

---

## publish

```
public static void publish(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.publish(name : String [, howToPublish : String]);

### Parameters:

(continued from last page)

client - client  
function - function  
params - params (name [if name = "false" or "null" stop publishing], howToPublish ["record", "live", "append"])

---

## setBandwidthLimit

```
public static void setBandwidthLimit(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

---

## play2

```
public static void play2(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.play(playOptions : NetStreamPlayOptions);

### Parameters:

client  
function  
params

---

## play

```
public static void play(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.play(name : Object [,start : Number[, len : Number[, reset : Object]]]);

### Parameters:

client - client  
function - function  
params - params (name, start, len, reset)

---

## closeStream

```
public static void closeStream(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.close();

### Parameters:

client - client  
function - function  
params - params (no params)

---

## seek

```
public static void seek(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.seek(offset : Number);

### Parameters:

(continued from last page)

client - client  
function - function  
params - params (offset)

---

## pause

```
public static void pause(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.pause([ flag : Boolean]);

### Parameters:

client - client  
function - function  
params - params (flag)

---

## setBufferTime

```
public static void setBufferTime(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.setBufferTime(bufferTime : Number);

### Parameters:

client - client  
function - function  
params - params (bufferTime)

---

## getClientID

```
public static void getClientID(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the clientId for a client connection NetConnection.call("getClientID", resultObj);

### Parameters:

client - client  
function - function  
params - params (no params)

---

## getVersion

```
public static void getVersion(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the Wowza Pro server version and build number NetConnection.call("getVersion", resultObj);

### Parameters:

client - client  
function - function  
params - params (no params)

---

(continued from last page)

## setLiveStreamPacketizer

```
public static void setLiveStreamPacketizer(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Set the live stream packetizer for a stream

### Parameters:

client - client  
function - function  
params - params (liveStreamPacketizer)

---

## initLiveStreamRepeating

```
public static void initLiveStreamRepeating(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Initialize a stream for live stream repeating

### Parameters:

client - client  
function - function  
params - params (liveStreamPacketizer, liveStreamRepeater)

---

## getLiveStreamPacketizer

```
public static void getLiveStreamPacketizer(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the live stream packetizer list for a client connection NetConnection.call("getLiveStreamPacketizer", resultObj);

### Parameters:

client - client  
function - function  
params - params (no params)

---

## setStreamType

```
public static void setStreamType(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Set the default stream type for a client connection NetConnection.call("setStreamType", null, streamType);

### Parameters:

client - client  
function - function  
params - params (streamType)

---

## getStreamType

```
public static void getStreamType(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the default stream type for a client connection NetConnection.call("getStreamType", resultObj);



(continued from last page)

**Parameters:**

client - client  
function - function  
params - params (no params)

---

## receiveAudio

```
public static void receiveAudio(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.receiveAudio(receive : Boolean);

**Parameters:**

client - client  
function - function  
params - params (receive)

---

## receiveVideo

```
public static void receiveVideo(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Server side implementation of NetStream.receiveVideo(receive : Boolean | FPS : Number); FPS does not work the same as FMS. Wowza Pro accepts the following values:

- true: Send all video frames
- false: Send no video
- -1: Send all video frames
- -2: Send half the frames (remove B frames) (Note: only works with Sorenson Spark video with B-frames)
- -3: Send only key frames

**Parameters:**

client - client  
function - function  
params - params (receive | FPS)

---

## getStreamBitrate

```
public void getStreamBitrate(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get stream bitrate in bits-per-second for a video on demand stream (will not work for live). To call, NetConnection.call("getStreamBitrate", resultObj, streamName);

**Parameters:**

client - client  
function - function  
params - params (streamName:String)

---

## getStreamLength

```
public static void getStreamLength(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

(continued from last page)

Get stream length in seconds `NetConnection.call("getStreamLength", resultObj, streamName)`; If you pass in an array of streamNames it will return an array of durations.

**Parameters:**

client - client  
function - function  
params - params (streamName:String or streamNames:Array)

---

## getRepeaterOriginUrl

```
public static void getRepeaterOriginUrl(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get the Repeater Origin URL for this client

**Parameters:**

client - client  
function - function  
params - params

---

## setRepeaterOriginUrl

```
public static void setRepeaterOriginUrl(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Set the Repeater Origin URL for this client

**Parameters:**

client - client  
function - function  
params - params (repeaterOriginUrl)

---

## FCPublish

```
public static void FCPublish(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

FCPublish method called by FME 2.5

**Parameters:**

client - client  
function - function  
params - params

---

## FCUnPublish

```
public static void FCUnPublish(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

FCUnpublish method called by FME 2.5

**Parameters:**

client - client  
function - function  
params - params

---

## FCUnpublish

```
public static void FCUnpublish(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

---

## pauseRaw

```
public static void pauseRaw(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

pauseRaw method introduced in Flash player 10

### Parameters:

client - client  
function - function  
params - params

---

## getReferrer

```
public static void getReferrer(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

getReferrer returns the referrer from the onConnect metadata

### Parameters:

client - client  
function - function  
params - params

---

## getPageUrl

```
public static void getPageUrl(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

getPageUrl returns the pageUrl from the onConnect metadata

### Parameters:

client - client  
function - function  
params - params

---

## FCSubscribe

```
public static void FCSubscribe(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

FCSubscribe subscribes to a live stream (if origin edge will start the stream from the origin to the edge)

### Parameters:

client - client  
function - function  
params - params (streamName:String, [mediaCasterType:String])

## FCUnsubscribe

```
public static void FCUnsubscribe(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

FCUnSubscribe to a live stream

### Parameters:

client - client

function - function

params - params (streamName:String)


---

## FCUnSubscribe

```
public static void FCUnSubscribe(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

com.wowza.wms.module

# Class ModuleFastPlay



```
public class ModuleFastPlay
extends ModuleBase
```

Fields inherited from class <a href="#">com.wowza.wms.module.ModuleBase</a>
<a href="#">CALLBACK_PARAM1</a> , <a href="#">CALLBACK_PARAM10</a> , <a href="#">CALLBACK_PARAM2</a> , <a href="#">CALLBACK_PARAM3</a> , <a href="#">CALLBACK_PARAM4</a> , <a href="#">CALLBACK_PARAM5</a> , <a href="#">CALLBACK_PARAM6</a> , <a href="#">CALLBACK_PARAM7</a> , <a href="#">CALLBACK_PARAM8</a> , <a href="#">CALLBACK_PARAM9</a> , <a href="#">PARAM1</a> , <a href="#">PARAM10</a> , <a href="#">PARAM2</a> , <a href="#">PARAM3</a> , <a href="#">PARAM4</a> , <a href="#">PARAM5</a> , <a href="#">PARAM6</a> , <a href="#">PARAM7</a> , <a href="#">PARAM8</a> , <a href="#">PARAM9</a> , <a href="#">PARAMMETHODNAME</a> , <a href="#">PLAYTRANSITION_APPEND</a> , <a href="#">PLAYTRANSITION_APPEND_IMMEDIATE</a> , <a href="#">PLAYTRANSITION_RESET</a> , <a href="#">PLAYTRANSITION_RESET_IMMEDIATE</a> , <a href="#">PLAYTRANSITION_STOP</a> , <a href="#">PLAYTRANSITION_SWAP</a> , <a href="#">PLAYTRANSITION_SWITCH</a> , <a href="#">PLAYTRANSITION_UNKNOWN</a> , <a href="#">PLAYTRANSITIONSTR_APPEND</a> , <a href="#">PLAYTRANSITIONSTR_RESET</a> , <a href="#">PLAYTRANSITIONSTR_STOP</a> , <a href="#">PLAYTRANSITIONSTR_SWAP</a> , <a href="#">PLAYTRANSITIONSTR_SWITCH</a> , <a href="#">PLAYTRANSITIONSTR_UNKNOWN</a>

Constructor Summary	
public	<a href="#">ModuleFastPlay()</a>

Method Summary	
static void	<a href="#">setFastPlay</a> ( <a href="#">IClient</a> client, <a href="#">com.wowza.wms.request.RequestFunction</a> function, <a href="#">AMFDataList</a> params) Turn on fast play <a href="#">NetStream.call</a> ("setFastPlay", null, multiplier, frames-per-second, direction);

Methods inherited from class <a href="#">com.wowza.wms.module.ModuleBase</a>
<a href="#">getAppInstance</a> , <a href="#">getApplication</a> , <a href="#">getCallbackParamCount</a> , <a href="#">getLogger</a> , <a href="#">getParam</a> , <a href="#">getParamBoolean</a> , <a href="#">getParamBoolean</a> , <a href="#">getParamCount</a> , <a href="#">getParamDate</a> , <a href="#">getParamDouble</a> , <a href="#">getParamDouble</a> , <a href="#">getParamInt</a> , <a href="#">getParamInt</a> , <a href="#">getParamLong</a> , <a href="#">getParamLong</a> , <a href="#">getParamMixedArray</a> , <a href="#">getParamObj</a> , <a href="#">getParamString</a> , <a href="#">getParamString</a> , <a href="#">getParamType</a> , <a href="#">getStream</a> , <a href="#">getVHost</a> , <a href="#">invokePrevious</a> , <a href="#">invokePrevious</a> , <a href="#">isSendResult</a> , <a href="#">sendClientOnStatusError</a> , <a href="#">sendResult</a> , <a href="#">sendResult</a> , <a href="#">sendResult</a> , <a href="#">sendResult</a> , <a href="#">sendResult</a> , <a href="#">sendResult</a> , <a href="#">sendStreamOnStatusError</a>

Methods inherited from class <a href="#">java.lang.Object</a>
<a href="#">clone</a> , <a href="#">equals</a> , <a href="#">finalize</a> , <a href="#">getClass</a> , <a href="#">hashCode</a> , <a href="#">notify</a> , <a href="#">notifyAll</a> , <a href="#">toString</a> , <a href="#">wait</a> , <a href="#">wait</a> , <a href="#">wait</a>

## Constructors

(continued from last page)

## ModuleFastPlay

```
public ModuleFastPlay()
```

## Methods

### setFastPlay

```
public static void setFastPlay(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Turn on fast play NetStream.call("setFastPlay", null, multiplier, frames-per-second, direction);

#### Parameters:

client - client

function - function

params - params (multiplier, frames-per-second, direction)

## com.wowza.wms.module Class ModuleMediaCasterStreamMonitorAdvanced

```
java.lang.Object
|
+-com.wowza.wms.module.ModuleBase
|
+-com.wowza.wms.module.ModuleMediaCasterStreamMonitorAdvanced
```

### All Implemented Interfaces:

[IMediaCasterValidateMediaCaster](#)

```
public class ModuleMediaCasterStreamMonitorAdvanced
extends ModuleBase
implements IMediaCasterValidateMediaCaster
```

ModuleMediaCasterStreamMonitorAdvanced: Advanced stream monitoring module.

Add this <Module> definition to the end of the <Modules> list in [install-dir]/conf/[application]/Application.xml:

```
<Module>
  <Name>ModuleMediaCasterStreamMonitorAdvanced</Name>
  <Description>ModuleMediaCasterStreamMonitorAdvanced</Description>
  <Class>com.wowza.wms.module.ModuleMediaCasterStreamMonitorAdvanced</Class>
</Module>
```

Add these properties to the application level <Properties> container at the bottom of [install-dir]/conf/[application]/Application.xml (be sure to get the correct <Properties> container - there are several in the Application.xml file). Carefully read the instructions above each set of properties and set accordingly:

```

<!--
Monitor incoming packets (stream, audio, video) to be sure packets continue to flow from
encoder to stream. The
streamMonitor[type]StartTimeout controls the timeout (milliseconds) for the first packet. The
streamMonitor[type]Timeout
controls the timeout (milliseconds) for packets after the first packet. The stream type
refers to a catch all of any packet of
any type (audio, video, data). If any of these values are set to zero, the test is turned
off.
-->
<Property>
    <Name>streamMonitorStreamStartTimeout</Name>
    <Value>20000</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorStreamTimeout</Name>
    <Value>12000</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorVideoStartTimeout</Name>
    <Value>0</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorVideoTimeout</Name>
    <Value>0</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorAudioStartTimeout</Name>
    <Value>0</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorAudioTimeout</Name>
    <Value>0</Value>
    <Type>Integer</Type>
</Property>

<!--
Monitor the incoming packet timecodes (audio, video or data) to be sure packets do not arrive
out of order or late. The
streamMonitor[type]TCPosTolerance and streamMonitor[type]TCNegTolerance (milliseconds) values
define a sliding window
based on the timecode of the previous packet. For example if these values are set to -500 and
3000 respectively then the
timecode difference between the current arriving packet and the previous packet of that type
must fall within
-500 and 3000 milliseconds. If not and streamMonitor[type]TCToleranceEnable is set to true

```



then stream will be considered  
unhealthy and will be reset.

-->

```
<Property>
    <Name>streamMonitorVideoTCToleranceEnable</Name>
    <Value>>false</Value>
    <Type>Boolean</Type>
</Property>
<Property>
    <Name>streamMonitorVideoTCPostTolerance</Name>
    <Value>3000</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorVideoTCNegTolerance</Name>
    <Value>-500</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorAudioTCToleranceEnable</Name>
    <Value>>false</Value>
    <Type>Boolean</Type>
</Property>
<Property>
    <Name>streamMonitorAudioTCPostTolerance</Name>
    <Value>3000</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorAudioTCNegTolerance</Name>
    <Value>-500</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorDataTCToleranceEnable</Name>
    <Value>>false</Value>
    <Type>Boolean</Type>
</Property>
<Property>
    <Name>streamMonitorDataTCPostTolerance</Name>
    <Value>3000</Value>
    <Type>Integer</Type>
</Property>
<Property>
    <Name>streamMonitorDataTCNegTolerance</Name>
    <Value>-500</Value>
    <Type>Integer</Type>
</Property>
```

<!--

Monitors the time difference between the audio and video channel of a stream. If the difference between the currently arriving video packet and the previous audio packet (or vice-versa) is greater than streamMonitorAVSyncTolerance and streamMonitorAVSyncToleranceEnable is set to true, then the stream will be considered unhealthy and will be reset.

-->

<Property>

<Name>streamMonitorAVSyncToleranceEnable</Name>

<Value>>false</Value>

<Type>Boolean</Type>

</Property>

<Property>

<Name>streamMonitorAVSyncTolerance</Name>

<Value>1500</Value>

<Type>Integer</Type>

</Property>

<!--

If set to true, then when a stream is reset and it belong to a MediaStreamNameGroup all streams in the group will be reset. If false only the unhealthy stream will be reset.

-->

<Property>

<Name>streamMonitorResetNameGroups</Name>

<Value>>true</Value>

<Type>Boolean</Type>

</Property>

<!--

Turns on debug logging of the monitoring.

-->

<Property>

<Name>streamMonitorDebug</Name>

<Value>>false</Value>

<Type>Boolean</Type>

</Property>

## Field Summary

protected	<a href="#">appInstance</a>
protected	<a href="#">badStreams</a>
protected	<a href="#">monitors</a>
protected	<a href="#">streamMonitorAudioStartTimeout</a>

protected	<a href="#"><u>streamMonitorAudioTCNegTolerance</u></a>
protected	<a href="#"><u>streamMonitorAudioTCPosTolerance</u></a>
protected	<a href="#"><u>streamMonitorAudioTCToleranceEnable</u></a>
protected	<a href="#"><u>streamMonitorAudioTimeout</u></a>
protected	<a href="#"><u>streamMonitorAVSyncTolerance</u></a>
protected	<a href="#"><u>streamMonitorAVSyncToleranceEnable</u></a>
protected	<a href="#"><u>streamMonitorDataTCNegTolerance</u></a>
protected	<a href="#"><u>streamMonitorDataTCPosTolerance</u></a>
protected	<a href="#"><u>streamMonitorDataTCToleranceEnable</u></a>
protected	<a href="#"><u>streamMonitorDebug</u></a>
protected	<a href="#"><u>streamMonitorResetNameGroups</u></a>
protected	<a href="#"><u>streamMonitorStreamStartTimeout</u></a>
protected	<a href="#"><u>streamMonitorStreamTimeout</u></a>
protected	<a href="#"><u>streamMonitorVideoStartTimeout</u></a>
protected	<a href="#"><u>streamMonitorVideoTCNegTolerance</u></a>
protected	<a href="#"><u>streamMonitorVideoTCPosTolerance</u></a>
protected	<a href="#"><u>streamMonitorVideoTCToleranceEnable</u></a>
protected	<a href="#"><u>streamMonitorVideoTimeout</u></a>

Fields inherited from class [com.wowza.wms.module.ModuleBase](#)

[CALLBACK\\_PARAM1](#), [CALLBACK\\_PARAM10](#), [CALLBACK\\_PARAM2](#), [CALLBACK\\_PARAM3](#), [CALLBACK\\_PARAM4](#), [CALLBACK\\_PARAM5](#), [CALLBACK\\_PARAM6](#), [CALLBACK\\_PARAM7](#), [CALLBACK\\_PARAM8](#), [CALLBACK\\_PARAM9](#), [PARAM1](#), [PARAM10](#), [PARAM2](#), [PARAM3](#), [PARAM4](#), [PARAM5](#), [PARAM6](#), [PARAM7](#), [PARAM8](#), [PARAM9](#), [PARAMMETHODNAME](#), [PLAYTRANSITION\\_APPEND](#), [PLAYTRANSITION\\_APPEND\\_IMMEDIATE](#), [PLAYTRANSITION\\_RESET](#), [PLAYTRANSITION\\_RESET\\_IMMEDIATE](#), [PLAYTRANSITION\\_STOP](#), [PLAYTRANSITION\\_SWAP](#), [PLAYTRANSITION\\_SWITCH](#), [PLAYTRANSITION\\_UNKNOWN](#), [PLAYTRANSITIONSTR\\_APPEND](#), [PLAYTRANSITIONSTR\\_RESET](#), [PLAYTRANSITIONSTR\\_STOP](#), [PLAYTRANSITIONSTR\\_SWAP](#), [PLAYTRANSITIONSTR\\_SWITCH](#), [PLAYTRANSITIONSTR\\_UNKNOWN](#)

## Constructor Summary

public	<a href="#">ModuleMediaCasterStreamMonitorAdvanced()</a>
--------	--

## Method Summary

void	<a href="#">onAppStart</a> ( <a href="#">IApplicationInstance</a> appInstance)
void	<a href="#">onAppStop</a> ( <a href="#">IApplicationInstance</a> appInstance)
boolean	<a href="#">onResetMediaCaster</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaCaster</a> mediaCaster)
void	<a href="#">onStreamCreate</a> ( <a href="#">IMediaStream</a> stream)
void	<a href="#">onStreamDestroy</a> ( <a href="#">IMediaStream</a> stream)
boolean	<a href="#">onValidateMediaCaster</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaCaster</a> mediaCaster)
void	<a href="#">onValidateMediaCastersStart</a> ( <a href="#">IApplicationInstance</a> appInstance)
void	<a href="#">onValidateMediaCastersStop</a> ( <a href="#">IApplicationInstance</a> appInstance)

### Methods inherited from class [com.wowza.wms.module.ModuleBase](#)

[getAppInstance](#), [getApplication](#), [getCallbackParamCount](#), [getLogger](#), [getParam](#), [getParamBoolean](#), [getParamBoolean](#), [getParamCount](#), [getParamDate](#), [getParamDouble](#), [getParamDouble](#), [getParamInt](#), [getParamInt](#), [getParamLong](#), [getParamLong](#), [getParamMixedArray](#), [getParamObj](#), [getParamString](#), [getParamString](#), [getParamType](#), [getStream](#), [getVHost](#), [invokePrevious](#), [invokePrevious](#), [isSendResult](#), [sendClientOnStatusError](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendStreamOnStatusError](#)

### Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

### Methods inherited from interface [com.wowza.wms.mediacaster.IMediaCasterValidateMediaCaster](#)

[onResetMediaCaster](#), [onValidateMediaCaster](#), [onValidateMediaCastersStart](#), [onValidateMediaCastersStop](#)

## Fields

### streamMonitorStreamStartTimeout

protected int **streamMonitorStreamStartTimeout**

(continued from last page)

---

**streamMonitorStreamTimeout**

protected int **streamMonitorStreamTimeout**

---

---

**streamMonitorVideoTCToleranceEnable**

protected boolean **streamMonitorVideoTCToleranceEnable**

---

---

**streamMonitorVideoTCPosTolerance**

protected int **streamMonitorVideoTCPosTolerance**

---

---

**streamMonitorVideoTCNegTolerance**

protected int **streamMonitorVideoTCNegTolerance**

---

---

**streamMonitorAudioTCToleranceEnable**

protected boolean **streamMonitorAudioTCToleranceEnable**

---

---

**streamMonitorAudioTCPosTolerance**

protected int **streamMonitorAudioTCPosTolerance**

---

---

**streamMonitorAudioTCNegTolerance**

protected int **streamMonitorAudioTCNegTolerance**

---

---

**streamMonitorDataTCToleranceEnable**

protected boolean **streamMonitorDataTCToleranceEnable**

---

---

**streamMonitorDataTCPosTolerance**

protected int **streamMonitorDataTCPosTolerance**

---

---

**streamMonitorDataTCNegTolerance**

protected int **streamMonitorDataTCNegTolerance**

---

(continued from last page)

---

**streamMonitorAVSyncToleranceEnable**protected boolean **streamMonitorAVSyncToleranceEnable**

---

---

**streamMonitorAVSyncTolerance**protected int **streamMonitorAVSyncTolerance**

---

---

**streamMonitorVideoStartTimeout**protected int **streamMonitorVideoStartTimeout**

---

---

**streamMonitorVideoTimeout**protected int **streamMonitorVideoTimeout**

---

---

**streamMonitorAudioStartTimeout**protected int **streamMonitorAudioStartTimeout**

---

---

**streamMonitorAudioTimeout**protected int **streamMonitorAudioTimeout**

---

---

**streamMonitorResetNameGroups**protected boolean **streamMonitorResetNameGroups**

---

---

**streamMonitorDebug**protected boolean **streamMonitorDebug**

---

---

**appInstance**protected com.wowza.wms.application.IApplicationInstance **appInstance**

---

(continued from last page)

## monitors

```
protected java.util.Map monitors
```

## badStreams

```
protected java.util.Set badStreams
```

## Constructors

### ModuleMediaCasterStreamMonitorAdvanced

```
public ModuleMediaCasterStreamMonitorAdvanced()
```

## Methods

### onAppStart

```
public void onAppStart(IApplicationInstance appInstance)
```

### onAppStop

```
public void onAppStop(IApplicationInstance appInstance)
```

### onStreamCreate

```
public void onStreamCreate(IMediaStream stream)
```

### onStreamDestroy

```
public void onStreamDestroy(IMediaStream stream)
```

### onValidateMediaCastersStart

```
public void onValidateMediaCastersStart(IApplicationInstance appInstance)
```

### onValidateMediaCaster

```
public boolean onValidateMediaCaster(IApplicationInstance appInstance,  
    IMediaCaster mediaCaster)
```

---

## onValidateMediaCastersStop

```
public void onValidateMediaCastersStop(IApplicationInstance appInstance)
```

---


## onResetMediaCaster

```
public boolean onResetMediaCaster(IApplicationInstance appInstance,  
    IMediaCaster mediaCaster)
```



## com.wowza.wms.module Class ModuleProperties

java.lang.Object



public class **ModuleProperties**  
extends [ModuleBase](#)

### Fields inherited from class [com.wowza.wms.module.ModuleBase](#)

[CALLBACK\\_PARAM1](#), [CALLBACK\\_PARAM10](#), [CALLBACK\\_PARAM2](#), [CALLBACK\\_PARAM3](#), [CALLBACK\\_PARAM4](#), [CALLBACK\\_PARAM5](#), [CALLBACK\\_PARAM6](#), [CALLBACK\\_PARAM7](#), [CALLBACK\\_PARAM8](#), [CALLBACK\\_PARAM9](#), [PARAM1](#), [PARAM10](#), [PARAM2](#), [PARAM3](#), [PARAM4](#), [PARAM5](#), [PARAM6](#), [PARAM7](#), [PARAM8](#), [PARAM9](#), [PARAMMETHODNAME](#), [PLAYTRANSITION\\_APPEND](#), [PLAYTRANSITION\\_APPEND\\_IMMEDIATE](#), [PLAYTRANSITION\\_RESET](#), [PLAYTRANSITION\\_RESET\\_IMMEDIATE](#), [PLAYTRANSITION\\_STOP](#), [PLAYTRANSITION\\_SWAP](#), [PLAYTRANSITION\\_SWITCH](#), [PLAYTRANSITION\\_UNKNOWN](#), [PLAYTRANSITIONSTR\\_APPEND](#), [PLAYTRANSITIONSTR\\_RESET](#), [PLAYTRANSITIONSTR\\_STOP](#), [PLAYTRANSITIONSTR\\_SWAP](#), [PLAYTRANSITIONSTR\\_SWITCH](#), [PLAYTRANSITIONSTR\\_UNKNOWN](#)

### Constructor Summary

public	<a href="#">ModuleProperties</a> ( )
--------	--------------------------------------

### Method Summary

static void	<a href="#">getAppInstanceProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get application instance level property value NetConnection.call("getAppInstanceProperty", resultObj, name);
static void	<a href="#">getApplicationProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get application level property value NetConnection.call("getApplicationProperty", resultObj, name);
static void	<a href="#">getClientProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get client level property value NetConnection.call("getClientProperty", resultObj, name);
static void	<a href="#">getStreamProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Get stream level property value NetConnection.call("getStreamProperty", resultObj, streamId, name);
static void	<a href="#">setAppInstanceProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set application instance level property NetConnection.call("setAppInstanceProperty", null, name, value);
static void	<a href="#">setApplicationProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set application level property NetConnection.call("setApplicationProperty", null, name, value);

static void	<a href="#">setClientProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set client level property NetConnection.call("setClientProperty", null, name, value);
static void	<a href="#">setStreamProperty</a> ( <a href="#">IClient</a> client, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Set stream level property NetConnection.call("setStreamProperty", null, streamId, name, value);

#### Methods inherited from class [com.wowza.wms.module.ModuleBase](#)

[getAppInstance](#), [getApplication](#), [getCallbackParamCount](#), [getLogger](#), [getParam](#),  
[getParamBoolean](#), [getParamBoolean](#), [getParamCount](#), [getParamDate](#), [getParamDouble](#),  
[getParamDouble](#), [getParamInt](#), [getParamInt](#), [getParamLong](#), [getParamLong](#),  
[getParamMixedArray](#), [getParamObj](#), [getParamString](#), [getParamString](#), [getParamType](#),  
[getStream](#), [getVHost](#), [invokePrevious](#), [invokePrevious](#), [isSendResult](#),  
[sendClientOnStatusError](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#), [sendResult](#),  
[sendStreamOnStatusError](#)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait,  
wait

## Constructors

### ModuleProperties

```
public ModuleProperties()
```

## Methods

### setApplicationProperty

```
public static void setApplicationProperty(IClient client,  
com.wowza.wms.request.RequestFunction function,  
AMFDataList params)
```

Set application level property NetConnection.call("setApplicationProperty", null, name, value);

#### Parameters:

client - client  
function - function  
params - params (name, value)

### getApplicationProperty

```
public static void getApplicationProperty(IClient client,  
com.wowza.wms.request.RequestFunction function,  
AMFDataList params)
```

Get application level property value NetConnection.call("getApplicationProperty", resultObj, name);

#### Parameters:

client - client  
function - function

(continued from last page)

params - params (name)

---

## setAppInstanceProperty

```
public static void setAppInstanceProperty(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Set application instance level property NetConnection.call("setAppInstanceProperty", null, name, value);

### Parameters:

client - client  
function - function  
params - params (name, value)

---

## getAppInstanceProperty

```
public static void getAppInstanceProperty(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get application instance level property value NetConnection.call("getAppInstanceProperty", resultObj, name);

### Parameters:

client - client  
function - function  
params - params (name)

---

## setClientProperty

```
public static void setClientProperty(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Set client level property NetConnection.call("setClientProperty", null, name, value);

### Parameters:

client - client  
function - function  
params - params (name, value)

---

## getClientProperty

```
public static void getClientProperty(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get client level property value NetConnection.call("getClientProperty", resultObj, name);

### Parameters:

client - client  
function - function  
params - params (name)

---

## setStreamProperty

```
public static void setStreamProperty(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

(continued from last page)

Set stream level property `NetConnection.call("setStreamProperty", null, streamId, name, value);`

**Parameters:**

`client` - client

`function` - function

`params` - params (streamId, name, value)

---

## getStreamProperty

```
public static void getStreamProperty(IClient client,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Get stream level property value `NetConnection.call("getStreamProperty", resultObj, streamId, name);`

**Parameters:**

`client` - client

`function` - function

`params` - params (streamId, name)

---

Package

**com.wowza.wms.response**

## com.wowza.wms.response Class ResponseFunction

java.lang.Object

└─com.wowza.wms.response.ResponseFunction

public class **ResponseFunction**  
extends Object

ResponseFunction: class for sending status messages to the client.

### Field Summary

public	<a href="#">doBreak</a>
--------	-------------------------

### Constructor Summary

public	<a href="#">ResponseFunction</a> ( <a href="#">IClient</a> client) Create an empty ResponseFunction
public	<a href="#">ResponseFunction</a> (com.wowza.wms.netconnection.INetConnection netConnection) Create an empty ResponseFunction
public	<a href="#">ResponseFunction</a> (com.wowza.wms.netconnection.INetConnection netConnection, <a href="#">AMFObj</a> amfObj) Create an empty ResponseFunction
public	<a href="#">ResponseFunction</a> ( <a href="#">IClient</a> client, <a href="#">AMFObj</a> amfObj) Create an empty ResponseFunction
public	<a href="#">ResponseFunction</a> ( <a href="#">IMediaStream</a> stream, <a href="#">AMFObj</a> amfObj) Create an empty ResponseFunction

### Method Summary

void	<a href="#">addBody</a> ( <a href="#">AMFData</a> body) Add AMFData to the body of the message.
void	<a href="#">addBytes</a> (byte[] inbytes) Add raw AMFData bytes[] to message body
void	<a href="#">createBroadcastMessage</a> (java.nio.ByteBuffer messageBytes) Create broadcast message.
void	<a href="#">createConnectMessage</a> (String inName, double inResultNum) Create net connection connect message.
void	<a href="#">createDefaultMessage</a> (String inName, double inResultNum) Create a default message (onStatus type messages).
void	<a href="#">createEnhancedSeekMessage</a> (byte[] messageBuffer, int src, int tc)

void	<a href="#"><u>createPlayStatusMessage</u></a> (String inName) Create onPlayStatus message.
void	<a href="#"><u>createSeekMessage</u></a> (String inName) Create a seek result message.
void	<a href="#"><u>createSOMessage</u></a> (byte[] messageBuffer, int objectEncoding) Create shared object message.
long	<a href="#"><u>getTimecode</u></a> () Get function timecode (milliseconds).
int	<a href="#"><u>getType</u></a> () Get message type.
boolean	<a href="#"><u>isForceAMF0</u></a> ()
void	<a href="#"><u>setBody</u></a> (int index, <a href="#"><u>AMFData</u></a> body) Add AMFData to the body of the message.
void	<a href="#"><u>setForceAMF0</u></a> (boolean forceAMF0)
void	<a href="#"><u>setMessageBytes</u></a> (byte[] messageBytes)
void	<a href="#"><u>setRetAMFNumber</u></a> (int innum) Set the return channel id
void	<a href="#"><u>setSrc</u></a> (int src) Set the src (stream id) for the message.
void	<a href="#"><u>setTimecode</u></a> (long timecode) Set function timecode (milliseconds).
void	<a href="#"><u>setType</u></a> (int type) Set message type.
int	<a href="#"><u>write</u></a> (java.io.OutputStream out, boolean isAbsTimecode, int chunkSize) Write message directly to OutputStream
int	<a href="#"><u>write</u></a> (java.io.OutputStream out, int chunkSize) Write message directly to OutputStream.

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### doBreak

public boolean **doBreak**

(continued from last page)

## Constructors

### ResponseFunction

```
public ResponseFunction(IClient client)
```

Create an empty ResponseFunction

**Parameters:**

client - client

---

### ResponseFunction

```
public ResponseFunction(com.wowza.wms.netconnection.INetConnection netConnection)
```

Create an empty ResponseFunction

**Parameters:**

netConnection - net connection

---

### ResponseFunction

```
public ResponseFunction(com.wowza.wms.netconnection.INetConnection netConnection,  
AMFObj amfObj)
```

Create an empty ResponseFunction

**Parameters:**

netConnection - net connection

amfObj - amf object

---

### ResponseFunction

```
public ResponseFunction(IClient client,  
AMFObj amfObj)
```

Create an empty ResponseFunction

**Parameters:**

client - client object

amfObj - amf object

---

### ResponseFunction

```
public ResponseFunction(IMediaStream stream,  
AMFObj amfObj)
```

Create an empty ResponseFunction

**Parameters:**

stream - media stream object

amfObj - amf object

## Methods

### setSrc

```
public void setSrc(int src)
```



(continued from last page)

Set the src (stream id) for the message.

**Parameters:**

src - src (stream id)

---

## createDefaultMessage

```
public void createDefaultMessage(String inName,  
    double inResultNum)
```

Create a default message (onStatus type messages).

**Parameters:**

inName - handler name (example: onStatus)

inResultNum - result number of 0 if not result

---

## createConnectMessage

```
public void createConnectMessage(String inName,  
    double inResultNum)
```

Create net connection connect message.

**Parameters:**

inName - handler name (example: connection)

inResultNum - result number if 0 not a result

---

## createSeekMessage

```
public void createSeekMessage(String inName)
```

Create a seek result message.

**Parameters:**

inName - handler name (example: onStatus)

---

## createPlayStatusMessage

```
public void createPlayStatusMessage(String inName)
```

Create onPlayStatus message.

**Parameters:**

inName - handler name (example: onPlayStatus)

---

## setMessageBytes

```
public void setMessageBytes(byte[] messageBytes)
```

---

## createBroadcastMessage

```
public void createBroadcastMessage(java.nio.ByteBuffer messageBytes)
```

Create broadcast message. Used for ByteBuffer handler calls.

**Parameters:**

(continued from last page)

messageBytes - ByteBuffer with raw AMFData bytes to be sent to client

---

## createSOMessage

```
public void createSOMessage(byte[] messageBuffer,  
    int objectEncoding)
```

Create shared object message. Used for ByteBuffer handler calls.

**Parameters:**

messageBuffer

---

## createEnhancedSeekMessage

```
public void createEnhancedSeekMessage(byte[] messageBuffer,  
    int src,  
    int tc)
```

---

## addBody

```
public void addBody(AMFData body)
```

Add AMFData to the body of the message.

**Parameters:**

body - AMFData message

---

## setBody

```
public void setBody(int index,  
    AMFData body)
```

Add AMFData to the body of the message.

**Parameters:**

index - index in body list

body - AMFData message

---

## addBytes

```
public void addBytes(byte[] inbytes)
```

Add raw AMFData bytes[] to message body

**Parameters:**

inbytes - raw AMFData bytes[]

---

## setRetAMFNumber

```
public void setRetAMFNumber(int innum)
```

Set the return channel id

**Parameters:**

innum - return channel id

(continued from last page)

## getTimecode

```
public long getTimecode()
```

Get function timecode (milliseconds).

**Returns:**

function timecode (milliseconds)

---

## setTimecode

```
public void setTimecode(long timecode)
```

Set function timecode (milliseconds).

**Parameters:**

timecode - function timecode (milliseconds)

---

## setType

```
public void setType(int type)
```

Set message type. See IVHost.CONTENTTYPE\_\*

**Parameters:**

type - message type

---

## getType

```
public int getType()
```

Get message type. See IVHost.CONTENTTYPE\_\*

**Returns:**

message type

---

## write

```
public int write(java.io.OutputStream out,  
int chunkSize)
```

Write message directly to OutputStream.

**Parameters:**

out - OutputStream

**Returns:**

number of bytes written

---

## isForceAMF0

```
public boolean isForceAMF0()
```

---

## setForceAMF0

```
public void setForceAMF0(boolean forceAMF0)
```

(continued from last page)

---

**write**

```
public int write(java.io.OutputStream out,  
                boolean isAbsTimecode,  
                int chunkSize)
```

Write message directly to OutputStream

**Parameters:**

out - OutputStream  
isAbsTimecode - is timecode absolute

**Returns:**

number of bytes written

## com.wowza.wms.response Class ResponseFunctions

java.lang.Object

└─com.wowza.wms.response.ResponseFunctions

public class **ResponseFunctions**  
extends Object

ResponseFunctions: collection of ResponseFunction objects. This interface is used to asynchronously collect up a set of client responses that will be sent to the client at the next opportunity.

### Constructor Summary

public	<a href="#">ResponseFunctions()</a>
--------	-------------------------------------

### Method Summary

void	<a href="#">add(ResponseFunction wmsResponseFunction)</a> Add a function.
void	<a href="#">clear()</a>
boolean	<a href="#">isPending()</a> Are there any pending items in the list.
int	<a href="#">output(java.io.OutputStream out, int sendChunkSize)</a> Write all functions (in order added to list) to OutputStream.

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### ResponseFunctions

public **ResponseFunctions()**

## Methods

### add

public void **add**([ResponseFunction wmsResponseFunction](#))

Add a function.

(continued from last page)

**Parameters:**wmsResponseFunction - function

---

**clear**

```
public void clear()
```

**isPending**

```
public boolean isPending()
```

Are there any pending items in the list.

**Returns:**

true if items in list

---

**output**

```
public int output(java.io.OutputStream out,  
int sendChunkSize)
```

Write all functions (in order added to list) to OutputStream.

**Parameters:**

out - OutputStream

**Returns:**

total number of bytes written

---

---

Package

**com.wowza.wms.rtp.model**

---

## com.wowza.wms.rtp.model Interface IRTPMessageHandler

---

public interface **IRTPMessageHandler**  
extends

IRTPMessageHandler: Internal use.

---

### Method Summary

void	<a href="#">handleMessage</a> (java.net.SocketAddress socketAddr, byte[] buffer, int offset, int len)
------	---

---

### Methods

#### handleMessage

```
public void handleMessage(java.net.SocketAddress socketAddr,  
    byte[] buffer,  
    int offset,  
    int len)
```



com.wowza.wms.rtp.model

# Interface IRTPMetadataProvider

public interface **IRTPMetadataProvider**  
extends

IRTPMetadataProvider: Internal use.

Method Summary	
byte[]	<a href="#">getMetadataPacket</a> ( <a href="#">RTPStream</a> stream)

## Methods

**getMetadataPacket**  
public byte[] **getMetadataPacket**([RTPStream](#) stream)

com.wowza.wms.rtp.model

# Interface IRTPSessionNotify

public interface **IRTPSessionNotify**  
extends

IRTPSessionNotify: listener interface for RTP sessions. See RTPSessions.addSessionListener(IRTPSessionNotify listener)

Method Summary	
void	<a href="#">onRTPSessionCreate(RTPSession rtpSession)</a> Invoked when RTP session is created
void	<a href="#">onRTPSessionDestroy(RTPSession rtpSession)</a> Invoked when RTP session is destroyed

## Methods

### onRTPSessionCreate

public void **onRTPSessionCreate**([RTPSession](#) rtpSession)

    Invoked when RTP session is created

**Parameters:**  
    rtpSession - RTP session

### onRTPSessionDestroy

public void **onRTPSessionDestroy**([RTPSession](#) rtpSession)

    Invoked when RTP session is destroyed

**Parameters:**  
    rtpSession - RTP session

## com.wowza.wms.rtp.model Interface IRTSPActionNotify

public interface **IRTSPActionNotify**  
extends

IRTSPActionNotify: listener interface for RTSP actions. See RTPSession.addActionListener(IRTSPActionNotify actionListener)

### Method Summary

void	<a href="#">onAnnounce</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by ANNOUNCE command
void	<a href="#">onDescribe</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by DESCRIBE command
void	<a href="#">onGetParameter</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by GET_PARAMETER command
void	<a href="#">onOptions</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by OPTIONS command
void	<a href="#">onPause</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by PAUSE command
void	<a href="#">onPlay</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by PLAY command
void	<a href="#">onRecord</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by RECORD command
void	<a href="#">onRedirect</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by REDIRECT command
void	<a href="#">onSetParameter</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by SET_PARAMETER command
void	<a href="#">onSetup</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by SETUP command
void	<a href="#">onTeardown</a> ( <a href="#">RTPSession</a> rtspSession, com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked by TEARDOWN command

## Methods

### onDescribe

```
public void onDescribe(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by DESCRIBE command

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

### onAnnounce

```
public void onAnnounce(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by ANNOUNCE command

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

### onSetParameter

```
public void onSetParameter(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by SET\_PARAMETER command

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

### onGetParameter

```
public void onGetParameter(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by GET\_PARAMETER command

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

(continued from last page)

## onOptions

```
public void onOptions(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by OPTIONS command

### Parameters:

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

## onPause

```
public void onPause(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by PAUSE command

### Parameters:

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

## onPlay

```
public void onPlay(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by PLAY command

### Parameters:

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

## onRecord

```
public void onRecord(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by RECORD command

### Parameters:

rtspSession  
req  
resp

---

## onRedirect

```
public void onRedirect(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by REDIRECT command

(continued from last page)

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

**onSetup**

```
public void onSetup(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by SETUP command

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

---

**onTeardown**

```
public void onTeardown(RTPSession rtspSession,  
    com.wowza.wms.rtp.RTSPRequestMessage req,  
    com.wowza.wms.rtp.RTSPResponseMessages resp)
```

Invoked by TEARDOWN command

**Parameters:**

rtspSession - RTP session  
req - RTP request  
resp - RTP response

## com.wowza.wms.rtp.model

### Class RTPContext

java.lang.Object

└─com.wowza.wms.rtp.model.RTPContext

public class **RTPContext**  
extends Object

RTPContext: RTP context

#### Constructor Summary

public	<a href="#">RTPContext</a> ( <a href="#">IVHost</a> vhost) Constructor
--------	---

#### Method Summary

boolean	<a href="#">acquireSocketAddress</a> (java.net.SocketAddress socketAddress) Acquire UDP socket address
int	<a href="#">acquireUDPPortPair</a> () Acquire next available UDP port pair
int	<a href="#">acquireUDPPortPair</a> (int port) Acquire UDP port pair
void	<a href="#">cacheRTPStream</a> ( <a href="#">RTPStream</a> stream) Cache an RTP stream, Internal use.
void	<a href="#">doWatchdog</a> () Idle events for cleanup
boolean	<a href="#">existsRTSPTunnelingSession</a> (String sessionId) Return true if session id is valid RTSP/RTP tunneling session id
int[]	<a href="#">expandToPortPair</a> (int port) Expand a single port to a pair.
RTPPacketizerItem	<a href="#">getAudioPacketizerItem</a> ( <a href="#">IApplicationInstance</a> appInstance, int codecId) Get audio packetizer for a given codec id.
com.wowza.wms.rtp.dep acketizer.RTPDePacket izerList	<a href="#">getDePacketizerList</a> () Get a list of the available depacketizers
String	<a href="#">getDePacketizerName</a> (RTPTrack rtpTrack) Get a depacketizer by name
Object	<a href="#">getLock</a> () Get the UDP port manager lock
Object	<a href="#">getRTSPTunnelingLock</a> () Get the RTSP/RTP tunneling lock

com.wowza.wms.rtsp.RTSP TunnelingSession	<a href="#"><u>getRTSPTunnelingSession</u></a> (String sessionId) Get RTSP/RTP tunneling session by session id
<a href="#"><u>RTPSessions</u></a>	<a href="#"><u>getSessions</u></a> () Get RTP sessions
RTPPacketizerItem	<a href="#"><u>getStreamPacketizerItem</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance, int codecId) Get stream packetizer for a given codec id.
com.wowza.wms.rtp.transport.UDPTransportManager	<a href="#"><u>getUDPTransportManager</u></a> () Get the UDP transport manager
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost</u></a> () Get vhost
RTPPacketizerItem	<a href="#"><u>getVideoPacketizerItem</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance, int codecId) Get video packetizer for a given codec id.
void	<a href="#"><u>init</u></a> () Initialize
void	<a href="#"><u>putAudioPacketizerItem</u></a> (int codecId, RTPPacketizerItem rtpPacketizerInfo) Set the audio packetizer for a given codec id
void	<a href="#"><u>putRTSPTunnelingSession</u></a> (String sessionId, com.wowza.wms.rtsp.RTSP TunnelingSession rtspTunnelingSession) Remove RTSP/RTP tunneling session by session id
void	<a href="#"><u>putStreamPacketizerItem</u></a> (int codecId, RTPPacketizerItem rtpPacketizerInfo) Set the stream packetizer for a given codec id
void	<a href="#"><u>putVideoPacketizerItem</u></a> (int codecId, RTPPacketizerItem rtpPacketizerInfo) Set the video packetizer for a given codec id
boolean	<a href="#"><u>releaseSocketAddress</u></a> (java.net.SocketAddress socketAddress) Release UDP socket address
void	<a href="#"><u>releaseUDPPortPair</u></a> (int port) Release port pair
com.wowza.wms.rtsp.RTSP TunnelingSession	<a href="#"><u>removeRTSPTunnelingSession</u></a> (String sessionId) Remove RTSP/RTP tunneling session by session id
void	<a href="#"><u>shutdown</u></a> () Shutdown
void	<a href="#"><u>shutdownRTPSession</u></a> ( <a href="#"><u>RTPSession</u></a> rtpSession) Gracefully and forcefully shutdown and RTP session
<a href="#"><u>RTPStream</u></a>	<a href="#"><u>uncacheRTPStream</u></a> (String streamId) UnCache an RTP stream, Internal use.

**Methods inherited from class java.lang.Object**

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait



## Constructors

### RTPContext

```
public RTPContext(IVHost vhost)
```

Constructor

**Parameters:**

vhost - vhost

## Methods

### doWatchdog

```
public void doWatchdog()
```

Idle events for cleanup

### init

```
public void init()
```

Initialize

### shutdown

```
public void shutdown()
```

Shutdown

### getAudioPacketizerItem

```
public RTPPacketizerItem getAudioPacketizerItem(IApplicationInstance appInstance,  
int codecId)
```

Get audio packetizer for a given codec id.

**Parameters:**

appInstance - application instance

codecId - codec id, see IVHost.CODEC\_AUDIO\_\*

**Returns:**

packetizer info

### putAudioPacketizerItem

```
public void putAudioPacketizerItem(int codecId,  
RTPPacketizerItem rtpPacketizerInfo)
```

Set the audio packetizer for a given codec id

**Parameters:**

codecId - codec id, see IVHost.CODEC\_AUDIO\_\*

rtpPacketizerInfo - packetizer info

---

## getVideoPacketizerItem

```
public RTPPacketizerItem getVideoPacketizerItem(IApplicationInstance appInstance,  
int codecId)
```

Get video packetizer for a given codec id.

### Parameters:

appInstance - application instance  
codecId - codec id, see IVHost.CODEC\_VIDEO\_\*

### Returns:

packetizer info

---

## putVideoPacketizerItem

```
public void putVideoPacketizerItem(int codecId,  
RTPPacketizerItem rtpPacketizerInfo)
```

Set the video packetizer for a given codec id

### Parameters:

codecId - codec id, see IVHost.CODEC\_VIDEO\_\*

rtpPacketizerInfo - packetizer info

---

## getStreamPacketizerItem

```
public RTPPacketizerItem getStreamPacketizerItem(IApplicationInstance appInstance,  
int codecId)
```

Get stream packetizer for a given codec id.

### Parameters:

appInstance - application instance  
codecId - codec id, see IVHost.CODEC\_STREAM\_\*

### Returns:

packetizer info

---

## putStreamPacketizerItem

```
public void putStreamPacketizerItem(int codecId,  
RTPPacketizerItem rtpPacketizerInfo)
```

Set the stream packetizer for a given codec id

### Parameters:

codecId - codec id, see IVHost.CODEC\_STREAM\_\*

rtpPacketizerInfo - packetizer info

---

## getSessions

```
public RTPSessions getSessions()
```

Get RTP sessions

### Returns:

RTP sessions

---

## getVHost

```
public IVHost getVHost()
```

Get vhost

**Returns:**  
vhost

---

## getUDPTransportManager

```
public com.wowza.wms.rtp.transport.UDPTransportManager getUDPTransportManager()
```

Get the UDP transport manager

**Returns:**  
UDP transport manager

---

## getLock

```
public Object getLock()
```

Get the UDP port manager lock

**Returns:**  
UDP port manager lock

---

## acquireSocketAddress

```
public boolean acquireSocketAddress(java.net.SocketAddress socketAddress)
```

Acquire UDP socket address

**Parameters:**  
socketAddress - UDP socket address

**Returns:**  
true if available

---

## releaseSocketAddress

```
public boolean releaseSocketAddress(java.net.SocketAddress socketAddress)
```

Release UDP socket address

**Parameters:**  
socketAddress - UDP socket address

**Returns:**  
true if available

---

## acquireUDPPortPair

```
public int acquireUDPPortPair(int port)
```

Acquire UDP port pair

---

(continued from last page)

**Parameters:**

port - starting port

**Returns:**

port

---

## expandToPortPair

```
public int[] expandToPortPair(int port)
```

Expand a single port to a pair. Ports are allocated in pairs always starting with even port number.

**Parameters:**

port - port

**Returns:**

port

---

## acquireUDPPortPair

```
public int acquireUDPPortPair()
```

Acquire next available UDP port pair

**Returns:**

port

---

## releaseUDPPortPair

```
public void releaseUDPPortPair(int port)
```

Release port pair

**Parameters:**

port - first port of pair

---

## cacheRTPStream

```
public void cacheRTPStream(RTPStream stream)
```

Cache an RTP stream, Internal use.

**Parameters:**

stream - RTP stream

---

## uncacheRTPStream

```
public RTPStream uncacheRTPStream(String streamId)
```

UnCache an RTP stream, Internal use.

**Parameters:**

streamId - stream id

**Returns:**

RTP Stream

(continued from last page)

## getDePacketizerList

```
public com.wowza.wms.rtp.depaketizer.RTPDePacketizerList getDePacketizerList()
```

Get a list of the available depacketizers

**Returns:**

list of the available depacketizers

---

## getDePacketizerName

```
public String getDePacketizerName(RTPTrack rtpTrack)
```

Get a depacketizer by name

**Parameters:**

rtpTrack - track

**Returns:**

depacketizer

---

## getRTSPTunnelingLock

```
public Object getRTSPTunnelingLock()
```

Get the RTSP/RTP tunneling lock

**Returns:**

RTSP/RTP tunneling lock

---

## getRTSPTunnelingSession

```
public com.wowza.wms.rtsp.RTSPTunnelingSession getRTSPTunnelingSession(String  
sessionId)
```

Get RTSP/RTP tunneling session by session id

**Parameters:**

sessionId - session id

**Returns:**

RTSP/RTP tunneling session

---

## removeRTSPTunnelingSession

```
public com.wowza.wms.rtsp.RTSPTunnelingSession removeRTSPTunnelingSession(String  
sessionId)
```

Remove RTSP/RTP tunneling session by session id

**Parameters:**

sessionId - session id

**Returns:**

RTSP/RTP tunneling session if removed

(continued from last page)

## existsRTSPTunnelingSession

```
public boolean existsRTSPTunnelingSession(String sessionId)
```

Return true if session id is valid RTSP/RTP tunneling session id

**Parameters:**

sessionId - session id

**Returns:**

true if session id is valid RTSP/RTP tunneling session id

---

## putRTSPTunnelingSession

```
public void putRTSPTunnelingSession(String sessionId,  
    com.wowza.wms.rtsp.RTSPTunnelingSession rtspTunnelingSession)
```

Remove RTSP/RTP tunneling session by session id

**Parameters:**

sessionId - session id

rtspTunnelingSession - RTSP/RTP tunneling session

---

## shutdownRTPSession

```
public void shutdownRTPSession(RTPSession rtpSession)
```

Gracefully and forcefully shutdown and RTP session

**Parameters:**

rtpSession - RTP session

## com.wowza.wms.rtp.model

### Class RTPDestination

java.lang.Object

└─com.wowza.wms.rtp.model.RTPDestination

public class **RTPDestination**  
extends Object

RTPDestination: Fully describes an RTP destination.

#### Constructor Summary

public	<a href="#">RTPDestination()</a>
--------	----------------------------------

#### Method Summary

String	<a href="#">getAudioHost()</a> Get audio host
int	<a href="#">getAudioPort()</a> Get audio port
String	<a href="#">getHost()</a> Get the host
String	<a href="#">getHostType()</a> Get host type (default IP4)
String	<a href="#">getName()</a> Get name
int	<a href="#">getStreamPort()</a> Get stream port
int	<a href="#">getTTL()</a> Get time to live
String	<a href="#">getVideoHost()</a> Get video host
int	<a href="#">getVideoPort()</a> Get video port
boolean	<a href="#">isMulticast()</a> Return true if multicast destination
boolean	<a href="#">isRTPWrapped()</a> Is stream wrapped in RTP (MPEG-TS in RTP)
boolean	<a href="#">isStream()</a> Return true if stream destination (and not native RTP destination)

void	<a href="#"><code>setAudioHost</code></a> (String audioHost) Set audio host
void	<a href="#"><code>setAudioPort</code></a> (int audioPort) Set audio port
void	<a href="#"><code>setHost</code></a> (String host) Set host
void	<a href="#"><code>setHostType</code></a> (String hostType) Set host type (default IP4)
void	<a href="#"><code>setName</code></a> (String name) Set name
void	<a href="#"><code>setRTPWrapped</code></a> (boolean isRTPWrapped) Is stream wrapped in RTP (MPEG-TS in RTP)
void	<a href="#"><code>setStreamPort</code></a> (int streamPort) Set stream port
void	<a href="#"><code>setTTL</code></a> (int ttl) Set time to live
void	<a href="#"><code>setVideoHost</code></a> (String videoHost) Set video host
void	<a href="#"><code>setVideoPort</code></a> (int videoPort) Set video port
String	<a href="#"><code>toString</code></a> ()

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### RTPDestination

```
public RTPDestination()
```

## Methods

### toString

```
public String toString()
```



(continued from last page)

## isMulticast

```
public boolean isMulticast()
```

Return true if multicast destination

**Returns:**

true if multicast destination

## isStream

```
public boolean isStream()
```

Return true if stream destination (and not native RTP destination)

**Returns:**

true if stream destination

## getHost

```
public String getHost()
```

Get the host

**Returns:**

host

## setHost

```
public void setHost(String host)
```

Set host

**Parameters:**

host - host

## getVideoPort

```
public int getVideoPort()
```

Get video port

**Returns:**

video port

## setVideoPort

```
public void setVideoPort(int videoPort)
```

Set video port

**Parameters:**

videoPort - video port

## getAudioPort

```
public int getAudioPort()
```

(continued from last page)

Get audio port

**Returns:**

audio port

---

## setAudioPort

```
public void setAudioPort(int audioPort)
```

Set audio port

**Parameters:**

audioPort - audio port

---

## getStreamPort

```
public int getStreamPort()
```

Get stream port

**Returns:**

stream port

---

## setStreamPort

```
public void setStreamPort(int streamPort)
```

Set stream port

**Parameters:**

streamPort - stream port

---

## getVideoHost

```
public String getVideoHost()
```

Get video host

**Returns:**

video host

---

## setVideoHost

```
public void setVideoHost(String videoHost)
```

Set video host

**Parameters:**

videoHost - video host

---

## getAudioHost

```
public String getAudioHost()
```

Get audio host

**Returns:**

audio host

---

## setAudioHost

```
public void setAudioHost(String audioHost)
```

Set audio host

**Parameters:**

audioHost - audio host

---

## getHostType

```
public String getHostType()
```

Get host type (default IP4)

**Returns:**

host type

---

## setHostType

```
public void setHostType(String hostType)
```

Set host type (default IP4)

**Parameters:**

hostType - host type

---

## getTTL

```
public int getTTL()
```

Get time to live

**Returns:**

time to live

---

## setTTL

```
public void setTTL(int ttl)
```

Set time to live

**Parameters:**

ttl - time to live

---

## isRTPWrapped

```
public boolean isRTPWrapped()
```

Is stream wrapped in RTP (MPEG-TS in RTP)

**Returns:**

true if stream wrapped in RTP

---

## setRTPWrapped

```
public void setRTPWrapped(boolean isRTPWrapped)
```

---

(continued from last page)

Is stream wrapped in RTP (MPEG-TS in RTP)

**Parameters:**

isRTPWrapped - true if stream wrapped in RTP

---

## getName

```
public String getName()
```

Get name

**Returns:**

name

---

## setName

```
public void setName(String name)
```

Set name

**Parameters:**

name - name

## com.wowza.wms.rtp.model

### Class RTPPort

java.lang.Object

└─com.wowza.wms.rtp.model.RTPPort

#### All Implemented Interfaces:

com.wowza.wms.rtp.transport.IUDPMessageHandler

public class **RTPPort**  
 extends Object  
 implements com.wowza.wms.rtp.transport.IUDPMessageHandler

### Constructor Summary

public	<a href="#">RTPPort</a> (String inIpAddress, int inPort, String outIpAddress, int outPort, boolean isMulticast) Constructor
--------	--

### Method Summary

void	<a href="#">bind</a> (int direction) Bind to port
int	<a href="#">getAddressCount</a> () Get address count
<a href="#">I RTPMessageHandler</a>	<a href="#">getHandler</a> () Get the message handler
String	<a href="#">getInIpAddress</a> () Get in IP address
int	<a href="#">getInPort</a> () Get in port
String	<a href="#">getOutIpAddress</a> () Get out IP address
int	<a href="#">getOutPort</a> () Get out port
RTPTrack	<a href="#">getTrack</a> () Get RTP track
int	<a href="#">getTTL</a> () Get time to live (milliseconds)
com.wowza.wms.rtp.transport.IUDPTransport	<a href="#">getUDPTransport</a> () Get the UDP transport
void	<a href="#">handleMessage</a> (java.net.SocketAddress socketAddr, Object message)

boolean	<a href="#"><u>isBlockUDPOut</u></a> ( )
boolean	<a href="#"><u>isInMulticast</u></a> ( ) Is in stream multicast
boolean	<a href="#"><u>isMulticast</u></a> ( ) Is multicast
boolean	<a href="#"><u>isOutMulticast</u></a> ( ) Is out stream multicast
void	<a href="#"><u>sendMessage</u></a> (byte[] message, int offset, int len) Send a message out
void	<a href="#"><u>sendResponse</u></a> (byte[] message) Send a response
void	<a href="#"><u>sendResponse</u></a> (byte[] message, int offset, int len) Send response
void	<a href="#"><u>sendResponse</u></a> (byte[] message, int offset, int len, java.net.SocketAddress destination) Send response to destination
void	<a href="#"><u>sessionClosed</u></a> (com.wowza.wms.rtp.transport.IUDPTransportSession session)
void	<a href="#"><u>sessionOpened</u></a> (com.wowza.wms.rtp.transport.IUDPTransportSession session)
void	<a href="#"><u>setAddressCount</u></a> (int addressCount) Set address count
void	<a href="#"><u>setBlockUDPOut</u></a> (boolean blockUDPOut)
void	<a href="#"><u>setHandler</u></a> ( <a href="#"><u>IRTPMessageHandler</u></a> handler) Set the message handler
void	<a href="#"><u>setTrack</u></a> (RTPTrack track) Set RTP track
void	<a href="#"><u>setTTL</u></a> (int ttl) Set time to live (milliseconds)
void	<a href="#"><u>shutdown</u></a> ( ) Shutdown port
void	<a href="#"><u>unbind</u></a> ( ) Unbind

**Methods inherited from class** java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface** com.wowza.wms.rtp.transport.IUDPMessageHandler

handleMessage, sessionClosed, sessionOpened

## Constructors

### RTPPort

```
public RTPPort(String inIpAddress,  
               int inPort,  
               String outIpAddress,  
               int outPort,  
               boolean isMulticast)
```

Constructor

**Parameters:**

inIpAddress - in ip address  
inPort - in port  
outIpAddress - out ip address  
outPort - out port  
isMulticast - true if multicast

## Methods

### getTrack

```
public RTPTrack getTrack()
```

Get RTP track

**Returns:**

RTP track

---

### setTrack

```
public void setTrack(RTPTrack track)
```

Set RTP track

**Parameters:**

track - RTP track

---

### getUDPTransport

```
public com.wowza.wms.rtp.transport.IUDPTransport getUDPTransport()
```

Get the UDP transport

**Returns:**

UDP transport

---

### getInIpAddress

```
public String getInIpAddress()
```

Get in IP address

**Returns:**

in IP address

## getOutIpAddress

```
public String getOutIpAddress()
```

Get out IP address

**Returns:**

out IP address

---

## getInPort

```
public int getInPort()
```

Get in port

**Returns:**

in port

---

## getOutPort

```
public int getOutPort()
```

Get out port

**Returns:**

out port

---

## bind

```
public void bind(int direction)
```

Bind to port

**Parameters:**

direction - in or out, see IUDPTTransport.DIRECTION\_\*

---

## unbind

```
public void unbind()
```

Unbind

---

## shutdown

```
public void shutdown()
```

Shutdown port

---

## getHandler

```
public IRTPMessageHandler getHandler()
```

Get the message handler

**Returns:**

message handler

---



## setHandler

```
public void setHandler(IRTPMessageHandler handler)
```

Set the message handler

### Parameters:

handler - message handler

---

## sendMessage

```
public void sendMessage(byte[] message,  
    int offset,  
    int len)
```

Send a message out

### Parameters:

message - message

offset - offset

len - len

---

## sendResponse

```
public void sendResponse(byte[] message)
```

Send a response

### Parameters:

message - message

---

## sendResponse

```
public void sendResponse(byte[] message,  
    int offset,  
    int len)
```

Send response

### Parameters:

message - message

offset - offset

len - len

---

## sendResponse

```
public void sendResponse(byte[] message,  
    int offset,  
    int len,  
    java.net.SocketAddress destination)
```

Send response to destination

### Parameters:

message - message

offset - offset

len - len

destination - destination address

---

---

## sessionOpened

```
public void sessionOpened(com.wowza.wms.rtp.transport.IUDPTransportSession session)
```

---

## sessionClosed

```
public void sessionClosed(com.wowza.wms.rtp.transport.IUDPTransportSession session)
```

---

## handleMessage

```
public void handleMessage(java.net.SocketAddress socketAddr,  
    Object message)
```

---

## isInMulticast

```
public boolean isInMulticast()
```

Is in stream multicast

**Returns:**

true if multicast

---

## isOutMulticast

```
public boolean isOutMulticast()
```

Is out stream multicast

**Returns:**

true if multicast

---

## isMulticast

```
public boolean isMulticast()
```

Is multicast

**Returns:**

true if multicast

---

## getTTL

```
public int getTTL()
```

Get time to live (milliseconds)

**Returns:**

time to live (milliseconds)

---

(continued from last page)

## setTTL

```
public void setTTL(int ttl)
```

Set time to live (milliseconds)

**Parameters:**

ttl - time to live (milliseconds)

---

## getAddressCount

```
public int getAddressCount()
```

Get address count

**Returns:**

address count

---

## setAddressCount

```
public void setAddressCount(int addressCount)
```

Set address count

**Parameters:**

addressCount - address count

---

## isBlockUDPOut

```
public boolean isBlockUDPOut()
```

---

## setBlockUDPOut

```
public void setBlockUDPOut(boolean blockUDPOut)
```

## com.wowza.wms.rtp.model Class RTPPushPublishSession

java.lang.Object

└--com.wowza.wms.rtp.model.RTPPushPublishSession

```
public class RTPPushPublishSession
    extends Object
```

RTPPushPublishSession: RTP push publishing session

### Constructor Summary

public	<a href="#">RTPPushPublishSession()</a>
--------	---

### Method Summary

<a href="#">RTPSession</a>	<a href="#">getRTPSession()</a> Get RTP session
String	<a href="#">getSDPData()</a> Get SDP data
void	<a href="#">setRTPSession(<a href="#">RTPSession</a> rtpSession)</a> Set RTP session
void	<a href="#">setSDPData(String sdpData)</a> Set SDP data

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### RTPPushPublishSession

```
public RTPPushPublishSession()
```

### Methods

#### getSDPData

```
public String getSDPData()
```

Get SDP data

(continued from last page)

**Returns:**SDP data

---

**setSDPData**

```
public void setSDPData(String sdpData)
```

Set SDP data

**Parameters:**sdpData - SDP data

---

**getRTPSession**

```
public RTPSession getRTPSession()
```

Get RTP session

**Returns:**RTP session

---

**setRTPSession**

```
public void setRTPSession(RTPSession rtpSession)
```

Set RTP session

**Parameters:**rtpSession - RTP session

---

## com.wowza.wms.rtp.model Class RTPSession

java.lang.Object

└-com.wowza.wms.rtp.model.RTPSession

public class **RTPSession**  
extends Object

RTPSession: RTP session

### Field Summary

protected	<a href="#">actionListeners</a>
protected	<a href="#">appInstance</a>
protected	<a href="#">appInstanceShutdown</a>
protected	<a href="#">audioPacketizers</a>
protected	<a href="#">authenticatePlayHandler</a>
protected	<a href="#">authenticatePublishHandler</a>
public static final	<a href="#">AUTHMETHOD_PLAY</a> Value: <b>1</b>
public static final	<a href="#">AUTHMETHOD_PUBLISH</a> Value: <b>2</b>
public static final	<a href="#">AUTHMETHOD_UNKNOWN</a> Value: <b>0</b>
protected	<a href="#">connectionHolder</a>
protected	<a href="#">cookieStr</a>
protected	<a href="#">debugRTSPSession</a>
protected	<a href="#">elapsedTime</a>
protected	<a href="#">idleFrequency</a>
protected	<a href="#">idleHandler</a>

protected	<a href="#"><u>ioPerformanceCounter</u></a>
protected	<a href="#"><u>ioSession</u></a>
protected	<a href="#"><u>ip</u></a>
protected	<a href="#"><u>isAnnounce</u></a>
protected	<a href="#"><u>isConnected</u></a>
protected	<a href="#"><u>isDescribe</u></a>
protected	<a href="#"><u>isSessionValid</u></a>
protected	<a href="#"><u>lastAuthenticateMethod</u></a>
protected	<a href="#"><u>lock</u></a>
protected	<a href="#"><u>loggedConnect</u></a>
protected	<a href="#"><u>properties</u></a>
protected	<a href="#"><u>queryStr</u></a>
protected	<a href="#"><u>redirectSession</u></a>
protected	<a href="#"><u>redirectSessionCode</u></a>
protected	<a href="#"><u>redirectSessionMessage</u></a>
protected	<a href="#"><u>redirectSessionURL</u></a>
protected	<a href="#"><u>referrer</u></a>
protected	<a href="#"><u>rtpWriteListener</u></a>
protected	<a href="#"><u>rtspPlayRangeStart</u></a>
protected	<a href="#"><u>rtspPlayRangeStop</u></a>
protected	<a href="#"><u>rtspTunnelingSessionId</u></a>
protected	<a href="#"><u>serverIp</u></a>
protected	<a href="#"><u>serverPort</u></a>
protected	<a href="#"><u>sessionId</u></a>

protected	<a href="#">shutdownClient</a>
protected	<a href="#">streamPacketizers</a>
protected	<a href="#">streams</a>
protected	<a href="#">streamsOrder</a>
protected	<a href="#">timeCreated</a>
protected	<a href="#">totalIOPerformance2Last</a>
protected	<a href="#">totalIOPerformanceLast</a>
protected	<a href="#">uri</a>
protected	<a href="#">userAgent</a>
protected	<a href="#">vhost</a>
protected	<a href="#">videoPacketizers</a>

## Constructor Summary

public	<a href="#">RTPSession</a> (String sessionId) Constructor
--------	--

## Method Summary

void	<a href="#">acceptSession</a> () Accept this session
void	<a href="#">addActionListener</a> ( <a href="#">IRTSPActionNotify</a> actionListener) Add action listener
void	<a href="#">addIOPerformance</a> ( <a href="#">IOPerformanceCounter</a> totalIOPerformanceResult) Internal use
void	<a href="#">addIOPerformance2</a> ( <a href="#">IOPerformanceCounter</a> totalIOPerformanceResult) Internal use
void	<a href="#">addRTSPStream</a> ( <a href="#">RTPStream</a> stream) Add RTP stream
void	<a href="#">clearLoggingValues</a> () Clear logging values, Internal use.
void	<a href="#">doIdle</a> ()
<a href="#">IApplicationInstance</a>	<a href="#">getAppInstance</a> () Get application instance



RTPPacketizerItem	<a href="#">getAudioPacketizerItem(RTPContext rtpContext, IApplicationInstance appInstance, int codecId)</a> Get audio packetizer for a given codec id.
<a href="#">IAuthenticateRTSP</a>	<a href="#">getAuthenticatePlayHandler()</a> Get the authentication play handler
<a href="#">IAuthenticateRTSP</a>	<a href="#">getAuthenticatePublishHandler()</a> Get the RTP authentication handler
ConnectionHolder	<a href="#">getConnectionHolder()</a> Get connection holder, Internal use.
String	<a href="#">getCookieStr()</a> Get cookie string
<a href="#">ElapsedTimer</a>	<a href="#">getElapsedTime()</a> Get the elapsed timer for this RTP session
int	<a href="#">getIdleFrequency()</a> Get idle frequency (milliseconds)
RTPIdleHandler	<a href="#">getIdleHandler()</a> Get idle handler
<a href="#">IOPerformanceCounter</a>	<a href="#">getIOPerformanceCounter()</a> Get IO performance counter
org.apache.mina.common.support.BaseIoSession	<a href="#">getIoSession()</a>
String	<a href="#">getIp()</a> Get remote IP address
int	<a href="#">getLastAuthenticateMethod()</a> Get the last method received
<a href="#">WMSProperties</a>	<a href="#">getProperties()</a> Get properties
String	<a href="#">getQueryStr()</a> Get query string
int	<a href="#">getRedirectSessionCode()</a>
String	<a href="#">getRedirectSessionMessage()</a>
String	<a href="#">getRedirectSessionURL()</a>
String	<a href="#">getReferrer()</a> Get referrer
RTPWriteListener	<a href="#">getRTPWriteListener()</a> Get the RTP write listener for this session
double	<a href="#">getRTSPPlayRangeStart()</a> Get play start range, Internal use.

double	<a href="#"><u>getRTSPPlayRangeStop()</u></a> Get play stop range, Internal use.
<a href="#"><u>RTPStream</u></a>	<a href="#"><u>getRTSPStream()</u></a> Get the default RTP Stream (all RTP sessions have a single RTP Stream)
<a href="#"><u>RTPStream</u></a>	<a href="#"><u>getRTSPStream(String streamId)</u></a> Get RTP Stream
String	<a href="#"><u>getRTSPTunnelingSessionId()</u></a> Get the RTSP/RTP tunneling session id
String	<a href="#"><u>getServerIp()</u></a> Get the server IP address
int	<a href="#"><u>getServerPort()</u></a> Get server port
String	<a href="#"><u>getSessionId()</u></a> Get session id
RTPPacketizerItem	<a href="#"><u>getStreamPacketizerItem(RTPContext rtpContext, IApplicationInstance appInstance, int codecId)</u></a> Get stream packetizer for a given codec id.
String	<a href="#"><u>getTimeRunning()</u></a> Get the time running for this RTP session
double	<a href="#"><u>getTimeRunningSeconds()</u></a> Get the number of second this RTP session has been running
String	<a href="#"><u>getUri()</u></a> Get URI
String	<a href="#"><u>getUserAgent()</u></a> Get user agent
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost()</u></a> Get vhost
RTPPacketizerItem	<a href="#"><u>getVideoPacketizerItem(RTPContext rtpContext, IApplicationInstance appInstance, int codecId)</u></a> Get video packetizer for a given codec id.
boolean	<a href="#"><u>isAnnounce()</u></a> Has ANNOUNCE command been called on this session
boolean	<a href="#"><u>isAnnounceOrDescribe()</u></a> Has announce or described been called
boolean	<a href="#"><u>isConnected()</u></a> Is session connection
boolean	<a href="#"><u>isDebugRTSPSession()</u></a> True if debugging RTSP session
boolean	<a href="#"><u>isDescribe()</u></a> Has DESCRIBE command been called on this session

boolean	<a href="#"><u>isLoggedConnect</u></a> ( ) Is connect logged
boolean	<a href="#"><u>isRedirectSession</u></a> ( )
boolean	<a href="#"><u>isSessionValid</u></a> ( ) Is this session valid
boolean	<a href="#"><u>isShutdownClient</u></a> ( ) Is RTP session shutdown
void	<a href="#"><u>onAnnounce</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on ANNOUNCE command
void	<a href="#"><u>onDescribe</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on DESCRIBE command
void	<a href="#"><u>onGetParameter</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on GET_PARAMETER command
void	<a href="#"><u>onOptions</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on OPTIONS command
void	<a href="#"><u>onPause</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on PAUSE command
void	<a href="#"><u>onPlay</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on PLAY command
void	<a href="#"><u>onRecord</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on RECORD command
void	<a href="#"><u>onRedirect</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on REDIRECT command
void	<a href="#"><u>onSetParameter</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on SET_PARAMETER command
void	<a href="#"><u>onSetup</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on SETUP command
void	<a href="#"><u>onTeardown</u></a> (com.wowza.wms.rtsp.RTSPRequestMessage req, com.wowza.wms.rtsp.RTSPResponseMessages resp) Invoked on TEARDOWN command
void	<a href="#"><u>putAudioPacketizerItem</u></a> (int codecId, String classPath) Set the audio packetizer for a given codec id
void	<a href="#"><u>putStreamPacketizerItem</u></a> (int codecId, String classPath) Set the stream packetizer for a given codec id

void	<a href="#"><u>putVideoPacketizerItem</u></a> (int codecId, String classPath) Set the video packetizer for a given codec id
void	<a href="#"><u>redirectSession</u></a> (String redirectSessionURL)
void	<a href="#"><u>redirectSession</u></a> (String redirectSessionURL, int redirectSessionCode)
void	<a href="#"><u>rejectSession</u></a> () Reject this session
void	<a href="#"><u>removeActionListener</u></a> ( <a href="#"><u>IRTSPActionNotify</u></a> actionListener) Remove action listener
<a href="#"><u>RTPStream</u></a>	<a href="#"><u>removeRTSPStream</u></a> (String streamId) Remove RTP stream
void	<a href="#"><u>setAnnounce</u></a> (boolean isAnnounce) Set ANNOUNCE command been called on this session
void	<a href="#"><u>setAppInstance</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance) Set application instance
void	<a href="#"><u>setAuthenticatePlayHandler</u></a> ( <a href="#"><u>IAuthenticateRTSP</u></a> authenticatePlayHandler) Set the authentication play handler
void	<a href="#"><u>setAuthenticatePublishHandler</u></a> ( <a href="#"><u>IAuthenticateRTSP</u></a> authenticatePublishHandler) Set the RTP authentication handler
void	<a href="#"><u>setConnected</u></a> (boolean isConnected) Set session is connected
void	<a href="#"><u>setCookieStr</u></a> (String cookieStr) Set cooking string
void	<a href="#"><u>setDebugRTSPSession</u></a> (boolean debugRTSPSession) Set debugging RTSP session
void	<a href="#"><u>setDescribe</u></a> (boolean isDescribe) Set DESCRIBE command been called on this session
void	<a href="#"><u>setIdleFrequency</u></a> (int idleFrequency) Set idle frequency (milliseconds)
void	<a href="#"><u>setIdleHandler</u></a> ( <a href="#"><u>RTPIdleHandler</u></a> idleHandler) Set idle handler
void	<a href="#"><u>setIOPerformanceCounter</u></a> ( <a href="#"><u>IOPerformanceCounter</u></a> ioPerformanceCounter) Set IO performance counter
void	<a href="#"><u>setIoSession</u></a> (org.apache.mina.common.support.BaseIoSession ioSession)
void	<a href="#"><u>setIp</u></a> (String ip) Set remote IP address
void	<a href="#"><u>setLastAuthenticateMethod</u></a> (int lastAuthenticateMethod) Set last method received

void	<a href="#"><u>setLoggedConnect</u></a> (boolean loggedConnect) Set connect logged
void	<a href="#"><u>setQueryStr</u></a> (String queryStr) Set query string
void	<a href="#"><u>setRedirectSession</u></a> (boolean redirectSession)
void	<a href="#"><u>setRedirectSessionCode</u></a> (int redirectSessionCode)
void	<a href="#"><u>setRedirectSessionMessage</u></a> (String redirectSessionMessage)
void	<a href="#"><u>setRedirectSessionURL</u></a> (String redirectSessionURL)
void	<a href="#"><u>setReferrer</u></a> (String referrer) Set referrer
void	<a href="#"><u>setRTSPPlayRangeStart</u></a> (double rtspPlayRangeStart) Set play start range, Internal use.
void	<a href="#"><u>setRTSPPlayRangeStop</u></a> (double rtspPlayRangeStop) Set play stop range, Internal use.
void	<a href="#"><u>setRTSPTunnelingSessionId</u></a> (String rtspTunnelingSessionId) Set the RTSP/RTP tunneling session id
void	<a href="#"><u>setServerIp</u></a> (String serverIp) Set the server IP address
void	<a href="#"><u>setServerPort</u></a> (int serverPort) Set server port
void	<a href="#"><u>setSessionId</u></a> (String sessionId) Set session id
void	<a href="#"><u>setSessionValid</u></a> (boolean isSessionValid) Set session valid
void	<a href="#"><u>setShutdownClient</u></a> (boolean shutdownClient) Set RTP session shutdown
void	<a href="#"><u>setUri</u></a> (String uri) Set URI
void	<a href="#"><u>setUserAgent</u></a> (String userAgent) Set user agent
void	<a href="#"><u>setVHost</u></a> ( <a href="#"><u>IVHost</u></a> vhost) Set vhost
void	<a href="#"><u>shutdown</u></a> ( ) shutdown RTP session, Internal use.
void	<a href="#"><u>shutdown</u></a> (RTPRequestStatus status) shutdown RTP session, Internal use.
void	<a href="#"><u>touch</u></a> ( ) Touch the stream so it doesn't timeout

void	<a href="#">updateLoggingValues()</a> Update logging values, Internal use.
------	---

Methods inherited from class java.lang.Object
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### AUTHMETHOD\_UNKNOWN

public static final int AUTHMETHOD\_UNKNOWN

Constant value: 0

### AUTHMETHOD\_PLAY

public static final int AUTHMETHOD\_PLAY

Constant value: 1

### AUTHMETHOD\_PUBLISH

public static final int AUTHMETHOD\_PUBLISH

Constant value: 2

### sessionId

protected java.lang.String sessionId

### rtspTunnelingSessionId

protected java.lang.String rtspTunnelingSessionId

### streams

protected java.util.Map streams

### streamsOrder

protected java.util.List streamsOrder

(continued from last page)

---

## vhost

protected com.wowza.wms.vhost.IVHost **vhost**

---

## userAgent

protected java.lang.String **userAgent**

---

## cookieStr

protected java.lang.String **cookieStr**

---

## ip

protected java.lang.String **ip**

---

## isSessionValid

protected boolean **isSessionValid**

---

## authenticatePlayHandler

protected com.wowza.wms.authentication.IAuthenticateRTSP **authenticatePlayHandler**

---

## authenticatePublishHandler

protected com.wowza.wms.authentication.IAuthenticateRTSP **authenticatePublishHandler**

---

## lastAuthenticateMethod

protected int **lastAuthenticateMethod**

---

## appInstance

protected com.wowza.wms.application.IApplicationInstance **appInstance**

---

## appInstanceShutdown

protected com.wowza.wms.application.IApplicationInstance **appInstanceShutdown**

---

(continued from last page)

---

## loggedConnect

protected boolean **loggedConnect**

---

## properties

protected com.wowza.wms.application.WMSProperties **properties**

---

## isDescribe

protected boolean **isDescribe**

---

## isAnnounce

protected boolean **isAnnounce**

---

## rtpWriteListener

protected com.wowza.wms.rtp.model.RTPWriteListener **rtpWriteListener**

---

## timeCreated

protected long **timeCreated**

---

## ioPerformanceCounter

protected com.wowza.util.IOPerformanceCounter **ioPerformanceCounter**

---

## totalIOPerformanceLast

protected com.wowza.util.IOPerformanceCounter **totalIOPerformanceLast**

---

## totalIOPerformance2Last

protected com.wowza.util.IOPerformanceCounter **totalIOPerformance2Last**

---



(continued from last page)

---

## connectionHolder

protected com.wowza.wms.client.ConnectionHolder **connectionHolder**

---

## isConnected

protected boolean **isConnected**

---

## idleHandler

protected com.wowza.wms.rtp.model.RTPIdleHandler **idleHandler**

---

## serverIp

protected java.lang.String **serverIp**

---

## serverPort

protected int **serverPort**

---

## uri

protected java.lang.String **uri**

---

## referrer

protected java.lang.String **referrer**

---

## queryStr

protected java.lang.String **queryStr**

---

## actionListeners

protected java.util.List **actionListeners**

---

## elapsedTime

protected com.wowza.util.ElapsedTimer **elapsedTime**

---

(continued from last page)

---

## idleFrequency

protected int **idleFrequency**

---

---

## debugRTSPSession

protected boolean **debugRTSPSession**

---

---

## rtspPlayRangeStart

protected double **rtspPlayRangeStart**

---

---

## rtspPlayRangeStop

protected double **rtspPlayRangeStop**

---

---

## shutdownClient

protected boolean **shutdownClient**

---

---

## audioPacketizers

protected java.util.Map **audioPacketizers**

---

---

## videoPacketizers

protected java.util.Map **videoPacketizers**

---

---

## streamPacketizers

protected java.util.Map **streamPacketizers**

---

---

## redirectSession

protected boolean **redirectSession**

---

(continued from last page)

---

## redirectSessionCode

protected int **redirectSessionCode**

---

## redirectSessionMessage

protected java.lang.String **redirectSessionMessage**

---

## redirectSessionURL

protected java.lang.String **redirectSessionURL**

---

## lock

protected java.lang.Object **lock**

---

## ioSession

protected org.apache.mina.common.support.BaseIoSession **ioSession**

---

## Constructors

### RTPSession

public **RTPSession**(String sessionId)

Constructor

#### Parameters:

sessionId - session id

## Methods

### acceptSession

public void **acceptSession**()

Accept this session

---

### rejectSession

public void **rejectSession**()

Reject this session

---

(continued from last page)

## getSessionId

```
public String getSessionId()
```

Get session id

**Returns:**

session id

---

## setSessionId

```
public void setSessionId(String sessionId)
```

Set session id

**Parameters:**

sessionId - session id

---

## addRTSPStream

```
public void addRTSPStream(RTSPStream stream)
```

Add RTP stream

**Parameters:**

stream - RTP stream

---

## removeRTSPStream

```
public RTSPStream removeRTSPStream(String streamId)
```

Remove RTP stream

**Parameters:**

streamId - stream id

**Returns:**

RTP stream

---

## getRTSPStream

```
public RTSPStream getRTSPStream(String streamId)
```

Get RTP Stream

**Parameters:**

streamId - stream id

**Returns:**

RTP Stream

---

## getRTSPStream

```
public RTSPStream getRTSPStream()
```

Get the default RTP Stream (all RTP sessions have a single RTP Stream)

**Returns:**

(continued from last page)

RTP stream

---

## getVHost

```
public IVHost getVHost()
```

Get vhost

**Returns:**

vhost

---

## setVHost

```
public void setVHost(IVHost vhost)
```

Set vhost

**Parameters:**

vhost - vhost

---

## getUserAgent

```
public String getUserAgent()
```

Get user agent

**Returns:**

user agent

---

## setUserAgent

```
public void setUserAgent(String userAgent)
```

Set user agent

**Parameters:**

userAgent - user agent

---

## touch

```
public void touch()
```

Touch the stream so it doesn't timeout

---

## shutdown

```
public void shutdown()
```

shutdown RTP session, Internal use.

---

## shutdown

```
public void shutdown(RTPRequestStatus status)
```

shutdown RTP session, Internal use.

**Parameters:**

status

---

## isSessionValid

```
public boolean isSessionValid()
```

Is this session valid

**Returns:**

true if valid

---

## setSessionValid

```
public void setSessionValid(boolean isSessionValid)
```

Set session valid

**Parameters:**

isSessionValid - true if valid

---

## getAuthenticatePublishHandler

```
public IAuthenticateRTSP getAuthenticatePublishHandler()
```

Get the RTP authentication handler

**Returns:**

RTP authentication handler

---

## setAuthenticatePublishHandler

```
public void setAuthenticatePublishHandler(IAuthenticateRTSP  
authenticatePublishHandler)
```

Set the RTP authentication handler

**Parameters:**

authenticatePublishHandler - RTP authentication handler

---

## getAuthenticatePlayHandler

```
public IAuthenticateRTSP getAuthenticatePlayHandler()
```

Get the authentication play handler

**Returns:**

authentication play handler

---

## setAuthenticatePlayHandler

```
public void setAuthenticatePlayHandler(IAuthenticateRTSP authenticatePlayHandler)
```

Set the authentication play handler

**Parameters:**

authenticatePlayHandler - authentication play handler

---

(continued from last page)

## getLastAuthenticateMethod

```
public int getLastAuthenticateMethod()
```

Get the last method received

**Returns:**

last method received

---

## setLastAuthenticateMethod

```
public void setLastAuthenticateMethod(int lastAuthenticateMethod)
```

Set last method received

**Parameters:**

lastAuthenticateMethod - last method received

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get application instance

**Returns:**

application instance

---

## setAppInstance

```
public void setAppInstance(IApplicationInstance appInstance)
```

Set application instance

**Parameters:**

appInstance - application instance

---

## isLoggedConnect

```
public boolean isLoggedConnect()
```

Is connect logged

**Returns:**

true if logged

---

## setLoggedConnect

```
public void setLoggedConnect(boolean loggedConnect)
```

Set connect logged

**Parameters:**

loggedConnect - true if logged

---

## getIp

```
public String getIp()
```

(continued from last page)

Get remote IP address

**Returns:**

remote IP address

---

## setIp

```
public void setIp(String ip)
```

Set remote IP address

**Parameters:**

ip - remote IP address

---

## getProperties

```
public WMSProperties getProperties()
```

Get properties

**Returns:**

properties

---

## isDescribe

```
public boolean isDescribe()
```

Has DESCRIBE command been called on this session

**Returns:**

true if called

---

## setDescribe

```
public void setDescribe(boolean isDescribe)
```

Set DESCRIBE command been called on this session

**Parameters:**

isDescribe - true if called

---

## isAnnounce

```
public boolean isAnnounce()
```

Has ANNOUNCE command been called on this session

**Returns:**

true if called

---

## setAnnounce

```
public void setAnnounce(boolean isAnnounce)
```

Set ANNOUNCE command been called on this session

**Parameters:**

isAnnounce - true if called

---



## isAnnounceOrDescribe

```
public boolean isAnnounceOrDescribe()
```

Has announce or described been called

**Returns:**

true if either called

---

## getRTPWriteListener

```
public RTPWriteListener getRTPWriteListener()
```

Get the RTP write listener for this session

**Returns:**

RTP write listener

---

## addIOPerformance

```
public void addIOPerformance(IOPerformanceCounter totalIOPerformanceResult)
```

Internal use

**Parameters:**

totalIOPerformanceResult - IO performance counter

---

## addIOPerformance2

```
public void addIOPerformance2(IOPerformanceCounter totalIOPerformanceResult)
```

Internal use

**Parameters:**

totalIOPerformanceResult - IO performance counter

---

## getConnectionHolder

```
public ConnectionHolder getConnectionHolder()
```

Get connection holder, Internal use.

**Returns:**

connection holder

---

## isConnected

```
public boolean isConnected()
```

Is session connection

**Returns:**

true if connected

---

## setConnected

```
public void setConnected(boolean isConnected)
```

---

(continued from last page)

Set session is connected

**Parameters:**

isConnected - true if connected

---

## getIdleHandler

```
public RTPIdleHandler getIdleHandler()
```

Get idle handler

**Returns:**

idle handler

---

## setIdleHandler

```
public void setIdleHandler(RTPIdleHandler idleHandler)
```

Set idle handler

**Parameters:**

idleHandler - idle handler

---

## getServerIp

```
public String getServerIp()
```

Get the server IP address

**Returns:**

IP address

---

## setServerIp

```
public void setServerIp(String serverIp)
```

Set the server IP address

**Parameters:**

serverIp - IP address

---

## getServerPort

```
public int getServerPort()
```

Get server port

**Returns:**

server port

---

## setServerPort

```
public void setServerPort(int serverPort)
```

Set server port

**Parameters:**

serverPort - server port

## getUri

```
public String getUri()
```

Get URI

**Returns:**  
URI

---

## setUri

```
public void setUri(String uri)
```

Set URI

**Parameters:**  
uri - URI

---

## getReferrer

```
public String getReferrer()
```

Get referrer

**Returns:**  
referrer

---

## setReferrer

```
public void setReferrer(String referrer)
```

Set referrer

**Parameters:**  
referrer - referrer

---

## getQueryStr

```
public String getQueryStr()
```

Get query string

**Returns:**  
query string

---

## setQueryStr

```
public void setQueryStr(String queryStr)
```

Set query string

**Parameters:**  
queryStr - query string

---

## updateLoggingValues

```
public void updateLoggingValues()
```

---

(continued from last page)

Update logging values, Internal use.

---

## clearLoggingValues

```
public void clearLoggingValues()
```

Clear logging values, Internal use.

---

## addActionListener

```
public void addActionListener(IRTSPActionNotify actionListener)
```

Add action listener

**Parameters:**

actionListener - action listener

---

## removeActionListener

```
public void removeActionListener(IRTSPActionNotify actionListener)
```

Remove action listener

**Parameters:**

actionListener - action listener

---

## onDescribe

```
public void onDescribe(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on DESCRIBE command

**Parameters:**

req - RTP request

resp - RTP response

---

## onAnnounce

```
public void onAnnounce(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on ANNOUNCE command

**Parameters:**

req - RTP request

resp - RTP response

---

## onGetParameter

```
public void onGetParameter(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on GET\_PARAMETER command

**Parameters:**

req - RTP request

resp - RTP response

## onSetParameter

```
public void onSetParameter(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on SET\_PARAMETER command

### Parameters:

req - RTP request  
resp - RTP response

---

## onOptions

```
public void onOptions(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on OPTIONS command

### Parameters:

req - RTP request  
resp - RTP response

---

## onPause

```
public void onPause(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on PAUSE command

### Parameters:

req - RTP request  
resp - RTP response

---

## onPlay

```
public void onPlay(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on PLAY command

### Parameters:

req - RTP request  
resp - RTP response

---

## onRecord

```
public void onRecord(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on RECORD command

### Parameters:

req - RTP request  
resp - RTP response

---

(continued from last page)

## onRedirect

```
public void onRedirect(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on REDIRECT command

**Parameters:**

req - RTP request  
resp - RTP response

---

## onSetup

```
public void onSetup(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on SETUP command

**Parameters:**

req - RTP request  
resp - RTP response

---

## onTeardown

```
public void onTeardown(com.wowza.wms.rtsp.RTSPRequestMessage req,  
    com.wowza.wms.rtsp.RTSPResponseMessages resp)
```

Invoked on TEARDOWN command

**Parameters:**

req - RTP request  
resp - RTP response

---

## getIdleFrequency

```
public int getIdleFrequency()
```

Get idle frequency (milliseconds)

**Returns:**

idle frequency (milliseconds)

---

## setIdleFrequency

```
public void setIdleFrequency(int idleFrequency)
```

Set idle frequency (milliseconds)

**Parameters:**

idleFrequency - idle frequency (milliseconds)

---

## isDebugRTSPSession

```
public boolean isDebugRTSPSession()
```

True if debugging RTSP session

**Returns:**

true if debugging RTSP session

---

## setDebugRTSPSession

```
public void setDebugRTSPSession(boolean debugRTSPSession)
```

Set debugging RTSP session

**Parameters:**

debugRTSPSession - true if debugging RTSP session

---

## getRTSPTunnelingSessionId

```
public String getRTSPTunnelingSessionId()
```

Get the RTSP/RTP tunneling session id

**Returns:**

RTSP/RTP tunneling session id

---

## setRTSPTunnelingSessionId

```
public void setRTSPTunnelingSessionId(String rtspTunnelingSessionId)
```

Set the RTSP/RTP tunneling session id

**Parameters:**

rtspTunnelingSessionId - RTSP/RTP tunneling session id

---

## getRTSPPlayRangeStart

```
public double getRTSPPlayRangeStart()
```

Get play start range, Internal use.

**Returns:**

start range

---

## setRTSPPlayRangeStart

```
public void setRTSPPlayRangeStart(double rtspPlayRangeStart)
```

Set play start range, Internal use.

**Parameters:**

rtspPlayRangeStart - start range

---

## getRTSPPlayRangeStop

```
public double getRTSPPlayRangeStop()
```

Get play stop range, Internal use.

**Returns:**

stop range

---

## setRTSPPlayRangeStop

```
public void setRTSPPlayRangeStop(double rtspPlayRangeStop)
```

---

(continued from last page)

Set play stop range, Internal use.

**Parameters:**

rtspPlayRangeStop - stop range

---

## getCookieStr

```
public String getCookieStr()
```

Get cookie string

**Returns:**

cookie string

---

## setCookieStr

```
public void setCookieStr(String cookieStr)
```

Set cooking string

**Parameters:**

cookieStr - cooking string

---

## getIOPerformanceCounter

```
public IOPerformanceCounter getIOPerformanceCounter()
```

Get IO performance counter

**Returns:**

IO performance counter

---

## setIOPerformanceCounter

```
public void setIOPerformanceCounter(IOPerformanceCounter ioPerformanceCounter)
```

Set IO performance counter

**Parameters:**

ioPerformanceCounter - IO performance counter

---

## isShutdownClient

```
public boolean isShutdownClient()
```

Is RTP session shutdown

**Returns:**

true if shutdown

---

## setShutdownClient

```
public void setShutdownClient(boolean shutdownClient)
```

Set RTP session shutdown

**Parameters:**

shutdownClient - true if shutdown



## getAudioPacketizerItem

```
public RTPPacketizerItem getAudioPacketizerItem(RTPContext rtpContext,  
        IApplicationInstance appInstance,  
        int codecId)
```

Get audio packetizer for a given codec id.

**Parameters:**

rtpContext - RTP context  
appInstance - application instance  
codecId - codec id

**Returns:**

packetizer info

---

## getVideoPacketizerItem

```
public RTPPacketizerItem getVideoPacketizerItem(RTPContext rtpContext,  
        IApplicationInstance appInstance,  
        int codecId)
```

Get video packetizer for a given codec id.

**Parameters:**

rtpContext - RTP context  
appInstance - application instance  
codecId - codec id

**Returns:**

packetizer info

---

## getStreamPacketizerItem

```
public RTPPacketizerItem getStreamPacketizerItem(RTPContext rtpContext,  
        IApplicationInstance appInstance,  
        int codecId)
```

Get stream packetizer for a given codec id.

**Parameters:**

rtpContext - RTP context  
appInstance - application instance  
codecId - codec id

**Returns:**

packetizer info

---

## putAudioPacketizerItem

```
public void putAudioPacketizerItem(int codecId,  
        String classPath)
```

Set the audio packetizer for a given codec id

**Parameters:**

codecId - codec id  
classPath - class path

---

## putVideoPacketizerItem

```
public void putVideoPacketizerItem(int codecId,  
    String classPath)
```

Set the video packetizer for a given codec id

**Parameters:**

codecId - codec id  
classPath - class path

---

## putStreamPacketizerItem

```
public void putStreamPacketizerItem(int codecId,  
    String classPath)
```

Set the stream packetizer for a given codec id

**Parameters:**

codecId - codec id  
classPath - class path

---

## getElapsedTime

```
public ElapsedTimer getElapsedTime()
```

Get the elapsed timer for this RTP session

**Returns:**

elapsed timer

---

## getTimeRunning

```
public String getTimeRunning()
```

Get the time running for this RTP session

**Returns:**

time running as a string

---

## getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

Get the number of second this RTP session has been running

**Returns:**

number of second this RTP session has been running

---

## isRedirectSession

```
public boolean isRedirectSession()
```

---

(continued from last page)

---

**setRedirectSession**

```
public void setRedirectSession(boolean redirectSession)
```

---

**getRedirectSessionCode**

```
public int getRedirectSessionCode()
```

---

**setRedirectSessionCode**

```
public void setRedirectSessionCode(int redirectSessionCode)
```

---

**getRedirectSessionURL**

```
public String getRedirectSessionURL()
```

---

**setRedirectSessionURL**

```
public void setRedirectSessionURL(String redirectSessionURL)
```

---

**redirectSession**

```
public void redirectSession(String redirectSessionURL)
```

---

**redirectSession**

```
public void redirectSession(String redirectSessionURL,  
    int redirectSessionCode)
```

---

**getRedirectSessionMessage**

```
public String getRedirectSessionMessage()
```

---

**setRedirectSessionMessage**

```
public void setRedirectSessionMessage(String redirectSessionMessage)
```

---

**getIoSession**

```
public org.apache.mina.common.support.BaseIoSession getIoSession()
```

---

(continued from last page)

---

## setIoSession

```
public void setIoSession(org.apache.mina.common.support.BaseIoSession ioSession)
```

---

## doIdle

```
public void doIdle()
```

## com.wowza.wms.rtp.model

### Class RTPSessions

java.lang.Object

└-com.wowza.wms.rtp.model.RTPSessions

public class **RTPSessions**  
extends Object

RTPSessions: collection of RTP sessions

#### Constructor Summary

public	<a href="#">RTPSessions</a> ( <a href="#">IVHost</a> vhost) Constructor
--------	--

#### Method Summary

<a href="#">RTPSession</a>	<a href="#">addSession</a> ( <a href="#">RTPSession</a> session) Add RTP session
void	<a href="#">addSessionListener</a> ( <a href="#">IRTPSessionNotify</a> listener) Add a RTP session listener
String	<a href="#">getNextSessionId</a> () Get next RTP session id for new session
<a href="#">RTPSession</a>	<a href="#">getSession</a> (String sessionId) Get RTP session by session id
java.util.List	<a href="#">getSessionIds</a> () Get list of current RTP session ids
<a href="#">IVHost</a>	<a href="#">getVHost</a> () Get vhost
void	<a href="#">notifySessionCreate</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">RTPSession</a> rtpSession) Notify session create
void	<a href="#">notifySessionCreate</a> ( <a href="#">RTPSession</a> rtpSession) Notify session create
void	<a href="#">notifySessionDestroy</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">RTPSession</a> rtpSession) Notify session destroy
void	<a href="#">notifySessionDestroy</a> ( <a href="#">RTPSession</a> rtpSession) Notify session destroy
void	<a href="#">releaseSessionId</a> (String sessionIdStr) Release an RTP session id

<a href="#">RTPSession</a>	<a href="#">removeSession</a> ( <a href="#">RTPSession</a> session) Remove RTP session by object
<a href="#">RTPSession</a>	<a href="#">removeSession</a> (String sessionId) Remove RTP session by session id
void	<a href="#">removeSessionListener</a> ( <a href="#">IRTPSessionNotify</a> listener) Remove an RTP session listener

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### RTPSessions

```
public RTPSessions(IVHost vhost)
```

Constructor

**Parameters:**

vhost - vhost

## Methods

### getNextSessionId

```
public String getNextSessionId()
```

Get next RTP session id for new session

**Returns:**

RTP session id

### getSessionIds

```
public java.util.List getSessionIds()
```

Get list of current RTP session ids

**Returns:**

list of current RTP session ids

### releaseSessionId

```
public void releaseSessionId(String sessionIdStr)
```

Release an RTP session id

**Parameters:**

sessionIdStr - RTP session id

(continued from last page)

## getSession

```
public RTPSession getSession(String sessionId)
```

Get RTP session by session id

**Parameters:**

sessionId - session id

**Returns:**

RTP session

---

## removeSession

```
public RTPSession removeSession(String sessionId)
```

Remove RTP session by session id

**Parameters:**

sessionId - session id

**Returns:**

RTP session if removed

---

## removeSession

```
public RTPSession removeSession(RTPSession session)
```

Remove RTP session by object

**Parameters:**

session - RTP session

**Returns:**

RTP session if removed

---

## addSession

```
public RTPSession addSession(RTPSession session)
```

Add RTP session

**Parameters:**

session - RTP session

**Returns:**

RTP session added

---

## getVHost

```
public IVHost getVHost()
```

Get vhost

**Returns:**

vhost

---

(continued from last page)

---

## addSessionListener

```
public void addSessionListener(IRTPSessionNotify listener)
```

Add a RTP session listener

**Parameters:**

listener - RTP session listener

---

## removeSessionListener

```
public void removeSessionListener(IRTPSessionNotify listener)
```

Remove an RTP session listener

**Parameters:**

listener - RTP session listener

---

## notifySessionCreate

```
public void notifySessionCreate(IApplicationInstance appInstance,  
    RTPSession rtpSession)
```

Notify session create

**Parameters:**

appInstance - application instance

rtpSession - RTP session

---

## notifySessionDestroy

```
public void notifySessionDestroy(IApplicationInstance appInstance,  
    RTPSession rtpSession)
```

Notify session destroy

**Parameters:**

appInstance - application instance

rtpSession - RTP session

---

## notifySessionCreate

```
public void notifySessionCreate(RTPSession rtpSession)
```

Notify session create

**Parameters:**

rtpSession - RTP session

---

## notifySessionDestroy

```
public void notifySessionDestroy(RTPSession rtpSession)
```

Notify session destroy

**Parameters:**

rtpSession - RTP session

---



## com.wowza.wms.rtp.model Class RTPStream

java.lang.Object

└--com.wowza.wms.rtp.model.RTPStream

public class **RTPStream**  
extends Object

RTPStream: RTP Stream class which encapsulates an IMediaStream class for RTP streaming.

### Field Summary

public static final	<a href="#">AVSYNCMETHODS_RTPTIMECODE</a> Value: <b>3</b>
public static final	<a href="#">AVSYNCMETHODS_SENDERREPORT</a> Value: <b>1</b>
public static final	<a href="#">AVSYNCMETHODS_SYSTEMCLOCK</a> Value: <b>2</b>
public static final	<a href="#">AVSYNCMETHODS_UNKNOWN</a> Value: <b>0</b>
public static final	<a href="#">MODE_PLAY</a> Value: <b>1</b>
public static final	<a href="#">MODE_PUBLISH</a> Value: <b>2</b>
public static final	<a href="#">MODE_UNKNOWN</a> Value: <b>0</b>
public static final	<a href="#">SDPLOCATION_AUDIO</a> Value: <b>1</b>
public static final	<a href="#">SDPLOCATION_STREAM</a> Value: <b>0</b>
public static final	<a href="#">SDPLOCATION_VIDEO</a> Value: <b>2</b>
public static final	<a href="#">STREAMINFO_SESSIONATTRIBUTES</a> Value: <b>attributes</b>

public static final	<a href="#">STREAMINFO_SESSIONBANDWIDTH</a> Value: <b>bandwidth</b>
public static final	<a href="#">STREAMINFO_SESSIONCONNECTIONDATA</a> Value: <b>connectiondata</b>
public static final	<a href="#">STREAMINFO_SESSIONEMAILADDRESS</a> Value: <b>emailaddress</b>
public static final	<a href="#">STREAMINFO_SESSIONINFORMATION</a> Value: <b>information</b>
public static final	<a href="#">STREAMINFO_SESSIONNAME</a> Value: <b>name</b>
public static final	<a href="#">STREAMINFO_SESSIONPHONENUMBER</a> Value: <b>phonenummer</b>
public static final	<a href="#">STREAMINFO_SESSIONPORIGIN</a> Value: <b>origin</b>
public static final	<a href="#">STREAMINFO_SESSIONPROTOCOLVERSION</a> Value: <b>protocolversion</b>
public static final	<a href="#">STREAMINFO_SESSIONREPEATTIMES</a> Value: <b>repeattimes</b>
public static final	<a href="#">STREAMINFO_SESSIONTIMEZONES</a> Value: <b>timezones</b>
public static final	<a href="#">STREAMINFO_SESSIONTIMING</a> Value: <b>timing</b>
public static final	<a href="#">STREAMINFO_SESSIONURI</a> Value: <b>uri</b>

## Constructor Summary

public	<a href="#">RTPStream</a> ( <a href="#">RTPContext</a> context, String streamId) Constructor
--------	---

## Method Summary

void	<a href="#">addStreamAttribute</a> (String key, String value) Add a name value pair to the stream attribute collection
void	<a href="#">addStreamInfo</a> (String key, String value) Add a name value pair to the stream info collection

void	<a href="#"><u>addTrack</u></a> (RTPTrack track) Add a track
void	<a href="#"><u>addTrackId</u></a> (String seq, String trackId) Add track
void	<a href="#"><u>addTrackInternal</u></a> (RTPTrack track) Add RTP track
void	<a href="#"><u>announce</u></a> (RTPRequestStatus status) Execute announce command
void	<a href="#"><u>attachToWMSSession</u></a> (RtmpSessionInfo wmsSessionInfo) Attach to WMS session, Internal use
static int	<a href="#"><u>avSyncNameToId</u></a> (String avSyncName) Get audio/video sync id from name
void	<a href="#"><u>checkSendMetadata</u></a> (long adjTimecode, RTPTrack rtpTrack) Check to see if we have sent onMetadata event, if not send
void	<a href="#"><u>clearRTSPSessionExtraLines</u></a> () Clear SDP extra lines
void	<a href="#"><u>clearTracks</u></a> () Clear all tracks
boolean	<a href="#"><u>createStream</u></a> (RTPRequestStatus status) Create IMediaStream, Internal use.
String	<a href="#"><u>describe</u></a> (RTPSession rtspSession, int isStreamPacketizer, RTPRequestStatus status) Execute describe command
String	<a href="#"><u>describe</u></a> (RTPSession rtspSession, RTPRequestStatus status) Execute describe command
void	<a href="#"><u>detachFromWMSSession</u></a> (RtmpSessionInfo wmsSessionInfo) Detach from WMS session, Internal use.
void	<a href="#"><u>extractCodecConfigFromTrackInfo</u></a> () Extract codec config information from SDP data
String	<a href="#"><u>formatRTPInfo</u></a> (long timecode, int videoSeq, int audioSeq) Format RTP info
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance</u></a> () Get application instance
String	<a href="#"><u>getAppInstanceName</u></a> () Get the application instance name
String	<a href="#"><u>getAppName</u></a> () Get the application name
RTPTrack	<a href="#"><u>getAudioTrack</u></a> () Get the most likely audio track
int	<a href="#"><u>getAutoAllocateInterleavePorts</u></a> ()

int	<a href="#"><u>getAVSyncMethod()</u></a> Get the audio/video sync method.
double	<a href="#"><u>getDuration()</u></a> Get the duration of the stream if video on demand
String	<a href="#"><u>getHost()</u></a> Get host
<a href="#"><u>AMFPacket[]</u></a>	<a href="#"><u>getLastPacketsByType()</u></a> ( <a href="#"><u>IMediaReader</u></a> localReader, double startTime) Analyzes stream to get information, Internal use.
<a href="#"><u>AMFPacket[]</u></a>	<a href="#"><u>getLastPacketsByType()</u></a> ( <a href="#"><u>IMediaStream</u></a> localStream) Analyzes stream to get information, Internal use.
int	<a href="#"><u>getMaxRTCPWaitTime()</u></a> Get max time to wait for RTCP sender reports (milliseconds)
String	<a href="#"><u>getMediaCasterType()</u></a> Get the media caster stream type for this stream
<a href="#"><u>IMediaReader</u></a>	<a href="#"><u>getMediaReader()</u></a> Get media reader if video on demand stream
byte[]	<a href="#"><u>getMetadataPacket()</u></a> Get the onMetadata packet for this RTP stream
int	<a href="#"><u>getMode()</u></a> Get the current play/publish mode
int	<a href="#"><u>getMPEGTSAudioBitrate()</u></a>
String	<a href="#"><u>getMPEGTSAudioLanguage()</u></a>
int	<a href="#"><u>getMPEGTSAudioPID()</u></a> Get the audio PID id if MPEG-TS stream
int	<a href="#"><u>getMPEGTSProgramID()</u></a>
int	<a href="#"><u>getMPEGTSVideoBitrate()</u></a>
int	<a href="#"><u>getMPEGTSVideoPID()</u></a> Get the video PID id if MPEG-TS stream
long	<a href="#"><u>getNormalizedNTPTimecode()</u></a> (long timecode) Turn a millisecond timcode into an NTP timecode
String	<a href="#"><u>getOutHost()</u></a> Get the out host
<a href="#"><u>RTPContext</u></a>	<a href="#"><u>getRTPContext()</u></a> Get the RTP context
<a href="#"><u>RTPDestination</u></a>	<a href="#"><u>getRTPDestination()</u></a> Get RTP destination
RTPStream.RTPInfo	<a href="#"><u>getRTPInfo()</u></a> (double startTime, int videoSeq, int audioSeq) Get the RTP info

RTPStreamContext	<a href="#"><u>getRTPStreamContext()</u></a>
String	<a href="#"><u>getRTSPBindIpAddress()</u></a> Get the bind RTSP bind IP address
String	<a href="#"><u>getRTSPConnectionAddressType()</u></a> Get the connection address type
String	<a href="#"><u>getRTSPConnectionIpAddress()</u></a> Get the connection IP address
int	<a href="#"><u>getRTSPMaximumPendingWriteBytes()</u></a> Get the maximum number of waiting bytes allow for this RTSP session
String	<a href="#"><u>getRTSPOriginAddressType()</u></a> Get the origin address type
String	<a href="#"><u>getRTSPOriginIpAddress()</u></a> Get the origin IP address
String	<a href="#"><u>getRTSPSessionDescription()</u></a> Get session description
java.util.List	<a href="#"><u>getRTSPSessionExtraLines()</u></a> Get extra SDP lines
String	<a href="#"><u>getRTSPSessionName()</u></a> Get session name
int	<a href="#"><u>getRTSPSessionTimeout()</u></a> Get RTP session timeout (milliseconds)
String	<a href="#"><u>getSDPLang()</u></a> Get the SDP language
<a href="#"><u>RTPSession</u></a>	<a href="#"><u>getSession()</u></a> Get the RTP session
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream()</u></a> Get the IMediaStream
java.util.Map	<a href="#"><u>getStreamAttributes()</u></a> Get all name/value pairs in the stream attributes collection
String	<a href="#"><u>getStreamExt()</u></a> Get the stream extension
String	<a href="#"><u>getStreamId()</u></a> Get the stream id
java.util.Map	<a href="#"><u>getStreamInfo()</u></a> Get all name/value pairs in the stream info collection
String	<a href="#"><u>getStreamInfo(String key)</u></a> Get stream info by name
Object	<a href="#"><u>getStreamLock()</u></a> Get the synchronization lock for this stream

String	<a href="#"><u>getStreamName()</u></a> Get stream name
String	<a href="#"><u>getStreamNameLogging()</u></a> Get the stream name used for logging
String	<a href="#"><u>getStreamQueryStr()</u></a> Get the stream query string
long	<a href="#"><u>getStreamSessionId()</u></a> Get the stream session id
String	<a href="#"><u>getStreamSessionIp()</u></a> Get the stream session ip
long	<a href="#"><u>getStreamSessionVersion()</u></a> Get the stream session version
RTPTrack	<a href="#"><u>getStreamTrack()</u></a> Get the most likely stream track
String	<a href="#"><u>getStreamType()</u></a> Get the stream type
RTPTrack	<a href="#"><u>getTrack(String trackId)</u></a> Get track by id
String	<a href="#"><u>getTrackId(String seq)</u></a> Get track by sequence number
java.util.List	<a href="#"><u>getTrackNames()</u></a> Get a list of track ids
String	<a href="#"><u>getTransportMode()</u></a> Get the transport mode
int	<a href="#"><u>getUDPManagedDeliveryCount()</u></a>
int	<a href="#"><u>getUDPManagedDeliveryDelay()</u></a>
com.wowza.wms.rtp.transport.IUDPTransport	<a href="#"><u>getUDPTransport(boolean isMulticast)</u></a> Get the UDP transport for this stream
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost()</u></a> Get vhost
RTPTrack	<a href="#"><u>getVideoTrack()</u></a> Get the most likely video track
long	<a href="#"><u>getVODLastTimeTC()</u></a> Get the last timecode (milliseconds) sent for video on demand
long	<a href="#"><u>getVODPlayLen()</u></a> Get the video on demand play duration (milliseconds)
long	<a href="#"><u>getVODStartTimeTC()</u></a> Get the video on demand start time (milliseconds)

void	<a href="#"><u>idle</u></a> (org.apache.mina.common.Session session, RtmpResponseMessage resp) Process idle event
void	<a href="#"><u>incrementMediaInBytes</u></a> (long bytes) Increment the media bytes in, Internal use.
void	<a href="#"><u>initProperties</u></a> ( <a href="#"><u>IApplicationInstance</u></a> appInstance)
boolean	<a href="#"><u>isAVSyncNonSR</u></a> () Is sync method based on RTCP packets (sender report)
boolean	<a href="#"><u>isBlockUDPOut</u></a> ()
boolean	<a href="#"><u>isCheckIpAddr</u></a> () Are we checking the ip address of each incoming RTP packet
boolean	<a href="#"><u>isCheckSSRC</u></a> () Are we checking the ssrc values of each incoming RTP packet
boolean	<a href="#"><u>isForceMPEGTSOut</u></a> ()
boolean	<a href="#"><u>isForceRTSPInterleaved</u></a> () True if forcing RTSP interleaved
boolean	<a href="#"><u>isLive</u></a> () Is live stream
boolean	<a href="#"><u>isModePlay</u></a> () Is this a play stream
boolean	<a href="#"><u>isModePublish</u></a> () Is this a publish stream
boolean	<a href="#"><u>isModeUnknown</u></a> () Is the stream mode unknown (publish vs play)
boolean	<a href="#"><u>isMPEGTSOut</u></a> () Is MPEG-TS out
boolean	<a href="#"><u>isPaused</u></a> () Is stream paused
boolean	<a href="#"><u>isPublishStreamReady</u></a> () See if a publishing stream has enough data to start playback
boolean	<a href="#"><u>isResetPlayStream</u></a> () Is reset stream trigger, Internal use.
boolean	<a href="#"><u>isResyncAudioVideoOnSR</u></a> () Reset audio/video sync on new RTCP packets (not just first packet)
boolean	<a href="#"><u>isRTPIgnoreProfileLevelId</u></a> ()
boolean	<a href="#"><u>isRTPIgnoreSPropParameterSets</u></a> ()

boolean	<a href="#"><u>isRTSP()</u></a> Is this RTP Stream managed by RTSP session
boolean	<a href="#"><u>isRTSPAlwaysUseSDPPorts()</u></a> Force RTSP to use ports in SDP data
boolean	<a href="#"><u>isRTSPPull()</u></a> Is this RTP Stream managed by RTSP session
boolean	<a href="#"><u>isSendSDESEvents()</u></a> Send RTCP SDES events
boolean	<a href="#"><u>isStreamStarted()</u></a> Is stream started
boolean	<a href="#"><u>isTimeout()</u></a> (long currTime, int timeout) Is the stream timeout out
void	<a href="#"><u>lockRepeaterStreams()</u></a> (java.util.List streamNames) Lock a list of live repeater stream names, Internal use.
void	<a href="#"><u>pause()</u></a> (RTPRequestStatus status) Execute pause
RTPStreamPlayResult	<a href="#"><u>play()</u></a> (RTPRequestStatus status) Execute play
RTPStreamPlayResult	<a href="#"><u>play()</u></a> (RTPRequestStatus status, double startTime, double stopTime) Execute play
void	<a href="#"><u>putRTSPSessionExtraLine()</u></a> (int location, String line) Add an extra line to the SDP data
RTPStreamPlayResult	<a href="#"><u>record()</u></a> (RTPRequestStatus status) Execute record
RTPStreamPlayResult	<a href="#"><u>record()</u></a> (RTPRequestStatus status, double startTime, double stopTime) Execute record
RTPTrack	<a href="#"><u>removeTrack()</u></a> (String trackId) Remove a track by id
RTPTrack	<a href="#"><u>removeTrackInternal()</u></a> (String trackId) Remove track by track id
void	<a href="#"><u>resetSentMetadataFlag()</u></a> Reset sendMetadata flag
void	<a href="#"><u>setAppInstanceName()</u></a> (String appInstanceName) Set the application instance name
void	<a href="#"><u>setAppName()</u></a> (String appName) Get the application name
void	<a href="#"><u>setAVSyncMethod()</u></a> (int avSyncMethod) Set the audio/video sync method.
void	<a href="#"><u>setBlockUDPOut()</u></a> (boolean blockUDPOut)



void	<a href="#"><u>setCheckIpAddr</u></a> (boolean checkIpAddr) Are we checking the ip address of each incoming RTP packet
void	<a href="#"><u>setCheckSSRC</u></a> (boolean checkSSRC) Are we checking the ssrc values of each incoming RTP packet
void	<a href="#"><u>setForceMPEGTSOut</u></a> (boolean isForceMPEGTSOut)
void	<a href="#"><u>setForceRTSPInterleaved</u></a> (boolean isForceRTSPInterleaved) True if forcing RTSP interleaved
void	<a href="#"><u>setHost</u></a> (String host) Set host
void	<a href="#"><u>setLive</u></a> (boolean isLive) Is live stream
void	<a href="#"><u>setMaxRTCPWaitTime</u></a> (int maxRTCPWaitTime) Set max time to wait for RTCP sender reports (milliseconds)
void	<a href="#"><u>setMode</u></a> (int mode) Set the play/publish mode
void	<a href="#"><u>setMPEGTSAudioBitrate</u></a> (int mpegtsAudioBitrate)
void	<a href="#"><u>setMPEGTSAudioLanguage</u></a> (String mpegtsAudioLanguage)
void	<a href="#"><u>setMPEGTSAudioPID</u></a> (int mpegtsAudioPID) Set the audio PID id if MPEG-TS stream
void	<a href="#"><u>setMPEGTSOut</u></a> (boolean isMPEGTSOut) Is MPEG-TS out
void	<a href="#"><u>setMPEGTSProgramID</u></a> (int mpegtsProgramId)
void	<a href="#"><u>setMPEGTSVideoBitrate</u></a> (int mpegtsVideoBitrate)
void	<a href="#"><u>setMPEGTSVideoPID</u></a> (int mpegtsVideoPID) Set the video PID id if MPEG-TS stream
void	<a href="#"><u>setOutHost</u></a> (String outHost) Set out host
void	<a href="#"><u>setResetPlayStream</u></a> (boolean doResetPlayStream) Set reset stream trigger
void	<a href="#"><u>setResyncAudioVideoOnSR</u></a> (boolean resyncAudioVideoOnSR) Reset audio/video sync on new RTCP packets (not just first packet)
void	<a href="#"><u>setRTPDestination</u></a> ( <a href="#"><u>RTPDestination</u></a> rtpDestination) Set RTP destination
void	<a href="#"><u>setRTPIgnoreProfileLevelId</u></a> (boolean rtpIgnoreProfileLevelId)
void	<a href="#"><u>setRTPIgnoreSPropParameterSets</u></a> (boolean rtpIgnoreSPropParameterSets)

void	<a href="#"><u>setRTPStreamContext</u></a> (RTPStreamContext rtpStreamContext) Is this RTP Stream managed by RTSP session
void	<a href="#"><u>setRTSP</u></a> (boolean isRTSP) Is this RTP Stream managed by RTSP session
void	<a href="#"><u>setRTSPAlwaysUseSDPPorts</u></a> (boolean rtspAlwaysUseSDPPorts) Force RTSP to use ports in SDP data
void	<a href="#"><u>setRTSPBindIpAddress</u></a> (String rtspBindIpAddress) Set the bind RTSP bind IP address
void	<a href="#"><u>setRTSPConnectionAddressType</u></a> (String rtspConnectionAddressType) Set the connection address type
void	<a href="#"><u>setRTSPConnectionIpAddress</u></a> (String rtspConnectionIpAddress) Set the connection IP address
void	<a href="#"><u>setRTSPMaximumPendingWriteBytes</u></a> (int rtspMaximumPendingWriteBytes) Set the maximum number of waiting bytes allow for this RTSP session
void	<a href="#"><u>setRTSPOriginAddressType</u></a> (String rtspOriginAddressType) Set the origin address type
void	<a href="#"><u>setRTSPOriginIpAddress</u></a> (String rtspOriginIpAddress) Set the origin IP address
void	<a href="#"><u>setRTSPPull</u></a> (boolean isRTSPPull) Is this RTP Stream managed by RTSP session
void	<a href="#"><u>setRTSPSessionDescription</u></a> (String rtspSessionDescription) Get session description
void	<a href="#"><u>setRTSPSessionName</u></a> (String rtspSessionName) Set session name
void	<a href="#"><u>setRTSPSessionTimeout</u></a> (int rtspSessionTimeout) Set RTP session timeout (milliseconds)
void	<a href="#"><u>setSDPLang</u></a> (String sdpLang) Set the SDP language
void	<a href="#"><u>setSendSDESEvents</u></a> (boolean sendSDESEvents) Send RTCP SDES events
void	<a href="#"><u>setSession</u></a> ( <a href="#"><u>RTPSession</u></a> session) Set the RTP session
void	<a href="#"><u>setStreamExt</u></a> (String streamExt) Set the stream extension
void	<a href="#"><u>setStreamName</u></a> (String streamName) Set stream name
void	<a href="#"><u>setStreamNameLogging</u></a> (String streamNameLogging) Set the stream name used for logging
void	<a href="#"><u>setStreamQueryStr</u></a> (String streamQueryStr) Set the stream query string

void	<a href="#"><u>setStreamSessionId</u></a> (long streamSessionId) Set the stream session id
void	<a href="#"><u>setStreamSessionIp</u></a> (String streamSessionIp) Set the stream session ip
void	<a href="#"><u>setStreamSessionVersion</u></a> (long streamSessionVersion) Set the stream session version
void	<a href="#"><u>setStreamType</u></a> (String streamType) Set the stream type
void	<a href="#"><u>setTransportMode</u></a> (String transportMode) Set the transport mode
void	<a href="#"><u>setUDPMangedDeliveryCount</u></a> (int udpManagedDeliveryCount)
void	<a href="#"><u>setUDPMangedDeliveryDelay</u></a> (int udpManagedDeliveryDelay)
void	<a href="#"><u>setVODLastTimeTC</u></a> (long vodLastTimeTC) Set the last timecode (milliseconds) sent for video on demand
void	<a href="#"><u>setVODPlayLen</u></a> (long vodPlayLen) Set the video on demand play duration (milliseconds)
void	<a href="#"><u>setVODStartTimeTC</u></a> (long vodStartTimeTC) Set the video on demand start time (milliseconds)
void	<a href="#"><u>shutdown</u></a> (RTPRequestStatus status) shutdown RTP stream, Internal use.
RTPTrack	<a href="#"><u>sloppyGetTrack</u></a> (String trackId) Sloppy method for finding track by name, Internal use.
boolean	<a href="#"><u>streamExists</u></a> () Return true if RTP stream contains a IMediaStream
void	<a href="#"><u>switchSetupToMPEGTS</u></a> () Switch a stream to MPEG-TS, Internal use.
void	<a href="#"><u>touch</u></a> () Touch the stream so that it does not timeout
String	<a href="#"><u>transportFindBestMatch</u></a> (String transport) Based on a trasport string from SETUP command find best match
void	<a href="#"><u>unlockRepeaterStreams</u></a> () Unlock live repeater streams

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

(continued from last page)

---

## SDPLOCATION\_STREAM

```
public static final int SDPLOCATION_STREAM
```

Constant value: **0**

---

## SDPLOCATION\_AUDIO

```
public static final int SDPLOCATION_AUDIO
```

Constant value: **1**

---

## SDPLOCATION\_VIDEO

```
public static final int SDPLOCATION_VIDEO
```

Constant value: **2**

---

## MODE\_UNKNOWN

```
public static final int MODE_UNKNOWN
```

Constant value: **0**

---

## MODE\_PLAY

```
public static final int MODE_PLAY
```

Constant value: **1**

---

## MODE\_PUBLISH

```
public static final int MODE_PUBLISH
```

Constant value: **2**

---

## AVSYNCMETHODS\_UNKNOWN

```
public static final int AVSYNCMETHODS_UNKNOWN
```

Constant value: **0**

---

## AVSYNCMETHODS\_SENDERREPORT

```
public static final int AVSYNCMETHODS_SENDERREPORT
```

Constant value: **1**

---

(continued from last page)

---

## AVSYNCMETHODS\_SYSTEMCLOCK

```
public static final int AVSYNCMETHODS_SYSTEMCLOCK
```

Constant value: **2**

---

## AVSYNCMETHODS\_RTPTIMECODE

```
public static final int AVSYNCMETHODS_RTPTIMECODE
```

Constant value: **3**

---

## STREAMINFO\_SESSIONPROTOCOLVERSION

```
public static final java.lang.String STREAMINFO_SESSIONPROTOCOLVERSION
```

Constant value: **protocolversion**

---

## STREAMINFO\_SESSIONPORIGIN

```
public static final java.lang.String STREAMINFO_SESSIONPORIGIN
```

Constant value: **origin**

---

## STREAMINFO\_SESSIONNAME

```
public static final java.lang.String STREAMINFO_SESSIONNAME
```

Constant value: **name**

---

## STREAMINFO\_SESSIONINFORMATION

```
public static final java.lang.String STREAMINFO_SESSIONINFORMATION
```

Constant value: **information**

---

## STREAMINFO\_SESSIONURI

```
public static final java.lang.String STREAMINFO_SESSIONURI
```

Constant value: **uri**

---

## STREAMINFO\_SESSIONEMAILADDRESS

```
public static final java.lang.String STREAMINFO_SESSIONEMAILADDRESS
```

Constant value: **emailaddress**

---

## STREAMINFO\_SESSIONPHONENUMBER

```
public static final java.lang.String STREAMINFO_SESSIONPHONENUMBER
```

(continued from last page)

Constant value: **phonenumber**

---

## STREAMINFO\_SESSIONCONNECTIONDATA

```
public static final java.lang.String STREAMINFO_SESSIONCONNECTIONDATA
```

Constant value: **connectiondata**

---

## STREAMINFO\_SESSIONBANDWIDTH

```
public static final java.lang.String STREAMINFO_SESSIONBANDWIDTH
```

Constant value: **bandwidth**

---

## STREAMINFO\_SESSIONTIMING

```
public static final java.lang.String STREAMINFO_SESSIONTIMING
```

Constant value: **timing**

---

## STREAMINFO\_SESSIONREPEATTIMES

```
public static final java.lang.String STREAMINFO_SESSIONREPEATTIMES
```

Constant value: **repeattimes**

---

## STREAMINFO\_SESSIONTIMEZONES

```
public static final java.lang.String STREAMINFO_SESSIONTIMEZONES
```

Constant value: **timezones**

---

## STREAMINFO\_SESSIONATTRIBUTES

```
public static final java.lang.String STREAMINFO_SESSIONATTRIBUTES
```

Constant value: **attributes**

---

## Constructors

### RTPStream

```
public RTPStream(RTPContext context,  
                 String streamId)
```

Constructor

**Parameters:**

context - RTP context  
streamId - stream id

---

## Methods

(continued from last page)

## getRTPContext

```
public RTPContext getRTPContext()
```

Get the RTP context

**Returns:**

RTP context

---

## getStreamLock

```
public Object getStreamLock()
```

Get the synchronization lock for this stream

**Returns:**

synchronization lock for this stream

---

## addTrack

```
public void addTrack(RTPTrack track)
```

Add a track

**Parameters:**

track - RTP track

---

## removeTrack

```
public RTPTrack removeTrack(String trackId)
```

Remove a track by id

**Parameters:**

trackId - track id

**Returns:**

RTP track

---

## addTrackInternal

```
public void addTrackInternal(RTPTrack track)
```

Add RTP track

**Parameters:**

track - RTP track

---

## removeTrackInternal

```
public RTPTrack removeTrackInternal(String trackId)
```

Remove track by track id

**Parameters:**

trackId - track id

**Returns:**

(continued from last page)

RTP track that was removed

---

## clearTracks

```
public void clearTracks()
```

Clear all tracks

---

## incrementMediaInBytes

```
public void incrementMediaInBytes(long bytes)
```

Increment the media bytes in, Internal use.

**Parameters:**

bytes

---

## sloppyGetTrack

```
public RTPTrack sloppyGetTrack(String trackId)
```

Sloppy method for finding track by name, Internal use.

**Parameters:**

trackId - track name

**Returns:**

RTP track

---

## getTrack

```
public RTPTrack getTrack(String trackId)
```

Get track by id

**Parameters:**

trackId - track id

**Returns:**

RTP track

---

## addTrackId

```
public void addTrackId(String seq,  
    String trackId)
```

Add track

**Parameters:**

seq - sequence number

trackId - track id

---

## getTrackId

```
public String getTrackId(String seq)
```

Get track by sequence number

**Parameters:**



(continued from last page)

seq - sequence number

**Returns:**

RTP track

---

## getTrackNames

```
public java.util.List getTrackNames()
```

Get a list of track ids

**Returns:**

list of track ids

---

## getSession

```
public RTPSession getSession()
```

Get the RTP session

**Returns:**

RTP session

---

## setSession

```
public void setSession(RTPSession session)
```

Set the RTP session

**Parameters:**

session - RTP session

---

## getStreamId

```
public String getStreamId()
```

Get the stream id

**Returns:**

stream id

---

## getStream

```
public IMediaStream getStream()
```

Get the IMediaStream

**Returns:**

stream (IMediaStream) interface

---

## getAudioTrack

```
public RTPTrack getAudioTrack()
```

Get the most likely audio track

**Returns:**

RTP track

## getVideoTrack

```
public RTPTrack getVideoTrack()
```

Get the most likely video track

**Returns:**

RTP track

---

## getStreamTrack

```
public RTPTrack getStreamTrack()
```

Get the most likely stream track

**Returns:**

RTP track

---

## addStreamInfo

```
public void addStreamInfo(String key,  
                           String value)
```

Add a name value pair to the stream info collection

**Parameters:**

key - name

value - value

---

## getStreamInfo

```
public String getStreamInfo(String key)
```

Get stream info by name

**Parameters:**

key - name

**Returns:**

value

---

## addStreamAttribute

```
public void addStreamAttribute(String key,  
                               String value)
```

Add a name value pair to the stream attribute collection

**Parameters:**

key - name

value - value

---

## getVHost

```
public IVHost getVHost()
```

Get vhost

---

(continued from last page)

**Returns:**  
vhost

---

## getHost

```
public String getHost()
```

Get host

**Returns:**  
host

---

## setHost

```
public void setHost(String host)
```

Set host

**Parameters:**  
host - host

---

## streamExists

```
public boolean streamExists()
```

Return true if RTP stream contains a IMediaStream

**Returns:**  
true if RTP stream contains a IMediaStream

---

## isPublishStreamReady

```
public boolean isPublishStreamReady()
```

See if a publishing stream has enough data to start playback

**Returns:**  
true, if the stream is ready for playback

---

## lockRepeaterStreams

```
public void lockRepeaterStreams(java.util.List streamNames)
```

Lock a list of live repeater stream names, Internal use.

**Parameters:**  
streamNames - stream names

---

## unlockRepeaterStreams

```
public void unlockRepeaterStreams()
```

Unlock live repeater streams

---

## getMediaCasterType

```
public String getMediaCasterType()
```

(continued from last page)

Get the media caster stream type for this stream

**Returns:**

media caster stream type

---

## createStream

```
public boolean createStream(RTPRequestStatus status)
```

Create IMediaStream, Internal use.

**Parameters:**

status - status

**Returns:**

true if successful

---

## shutdown

```
public void shutdown(RTPRequestStatus status)
```

shutdown RTP stream, Internal use.

**Parameters:**

status - status

---

## initProperties

```
public void initProperties(IApplicationInstance appInstance)
```

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get application instance

**Returns:**

application instance

---

## isPaused

```
public boolean isPaused()
```

Is stream paused

**Returns:**

true if stream is paused

---

## getDuration

```
public double getDuration()
```

Get the duration of the stream if video on demand

**Returns:**

duration in seconds

## isResetPlayStream

```
public boolean isResetPlayStream()
```

Is reset stream trigger, Internal use.

**Returns:**

true if reset trigger

---

## setResetPlayStream

```
public void setResetPlayStream(boolean doResetPlayStream)
```

Set reset stream trigger

**Parameters:**

doResetPlayStream - true if reset trigger

---

## record

```
public RTPStreamPlayResult record(RTPRequestStatus status)
```

Execute record

**Parameters:**

status - RTP status

**Returns:**

status

---

## record

```
public RTPStreamPlayResult record(RTPRequestStatus status,  
    double startTime,  
    double stopTime)
```

Execute record

**Parameters:**

status - RTP status

startTime - playback start time

stopTime - playback stop time

**Returns:**

status

---

## play

```
public RTPStreamPlayResult play(RTPRequestStatus status)
```

Execute play

**Parameters:**

status - RTP status

**Returns:**

status

---

## play

```
public RTPStreamPlayResult play(RTPRequestStatus status,  
    double startTime,  
    double stopTime)
```

Execute play

### Parameters:

status - RTP status  
startTime - playback start time  
stopTime - playback stop time

### Returns:

status

---

## attachToWMSSession

```
public void attachToWMSSession(RtmpSessionInfo wmsSessionInfo)
```

Attach to WMS session, Internal use

### Parameters:

wmsSessionInfo - session info

---

## detachFromWMSSession

```
public void detachFromWMSSession(RtmpSessionInfo wmsSessionInfo)
```

Detach from WMS session, Internal use.

### Parameters:

wmsSessionInfo - session info

---

## pause

```
public void pause(RTPRequestStatus status)
```

Execute pause

### Parameters:

status - RTP status

---

## announce

```
public void announce(RTPRequestStatus status)
```

Execute announce command

### Parameters:

status - RTP status

---

## isResyncAudioVideoOnSR

```
public boolean isResyncAudioVideoOnSR()
```

Reset audio/video sync on new RTCP packets (not just first packet)

---

(continued from last page)

**Returns:**

true if resetting audio/video on new RTCP packets

---

**setResyncAudioVideoOnSR**

```
public void setResyncAudioVideoOnSR(boolean resyncAudioVideoOnSR)
```

Reset audio/video sync on new RTCP packets (not just first packet)

**Parameters:**

resyncAudioVideoOnSR - true if resetting audio/video on new RTCP packets

---

**getMetadataPacket**

```
public byte[] getMetadataPacket()
```

Get the onMetadata packet for this RTP stream

**Returns:**

onMetadata packet

---

**resetSentMetadataFlag**

```
public void resetSentMetadataFlag()
```

Reset sendMetadata flag

---

**checkSendMetadata**

```
public void checkSendMetadata(long adjTimecode,  
    RTPTrack rtpTrack)
```

Check to see if we have sent onMetadata event, if not send

**Parameters:**

adjTimecode - timecode (milliseconds)

---

**extractCodecConfigFromTrackInfo**

```
public void extractCodecConfigFromTrackInfo()
```

Extract codec config information from SDP data

---

**getStreamType**

```
public String getStreamType()
```

Get the stream type

**Returns:**

stream type

---

**setStreamType**

```
public void setStreamType(String streamType)
```

Set the stream type

(continued from last page)

**Parameters:**

streamType - stream type

---

**getAppName**

```
public String getAppName()
```

Get the application name

**Returns:**

application name

---

**setAppName**

```
public void setAppName(String appName)
```

Get the application name

**Parameters:**

appName - application name

---

**getAppInstanceName**

```
public String getAppInstanceName()
```

Get the application instance name

**Returns:**

application instance name

---

**setAppInstanceName**

```
public void setAppInstanceName(String appInstanceName)
```

Set the application instance name

**Parameters:**

appInstanceName - application instance name

---

**getStreamExt**

```
public String getStreamExt()
```

Get the stream extension

**Returns:**

stream extension

---

**setStreamExt**

```
public void setStreamExt(String streamExt)
```

Set the stream extension

**Parameters:**

streamExt - stream extension



(continued from last page)

## getStreamName

```
public String getStreamName()
```

Get stream name

**Returns:**

stream name

---

## setStreamName

```
public void setStreamName(String streamName)
```

Set stream name

**Parameters:**

streamName - stream name

---

## getStreamNameLogging

```
public String getStreamNameLogging()
```

Get the stream name used for logging

**Returns:**

stream name used for logging

---

## setStreamNameLogging

```
public void setStreamNameLogging(String streamNameLogging)
```

Set the stream name used for logging

**Parameters:**

streamNameLogging - stream name used for logging

---

## getStreamSessionId

```
public long getStreamSessionId()
```

Get the stream session id

**Returns:**

stream session id

---

## setStreamSessionId

```
public void setStreamSessionId(long streamSessionId)
```

Set the stream session id

**Parameters:**

streamSessionId - stream session id

---

## getStreamSessionVersion

```
public long getStreamSessionVersion()
```

---

(continued from last page)

Get the stream session version

**Returns:**

stream session version

---

## setStreamSessionVersion

```
public void setStreamSessionVersion(long streamSessionVersion)
```

Set the stream session version

**Parameters:**

streamSessionVersion - stream session version

---

## getStreamSessionIp

```
public String getStreamSessionIp()
```

Get the stream session ip

**Returns:**

stream session ip

---

## setStreamSessionIp

```
public void setStreamSessionIp(String streamSessionIp)
```

Set the stream session ip

**Parameters:**

streamSessionIp - stream session ip

---

## isCheckSSRC

```
public boolean isCheckSSRC()
```

Are we checking the ssrc values of each incoming RTP packet

**Returns:**

true if checking

---

## setCheckSSRC

```
public void setCheckSSRC(boolean checkSSRC)
```

Are we checking the ssrc values of each incoming RTP packet

**Parameters:**

checkSSRC - true if checking

---

## isCheckIpAddr

```
public boolean isCheckIpAddr()
```

Are we checking the ip address of each incoming RTP packet

**Returns:**

true if checking ip address of each incoming RTP packet

---

## setCheckIpAddr

```
public void setCheckIpAddr(boolean checkIpAddr)
```

Are we checking the ip address of each incoming RTP packet

**Parameters:**

checkIpAddr - true if checking ip address of each incoming RTP packet

---

## getUDPTransport

```
public com.wowza.wms.rtp.transport.IUDPTransport getUDPTransport(boolean isMulticast)
```

Get the UDP transport for this stream

**Parameters:**

isMulticast - true if multicast

**Returns:**

UDP transport

---

## getAVSyncMethod

```
public int getAVSyncMethod()
```

Get the audio/video sync method. See AVSYNCMETHODS\_\*

**Returns:**

audio/video sync method. See AVSYNCMETHODS\_\*

---

## setAVSyncMethod

```
public void setAVSyncMethod(int avSyncMethod)
```

Set the audio/video sync method. See AVSYNCMETHODS\_\*

**Parameters:**

avSyncMethod - audio/video sync method. See AVSYNCMETHODS\_\*

---

## isAVSyncNonSR

```
public boolean isAVSyncNonSR()
```

Is sync method based on RTCP packets (sender report)

**Returns:**

true if based in RTCP sender reports

---

## getMaxRTCPWaitTime

```
public int getMaxRTCPWaitTime()
```

Get max time to wait for RTCP sender reports (milliseconds)

**Returns:**

max time to wait for RTCP sender reports (milliseconds)

---

## setMaxRTCPWaitTime

```
public void setMaxRTCPWaitTime(int maxRTCPWaitTime)
```

Set max time to wait for RTCP sender reports (milliseconds)

**Parameters:**

maxRTCPWaitTime - max time to wait for RTCP sender reports (milliseconds)

---

## getStreamInfo

```
public java.util.Map getStreamInfo()
```

Get all name/value pairs in the stream info collection

**Returns:**

map of name/value pairs

---

## getStreamAttributes

```
public java.util.Map getStreamAttributes()
```

Get all name/value pairs in the stream attributes collection

**Returns:**

map of name/value pairs

---

## avSyncNameToId

```
public static int avSyncNameToId(String avSyncName)
```

Get audio/video sync id from name

**Parameters:**

avSyncName - audio/video sync name

**Returns:**

audio/video sync id, see AVSYNCMETHODS\_\*

---

## getMPEGTSAudioLanguage

```
public String getMPEGTSAudioLanguage()
```

---

## setMPEGTSAudioLanguage

```
public void setMPEGTSAudioLanguage(String mpegtsAudioLanguage)
```

---

## getMPEGTSProgramID

```
public int getMPEGTSProgramID()
```

---

---

## setMPEGTSProgramID

```
public void setMPEGTSProgramID(int mpegtsProgramId)
```

---

## getMPEGTSVideoPID

```
public int getMPEGTSVideoPID()
```

Get the video PID id if MPEG-TS stream

**Returns:**

video PID id if MPEG-TS stream

---

## setMPEGTSVideoPID

```
public void setMPEGTSVideoPID(int mpegtsVideoPID)
```

Set the video PID id if MPEG-TS stream

**Parameters:**

mpegtsVideoPID - video PID id if MPEG-TS stream

---

## getMPEGTSAudioPID

```
public int getMPEGTSAudioPID()
```

Get the audio PID id if MPEG-TS stream

**Returns:**

audio PID id if MPEG-TS stream

---

## setMPEGTSAudioPID

```
public void setMPEGTSAudioPID(int mpegtsAudioPID)
```

Set the audio PID id if MPEG-TS stream

**Parameters:**

mpegtsAudioPID - audio PID id if MPEG-TS stream

---

## isRTSP

```
public boolean isRTSP()
```

Is this RTP Stream managed by RTSP session

**Returns:**

true if managed by RTSP session

---

## setRTSP

```
public void setRTSP(boolean isRTSP)
```

Is this RTP Stream managed by RTSP session

(continued from last page)

**Parameters:**`isRTSP` - true if managed by RTSP session

---

**isRTSPPull**

```
public boolean isRTSPPull()
```

Is this RTP Stream managed by RTSP session

**Returns:**

true if managed by RTSP session

---

**setRTSPPull**

```
public void setRTSPPull(boolean isRTSPPull)
```

Is this RTP Stream managed by RTSP session

**Parameters:**`isRTSPPull` - true if managed by RTSP session

---

**getStreamQueryStr**

```
public String getStreamQueryStr()
```

Get the stream query string

**Returns:**

stream query string

---

**setStreamQueryStr**

```
public void setStreamQueryStr(String streamQueryStr)
```

Set the stream query string

**Parameters:**`streamQueryStr` - stream query string

---

**isModePublish**

```
public boolean isModePublish()
```

Is this a publish stream

**Returns:**

true if publish stream

---

**isModePlay**

```
public boolean isModePlay()
```

Is this a play stream

**Returns:**

true if play stream

(continued from last page)

## isModeUnknown

```
public boolean isModeUnknown()
```

Is the stream mode unknown (publish vs play)

**Returns:**

true if stream mode is unknown

---

## getOutHost

```
public String getOutHost()
```

Get the out host

**Returns:**

out host

---

## setOutHost

```
public void setOutHost(String outHost)
```

Set out host

**Parameters:**

outHost - out host

---

## idle

```
public void idle(org.apache.mina.common.Session session,  
    RtmpResponseMessage resp)
```

Process idle event

**Parameters:**

session - io session

resp - idle request

---

## getLastPacketsByType

```
public AMFPacket\[\] getLastPacketsByType(IMediaStream localStream)
```

Analyzes stream to get information, Internal use.

**Parameters:**

localStream - local stream

**Returns:**

important packets

---

## getLastPacketsByType

```
public AMFPacket\[\] getLastPacketsByType(IMediaReader localReader,  
    double startTime)
```

Analyzes stream to get information, Internal use.

**Parameters:**

localReader - media reader

(continued from last page)

startTime - start time

**Returns:**

important packets

---

## describe

```
public String describe(RTPSession rtspSession,  
    RTPRequestStatus status)
```

Execute describe command

**Parameters:**

rtspSession - RTP session  
status - RTP status

**Returns:**

describe response

---

## switchSetupToMPEGTS

```
public void switchSetupToMPEGTS()
```

Switch a stream to MPEG-TS, Internal use.

---

## describe

```
public String describe(RTPSession rtspSession,  
    int isStreamPacketizer,  
    RTPRequestStatus status)
```

Execute describe command

**Parameters:**

rtspSession - RTP session  
isStreamPacketizer - true is stream  
status - RTP status

**Returns:**

describe string

---

## getMode

```
public int getMode()
```

Get the current play/publish mode

**Returns:**

play/publish mode

---

## setMode

```
public void setMode(int mode)
```

Set the play/publish mode

**Parameters:**

mode - play/publish mode



## getTransportMode

```
public String getTransportMode()
```

Get the transport mode

**Returns:**

transport mode

---

## setTransportMode

```
public void setTransportMode(String transportMode)
```

Set the transport mode

**Parameters:**

transportMode - transport mode

---

## getNormalizedNTPTimecode

```
public long getNormalizedNTPTimecode(long timecode)
```

Turn a millisecond timecode into an NTP timecode

**Parameters:**

timecode - timecode (milliseconds)

**Returns:**

NTP timecode

---

## isForceRTSPInterleaved

```
public boolean isForceRTSPInterleaved()
```

True if forcing RTSP interleaved

**Returns:**

true if forcing RTSP interleaved

---

## setForceRTSPInterleaved

```
public void setForceRTSPInterleaved(boolean isForceRTSPInterleaved)
```

True if forcing RTSP interleaved

**Parameters:**

isForceRTSPInterleaved - true if forcing RTSP interleaved

---

## getRTPInfo

```
public RTPStream.RTPInfo getRTPInfo(double startTime,  
    int videoSeq,  
    int audioSeq)
```

Get the RTP info

**Parameters:**

startTime - start time

---

(continued from last page)

videoSeq - video sequence number  
audioSeq - audio sequence number

**Returns:**

RTP info string

---

**formatRTPInfo**

```
public String formatRTPInfo(long timecode,  
    int videoSeq,  
    int audioSeq)
```

Format RTP info

**Parameters:**

timecode - timecode  
videoSeq - video sequence number  
audioSeq - audio sequence number

**Returns:**

RTP Info string

---

**getRTSPSessionName**

```
public String getRTSPSessionName()
```

Get session name

**Returns:**

session name

---

**setRTSPSessionName**

```
public void setRTSPSessionName(String rtspSessionName)
```

Set session name

**Parameters:**

rtspSessionName - session name

---

**getRTSPSessionDescription**

```
public String getRTSPSessionDescription()
```

Get session description

**Returns:**

session description

---

**setRTSPSessionDescription**

```
public void setRTSPSessionDescription(String rtspSessionDescription)
```

Get session description

**Parameters:**

rtspSessionDescription - session description

(continued from last page)

## isSendSDESEvents

```
public boolean isSendSDESEvents()
```

Send RTCP SDES events

**Returns:**

true if sending RTCP SDES events

---

## setSendSDESEvents

```
public void setSendSDESEvents(boolean sendSDESEvents)
```

Send RTCP SDES events

**Parameters:**

sendSDESEvents - true if sending RTCP SDES events

---

## isMPEGTSOut

```
public boolean isMPEGTSOut()
```

Is MPEG-TS out

**Returns:**

true if MPEG-TS out

---

## setMPEGTSOut

```
public void setMPEGTSOut(boolean isMPEGTSOut)
```

Is MPEG-TS out

**Parameters:**

isMPEGTSOut - true if MPEG-TS out

---

## transportFindBestMatch

```
public String transportFindBestMatch(String transport)
```

Based on a transport string from SETUP command find best match

**Parameters:**

transport - transport string

**Returns:**

best match

---

## getAutoAllocateInterleavePorts

```
public int getAutoAllocateInterleavePorts()
```

---

## isLive

```
public boolean isLive()
```

(continued from last page)

Is live stream

**Returns:**

true if live

---

## setLive

```
public void setLive(boolean isLive)
```

Is live stream

**Parameters:**

isLive - true if live

---

## getMediaReader

```
public IMediaReader getMediaReader()
```

Get media reader if video on demand stream

**Returns:**

media reader

---

## getRTSPSessionTimeout

```
public int getRTSPSessionTimeout()
```

Get RTP session timeout (milliseconds)

**Returns:**

RTP session timeout (milliseconds)

---

## setRTSPSessionTimeout

```
public void setRTSPSessionTimeout(int rtspSessionTimeout)
```

Set RTP session timeout (milliseconds)

**Parameters:**

rtspSessionTimeout - RTP session timeout (milliseconds)

---

## getRTSPMaximumPendingWriteBytes

```
public int getRTSPMaximumPendingWriteBytes()
```

Get the maximum number of waiting bytes allow for this RTSP session

**Returns:**

maximum number of waiting bytes allow for this RTSP session

---

## setRTSPMaximumPendingWriteBytes

```
public void setRTSPMaximumPendingWriteBytes(int rtspMaximumPendingWriteBytes)
```

Set the maximum number of waiting bytes allow for this RTSP session

**Parameters:**

rtspMaximumPendingWriteBytes - maximum number of waiting bytes allow for this RTSP session

## isTimeout

```
public boolean isTimeout(long currTime,  
                        int timeout)
```

Is the stream timeout out

**Parameters:**

currTime - current time  
timeout - timeout value

**Returns:**

true if timed out

---

## touch

```
public void touch()
```

Touch the stream so that it does not timeout

---

## getRTSPBindIpAddress

```
public String getRTSPBindIpAddress()
```

Get the bind RTSP bind IP address

**Returns:**

bind RTSP bind IP address

---

## setRTSPBindIpAddress

```
public void setRTSPBindIpAddress(String rtspBindIpAddress)
```

Set the bind RTSP bind IP address

**Parameters:**

rtspBindIpAddress - bind RTSP bind IP address

---

## getRTSPConnectionIpAddress

```
public String getRTSPConnectionIpAddress()
```

Get the connection IP address

**Returns:**

connection IP address

---

## setRTSPConnectionIpAddress

```
public void setRTSPConnectionIpAddress(String rtspConnectionIpAddress)
```

Set the connection IP address

**Parameters:**

rtspConnectionIpAddress - connection IP address

---

(continued from last page)

---

## getRTSPConnectionAddressType

```
public String getRTSPConnectionAddressType()
```

Get the connection address type

**Returns:**

connection address type

---

## setRTSPConnectionAddressType

```
public void setRTSPConnectionAddressType(String rtspConnectionAddressType)
```

Set the connection address type

**Parameters:**

rtspConnectionAddressType - connection address type

---

## getRTSPOriginIpAddress

```
public String getRTSPOriginIpAddress()
```

Get the origin IP address

**Returns:**

origin IP address

---

## setRTSPOriginIpAddress

```
public void setRTSPOriginIpAddress(String rtspOriginIpAddress)
```

Set the origin IP address

**Parameters:**

rtspOriginIpAddress - origin IP address

---

## getRTSPOriginAddressType

```
public String getRTSPOriginAddressType()
```

Get the origin address type

**Returns:**

origin address type

---

## setRTSPOriginAddressType

```
public void setRTSPOriginAddressType(String rtspOriginAddressType)
```

Set the origin address type

**Parameters:**

rtspOriginAddressType - origin address type

---

## getVODStartTimeTC

```
public long getVODStartTimeTC()
```

---

(continued from last page)

Get the video on demand start time (milliseconds)

**Returns:**

video on demand start time (milliseconds)

---

## setVODStartTimeTC

```
public void setVODStartTimeTC(long vodStartTimeTC)
```

Set the video on demand start time (milliseconds)

**Parameters:**

vodStartTimeTC - video on demand start time (milliseconds)

---

## getVODLastTimeTC

```
public long getVODLastTimeTC( )
```

Get the last timecode (milliseconds) sent for video on demand

**Returns:**

last timecode (milliseconds) sent for video on demand

---

## setVODLastTimeTC

```
public void setVODLastTimeTC(long vodLastTimeTC)
```

Set the last timecode (milliseconds) sent for video on demand

**Parameters:**

vodLastTimeTC - last timecode (milliseconds) sent for video on demand

---

## getVODPlayLen

```
public long getVODPlayLen( )
```

Get the video on demand play duration (milliseconds)

**Returns:**

video on demand play duration (milliseconds)

---

## setVODPlayLen

```
public void setVODPlayLen(long vodPlayLen)
```

Set the video on demand play duration (milliseconds)

**Parameters:**

vodPlayLen - video on demand play duration (milliseconds)

---

## isStreamStarted

```
public boolean isStreamStarted( )
```

Is stream started

**Returns:**

true if stream has started playback

---

## isRTSPAlwaysUseSDPPorts

```
public boolean isRTSPAlwaysUseSDPPorts()
```

Force RTSP to use ports in SDP data

**Returns:**

true if using ports in SDP data

---

## setRTSPAlwaysUseSDPPorts

```
public void setRTSPAlwaysUseSDPPorts(boolean rtspAlwaysUseSDPPorts)
```

Force RTSP to use ports in SDP data

**Parameters:**

rtspAlwaysUseSDPPorts - true if using ports in SDP data

---

## putRTSPSessionExtraLine

```
public void putRTSPSessionExtraLine(int location,  
    String line)
```

Add an extra line to the SDP data

**Parameters:**

location - location of line, see SDPLOCATION\_  
line - line to add

---

## clearRTSPSessionExtraLines

```
public void clearRTSPSessionExtraLines()
```

Clear SDP extra lines

---

## getRTSPSessionExtraLines

```
public java.util.List getRTSPSessionExtraLines()
```

Get extra SDP lines

**Returns:**

extra SDP lines

---

## getRTPDestination

```
public RTPDestination getRTPDestination()
```

Get RTP destination

**Returns:**

RTP destination

---

## setRTPDestination

```
public void setRTPDestination(RTPDestination rtpDestination)
```

---



(continued from last page)

Set RTP destination

**Parameters:**

rtpDestination - RTP destination

---

**getSDPLang**

```
public String getSDPLang()
```

Get the SDP language

**Returns:**

SDP language

---

**setSDPLang**

```
public void setSDPLang(String sdpLang)
```

Set the SDP language

**Parameters:**

sdpLang - SDP language

---

**isRTPIgnoreProfileLevelId**

```
public boolean isRTPIgnoreProfileLevelId()
```

---

**setRTPIgnoreProfileLevelId**

```
public void setRTPIgnoreProfileLevelId(boolean rtpIgnoreProfileLevelId)
```

---

**getUDPMangedDeliveryDelay**

```
public int getUDPMangedDeliveryDelay()
```

---

**setUDPMangedDeliveryDelay**

```
public void setUDPMangedDeliveryDelay(int udpManagedDeliveryDelay)
```

---

**getUDPMangedDeliveryCount**

```
public int getUDPMangedDeliveryCount()
```

---

**setUDPMangedDeliveryCount**

```
public void setUDPMangedDeliveryCount(int udpManagedDeliveryCount)
```

---

### isForceMPEGTSOut

```
public boolean isForceMPEGTSOut()
```

---

### setForceMPEGTSOut

```
public void setForceMPEGTSOut(boolean isForceMPEGTSOut)
```

---

### isBlockUDPOut

```
public boolean isBlockUDPOut()
```

---

### setBlockUDPOut

```
public void setBlockUDPOut(boolean blockUDPOut)
```

---

### getMPEGTSAudioBitrate

```
public int getMPEGTSAudioBitrate()
```

---

### setMPEGTSAudioBitrate

```
public void setMPEGTSAudioBitrate(int mpegtsAudioBitrate)
```

---

### getMPEGTSVideoBitrate

```
public int getMPEGTSVideoBitrate()
```

---

### setMPEGTSVideoBitrate

```
public void setMPEGTSVideoBitrate(int mpegtsVideoBitrate)
```

---

### isRTPIgnoreSPropParameterSets

```
public boolean isRTPIgnoreSPropParameterSets()
```

---

### setRTPIgnoreSPropParameterSets

```
public void setRTPIgnoreSPropParameterSets(boolean rtpIgnoreSPropParameterSets)
```

---

(continued from last page)

---

## **getRTPStreamContext**

```
public RTPStreamContext getRTPStreamContext()
```

---

## **setRTPStreamContext**

```
public void setRTPStreamContext(RTPStreamContext rtpStreamContext)
```

---

Package

**com.wowza.wms.server**

---

## com.wowza.wms.server Interface ICommandInterfaceCommand

---

public interface **ICommandInterfaceCommand**  
extends

---

### Method Summary

boolean	<a href="#"><u>canHandle</u></a> (CommandInterfaceRequestMessage req)
void	<a href="#"><u>invoke</u></a> (CommandInterfaceRequestMessage req, CommandInterfaceResponseMessage resp)

---

### Methods

#### **invoke**

```
public void invoke(CommandInterfaceRequestMessage req,  
    CommandInterfaceResponseMessage resp)
```

---

#### **canHandle**

```
public boolean canHandle(CommandInterfaceRequestMessage req)
```

## com.wowza.wms.server Interface ICompilerDirectives

public interface **ICompilerDirectives**  
extends

### Field Summary

public static final

[RTMPENABLED](#)

Value: **true**

### Fields

#### RTMPENABLED

public static final boolean **RTMPENABLED**

Constant value: **true**

---

## com.wowza.wms.server Interface IResponseListener

---

public interface **IResponseListener**  
extends

IResponseListener: Internal use.

---

### Method Summary

void	<a href="#"><u>onResponseWriteStart</u></a> (RtmpResponseMessage response)
void	<a href="#"><u>onResponseWriteStop</u></a> (RtmpResponseMessage response)

---

### Methods

#### **onResponseWriteStart**

public void **onResponseWriteStart**(RtmpResponseMessage response)

---

#### **onResponseWriteStop**

public void **onResponseWriteStop**(RtmpResponseMessage response)

## com.wowza.wms.server Interface IServer

All Known Implementing Classes:  
[Server](#)

public interface **IServer**  
extends

IServer: public interface to Server object.

### Method Summary

void	<a href="#">addServerListener</a> ( <a href="#">IServerNotify</a> serverListener) Add server listener
java.util.List	<a href="#">getAdminInterfaceObjectList</a> () Get the list of objects exposed through JMX interface
RandomIdGenerator	<a href="#">getClientIdGenerator</a> () Get the client id generator for the server
CommandInterfaceCommandHandler	<a href="#">getCommandInterfaceCommandHandler</a> () Get the command interface command handler
<a href="#">HostPort</a>	<a href="#">getCommandInterfaceHostPort</a> () Get the definition of the command interface
<a href="#">ConnectionCounter</a>	<a href="#">getConnectionCounter</a> () Get the server connection counter.
ConnectionCounterSimple	<a href="#">getConnectionCounter</a> (int counterIndex) Get the server connection counter for a specific technology (see IVHost.COUNTER_*)
int	<a href="#">getCoreHandlerPoolSize</a> () Get the handler core thread pool size.
int	<a href="#">getCoreTransportPoolSize</a> () Get the transport core thread pool size.
String	<a href="#">getDateStarted</a> () Get the date and time the server was started.
java.util.Properties	<a href="#">getDynamicLogProperties</a> () Get the dynamic log properties defined at the server level in conf/log4j.properties
<a href="#">ThreadPool</a>	<a href="#">getHandlerThreadPool</a> () Get the server handler thread pool.
<a href="#">IOPerformanceCounter</a>	<a href="#">getIoPerformanceCounter</a> () Get the server performance counter.
<a href="#">IOPerformanceCounter</a>	<a href="#">getIoPerformanceCounter</a> (int counterIndex) Get the server performance counter for a specific technology (see IVHost.COUNTER_*)



<a href="#">WMSProperties</a>	<a href="#">getProperties()</a> Get server level properties collection
<a href="#">ThreadPool</a>	<a href="#">getThreadPool()</a> Get the server handler thread pool.
String	<a href="#">getTimeRunning()</a> Get a formatted String of how long the server has been running.
double	<a href="#">getTimeRunningSeconds()</a> Get time running in seconds
<a href="#">ThreadPool</a>	<a href="#">getTransportThreadPool()</a> Get the server transport thread pool.
com.wowza.wms.transpo rt.udp.UDPPortManager	<a href="#">getUDPPortManager()</a> Get the UDP port manager which manages the allocation of incoming UDP port binding to be sure there are not port conflicts
com.wowza.wms.transpo rt.udp.UDPPortSharing Manager	<a href="#">getUDPPortSharingManager()</a> Get the UDP port sharing manager.
String[]	<a href="#">getUserAgents()</a> Get a pipe " " delimited list of user agents that the server recognizes as RTMPT client.
String	<a href="#">getVersion()</a> Get server version number.
<a href="#">VHostList</a>	<a href="#">getVHostList()</a> Returns the interface to the VHostList for the server
boolean	<a href="#">isAcceptWOWZConnections()</a> If true, WOWZ connections will use the WOWZ protocol.
boolean	<a href="#">isDynamicLogContextLoaded(String logContext)</a> Returns true of the given dynamic log context is already loaded.
boolean	<a href="#">isInitiateWOWZConnections()</a> If true, NetConnection attempts will use the WOWZ protocol when possible.
boolean	<a href="#">isSuspended()</a> Is the server current suspended
String	<a href="#">readConfig(String sName)</a> Method to read xml config file..
void	<a href="#">reloadVHostConfig()</a> Reload the VHosts.xml file.
void	<a href="#">removeServerListener(IServerNotify serverListener)</a> Remove server listener
void	<a href="#">setAcceptWOWZConnections(boolean acceptWOWZConnections)</a> If true, WOWZ connections will use the WOWZ protocol.
void	<a href="#">setCommandInterfaceHostPort(HostPort commandInterfaceHostPort)</a> Set the definition for the command interface.

void	<a href="#"><u>setCoreHandlerPoolSize</u></a> (int corePoolSize) Set the handler core thread pool size.
void	<a href="#"><u>setCoreTransportPoolSize</u></a> (int corePoolSize) Set the transport core thread pool size.
void	<a href="#"><u>setDynamicLogProperties</u></a> ( java.util.Properties dynamicLogProperties) Set the dynamic log properties set at the server level
void	<a href="#"><u>setInitiateWOWZConnections</u></a> (boolean initiateWOWZConnections) If true, NetConnection attempts will use the WOWZ protocol when possible.
void	<a href="#"><u>setUserAgents</u></a> (String[ ] userAgents) Set a pipe " " delimited list of user agents that the server recognizes as RTMPT client.
void	<a href="#"><u>startCommandInterface</u></a> ( ) Start the command interface as defined in Server.xml.
void	<a href="#"><u>startVHost</u></a> (String vhostName) Start a vHost by name.
void	<a href="#"><u>startVHosts</u></a> ( ) Start all vHosts
void	<a href="#"><u>stopAdminAgent</u></a> ( ) Stop the JMX interface
void	<a href="#"><u>stopCommandInterface</u></a> ( ) Stop the command interface as defined in Server.xml.
void	<a href="#"><u>stopVHost</u></a> (String vhostName) Stop a vHost by name.
void	<a href="#"><u>stopVHosts</u></a> ( ) Stop all vHosts
void	<a href="#"><u>suspendAllVHosts</u></a> ( ) Suspend all virtual hosts (Calls IVHost.suspendAllHostPorts for each vhost)
void	<a href="#"><u>suspendServer</u></a> ( ) Suspend all virtual hosts and the command interface
void	<a href="#"><u>unbindAllVHosts</u></a> ( ) Unbind all virtual hosts (Calls IVHost.unbindAllHostPorts for each vhost)
boolean	<a href="#"><u>writeConfig</u></a> (String sName, String data) Method to write xml config file..

## Methods

### startCommandInterface

```
public void startCommandInterface( )
```

Start the command interface as defined in Server.xml. The command interface is used by shutdown.sh script to stop the server. It is also used by ant task to stop and start the server on build events.

---

## stopCommandInterface

```
public void stopCommandInterface()
```

Stop the command interface as defined in Server.xml. The command interface is used by shutdown.sh script to stop the server. It is also used by ant task to stop and start the server on build events.

---

## getVersion

```
public String getVersion()
```

Get server version number.

**Returns:**

server version number

---

## reloadVHostConfig

```
public void reloadVHostConfig()
```

Reload the VHosts.xml file. This method can be invoked through the JMX interface to manage vHosts while the server is running.

---

## stopVHost

```
public void stopVHost(String vhostName)
```

Stop a vHost by name.

**Parameters:**

vhostName - vHost name

---

## stopVHosts

```
public void stopVHosts()
```

Stop all vHosts

---

## startVHost

```
public void startVHost(String vhostName)
```

Start a vHost by name.

**Parameters:**

vhostName - vHost name

---

## startVHosts

```
public void startVHosts()
```

Start all vHosts

---

## getIoPerformanceCounter

```
public IOPerformanceCounter getIoPerformanceCounter()
```

Get the server performance counter.

---

(continued from last page)

**Returns:**io performance counter

---

**getIoPerformanceCounter**

```
public IoPerformanceCounter getIoPerformanceCounter(int counterIndex)
```

Get the server performance counter for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index (see IVHost.COUNTER\_\*)

**Returns:**io performance counter

---

**getConnectionCounter**

```
public ConnectionCounter getConnectionCounter( )
```

Get the server connection counter.

**Returns:**connection counter

---

**getConnectionCounter**

```
public ConnectionCounterSimple getConnectionCounter(int counterIndex)
```

Get the server connection counter for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index (see IVHost.COUNTER\_\*)

**Returns:**connection counter

---

**getDateStarted**

```
public String getDateStarted( )
```

Get the date and time the server was started.

**Returns:**date and time the server was started

---

**getTimeRunning**

```
public String getTimeRunning( )
```

Get a formatted String of how long the server has been running.

**Returns:**formatted String of how long the server has been running

---

**getTimeRunningSeconds**

```
public double getTimeRunningSeconds( )
```

---

(continued from last page)

Get time running in seconds

**Returns:**

time running in seconds

---

## getCommandInterfaceHostPort

```
public HostPort getCommandInterfaceHostPort()
```

Get the definition of the command interface

**Returns:**

host port definition of command interface

---

## setCommandInterfaceHostPort

```
public void setCommandInterfaceHostPort(HostPort commandInterfaceHostPort)
```

Set the definition for the command interface.

**Parameters:**

commandInterfaceHostPort - host port definition of command interface

---

## getUserAgents

```
public String[] getUserAgents()
```

Get a pipe "|" delimited list of user agents that the server recognizes as RTMPT client.

**Returns:**

pipe "|" delimited list of user agents that the server recognizes as RTMPT client

---

## setUserAgents

```
public void setUserAgents(String[] userAgents)
```

Set a pipe "|" delimited list of user agents that the server recognizes as RTMPT client.

**Parameters:**

userAgents - pipe "|" delimited list of user agents that the server recognizes as RTMPT client

---

## addServerListener

```
public void addServerListener(IServerNotify serverListener)
```

Add server listener

**Parameters:**

serverListener - server listener

---

## removeServerListener

```
public void removeServerListener(IServerNotify serverListener)
```

Remove server listener

**Parameters:**

serverListener - server listener

## getAdminInterfaceObjectList

```
public java.util.List getAdminInterfaceObjectList()
```

Get the list of objects exposed through JMX interface

**Returns:**

list of objects exposed through JMX interface

---

## getCoreTransportPoolSize

```
public int getCoreTransportPoolSize()
```

Get the transport core thread pool size.

**Returns:**

default core thread pool size

---

## setCoreTransportPoolSize

```
public void setCoreTransportPoolSize(int corePoolSize)
```

Set the transport core thread pool size.

**Parameters:**

corePoolSize - core thread pool size

---

## getCoreHandlerPoolSize

```
public int getCoreHandlerPoolSize()
```

Get the handler core thread pool size.

**Returns:**

default core thread pool size

---

## setCoreHandlerPoolSize

```
public void setCoreHandlerPoolSize(int corePoolSize)
```

Set the handler core thread pool size.

**Parameters:**

corePoolSize - core thread pool size

---

## getThreadPool

```
public ThreadPool getThreadPool()
```

Get the server handler thread pool. Same as getHandlerThreadPool.

**Returns:**

server handler thread pool

---

## getTransportThreadPool

```
public ThreadPool getTransportThreadPool()
```

---

(continued from last page)

Get the server transport thread pool. This thread pool is used to read/write data from the transports sockets.

**Returns:**

server transport thread pool

---

## getHandlerThreadPool

```
public ThreadPool getHandlerThreadPool()
```

Get the server handler thread pool. This thread pool is used to process the incoming events.

**Returns:**

server handler thread pool

---

## getProperties

```
public WMSProperties getProperties()
```

Get server level properties collection

**Returns:**

server level properties collection

---

## getClientIdGenerator

```
public RandomIdGenerator getClientIdGenerator()
```

Get the client id generator for the server

**Returns:**

client id generator for the server

---

## getDynamicLogProperties

```
public java.util.Properties getDynamicLogProperties()
```

Get the dynamic log properties defined at the server level in conf/log4j.properties

**Returns:**

dynamic log properties defined at the server level

---

## setDynamicLogProperties

```
public void setDynamicLogProperties(java.util.Properties dynamicLogProperties)
```

Set the dynamic log properties set at the server level

**Parameters:**

dynamicLogProperties - dynamic log properties defined at the server level

---

## isDynamicLogContextLoaded

```
public boolean isDynamicLogContextLoaded(String logContext)
```

Returns true if the given dynamic log context is already loaded. If not loaded it will return false and add it to the a Set of loaded log context. Log context is [VHost].[Application].[AppInstance]

(continued from last page)

## getVHostList

```
public VHostList getVHostList( )
```

Returns the interface to the VHostList for the server

**Returns:**

vhostList

---

## suspendAllVHosts

```
public void suspendAllVHosts( )
```

Suspend all virtual hosts (Calls IVHost.suspendAllHostPorts for each vhost)

---

## unbindAllVHosts

```
public void unbindAllVHosts( )
```

Unbind all virtual hosts (Calls IVHost.unbindAllHostPorts for each vhost)

---

## suspendServer

```
public void suspendServer( )
```

Suspend all virtual hosts and the command interface

---

## isSuspended

```
public boolean isSuspended( )
```

Is the server current suspended

---

## stopAdminAgent

```
public void stopAdminAgent( )
```

Stop the JMX interface

---

## getUDPPortManager

```
public com.wowza.wms.transport.udp.UDPPortManager getUDPPortManager( )
```

Get the UDP port manager which manages the allocation of incoming UDP port binding to be sure there are not port conflicts

**Returns:**

UDP port manager

---

## getUDPPortSharingManager

```
public com.wowza.wms.transport.udp.UDPPortSharingManager getUDPPortSharingManager( )
```

Get the UDP port sharing manager.

**Returns:**

UDP port sharing manager



(continued from last page)

---

## readConfig

```
public String readConfig(String sName)
```

Method to read xml config file..

---

## writeConfig

```
public boolean writeConfig(String sName,  
    String data)
```

Method to write xml config file..

---

## getCommandInterfaceCommandHandler

```
public CommandInterfaceCommandHandler getCommandInterfaceCommandHandler()
```

Get the command interface command handler

**Returns:**

command interface command handler

---

## isAcceptWOWZConnections

```
public boolean isAcceptWOWZConnections()
```

If true, WOWZ connections will use the WOWZ protocol. If false, WOWZ connection attempts will fall back to RTMP.

**Returns:**

true, WOWZ connections will use the WOWZ protocol

---

## setAcceptWOWZConnections

```
public void setAcceptWOWZConnections(boolean acceptWOWZConnections)
```

If true, WOWZ connections will use the WOWZ protocol. If false, WOWZ connection attempts will fall back to RTMP.

**Parameters:**

acceptWOWZConnections - true, WOWZ connections will use the WOWZ protocol

---

## isInitiateWOWZConnections

```
public boolean isInitiateWOWZConnections()
```

If true, NetConnection attempts will use the WOWZ protocol when possible.

**Returns:**

true, NetConnection attempts will use the WOWZ protocol when possible.

---

## setInitiateWOWZConnections

```
public void setInitiateWOWZConnections(boolean initiateWOWZConnections)
```

If true, NetConnection attempts will use the WOWZ protocol when possible.

**Parameters:**

initiateWOWZConnections - true, NetConnection attempts will use the WOWZ protocol when possible.

---

## com.wowza.wms.server Interface IServerNotify

All Subinterfaces:

[IServerNotify2](#)

---

public interface **IServerNotify**  
extends

IServerNotify: listener interface. Configured by adding class entries definitions to Server.xml.Startup order is: [constructor]; onServerConfigLoaded, onServerCreate, onServerInit Shutdown order is: onServerShutdownStart, onServerShutdownComplete, [exit]

---

### Method Summary

void	<a href="#">onServerCreate</a> ( <a href="#">IServer</a> server) Triggered when server object is first created.
void	<a href="#">onServerInit</a> ( <a href="#">IServer</a> server) Triggered when server initialization is complete and all VHosts have been started
void	<a href="#">onServerShutdownComplete</a> ( <a href="#">IServer</a> server) Triggered at the end of server shutdown
void	<a href="#">onServerShutdownStart</a> ( <a href="#">IServer</a> server) Triggered at the beginning of server shutdown

---

### Methods

#### onServerCreate

public void **onServerCreate**([IServer](#) server)

Triggered when server object is first created.

**Parameters:**

server - server object

---

#### onServerInit

public void **onServerInit**([IServer](#) server)

Triggered when server initialization is complete and all VHosts have been started

**Parameters:**

server - server object

---

#### onServerShutdownStart

public void **onServerShutdownStart**([IServer](#) server)

Triggered at the beginning of server shutdown

---

(continued from last page)

**Parameters:**

server - server object

---

## onServerShutdownComplete

```
public void onServerShutdownComplete(IServer server)
```

Triggered at the end of server shutdown

**Parameters:**

server - server object

## com.wowza.wms.server Interface IServerNotify2

All Superinterfaces:  
[IServerNotify](#)

public interface **IServerNotify2**  
extends [IServerNotify](#)

IServerNotify2: listener interface. Configured by adding class entries definitions to Server.xml.Startup order is: [constructor]; onServerConfigLoaded, onServerCreate, onServerInit Shutdown order is: onServerShutdownStart, onServerShutdownComplete, [exit]

### Method Summary

void	<a href="#">onServerConfigLoaded</a> ( <a href="#">IServer</a> server) Triggered when server configuration is loaded
------	---

Methods inherited from interface [com.wowza.wms.server.IServerNotify](#)

[onServerCreate](#), [onServerInit](#), [onServerShutdownComplete](#), [onServerShutdownStart](#)

### Methods

#### onServerConfigLoaded

public void **onServerConfigLoaded**([IServer](#) server)

Triggered when server configuration is loaded

**Parameters:**

server - server object

## com.wowza.wms.server Class Server

java.lang.Object

└─com.wowza.wms.server.Server

All Implemented Interfaces:

[IServer](#)

public class **Server**  
extends Object  
implements [IServer](#)

### Nested Class Summary

class	<a href="#">Server.TranscoderPollingTracker</a> Server.TranscoderPollingTracker
-------	--

### Field Summary

public	<a href="#">debugWOWZProtocol</a>
public static	<a href="#">logNotifier</a>

### Constructor Summary

public	<a href="#">Server()</a>
--------	--------------------------

### Method Summary

void	<a href="#">addServerListener</a> ( <a href="#">IServerNotify</a> serverListener)
static void	<a href="#">decodeS</a> (String[] ins) <b>Deprecated.</b>
static boolean	<a href="#">decodeSS</a> (String in) <b>Deprecated.</b>
String	<a href="#">decodeStorageDir</a> ( <a href="#">IVHost</a> vhost, String storageDir)
void	<a href="#">doWatchdog</a> ()
static String	<a href="#">fS</a> (byte[] kiIn, String p) <b>Deprecated.</b>
com.wowza.wms.admin.AdminAgent	<a href="#">getAdminAgent</a> ()
String	<a href="#">getAdminGUID</a> ()

java.util.List	<a href="#">getAdminInterfaceObjectList()</a>
RandomIdGenerator	<a href="#">getClientIdGenerator()</a>
int	<a href="#">getClientIdGeneratorRecycleDelaySize()</a>
int	<a href="#">getClientIdGeneratorRecycleSize()</a>
long	<a href="#">getClientIdGeneratorTimeout()</a>
Object	<a href="#">getCommandInterface()</a>
CommandInterfaceCommandHandler	<a href="#">getCommandInterfaceCommandHandler()</a>
<a href="#">HostPort</a>	<a href="#">getCommandInterfaceHostPort()</a>
long	<a href="#">getCommittedVirtualMemory()</a>
<a href="#">ConnectionCounter</a>	<a href="#">getConnectionCounter()</a>
ConnectionCounterSimple	<a href="#">getConnectionCounter(int counterIndex)</a>
IConnectionValidator	<a href="#">getConnectionValidator()</a>
int	<a href="#">getCoreHandlerPoolSize()</a>
int	<a href="#">getCoreTransportPoolSize()</a>
int	<a href="#">getCryptoPoolActiveCount()</a>
int	<a href="#">getCryptoPoolMaxSize()</a>
long	<a href="#">getCurrentHeapSize()</a>
String	<a href="#">getDateStarted()</a>
java.util.Properties	<a href="#">getDynamicLogProperties()</a>
String	<a href="#">getGUID()</a>
<a href="#">ThreadPool</a>	<a href="#">getHandlerThreadPool()</a>
static <a href="#">Server</a>	<a href="#">getInstance()</a>
<a href="#">IOPerformanceCounter</a>	<a href="#">getIoPerformanceCounter()</a>
<a href="#">IOPerformanceCounter</a>	<a href="#">getIoPerformanceCounter(int counterIndex)</a>

JMXRemoteConfig	<a href="#">getJmxRemoteConfig()</a>
LicenseCounter	<a href="#">getLicenseCounter(int index)</a>
Server.LicenseSessionTracker	<a href="#">getLicenseTracker(int index)</a>
ILicenseValidator	<a href="#">getLicenseValidator()</a>
long	<a href="#">getLiveThreads()</a>
long	<a href="#">getMaxHeapSize()</a>
long	<a href="#">getPeakThreads()</a>
<a href="#">WMSProperties</a>	<a href="#">getProperties()</a>
boolean[]	<a href="#">getProtocolUsage()</a>
Server.ProtocolUsageSessionTracker	<a href="#">getProtocolUsageTracker()</a>
String	<a href="#">getServerGUID()</a>
String	<a href="#">getSessionGUID()</a>
<a href="#">ThreadPool</a>	<a href="#">getThreadPool()</a>
String	<a href="#">getTimeRunning()</a>
double	<a href="#">getTimeRunningSeconds()</a>
<a href="#">ThreadPool</a>	<a href="#">getTransportThreadPool()</a>
com.wowza.wms.transport.udp.UDPPortManager	<a href="#">getUDPPortManager()</a>
com.wowza.wms.transport.udp.UDPPortSharingManager	<a href="#">getUDPPortSharingManager()</a>
String[]	<a href="#">getUserAgents()</a>
String	<a href="#">getVersion()</a>
<a href="#">VHostList</a>	<a href="#">getVHostList()</a>
boolean	<a href="#">isAcceptWOWZConnections()</a>
boolean	<a href="#">isDynamicLogContextLoaded(String logContext)</a>

boolean	<a href="#"><u>isInitiateWOWZConnections()</u></a>
boolean	<a href="#"><u>isSuspended()</u></a>
boolean	<a href="#"><u>isVHostRunning</u></a> (String name)
static void	<a href="#"><u>main</u></a> (String[] args)
void	<a href="#"><u>onNewVHost</u></a> ( <a href="#"><u>IVHost</u></a> vhost)
String	<a href="#"><u>readConfig</u></a> (String sName)
static String	<a href="#"><u>readXMLConfig</u></a> (String sPath)
void	<a href="#"><u>registerLiveStreamTranscoder</u></a> ( <a href="#"><u>ILiveStreamTranscoder</u></a> liveStreamTranscoder, byte[] license)
void	<a href="#"><u>reloadVHostConfig</u></a> ()
void	<a href="#"><u>removeServerListener</u></a> ( <a href="#"><u>IServerNotify</u></a> serverListener)
void	<a href="#"><u>setAcceptWOWZConnections</u></a> (boolean acceptWOWZConnections)
void	<a href="#"><u>setCommandInterface</u></a> (Object commandInterface)
void	<a href="#"><u>setCommandInterfaceHostPort</u></a> ( <a href="#"><u>HostPort</u></a> commandInterfaceHostPort)
void	<a href="#"><u>setCoreHandlerPoolSize</u></a> (int corePoolSize)
void	<a href="#"><u>setCoreTransportPoolSize</u></a> (int corePoolSize)
void	<a href="#"><u>setDynamicLogProperties</u></a> (java.util.Properties dynamicLogProperties)
void	<a href="#"><u>setInitiateWOWZConnections</u></a> (boolean initiateWOWZConnections)
void	<a href="#"><u>setIoPerformanceCounter</u></a> ( <a href="#"><u>IOPerformanceCounter</u></a> ioPerformanceCounter)
void	<a href="#"><u>setUserAgents</u></a> (String[] userAgents)
static void	<a href="#"><u>start</u></a> ()
void	<a href="#"><u>startCommandInterface</u></a> ()
void	<a href="#"><u>startServer</u></a> ()
void	<a href="#"><u>startVHost</u></a> (String vhostName)
void	<a href="#"><u>startVHosts</u></a> ()



void	<a href="#"><u>stopAdminAgent()</u></a>
void	<a href="#"><u>stopCommandInterface()</u></a>
void	<a href="#"><u>stopServer()</u></a>
void	<a href="#"><u>stopVHost</u></a> (String vhostName)
void	<a href="#"><u>stopVHosts</u></a> ()
void	<a href="#"><u>suspendAllVHosts</u></a> ()
void	<a href="#"><u>suspendCommandInterface</u></a> ()
void	<a href="#"><u>suspendServer</u></a> ()
void	<a href="#"><u>unbindAllVHosts</u></a> ()
void	<a href="#"><u>unregisterLiveStreamTranscoder</u></a> ( <a href="#"><u>ILiveStreamTranscoder</u></a> liveStreamTranscoder, byte[] license)
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>updateIOPerformance</u></a> ()
void	<a href="#"><u>updateLoggingDuration</u></a> ()
boolean	<a href="#"><u>writeConfig</u></a> (String sName, String data)
static boolean	<a href="#"><u>writeXMLConfig</u></a> (String sPath, String data)

**Methods inherited from class java.lang.Object**

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface [com.wowza.wms.server.IServer](#)**

[addServerListener](#), [getAdminInterfaceObjectList](#), [getClientIdGenerator](#), [getCommandInterfaceCommandHandler](#), [getCommandInterfaceHostPort](#), [getConnectionCounter](#), [getConnectionCounter](#), [getCoreHandlerPoolSize](#), [getCoreTransportPoolSize](#), [getDateStarted](#), [getDynamicLogProperties](#), [getHandlerThreadPool](#), [getIoPerformanceCounter](#), [getIoPerformanceCounter](#), [getProperties](#), [getThreadPool](#), [getTimeRunning](#), [getTimeRunningSeconds](#), [getTransportThreadPool](#), [getUDPPortManager](#), [getUDPPortSharingManager](#), [getUserAgents](#), [getVersion](#), [getVHostList](#), [isAcceptWOWZConnections](#), [isDynamicLogContextLoaded](#), [isInitiateWOWZConnections](#), [isSuspended](#), [readConfig](#), [reloadVHostConfig](#), [removeServerListener](#), [setAcceptWOWZConnections](#), [setCommandInterfaceHostPort](#), [setCoreHandlerPoolSize](#), [setCoreTransportPoolSize](#), [setDynamicLogProperties](#), [setInitiateWOWZConnections](#), [setUserAgents](#), [startCommandInterface](#), [startVHost](#), [startVHosts](#), [stopAdminAgent](#), [stopCommandInterface](#), [stopVHost](#), [stopVHosts](#), [suspendAllVHosts](#), [suspendServer](#), [unbindAllVHosts](#), [writeConfig](#)

## Fields

### logNotifier

```
public static com.wowza.wms.logging.ILogNotify logNotifier
```

---

### debugWOWZProtocol

```
public boolean debugWOWZProtocol
```

---

## Constructors

### Server

```
public Server()
```

---

## Methods

### getInstance

```
public static Server getInstance()
```

---

### getAdminAgent

```
public com.wowza.wms.admin.AdminAgent getAdminAgent()
```

---

### main

```
public static void main(String[] args)
```

---

### start

```
public static void start()
```

---

### stopServer

```
public void stopServer()
```

---

(continued from last page)

---

## stopAdminAgent

```
public void stopAdminAgent()
```

---

## isVHostRunning

```
public boolean isVHostRunning(String name)
```

---

## suspendCommandInterface

```
public void suspendCommandInterface()
```

---

## startCommandInterface

```
public void startCommandInterface()
```

---

## stopCommandInterface

```
public void stopCommandInterface()
```

---

## startServer

```
public void startServer()
```

---

## getVersion

```
public String getVersion()
```

---

## reloadVHostConfig

```
public void reloadVHostConfig()
```

---

## stopVHost

```
public void stopVHost(String vhostName)
```

---

## stopVHosts

```
public void stopVHosts()
```

---

(continued from last page)

---

## decodeStorageDir

```
public String decodeStorageDir(IVHost vhost,  
    String storageDir)
```

---

## startVHost

```
public void startVHost(String vhostName)
```

---

## isSuspended

```
public boolean isSuspended()
```

---

## suspendServer

```
public void suspendServer()
```

---

## suspendAllVHosts

```
public void suspendAllVHosts()
```

---

## unbindAllVHosts

```
public void unbindAllVHosts()
```

---

## startVHosts

```
public void startVHosts()
```

---

## doWatchdog

```
public void doWatchdog()
```

---

## updateIOPerformance

```
public IOPerformanceCounter updateIOPerformance()
```

---

(continued from last page)

---

## getIoPerformanceCounter

```
public IoPerformanceCounter getIoPerformanceCounter()
```

---

## getIoPerformanceCounter

```
public IoPerformanceCounter getIoPerformanceCounter(int counterIndex)
```

---

## setIoPerformanceCounter

```
public void setIoPerformanceCounter(IoPerformanceCounter ioPerformanceCounter)
```

---

## getConnectionCounter

```
public ConnectionCounter getConnectionCounter()
```

---

## getConnectionCounter

```
public ConnectionCounterSimple getConnectionCounter(int counterIndex)
```

---

## getConnectionValidator

```
public IConnectionValidator getConnectionValidator()
```

---

## getLicenseValidator

```
public ILicenseValidator getLicenseValidator()
```

---

## onNewVHost

```
public void onNewVHost(IVHost vhost)
```

---

## getDateStarted

```
public String getDateStarted()
```

---

## getTimeRunning

```
public String getTimeRunning()
```

---

(continued from last page)

---

### getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

---

### getCommandInterfaceHostPort

```
public HostPort getCommandInterfaceHostPort()
```

---

### setCommandInterfaceHostPort

```
public void setCommandInterfaceHostPort(HostPort commandInterfaceHostPort)
```

---

### getCommandInterface

```
public Object getCommandInterface()
```

---

### setCommandInterface

```
public void setCommandInterface(Object commandInterface)
```

---

### getUserAgents

```
public String[] getUserAgents()
```

---

### setUserAgents

```
public void setUserAgents(String[] userAgents)
```

---

### updateLoggingDuration

```
public void updateLoggingDuration()
```

---

### addServerListener

```
public void addServerListener(IServerNotify serverListener)
```

---

(continued from last page)

---

## removeServerListener

```
public void removeServerListener(IServerNotify serverListener)
```

---

---

## getJmxRemoteConfig

```
public JMXRemoteConfig getJmxRemoteConfig()
```

---

---

## getAdminInterfaceObjectList

```
public java.util.List getAdminInterfaceObjectList()
```

---

---

## getCoreTransportPoolSize

```
public int getCoreTransportPoolSize()
```

---

---

## setCoreTransportPoolSize

```
public void setCoreTransportPoolSize(int corePoolSize)
```

---

---

## getCoreHandlerPoolSize

```
public int getCoreHandlerPoolSize()
```

---

---

## setCoreHandlerPoolSize

```
public void setCoreHandlerPoolSize(int corePoolSize)
```

---

---

## getThreadPool

```
public ThreadPool getThreadPool()
```

---

---

## getTransportThreadPool

```
public ThreadPool getTransportThreadPool()
```

---

---

## getHandlerThreadPool

```
public ThreadPool getHandlerThreadPool()
```

---

(continued from last page)

---

## getProperties

```
public WMSProperties getProperties()
```

---

---

## getClientIdGenerator

```
public RandomIdGenerator getClientIdGenerator()
```

---

---

## getDynamicLogProperties

```
public java.util.Properties getDynamicLogProperties()
```

---

---

## setDynamicLogProperties

```
public void setDynamicLogProperties(java.util.Properties dynamicLogProperties)
```

---

---

## isDynamicLogContextLoaded

```
public boolean isDynamicLogContextLoaded(String logContext)
```

---

---

## getVHostList

```
public VHostList getVHostList()
```

---

---

## getSessionGUID

```
public String getSessionGUID()
```

---

---

## getServerGUID

```
public String getServerGUID()
```

---

---

## getGUID

```
public String getGUID()
```

---



(continued from last page)

---

## getAdminGUID

```
public String getAdminGUID()
```

---

---

## getUDPPortSharingManager

```
public com.wowza.wms.transport.udp.UDPPortSharingManager getUDPPortSharingManager()
```

---

---

## getUDPPortManager

```
public com.wowza.wms.transport.udp.UDPPortManager getUDPPortManager()
```

---

---

## getCryptoPoolMaxSize

```
public int getCryptoPoolMaxSize()
```

---

---

## getCryptoPoolActiveCount

```
public int getCryptoPoolActiveCount()
```

---

---

## getLiveThreads

```
public long getLiveThreads()
```

---

---

## getPeakThreads

```
public long getPeakThreads()
```

---

---

## getCurrentHeapSize

```
public long getCurrentHeapSize()
```

---

---

## getMaxHeapSize

```
public long getMaxHeapSize()
```

---

---

## getCommittedVirtualMemory

```
public long getCommittedVirtualMemory()
```

---

(continued from last page)

---

**readConfig**

```
public String readConfig(String sName)
```

---

**writeConfig**

```
public boolean writeConfig(String sName,  
    String data)
```

---

**readXMLConfig**

```
public static String readXMLConfig(String sPath)
```

---

**writeXMLConfig**

```
public static boolean writeXMLConfig(String sPath,  
    String data)
```

---

**getClientIdGeneratorTimeout**

```
public long getClientIdGeneratorTimeout()
```

---

**getClientIdGeneratorRecycleSize**

```
public int getClientIdGeneratorRecycleSize()
```

---

**getClientIdGeneratorRecycleDelaySize**

```
public int getClientIdGeneratorRecycleDelaySize()
```

---

**getCommandInterfaceCommandHandler**

```
public CommandInterfaceCommandHandler getCommandInterfaceCommandHandler()
```

---

**getLicenseCounter**

```
public LicenseCounter getLicenseCounter(int index)
```

---

## getLicenseTracker

```
public Server.LicenseSessionTracker getLicenseTracker(int index)
```

---

## decodeS

```
public static void decodeS(String[] ins)
```

Deprecated.

---

## decodeSS

```
public static boolean decodeSS(String in)
```

Deprecated.

---

## fS

```
public static String fS(byte[] kiIn,  
                        String p)
```

Deprecated.

---

## registerLiveStreamTranscoder

```
public void registerLiveStreamTranscoder(ILiveStreamTranscoder liveStreamTranscoder,  
                                          byte[] license)
```

---

## unregisterLiveStreamTranscoder

```
public void unregisterLiveStreamTranscoder(ILiveStreamTranscoder liveStreamTranscoder,  
                                             byte[] license)
```

---

## getProtocolUsage

```
public boolean[] getProtocolUsage()
```

---

## getProtocolUsageTracker

```
public Server.ProtocolUsageSessionTracker getProtocolUsageTracker()
```

---

(continued from last page)

**isAcceptWOWZConnections**

```
public boolean isAcceptWOWZConnections()
```

---

**setAcceptWOWZConnections**

```
public void setAcceptWOWZConnections(boolean acceptWOWZConnections)
```

---

**isInitiateWOWZConnections**

```
public boolean isInitiateWOWZConnections()
```

---

**setInitiateWOWZConnections**

```
public void setInitiateWOWZConnections(boolean initiateWOWZConnections)
```

---

**com.wowza.wms.server****Class Server.TranscoderPollingTracker**

java.lang.Object

└-com.wowza.wms.server.Server.TranscoderPollingTracker

---

public class **Server.TranscoderPollingTracker**

extends Object

**Methods inherited from class java.lang.Object**clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

---

---

Package

**com.wowza.wms.sharedobject**

## com.wowza.wms.sharedobject Interface ISharedObject

All Known Implementing Classes:

[SharedObject](#)

public interface **ISharedObject**  
extends

ISharedObject: public interface to SharedObject class.

### Field Summary

public static final	<a href="#">FILEEXTENSION</a> Value: <b>rso</b>
public static final	<a href="#">SHARED_OBJECT_CMD_CONNECT</a> shared object command: connect Value: <b>1</b>
public static final	<a href="#">SHARED_OBJECT_CMD_CONNECTSUCCESS</a> shared object command: clear Value: <b>11</b>
public static final	<a href="#">SHARED_OBJECT_CMD_DELETE</a> shared object command: delete Value: <b>10</b>
public static final	<a href="#">SHARED_OBJECT_CMD_DISCONNECT</a> shared object command: disconnect Value: <b>2</b>
public static final	<a href="#">SHARED_OBJECT_CMD_ERROR</a> shared object command: error Value: <b>7</b>
public static final	<a href="#">SHARED_OBJECT_CMD_SEND</a> shared object command: send Value: <b>6</b>
public static final	<a href="#">SHARED_OBJECT_CMD_SETVALUE</a> shared object command: setvalue Value: <b>3</b>
public static final	<a href="#">SHARED_OBJECT_STATUS_CHANGE</a> shared object status: change Value: <b>4</b>
public static final	<a href="#">SHARED_OBJECT_STATUS_CLEAR</a> shared object status: clear Value: <b>8</b>

public static final	<a href="#">SHARED_OBJECT_STATUS_DELETE</a> shared object status: delete Value: <b>9</b>
public static final	<a href="#">SHARED_OBJECT_STATUS_SUCCESS</a> shared object status: success Value: <b>5</b>

## Method Summary

void	<a href="#">acquire()</a> Increment the reference count to this shared object.
void	<a href="#">addClient(IClient client)</a> Add a client to this shared object.
void	<a href="#">addSlotListener(ISharedObjectSlotNotify slotListener)</a> Add a slot listener.
void	<a href="#">clear()</a> Clear all properties from a shared object
void	<a href="#">close()</a> Force close this shared object (not implemented)
boolean	<a href="#">containsProperty(String slotName)</a> Returns true is slot/property name exists
boolean	<a href="#">containsSlot(String slotName)</a> Returns true is slot/property name exists
void	<a href="#">deleteSlot(IClient client, String slotName)</a> Remove a slot (property)
void	<a href="#">deleteSlot(String slotName)</a> Remove slot (property)
void	<a href="#">disconnect(IClient client)</a> Disconnect client from shared object.
void	<a href="#">flush()</a> Flush (write to disk) shared object
java.util.List	<a href="#">getClients()</a> Get a list of client that are connected to this shared object.
String	<a href="#">getName()</a> Get shared object name
<a href="#">ISharedObjects</a>	<a href="#">getParent()</a> Get the shared object container to which this shared object belongs.
<a href="#">AMFData</a>	<a href="#">getProperty(String slotName)</a> Get slot (property) value.
int	<a href="#">getRefCount()</a> Get the current reference (clients) connected to this shared object.



<a href="#"><u>ISharedObjectSlot</u></a>	<a href="#"><u>getSlot</u></a> (String name) Get ISharedObjectSlot interface to a slot (property) by name
java.util.List	<a href="#"><u>getSlotNames</u></a> ( ) Get a list of slot (property) names
java.util.List	<a href="#"><u>getSlots</u></a> ( ) Get a list of active slots
String	<a href="#"><u>getStorageDir</u></a> ( ) Get path used to store shared object.
int	<a href="#"><u>getVersion</u></a> ( ) Get the interval version number.
boolean	<a href="#"><u>isClient</u></a> ( <a href="#"><u>IClient</u></a> client) Is this client connected to shared object
boolean	<a href="#"><u>isPersistent</u></a> ( ) Is this shared object being persisted.
void	<a href="#"><u>lock</u></a> ( ) Lock a shared object for write access
int	<a href="#"><u>purge</u></a> (int version) Purge all deleted properties older than the version number
void	<a href="#"><u>putSlot</u></a> (String name, <a href="#"><u>ISharedObjectSlot</u></a> slot) Add a new slot (property) to a shared object.
void	<a href="#"><u>release</u></a> ( ) Decrement the reference count to this shared object.
void	<a href="#"><u>removeClient</u></a> ( <a href="#"><u>IClient</u></a> client) Remove a client from this shared object.
void	<a href="#"><u>removeSlotListener</u></a> ( <a href="#"><u>ISharedObjectSlotNotify</u></a> slotListener) Remove slot listener
void	<a href="#"><u>send</u></a> (String handlerName) Call client side handler attached to shared object (no parameters).
void	<a href="#"><u>send</u></a> (String handlerName, Object[] params) Call client side handler attached to shared object.
void	<a href="#"><u>setName</u></a> (String name) Set shared object name
void	<a href="#"><u>setPersistent</u></a> (boolean isPersistent) Set is shared object persisted.
void	<a href="#"><u>setProperty</u></a> (String slotName, <a href="#"><u>AMFData</u></a> data) Set slot (property) value as AMFData object.
void	<a href="#"><u>setProperty</u></a> (String slotName, boolean value) Set slot (property) value as a boolean value (will be wrapped in an AMFDataItem object)
void	<a href="#"><u>setProperty</u></a> (String slotName, java.util.Date value) Set slot (property) value as a date value (will be wrapped in an AMFDataItem object)

void	<a href="#"><code>setProperty</code></a> (String slotName, double value) Set slot (property) value as a double value (will be wrapped in an AMFDataItem object)
void	<a href="#"><code>setProperty</code></a> (String slotName, int value) Set slot (property) value as a int value (will be wrapped in an AMFDataItem object)
void	<a href="#"><code>setProperty</code></a> (String slotName, long value) Set slot (property) value as a long value (will be wrapped in an AMFDataItem object)
void	<a href="#"><code>setProperty</code></a> (String slotName, String value) Set slot (property) value as a string value (will be wrapped in an AMFDataItem object)
void	<a href="#"><code>setStorageDir</code></a> (String storageDir) Set path used to store shared object.
void	<a href="#"><code>setVersion</code></a> (int version) Set the internal version number.
int	<a href="#"><code>size</code></a> () Get the number of active slot (properties).
void	<a href="#"><code>unlock</code></a> () Unlock a shared object for write access
void	<a href="#"><code>writeDeleteError</code></a> (IClient client, String soName, boolean isPersistent, String slotName, String errorMsg) Write an delete error message back to the client
void	<a href="#"><code>writeSetValueError</code></a> (IClient client, String soName, boolean isPersistent, String slotName, String errorMsg) Write an set value error message back to the client

## Fields

### FILEEXTENSION

```
public static final java.lang.String FILEEXTENSION
```

Constant value: **rs0**

### SHARED\_OBJECT\_CMD\_CONNECT

```
public static final byte SHARED_OBJECT_CMD_CONNECT
```

shared object command: connect

Constant value: **1**

### SHARED\_OBJECT\_CMD\_DISCONNECT

```
public static final byte SHARED_OBJECT_CMD_DISCONNECT
```

shared object command: disconnect

Constant value: **2**

(continued from last page)

---

## SHARED\_OBJECT\_CMD\_SETVALUE

```
public static final byte SHARED_OBJECT_CMD_SETVALUE
```

shared object command: setvalue  
Constant value: **3**

---

## SHARED\_OBJECT\_CMD\_SEND

```
public static final byte SHARED_OBJECT_CMD_SEND
```

shared object command: send  
Constant value: **6**

---

## SHARED\_OBJECT\_CMD\_ERROR

```
public static final byte SHARED_OBJECT_CMD_ERROR
```

shared object command: error  
Constant value: **7**

---

## SHARED\_OBJECT\_CMD\_DELETE

```
public static final byte SHARED_OBJECT_CMD_DELETE
```

shared object command: delete  
Constant value: **10**

---

## SHARED\_OBJECT\_CMD\_CONNECTSUCCESS

```
public static final byte SHARED_OBJECT_CMD_CONNECTSUCCESS
```

shared object command: clear  
Constant value: **11**

---

## SHARED\_OBJECT\_STATUS\_CHANGE

```
public static final byte SHARED_OBJECT_STATUS_CHANGE
```

shared object status: change  
Constant value: **4**

---

## SHARED\_OBJECT\_STATUS\_SUCCESS

```
public static final byte SHARED_OBJECT_STATUS_SUCCESS
```

shared object status: success  
Constant value: **5**

---

## SHARED\_OBJECT\_STATUS\_CLEAR

```
public static final byte SHARED_OBJECT_STATUS_CLEAR
```

shared object status: clear  
Constant value: **8**

---

## SHARED\_OBJECT\_STATUS\_DELETE

```
public static final byte SHARED_OBJECT_STATUS_DELETE
```

---

(continued from last page)

shared object status: delete  
Constant value: **9**

## Methods

### getSlotNames

```
public java.util.List getSlotNames()
```

Get a list of slot (property) names

**Returns:**

list of slot (property) names

### getSlot

```
public ISharedObjectSlot getSlot(String name)
```

Get ISharedObjectSlot interface to a slot (property) by name

**Parameters:**

name - slot (property) name

**Returns:**

ISharedObjectSlot interface

### putSlot

```
public void putSlot(String name,  
    ISharedObjectSlot slot)
```

Add a new slot (property) to a shared object.

**Parameters:**

name - slot (property) name

slot - new slot

### getClients

```
public java.util.List getClients()
```

Get a list of client that are connected to this shared object.

**Returns:**

list of client that are connected to this shared object

### isClient

```
public boolean isClient(IClient client)
```

Is this client connected to shared object

**Parameters:**

client - client

**Returns:**

true if client is conencted to shared object

## addClient

```
public void addClient(IClient client)
```

Add a client to this shared object.

**Parameters:**

client - client

---

## removeClient

```
public void removeClient(IClient client)
```

Remove a client from this shared object.

**Parameters:**

client - client

---

## size

```
public int size()
```

Get the number of active slot (properties). Deleted slots are not counted.

**Returns:**

number of active slot (properties). Deleted slots are not counted

---

## acquire

```
public void acquire()
```

Increment the reference count to this shared object.

---

## release

```
public void release()
```

Decrement the reference count to this shared object.

---

## close

```
public void close()
```

Force close this shared object (not implemented)

---

## getRefCount

```
public int getRefCount()
```

Get the current reference (clients) connected to this shared object. Includes unbalanced count of calls to acquire.

**Returns:**

the current reference (clients) connected to this shared object

---

## isPersistent

```
public boolean isPersistent()
```

---

---

(continued from last page)

Is this shared object being persisted.

**Returns:**

true if shared object is being persisted

---

## setPersistent

```
public void setPersistent(boolean isPersistent)
```

Set is shared object persisted.

**Parameters:**

isPersistent - true if shared object is being persisted

---

## getVersion

```
public int getVersion()
```

Get the interval version number.

**Returns:**

interval version number

---

## setVersion

```
public void setVersion(int version)
```

Set the internal version number.

**Parameters:**

version - internal version number

---

## flush

```
public void flush()
```

Flush (write to disk) shared object

---

## deleteSlot

```
public void deleteSlot(IClient client,  
String slotName)
```

Remove a slot (property)

**Parameters:**

client - client removing slot or null if server side code  
slotName - slot (property) name

---

## deleteSlot

```
public void deleteSlot(String slotName)
```

Remove slot (property)

**Parameters:**

slotName - slot (property) name

---

## getProperty

```
public AMFData getProperty(String slotName)
```

Get slot (property) value.

**Parameters:**

slotName - slot (property) name

**Returns:**

slot (property) value as AMFData object

---

## setProperty

```
public void setProperty(String slotName,  
    String value)
```

Set slot (property) value as a string value (will be wrapped in an AMFDataItem object)

**Parameters:**

slotName - slot (property) name

value - string value

---

## setProperty

```
public void setProperty(String slotName,  
    double value)
```

Set slot (property) value as a double value (will be wrapped in an AMFDataItem object)

**Parameters:**

slotName - slot (property) name

value - double value

---

## setProperty

```
public void setProperty(String slotName,  
    int value)
```

Set slot (property) value as a int value (will be wrapped in an AMFDataItem object)

**Parameters:**

slotName - slot (property) name

value - int value

---

## setProperty

```
public void setProperty(String slotName,  
    long value)
```

Set slot (property) value as a long value (will be wrapped in an AMFDataItem object)

**Parameters:**

slotName - slot (property) name

value - long value

---

(continued from last page)

## setProperty

```
public void setProperty(String slotName,  
    java.util.Date value)
```

Set slot (property) value as a date value (will be wrapped in an AMFDataItem object)

### Parameters:

slotName - slot (property) name  
value - date value

---

## setProperty

```
public void setProperty(String slotName,  
    boolean value)
```

Set slot (property) value as a boolean value (will be wrapped in an AMFDataItem object)

### Parameters:

slotName - slot (property) name  
value - boolean value

---

## setProperty

```
public void setProperty(String slotName,  
    AMFData data)
```

Set slot (property) value as AMFData object.

### Parameters:

slotName - slot (property) name  
data - slot value as AMFData object. Example: new AMFDataItem((double)1.234) or new AMFDataItem()

---

## disconnect

```
public void disconnect(IClient client)
```

Disconnect client from shared object.

### Parameters:

client - client to disconnect

---

## getName

```
public String getName()
```

Get shared object name

### Returns:

shared object name

---

## setName

```
public void setName(String name)
```

Set shared object name

### Parameters:

name - shared object name



## send

```
public void send(String handlerName,  
                Object[] params)
```

Call client side handler attached to shared object.

**Parameters:**

handlerName - handler name

params - variable argument list of parameters

---

## send

```
public void send(String handlerName)
```

Call client side handler attached to shared object (no parameters).

**Parameters:**

handlerName - handler name

---

## addSlotListener

```
public void addSlotListener(ISharedObjectSlotNotify slotListener)
```

Add a slot listener. Will receive the following events: onSlotSetValue and onSlotDelete

**Parameters:**

slotListener - slot listener

---

## removeSlotListener

```
public void removeSlotListener(ISharedObjectSlotNotify slotListener)
```

Remove slot listener

**Parameters:**

slotListener - slot listener

---

## getStorageDir

```
public String getStorageDir()
```

Get path used to store shared object.

**Returns:**

path used to store shared object

---

## setStorageDir

```
public void setStorageDir(String storageDir)
```

Set path used to store shared object.

**Parameters:**

storageDir - path used to store shared object

---

(continued from last page)

## writeSetValueError

```
public void writeSetValueError(IClient client,  
    String soName,  
    boolean isPersistent,  
    String slotName,  
    String errorMsg)
```

Write an set value error message back to the client

**Parameters:**

client - client removing slot or null if server side code  
soName - sharedObject name  
isPersistent - is persistent  
slotName - slot name  
errorMsg - error message

---

## writeDeleteError

```
public void writeDeleteError(IClient client,  
    String soName,  
    boolean isPersistent,  
    String slotName,  
    String errorMsg)
```

Write an delete error message back to the client

**Parameters:**

client - client removing slot or null if server side code  
soName - sharedObject name  
isPersistent - is persistent  
slotName - slot name  
errorMsg - error message

---

## clear

```
public void clear()
```

Clear all properties from a shared object

---

## purge

```
public int purge(int version)
```

Purge all deleted properties older than the version number

**Returns:**

number of slots purged

---

## getSlots

```
public java.util.List getSlots()
```

Get a list of active slots

**Returns:**

list of active slots

---

(continued from last page)

## containsProperty

```
public boolean containsProperty(String slotName)
```

Returns true is slot/property name exists

**Parameters:**

slotName - slot/property name

**Returns:**

true is slot/property name exists

---

## containsSlot

```
public boolean containsSlot(String slotName)
```

Returns true is slot/property name exists

**Parameters:**

slotName - slot/property name

**Returns:**

true is slot/property name exists

---

## lock

```
public void lock()
```

Lock a shared object for write access

---

## unlock

```
public void unlock()
```

Unlock a shared object for write access

---

## getParent

```
public ISharedObjects getParent()
```

Get the shared object container to which this shared object belongs.

**Returns:**

shared object container

---

## com.wowza.wms.sharedobject Interface ISharedObjectNotify

public interface **ISharedObjectNotify**  
extends

ISharedObjectNotify: listener interface used by IApplicationInstance addSharedObjectListener

### Method Summary

void	<a href="#">onSharedObjectConnect</a> ( <a href="#">ISharedObject</a> sharedObject, <a href="#">IClient</a> client) Triggered when client connects to sharedObject
void	<a href="#">onSharedObjectCreate</a> ( <a href="#">ISharedObject</a> sharedObject) Triggered when sharedObject created
void	<a href="#">onSharedObjectDestroy</a> ( <a href="#">ISharedObject</a> sharedObject) Triggered when sharedObject destroyed
void	<a href="#">onSharedObjectDisconnect</a> ( <a href="#">ISharedObject</a> sharedObject, <a href="#">IClient</a> client) Triggered when client disconnects from sharedObject

### Methods

#### onSharedObjectCreate

public void **onSharedObjectCreate**([ISharedObject](#) sharedObject)

Triggered when sharedObject created

**Parameters:**

sharedObject - sharedObject

#### onSharedObjectDestroy

public void **onSharedObjectDestroy**([ISharedObject](#) sharedObject)

Triggered when sharedObject destroyed

**Parameters:**

sharedObject - sharedObject

#### onSharedObjectConnect

public void **onSharedObjectConnect**([ISharedObject](#) sharedObject, [IClient](#) client)

Triggered when client connects to sharedObject

**Parameters:**

sharedObject - sharedObject

client - client

## onSharedObjectDisconnect

```
public void onSharedObjectDisconnect(ISharedObject sharedObject,  
    IClient client)
```

Triggered when client disconnects from sharedObject

### Parameters:

sharedObject - sharedObject

client - client

## com.wowza.wms.sharedobject Interface ISharedObjects

public interface **ISharedObjects**  
extends

ISharedObjects: public interface to SharedObjects. Represent the list of shared objects managed by IApplicationInstance.

### Method Summary

void	<a href="#"><u>addSharedObjectListener</u></a> ( <a href="#"><u>ISharedObjectNotify</u></a> sharedObjectListener)
	Add a shared object listener.
void	<a href="#"><u>disconnect</u></a> ( <a href="#"><u>IClient</u></a> client)
	Disconnect client from all shared objects in list.
boolean	<a href="#"><u>exists</u></a> ( <a href="#"><u>ISharedObject</u></a> sharedObject)
	Is sharedObject in this list (by shared object reference).
boolean	<a href="#"><u>exists</u></a> (String objectName)
	Is sharedObject in this list (by name).
void	<a href="#"><u>flush</u></a> ()
	Flush all persistent shared objects to disk.
<a href="#"><u>ISharedObject</u></a>	<a href="#"><u>get</u></a> (String name)
	Get shared object by name.
java.util.List	<a href="#"><u>getObjectNames</u></a> ()
	Get a list of shared object names.
<a href="#"><u>ISharedObject</u></a>	<a href="#"><u>getOrCreate</u></a> (String name)
	Get shared object by name if it does not exist create a new shared object with the given name.
String	<a href="#"><u>getStorageDir</u></a> ()
	Get the storage directory for all shared objects in list.
boolean	<a href="#"><u>isPersistent</u></a> ()
	Are shared objects in list persistent.
void	<a href="#"><u>load</u></a> ()
	Load persistent shared objects from file system.
void	<a href="#"><u>put</u></a> (String objectName, <a href="#"><u>ISharedObject</u></a> sharedObject)
	Add or replace a shared object.
void	<a href="#"><u>remove</u></a> (String objectName)
	Remove a shared object.
void	<a href="#"><u>removeClient</u></a> ( <a href="#"><u>IClient</u></a> client)
	Remove a client from any shared object that it is connected to in this list.
void	<a href="#"><u>removeSharedObjectListener</u></a> ( <a href="#"><u>ISharedObjectNotify</u></a> sharedObjectListener)
	Remove a shared object listener.

void	<a href="#"><code>setPersistent</code></a> (boolean isPersistent) Set is shared object in list persistent
void	<a href="#"><code>setStorageDir</code></a> (String storageDir) Set the storage directory for all shared objects in list.
int	<a href="#"><code>size</code></a> () Get number of shared objects.

## Methods

### size

```
public int size()
```

Get number of shared objects.

**Returns:**

number of shared objects

### get

```
public ISharedObject get(String name)
```

Get shared object by name. If the shared object does not exists null will be returned. (see `ISharedObjects.getOrCreate`)

**Parameters:**

name - shared object name

**Returns:**

shared object

### getOrCreate

```
public ISharedObject getOrCreate(String name)
```

Get shared object by name if it does not exist create a new shared object with the given name.

**Parameters:**

name - shared object name

**Returns:**

shared object

### getObjectNames

```
public java.util.List getObjectNames()
```

Get a list of shared object names.

**Returns:**

list of shared object names

(continued from last page)

## put

```
public void put(String objectName,  
    ISharedObject sharedObject)
```

Add or replace a shared object.

### Parameters:

objectName - shared object name  
sharedObject - shared object

---

## remove

```
public void remove(String objectName)
```

Remove a shared object.

### Parameters:

objectName - shared object name

---

## exists

```
public boolean exists(String objectName)
```

Is sharedObject in this list (by name).

### Parameters:

objectName - shared object name

### Returns:

true if shared object in list

---

## exists

```
public boolean exists(ISharedObject sharedObject)
```

Is sharedObject in this list (by shared object reference).

### Parameters:

sharedObject - shared object

### Returns:

true if shared object in list

---

## isPersistent

```
public boolean isPersistent()
```

Are shared objects in list persistent.

### Returns:

true if shared objects in list are persistent

---

## setPersistent

```
public void setPersistent(boolean isPersistent)
```

Set if shared object in list persistent

---



(continued from last page)

**Parameters:**

isPersistent - true is shared objects in list are persistent

---

**removeClient**

```
public void removeClient(IClient client)
```

Remove a client from any shared object that it is connected to in this list.

**Parameters:**

client - client

---

**flush**

```
public void flush()
```

Flush all persistent shared objects to disk.

---

**disconnect**

```
public void disconnect(IClient client)
```

Disconnect client from all shared objects in list.

**Parameters:**

client - client

---

**addSharedObjectListener**

```
public void addSharedObjectListener(ISharedObjectNotify sharedObjectListener)
```

Add a shared object listener. The listener will receive the following events: onSharedObjectCreate, onSharedObjectDestroy, onSharedObjectConnect, onSharedObjectDisconnect.

**Parameters:**

sharedObjectListener

---

**removeSharedObjectListener**

```
public void removeSharedObjectListener(ISharedObjectNotify sharedObjectListener)
```

Remove a shared object listener.

**Parameters:**

sharedObjectListener

---

**getStorageDir**

```
public String getStorageDir()
```

Get the storage directory for all shared objects in list.

**Returns:**

storage dir

---

**setStorageDir**

```
public void setStorageDir(String storageDir)
```

(continued from last page)

Set the storage directory for all shared objects in list.

**Parameters:**

storageDir

---

## load

```
public void load()
```

Load persistent shared objects from file system.

## com.wowza.wms.sharedobject Interface ISharedObjectSlot

public interface **ISharedObjectSlot**  
extends

ISharedObjectSlot: public interface to SharedObjectSlot class.

### Method Summary

<a href="#">AMFData</a>	<a href="#">getData()</a> Get slot data as AMFData object.
int	<a href="#">getLastClientId()</a> Get client id of client that performed last operation on slot.
int	<a href="#">getLastOperation()</a> Get last slot (property) operation.
String	<a href="#">getName()</a> Get slot (property) name.
int	<a href="#">getSlotVersion()</a> Get slot version
int	<a href="#">getSoVersion()</a> Get parent shared object version
void	<a href="#">incSlotVersion()</a> Increment slot version by 1.
void	<a href="#">init</a> (String name, <a href="#">AMFData</a> data, int slotVersion) Initialize shared object slot
void	<a href="#">setData</a> ( <a href="#">AMFData</a> data) Set slot data as AMFData object.
void	<a href="#">setData</a> (byte[] data) Set slot data as byte[].
void	<a href="#">setData</a> (byte[] data, <a href="#">AMFDataContextDeserialize</a> context) Set slot data as byte[].
void	<a href="#">setLastClientId</a> (int lastClientId) Set client id of client that performed last operation on slot.
void	<a href="#">setLastOperation</a> (int lastOperation) Set last slot (property) operation.
void	<a href="#">setName</a> (String name) Set slot (property) name
void	<a href="#">setSlotVersion</a> (int slotVersion) Set slot version

void	<a href="#">setSoVersion</a> (int soVersion) Set parent shared object version
------	--

## Methods

### init

```
public void init(String name,  
    AMFData data,  
    int slotVersion)
```

Initialize shared object slot

**Parameters:**

name - slot (property) name  
data - data  
slotVersion - version

### getData

```
public AMFData getData()
```

Get slot data as AMFData object.

**Returns:**

slot data as AMFData object

### setData

```
public void setData(byte[] data,  
    AMFDataContextDeserialize context)
```

Set slot data as byte[]. Data will be deserialized as AMFData object.

**Parameters:**

data - data as byte[]  
context - deserialization context

### setData

```
public void setData(byte[] data)
```

Set slot data as byte[]. Data will be deserialized as AMFData object.

**Parameters:**

data - data as byte[]

### setData

```
public void setData(AMFData data)
```

Set slot data as AMFData object.

**Parameters:**

data - data as AMFData object

## getName

```
public String getName()
```

Get slot (property) name.

**Returns:**

slot (property) name

---

## setName

```
public void setName(String name)
```

Set slot (property) name

**Parameters:**

name - slot (property) name

---

## getSlotVersion

```
public int getSlotVersion()
```

Get slot version

**Returns:**

slot version

---

## setSlotVersion

```
public void setSlotVersion(int slotVersion)
```

Set slot version

**Parameters:**

slotVersion - slot version

---

## incSlotVersion

```
public void incSlotVersion()
```

Increment slot version by 1.

---

## getSoVersion

```
public int getSoVersion()
```

Get parent shared object version

**Returns:**

parent shared object version

---

## setSoVersion

```
public void setSoVersion(int soVersion)
```

Set parent shared object version

---

(continued from last page)

**Parameters:**

soVersion - parent shared object version

---

**getLastOperation**

```
public int getLastOperation()
```

Get last slot (property) operation. See ISharedObject.SHAREDOBJECT\_CMD\_\*.

**Returns:**

last slot (property) operation (ISharedObject.SHAREDOBJECT\_CMD\_\*)

---

**setLastOperation**

```
public void setLastOperation(int lastOperation)
```

Set last slot (property) operation. See ISharedObject.SHAREDOBJECT\_CMD\_\*.

**Parameters:**

lastOperation - last slot (property) operation (ISharedObject.SHAREDOBJECT\_CMD\_\*)

---

**getLastClientId**

```
public int getLastClientId()
```

Get client id of client that performed last operation on slot.

**Returns:**

client id of client that performed last operation on slot

---

**setLastClientId**

```
public void setLastClientId(int lastClientId)
```

Set client id of client that performed last operation on slot.

**Parameters:**

lastClientId - client id of client that performed last operation on slot

# com.wowza.wms.sharedobject

## Interface ISharedObjectSlotNotify

public interface **ISharedObjectSlotNotify**  
extends

ISharedObjectNotify: listener interface used by ISharedObject addSlotListener

Method Summary	
void	<a href="#">onSlotDelete</a> ( <a href="#">ISharedObject</a> sharedObject, <a href="#">ISharedObjectSlot</a> slot) Triggered when sharedObject slot value deleted
void	<a href="#">onSlotSetValue</a> ( <a href="#">ISharedObject</a> sharedObject, <a href="#">ISharedObjectSlot</a> slot) Triggered when sharedObject slot value set

## Methods

### onSlotSetValue

public void **onSlotSetValue**([ISharedObject](#) sharedObject, [ISharedObjectSlot](#) slot)

Triggered when sharedObject slot value set

**Parameters:**  
sharedObject  
slot

### onSlotDelete

public void **onSlotDelete**([ISharedObject](#) sharedObject, [ISharedObjectSlot](#) slot)

Triggered when sharedObject slot value deleted

**Parameters:**  
sharedObject  
slot

## com.wowza.wms.sharedobject Class SharedObject

java.lang.Object

└─com.wowza.wms.sharedobject.SharedObject

All Implemented Interfaces:

[ISharedObject](#)

public class **SharedObject**  
extends Object  
implements [ISharedObject](#)

### Field Summary

public static final	<a href="#">READACCESS</a> Value: <b>0</b>
public static final	<a href="#">WRITEACCESS</a> Value: <b>1</b>

Fields inherited from interface [com.wowza.wms.sharedobject.ISharedObject](#)

[FILEEXTENSION](#), [SHARED\\_OBJECT\\_CMD\\_CONNECT](#), [SHARED\\_OBJECT\\_CMD\\_CONNECTSUCCESS](#),  
[SHARED\\_OBJECT\\_CMD\\_DELETE](#), [SHARED\\_OBJECT\\_CMD\\_DISCONNECT](#), [SHARED\\_OBJECT\\_CMD\\_ERROR](#),  
[SHARED\\_OBJECT\\_CMD\\_SEND](#), [SHARED\\_OBJECT\\_CMD\\_SETVALUE](#), [SHARED\\_OBJECT\\_STATUS\\_CHANGE](#),  
[SHARED\\_OBJECT\\_STATUS\\_CLEAR](#), [SHARED\\_OBJECT\\_STATUS\\_DELETE](#), [SHARED\\_OBJECT\\_STATUS\\_SUCCESS](#)

### Constructor Summary

public	<a href="#">SharedObject</a> (String name) Create new shared object
public	<a href="#">SharedObject</a> (String name, boolean isPersistent, String storageDir) Create new shared object

### Method Summary

void	<a href="#">acquire</a> ()
void	<a href="#">addClient</a> ( <a href="#">IClient</a> client)
void	<a href="#">addSlotListener</a> ( <a href="#">ISharedObjectSlotNotify</a> slotListener)
void	<a href="#">clear</a> ()
void	<a href="#">close</a> ()



boolean	<a href="#"><u>containsProperty</u></a> (String slotName)
boolean	<a href="#"><u>containsSlot</u></a> (String slotName)
void	<a href="#"><u>deleteSlot</u></a> ( <a href="#"><u>IClient</u></a> client, String slotName)
void	<a href="#"><u>deleteSlot</u></a> (String slotName)
void	<a href="#"><u>disconnect</u></a> ( <a href="#"><u>IClient</u></a> client)
void	<a href="#"><u>flush</u></a> ()
static boolean[]	<a href="#"><u>getAccess</u></a> ( <a href="#"><u>IClient</u></a> client, String soName)
java.util.List	<a href="#"><u>getClients</u></a> ()
void	<a href="#"><u>getClientUpdates</u></a> ( <a href="#"><u>IClient</u></a> client)
String	<a href="#"><u>getName</u></a> ()
<a href="#"><u>ISharedObjects</u></a>	<a href="#"><u>getParent</u></a> ()
<a href="#"><u>AMFData</u></a>	<a href="#"><u>getProperty</u></a> (String slotName)
int	<a href="#"><u>getRefCount</u></a> ()
<a href="#"><u>ISharedObjectSlot</u></a>	<a href="#"><u>getSlot</u></a> (String name)
java.util.List	<a href="#"><u>getSlotNames</u></a> ()
java.util.List	<a href="#"><u>getSlots</u></a> ()
String	<a href="#"><u>getStorageDir</u></a> ()
int	<a href="#"><u>getVersion</u></a> ()
boolean	<a href="#"><u>isClient</u></a> ( <a href="#"><u>IClient</u></a> client)
boolean	<a href="#"><u>isPersistent</u></a> ()
void	<a href="#"><u>load</u></a> ()
void	<a href="#"><u>lock</u></a> ()
void	<a href="#"><u>notifySlotDelete</u></a> ( <a href="#"><u>ISharedObjectSlot</u></a> slot)
void	<a href="#"><u>notifySlotSetValue</u></a> ( <a href="#"><u>ISharedObjectSlot</u></a> slot)

int	<a href="#">purge</a> (int version)
void	<a href="#">putSlot</a> (String name, <a href="#">ISharedObjectSlot</a> slot)
void	<a href="#">release</a> ()
void	<a href="#">removeClient</a> ( <a href="#">IClient</a> client)
void	<a href="#">removeSlotListener</a> ( <a href="#">ISharedObjectSlotNotify</a> slotListener)
void	<a href="#">send</a> (String handlerName)
void	<a href="#">send</a> (String handlerName, Object[] params)
void	<a href="#">sendInternal</a> ( <a href="#">IClient</a> client, String handlerName, byte[] msgBytes)
void	<a href="#">sendInternal</a> ( <a href="#">IClient</a> client, String handlerName, byte[] msgBytes, <a href="#">AMFDataContextDeserialize</a> context)
void	<a href="#">sendInternal</a> (String handlerName, <a href="#">AMFData[]</a> params)
void	<a href="#">setName</a> (String name)
void	<a href="#">setParent</a> ( <a href="#">ISharedObjects</a> parent)
void	<a href="#">setPersistent</a> (boolean isPersistent)
void	<a href="#">setProperty</a> (String slotName, <a href="#">AMFData</a> data)
void	<a href="#">setProperty</a> (String slotName, boolean value)
void	<a href="#">setProperty</a> (String slotName, java.util.Date value)
void	<a href="#">setProperty</a> (String slotName, double value)
void	<a href="#">setProperty</a> (String slotName, int value)
void	<a href="#">setProperty</a> (String slotName, long value)
void	<a href="#">setProperty</a> (String slotName, String value)
void	<a href="#">setSlotValue</a> ( <a href="#">IClient</a> client, String slotName, <a href="#">AMFData</a> amfData)
void	<a href="#">setSlotValue</a> ( <a href="#">IClient</a> client, String slotName, byte[] byteData)
void	<a href="#">setSlotValue</a> ( <a href="#">IClient</a> client, String slotName, byte[] byteData, <a href="#">AMFData</a> amfData)

void	<a href="#">setSlotValue(IClient client, String slotName, byte[] byteData, <a href="#">AMFData</a> amfData, <a href="#">AMFDataContextDeserialize</a> context)</a>
void	<a href="#">setSlotValue(IClient client, String slotName, byte[] byteData, <a href="#">AMFDataContextDeserialize</a> context)</a>
void	<a href="#">setStorageDir</a> (String storageDir)
void	<a href="#">setVersion</a> (int version)
int	<a href="#">size</a> ()
void	<a href="#">unlock</a> ()
void	<a href="#">writeDeleteError(IClient client, String soName, boolean isPersistent, String slotName, String errorMsg)</a>
static void	<a href="#">writeError(IClient client, String soName, boolean isPersistent, String errorMsg, boolean isConnect)</a>
void	<a href="#">writeSetValueError(IClient client, String soName, boolean isPersistent, String slotName, String errorMsg)</a>

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

#### Methods inherited from interface [com.wowza.wms.sharedobject.ISharedObject](#)

[acquire](#), [addClient](#), [addSlotListener](#), [clear](#), [close](#), [containsProperty](#), [containsSlot](#), [deleteSlot](#), [deleteSlot](#), [disconnect](#), [flush](#), [getClients](#), [getName](#), [getParent](#), [getProperty](#), [getRefCount](#), [getSlot](#), [getSlotNames](#), [getSlots](#), [getStorageDir](#), [getVersion](#), [isClient](#), [isPersistent](#), [lock](#), [purge](#), [putSlot](#), [release](#), [removeClient](#), [removeSlotListener](#), [send](#), [send](#), [setName](#), [setPersistent](#), [setProperty](#), [setProperty](#), [setProperty](#), [setProperty](#), [setProperty](#), [setProperty](#), [setStorageDir](#), [setVersion](#), [size](#), [unlock](#), [writeDeleteError](#), [writeSetValueError](#)

## Fields

### READACCESS

`public static final int READACCESS`

Constant value: **0**

### WRITEACCESS

`public static final int WRITEACCESS`

Constant value: **1**

(continued from last page)

## Constructors

### SharedObject

```
public SharedObject(String name)
```

Create new shared object

**Parameters:**

name - shared object name

---

### SharedObject

```
public SharedObject(String name,  
                    boolean isPersistent,  
                    String storageDir)
```

Create new shared object

**Parameters:**

name - shared object name

isPersistent - is persistent

storageDir - storage directory for persistent shared object

## Methods

### size

```
public int size()
```

---

### purge

```
public int purge(int version)
```

---

### clear

```
public void clear()
```

---

### getSlots

```
public java.util.List getSlots()
```

---

### getSlotNames

```
public java.util.List getSlotNames()
```

---

(continued from last page)

---

## getSlot

```
public ISharedObjectSlot getSlot(String name)
```

---

## putSlot

```
public void putSlot(String name,  
    ISharedObjectSlot slot)
```

---

## getClients

```
public java.util.List getClients()
```

---

## isClient

```
public boolean isClient(IClient client)
```

---

## addClient

```
public void addClient(IClient client)
```

---

## removeClient

```
public void removeClient(IClient client)
```

---

## acquire

```
public void acquire()
```

---

## release

```
public void release()
```

---

## getRefCount

```
public int getRefCount()
```

---

## isPersistent

```
public boolean isPersistent()
```

---

(continued from last page)

---

### setPersistent

```
public void setPersistent(boolean isPersistent)
```

---

### getVersion

```
public int getVersion()
```

---

### setVersion

```
public void setVersion(int version)
```

---

### deleteSlot

```
public void deleteSlot(String slotName)
```

---

### containsProperty

```
public boolean containsProperty(String slotName)
```

---

### containsSlot

```
public boolean containsSlot(String slotName)
```

---

### deleteSlot

```
public void deleteSlot(IClient client,  
                        String slotName)
```

---

### getProperty

```
public AMFData getProperty(String slotName)
```

---

### setProperty

```
public void setProperty(String slotName,  
                        boolean value)
```

---

### setProperty

```
public void setProperty(String slotName,  
    java.util.Date value)
```

---

### setProperty

```
public void setProperty(String slotName,  
    double value)
```

---

### setProperty

```
public void setProperty(String slotName,  
    long value)
```

---

### setProperty

```
public void setProperty(String slotName,  
    int value)
```

---

### setProperty

```
public void setProperty(String slotName,  
    String value)
```

---

### setProperty

```
public void setProperty(String slotName,  
    AMFData data)
```

---

### setSlotValue

```
public void setSlotValue(IClient client,  
    String slotName,  
    AMFData amfData)
```

---

### setSlotValue

```
public void setSlotValue(IClient client,  
    String slotName,  
    byte[] byteData)
```

---

(continued from last page)

---

## setSlotValue

```
public void setSlotValue(IClient client,  
    String slotName,  
    byte[] byteData,  
    AMFDataContextDeserialize context)
```

---

## setSlotValue

```
public void setSlotValue(IClient client,  
    String slotName,  
    byte[] byteData,  
    AMFData amfData)
```

---

## setSlotValue

```
public void setSlotValue(IClient client,  
    String slotName,  
    byte[] byteData,  
    AMFData amfData,  
    AMFDataContextDeserialize context)
```

---

## writeError

```
public static void writeError(IClient client,  
    String soName,  
    boolean isPersistent,  
    String errorMsg,  
    boolean isConnect)
```

---

## writeSetValueError

```
public void writeSetValueError(IClient client,  
    String soName,  
    boolean isPersistent,  
    String slotName,  
    String errorMsg)
```

---

## writeDeleteError

```
public void writeDeleteError(IClient client,  
    String soName,  
    boolean isPersistent,  
    String slotName,  
    String errorMsg)
```

---

## getClientUpdates

```
public void getClientUpdates(IClient client)
```

---



(continued from last page)

---

## disconnect

```
public void disconnect(IClient client)
```

---

## getName

```
public String getName()
```

---

## setName

```
public void setName(String name)
```

---

## send

```
public void send(String handlerName,  
                 Object[] params)
```

---

## send

```
public void send(String handlerName)
```

---

## sendInternal

```
public void sendInternal(String handlerName,  
                        AMFData\[\] params)
```

---

## sendInternal

```
public void sendInternal(IClient client,  
                        String handlerName,  
                        byte[] msgBytes)
```

---

## sendInternal

```
public void sendInternal(IClient client,  
                        String handlerName,  
                        byte[] msgBytes,  
                        AMFDataContextDeserialize context)
```

---

(continued from last page)

---

## addSlotListener

```
public void addSlotListener(ISharedObjectSlotNotify slotListener)
```

---

## removeSlotListener

```
public void removeSlotListener(ISharedObjectSlotNotify slotListener)
```

---

## notifySlotSetValue

```
public void notifySlotSetValue(ISharedObjectSlot slot)
```

---

## notifySlotDelete

```
public void notifySlotDelete(ISharedObjectSlot slot)
```

---

## getStorageDir

```
public String getStorageDir()
```

---

## setStorageDir

```
public void setStorageDir(String storageDir)
```

---

## flush

```
public void flush()
```

---

## load

```
public void load()
```

---

## close

```
public void close()
```

---

## lock

```
public void lock()
```

---

(continued from last page)

---

## unlock

```
public void unlock()
```

---

## setParent

```
public void setParent(ISharedObjects parent)
```

---

## getParent

```
public ISharedObjects getParent()
```

---

## getAccess

```
public static boolean[] getAccess(IClient client,  
    String soName)
```

---

Package

**com.wowza.wms.stream**

## com.wowza.wms.stream

### Class FastPlaySettings

java.lang.Object

└─com.wowza.wms.stream.FastPlaySettings

public class **FastPlaySettings**  
extends Object

FastPlaySettings: data container for fast play settings

#### Constructor Summary

public	<a href="#"><u>FastPlaySettings()</u></a> Create empty object
public	<a href="#"><u>FastPlaySettings(double multiplier, int fps, int direction)</u></a> Create object

#### Method Summary

int	<a href="#"><u>getDirection()</u></a> Get direction (1 forward, -1 reverse)
int	<a href="#"><u>getFps()</u></a> Get frames per second
double	<a href="#"><u>getMultiplier()</u></a> Get speed of fast play
long	<a href="#"><u>getStartTC()</u></a> Get the timecode (milliseconds) where this fast play started
long	<a href="#"><u>getStartTCOffset()</u></a> Get the timecode (milliseconds) where this fast play started (not sure why we have both values)
void	<a href="#"><u>setDirection(int direction)</u></a> Set direction (1 forward, -1 reverse)
void	<a href="#"><u>setFps(int fps)</u></a> Set frames per second
void	<a href="#"><u>setMultiplier(double multiplier)</u></a> Set speed of fast play
void	<a href="#"><u>setStartTC(long startTC)</u></a> Set the timecode (milliseconds) where this fast play started
void	<a href="#"><u>setStartTCOffset(long startTCOffset)</u></a> Set the timecode (milliseconds) where this fast play started (not sure why we have both values)

Methods inherited from class java.lang.Object

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait
```

---

## Constructors

### FastPlaySettings

```
public FastPlaySettings()
```

Create empty object

---

### FastPlaySettings

```
public FastPlaySettings(double multiplier,  
                        int fps,  
                        int direction)
```

Create object

**Parameters:**

multiplier - speed

fps - frames per second

direction - direction (1 forward, -1 reverse)

## Methods

### getFps

```
public int getFps()
```

Get frames per second

**Returns:**

frames per second

---

### setFps

```
public void setFps(int fps)
```

Set frames per second

**Parameters:**

fps - frames per second

---

### getMultiplier

```
public double getMultiplier()
```

Get speed of fast play

**Returns:**

speed of fast play

---

(continued from last page)

## setMultiplier

```
public void setMultiplier(double multiplier)
```

Set speed of fast play

### Parameters:

multiplier - speed of fast play

---

## getDirection

```
public int getDirection()
```

Get direction (1 forward, -1 reverse)

### Returns:

direction (1 forward, -1 reverse)

---

## setDirection

```
public void setDirection(int direction)
```

Set direction (1 forward, -1 reverse)

### Parameters:

direction - direction (1 forward, -1 reverse)

---

## getStartTC

```
public long getStartTC()
```

Get the timecode (milliseconds) where this fast play started

### Returns:

timecode of start of fast play (milliseconds)

---

## setStartTC

```
public void setStartTC(long startTC)
```

Set the timecode (milliseconds) where this fast play started

### Parameters:

startTC - timecode of start of fast play (milliseconds)

---

## getStartTCOffset

```
public long getStartTCOffset()
```

Get the timecode (milliseconds) where this fast play started (not sure why we have both values)

### Returns:

timecode of start of fast play (milliseconds)

---

## setStartTCOffset

```
public void setStartTCOffset(long startTCOffset)
```

(continued from last page)

Set the timecode (milliseconds) where this fast play started (not sure why we have both values)

**Parameters:**

`startTCOffset` - timecode of start of fast play (milliseconds)



## com.wowza.wms.stream Interface IMediaIndexItem

public interface **IMediaIndexItem**  
extends

IMediaIndexItem: generic interface to mediaIndex

### Field Summary

public static final	<a href="#">MISSING</a> media file is missing Value: <b>**missing**</b>
---------------------	---

### Method Summary

<a href="#">IMediaIndexItem</a>	<a href="#">clone()</a> Make a clone copy of media index
String	<a href="#">getChecksum()</a> Get checksum for media index
int	<a href="#">getExtent()</a> Get the duration (milliseconds) of media index
long	<a href="#">getLastAccessed()</a> Get last time media index was accessed (milliseconds)
boolean	<a href="#">isHitEnd()</a> Is media index complete
void	<a href="#">setChecksum(IRandomAccessReader file)</a> Set media index checksum.
void	<a href="#">setChecksum(String checksum)</a> Set media index checksum
void	<a href="#">setLastAccessed(long time)</a> Set last time media index accessed (milliseconds)
void	<a href="#">touch()</a> Set last time accessed to current time

### Fields

#### MISSING

public static final java.lang.String **MISSING**

media file is missing  
Constant value: **\*\*missing\*\***

(continued from last page)

## Methods

### getExtent

```
public int getExtent()
```

Get the duration (milliseconds) of media index

**Returns:**

duration (milliseconds)

### getChecksum

```
public String getChecksum()
```

Get checksum for media index

**Returns:**

checksum

### setChecksum

```
public void setChecksum(String checksum)
```

Set media index checksum

**Parameters:**

checksum

### setChecksum

```
public void setChecksum(IRandomAccessReader file)
```

Set media index checksum. Extract data from File spec

**Parameters:**

file

### clone

```
public IMediaIndexItem clone()
```

Make a clone copy of media index

**Returns:**

shallow copy of media index

### getLastAccessed

```
public long getLastAccessed()
```

Get last time media index was accessed (milliseconds)

**Returns:**

time media index was accessed (milliseconds)

(continued from last page)

## setLastAccessed

```
public void setLastAccessed(long time)
```

Set last time media index accessed (milliseconds)

### Parameters:

time - media index was accessed (milliseconds)

---

## isHitEnd

```
public boolean isHitEnd()
```

Is media index complete

### Returns:

true if media index is complete

---

## touch

```
public void touch()
```

Set last time accessed to current time

## com.wowza.wms.stream Interface IMediaListProvider

public interface **IMediaListProvider**  
extends

### Method Summary

<a href="#">MediaList</a>	<a href="#">resolveMediaList</a> ( <a href="#">IMediaListReader</a> mediaListReader, <a href="#">IMediaStream</a> stream, String streamName) Called to resolve a amlst:streamname to a media list
---------------------------	--

### Methods

#### **resolveMediaList**

```
public MediaList resolveMediaList(IMediaListReader mediaListReader,  
    IMediaStream stream,  
    String streamName)
```

Called to resolve a amlst:streamname to a media list

##### **Parameters:**

mediaListReader - mediaListReader  
stream - media stream  
streamName - stream name

##### **Returns:**

media list

## com.wowza.wms.stream Interface IMediaListReader

public interface **IMediaListReader**  
extends

### Method Summary

void	<a href="#"><code>close()</code></a> close file
<a href="#"><code>IHTTPStreamerSession</code></a>	<a href="#"><code>getHTTPStreamerSession()</code></a> Get the HTTPStreamerSession associated with this media list reader
String	<a href="#"><code>getMediaExtension()</code></a> Get media extension
<a href="#"><code>MediaList</code></a>	<a href="#"><code>getMediaList()</code></a> Get the MediaList object
String	<a href="#"><code>getPath()</code></a> Get abstract path to the media item
void	<a href="#"><code>init(IApplicationInstance appInstance, IMediaStream stream, String mediaReadType, String basePath, String mediaName, IHTTPStreamerSession httpStreamerSession)</code></a> Initialize mediaReader
boolean	<a href="#"><code>isOpen()</code></a> is file open
void	<a href="#"><code>open(String basePath, String name)</code></a> Open the file for reading
void	<a href="#"><code>setHTTPStreamerSession(IHTTPStreamerSession httpStreamerSession)</code></a> Set the HTTPStreamerSession associated with this media list reader
void	<a href="#"><code>setMediaReaderItem(MediaReaderItem mediaReaderItem)</code></a> Set the mediaReader item definition
void	<a href="#"><code>setProperties(WMSProperties properties)</code></a> Set the properties for this media reader

### Methods

#### init

```
public void init(IApplicationInstance appInstance,
IMediaStream stream,
String mediaReadType,
String basePath,
String mediaName,
IHTTPStreamerSession httpStreamerSession)
```

(continued from last page)

Initialize mediaReader

**Parameters:**

stream - parent stream  
mediaReadType - media reader type id. Example: flv  
basePath - Base path for application instance  
mediaName - name of the media item

---

## setMediaReaderItem

```
public void setMediaReaderItem(MediaReaderItem mediaReaderItem)
```

Set the mediaReader item definition

**Parameters:**

mediaReaderItem

---

## open

```
public void open(String basePath,  
String name)
```

Open the file for reading

**Parameters:**

basePath - base path to file  
name - file name without extension

---

## close

```
public void close()
```

close file

---

## isOpen

```
public boolean isOpen()
```

is file open

**Returns:**

is file open

---

## setProperties

```
public void setProperties(WMSPProperties properties)
```

Set the properties for this media reader

**Parameters:**

properties - properties

---

## getPath

```
public String getPath()
```

Get abstract path to the media item

**Returns:**

(continued from last page)

abstract path to the media item

---

## getMediaExtension

```
public String getMediaExtension()
```

Get media extension

**Returns:**

media extension

---

## getMediaList

```
public MediaList getMediaList()
```

Get the MediaList object

**Returns:**

MediaList object

---

## getHTTPStreamerSession

```
public IHTTPStreamerSession getHTTPStreamerSession()
```

Get the HTTPStreamerSession associated with this media list reader

**Returns:**

HTTPStreamerSession

---

## setHTTPStreamerSession

```
public void setHTTPStreamerSession(IHTTPStreamerSession httpStreamerSession)
```

Set the HTTPStreamerSession associated with this media list reader

**Parameters:**

httpStreamerSession - HTTPStreamerSession

## com.wowza.wms.stream Interface IMediaReader

public interface **IMediaReader**  
extends

IMediaReader: generic media reader interface. All media types implement this interface to interact with PlaylistPlayer.

### Field Summary

public static final	<a href="#">CONTENTTYPE_MEDIA</a> Value: <b>1</b>
public static final	<a href="#">CONTENTTYPE_MEDIALIST</a> Value: <b>2</b>
public static final	<a href="#">DEFAULT_RANDOMACCESSREADER</a> Value: <b>com.wowza.io.DirectRandomAccessReader</b>
public static final	<a href="#">DEFAULT_RANDOMACCESSREADEROPTIMIZER</a> Value: <b>com.wowza.io.RandomAccessReadOptimizer</b>
public static final	<a href="#">PLAYEVENT_AFTERBUFFERFILL</a> Value: <b>5</b>
public static final	<a href="#">PLAYEVENT_AFTERMETADATA</a> Value: <b>3</b>
public static final	<a href="#">PLAYEVENT_BEFOREBUFFERFILL</a> Value: <b>4</b>
public static final	<a href="#">PLAYEVENT_BEFOREMETADATA</a> Value: <b>2</b>
public static final	<a href="#">PLAYEVENT_STARTPLAYBACK</a> Value: <b>1</b>
public static final	<a href="#">SEEK_EXACT</a> Seek direction: closest frame (audio, video) (key, no-key) Value: <b>4</b>
public static final	<a href="#">SEEK_KEYCLOSE</a> Seek direction: closest key frame Value: <b>3</b>
public static final	<a href="#">SEEK_KEYDOWN</a> Seek direction: down to closets key frame Value: <b>2</b>



public static final	<a href="#">SEEK_KEYUP</a> Seek direction: up to closets key frame Value: <b>1</b>
public static final	<a href="#">SEEKTARGET_AUDIO</a> Value: <b>3</b>
public static final	<a href="#">SEEKTARGET_ENHANCED</a> Value: <b>4</b>
public static final	<a href="#">SEEKTARGET_VIDEOKEYFRAME</a> Value: <b>1</b>

## Method Summary

void	<a href="#">close()</a> close file
long	<a href="#">getDuration()</a> Get duration or time (milliseconds) of the media file
long	<a href="#">getLength()</a> Get the stream length in bytes
String	<a href="#">getMediaExtension()</a> Get media extension
java.util.List	<a href="#">getMetadata()</a> Get a collection of metadata packets in ByteBuffers for this file.
String	<a href="#">getPath()</a> Get abstract path to the media item
<a href="#">IMediaReaderStreamPosition</a>	<a href="#">getStreamPosition()</a> Get a reference to the current stream position
void	<a href="#">init()</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">IMediaStream</a> stream, String mediaReadType, String basePath, String mediaName) Initialize mediaReader
boolean	<a href="#">isOpen()</a> is file open
void	<a href="#">open()</a> (String basePath, String name) Open the file for reading
void	<a href="#">rewind()</a> rewind file to start
PlaylistSeekResult	<a href="#">seek()</a> (long timecode, int seektype) seek to timecode in file
int	<a href="#">sendZeroLengthPacket()</a> (int type, int timecode, boolean isAbsolute, <a href="#">IMediaStream</a> stream, java.io.OutputStream out, <a href="#">AMFObj</a> wmsObj, <a href="#">PlaylistCursor</a> flvCursor, <a href="#">PlaylistWriteControl</a> control, <a href="#">PlaylistReaderWriteResults</a> results, long[] sizes, boolean isForceTCZero)

void	<a href="#"><code>setMediaReaderItem</code></a> ( <a href="#"><code>MediaReaderItem</code></a> mediaReaderItem) Set the mediaReader item definition
void	<a href="#"><code>setProperties</code></a> ( <a href="#"><code>WMSProperties</code></a> properties) Set the properties for this media reader
void	<a href="#"><code>setStreamPosition</code></a> ( <a href="#"><code>IMediaReaderStreamPosition</code></a> pos) Set the file position within the media file
void	<a href="#"><code>startPlayback</code></a> () Called each time the player being playback (before the buffer it filled)
int	<a href="#"><code>writeGeneratedKeyFrame</code></a> ( <a href="#"><code>IMediaStream</code></a> stream, java.io.OutputStream out, <a href="#"><code>AMFObj</code></a> wmsObjAudio, <a href="#"><code>AMFObj</code></a> wmsObjVideo, <a href="#"><code>AMFObj</code></a> wmsObjData, <a href="#"><code>PlaylistCursor</code></a> flvCursor, <a href="#"><code>PlaylistWriteControl</code></a> control, <a href="#"><code>PlaylistReaderWriteResults</code></a> results, long[] sizes, <a href="#"><code>FastPlaySettings</code></a> fastPlaySettings, boolean isForceTCZero) From current location in file generate a key frame (enhanced seek) and write it to out
int	<a href="#"><code>writePackets</code></a> ( <a href="#"><code>IMediaStream</code></a> stream, java.io.OutputStream out, <a href="#"><code>AMFObj</code></a> wmsObjAudio, <a href="#"><code>AMFObj</code></a> wmsObjVideo, <a href="#"><code>AMFObj</code></a> wmsObjData, <a href="#"><code>PlaylistCursor</code></a> flvCursor, <a href="#"><code>PlaylistWriteControl</code></a> control, <a href="#"><code>PlaylistReaderWriteResults</code></a> results, long[] sizes, <a href="#"><code>FastPlaySettings</code></a> fastPlaySettings, boolean isForceTCZero) From current location in file write packets to output
int	<a href="#"><code>writePackets</code></a> (java.util.List packetList, <a href="#"><code>PlaylistCursor</code></a> flvCursor, <a href="#"><code>PlaylistWriteControl</code></a> control, <a href="#"><code>PlaylistReaderWriteResults</code></a> results, long[] sizes, <a href="#"><code>FastPlaySettings</code></a> fastPlaySettings) Write packets to the packetList as AMFPackets

## Fields

### CONTENTTYPE\_MEDIA

```
public static final int CONTENTTYPE_MEDIA
```

Constant value: **1**

### CONTENTTYPE\_MEDIALIST

```
public static final int CONTENTTYPE_MEDIALIST
```

Constant value: **2**

### DEFAULT\_RANDOMACCESSREADER

```
public static final java.lang.String DEFAULT_RANDOMACCESSREADER
```

Constant value: **com.wowza.io.DirectRandomAccessReader**

### DEFAULT\_RANDOMACCESSREADEROPTIMIZER

```
public static final java.lang.String DEFAULT_RANDOMACCESSREADEROPTIMIZER
```

Constant value: **com.wowza.io.RandomAccessReadOptimizer**

---

## SEEKTARGET\_VIDEOKEYFRAME

```
public static final int SEEKTARGET_VIDEOKEYFRAME
```

Constant value: **1**

---

## SEEKTARGET\_AUDIO

```
public static final int SEEKTARGET_AUDIO
```

Constant value: **3**

---

## SEEKTARGET\_ENHANCED

```
public static final int SEEKTARGET_ENHANCED
```

Constant value: **4**

---

## PLAYEVENT\_STARTPLAYBACK

```
public static final int PLAYEVENT_STARTPLAYBACK
```

Constant value: **1**

---

## PLAYEVENT\_BEFOREMETADATA

```
public static final int PLAYEVENT_BEFOREMETADATA
```

Constant value: **2**

---

## PLAYEVENT\_AFTERMETADATA

```
public static final int PLAYEVENT_AFTERMETADATA
```

Constant value: **3**

---

## PLAYEVENT\_BEFOREBUFFERFILL

```
public static final int PLAYEVENT_BEFOREBUFFERFILL
```

Constant value: **4**

---

## PLAYEVENT\_AFTERBUFFERFILL

```
public static final int PLAYEVENT_AFTERBUFFERFILL
```

Constant value: **5**

---

(continued from last page)

---

## SEEK\_KEYUP

```
public static final int SEEK_KEYUP
```

Seek direction: up to closets key frame  
Constant value: **1**

---

## SEEK\_KEYDOWN

```
public static final int SEEK_KEYDOWN
```

Seek direction: down to closets key frame  
Constant value: **2**

---

## SEEK\_KEYCLOSE

```
public static final int SEEK_KEYCLOSE
```

Seek direction: closest key frame  
Constant value: **3**

---

## SEEK\_EXACT

```
public static final int SEEK_EXACT
```

Seek direction: closest frame (audio, video) (key, no-key)  
Constant value: **4**

---

## Methods

### init

```
public void init(IApplicationInstance appInstance,  
                IMediaStream stream,  
                String mediaReadType,  
                String basePath,  
                String mediaName)
```

Initialize mediaReader

#### Parameters:

stream - parent stream  
mediaReadType - media reader type id. Example: flv  
basePath - Base path for application instance  
mediaName - name of the media item

---

### setMediaReaderItem

```
public void setMediaReaderItem(MediaReaderItem mediaReaderItem)
```

Set the mediaReader item definition

#### Parameters:

mediaReaderItem

---

### open

```
public void open(String basePath,  
                String name)
```

---

---

(continued from last page)

Open the file for reading

**Parameters:**

basePath - base path to file  
name - file name without extension

---

## getMetadata

```
public java.util.List getMetadata()
```

Get a collection of metadata packets in ByteBuffers for this file. You can use 'new AMFDataList(data)' to convert to AMF objects.

**Returns:**

collection of metadata packets in ByteBuffers

---

## rewind

```
public void rewind()
```

rewind file to start

---

## close

```
public void close()
```

close file

---

## isOpen

```
public boolean isOpen()
```

is file open

**Returns:**

is file open

---

## seek

```
public PlaylistSeekResult seek(long timecode,  
int seektype)
```

seek to timecode in file

**Parameters:**

timecode - timecode (milliseconds) to seek to  
seektype - seek type IMediaReader.SEEK\_\*

**Returns:**

detailed results object of seek or null if failure

---

(continued from last page)

## writePackets

```
public int writePackets(IMediaStream stream,
    java.io.OutputStream out,
    AMFObj wmsObjAudio,
    AMFObj wmsObjVideo,
    AMFObj wmsObjData,
    PlaylistCursor flvCursor,
    PlaylistWriteControl control,
    PlaylistReaderWriteResults results,
    long[] sizes,
    FastPlaySettings fastPlaySettings,
    boolean isForceTCZero)
```

From current location in file write packets to output

### Parameters:

stream - parent mediaStream  
 out - output stream  
 wmsObjAudio - audio channel amfObj  
 wmsObjVideo - video channel amfObj  
 wmsObjData - data channel amfObj  
 flvCursor - current cursor that keeps track of timecodes and flags indicating position in media file  
 control - write control flags. Mainly used to control when it should stop writing  
 results - write results returned from this routine  
 sizes - array of values that keep track of number of bytes written and number of packets for each data type (audio, video, data). See [IMediaStreamPlay.PLAYSIZES\\_\\*](#)  
 fastPlaySettings - current fastPlay settings for the stream  
 isForceTCZero - are we forcing all timecodes to zero

### Returns:

number of bytes written

## writePackets

```
public int writePackets(java.util.List packetList,
    PlaylistCursor flvCursor,
    PlaylistWriteControl control,
    PlaylistReaderWriteResults results,
    long[] sizes,
    FastPlaySettings fastPlaySettings)
```

Write packets to the packetList as AMFPackets

### Parameters:

packetList - list to which to write packets  
 flvCursor - current cursor that keeps track of timecodes and flags indicating position in media file  
 control - write control flags. Mainly used to control when it should stop writing  
 results - write results returned from this routine  
 sizes - array of values that keep track of number of bytes written and number of packets for each data type (audio, video, data). See [IMediaStreamPlay.PLAYSIZES\\_\\*](#)  
 fastPlaySettings - current fastPlay settings for the stream

### Returns:

number of bytes written

(continued from last page)

## writeGeneratedKeyFrame

```
public int writeGeneratedKeyFrame(IMediaStream stream,
    java.io.OutputStream out,
    AMFObj wmsObjAudio,
    AMFObj wmsObjVideo,
    AMFObj wmsObjData,
    PlaylistCursor flvCursor,
    PlaylistWriteControl control,
    PlaylistReaderWriteResults results,
    long[] sizes,
    FastPlaySettings fastPlaySettings,
    boolean isForceTCZero)
```

From current location in file generate a key frame (enhanced seek) and write it to out

### Parameters:

stream - parent mediaStream  
 out - output stream  
 wmsObjAudio - audio channel amfObj  
 wmsObjVideo - video channel amfObj  
 wmsObjData - data channel amfObj  
 flvCursor - current cursor that keeps track of timecodes and flags indicating position in media file  
 control - write control flags. Mainly used to control when it should stop writing  
 results - write results returned from this routine  
 sizes - array of values that keep track of number of bytes written and number of packets for each data type (audio, video, data). See [IMediaStreamPlay.PLAYSIZES\\_\\*](#)  
 fastPlaySettings - current fastPlay settings for the stream  
 isForceTCZero - are we forcing all timecodes to zero

### Returns:

number of bytes written

## sendZeroLengthPacket

```
public int sendZeroLengthPacket(int type,
    int timecode,
    boolean isAbsolute,
    IMediaStream stream,
    java.io.OutputStream out,
    AMFObj wmsObj,
    PlaylistCursor flvCursor,
    PlaylistWriteControl control,
    PlaylistReaderWriteResults results,
    long[] sizes,
    boolean isForceTCZero)
```

## startPlayback

```
public void startPlayback()
```

Called each time the player being playback (before the buffer it filled)

## getDuration

```
public long getDuration()
```

Get duration or time (milliseconds) of the media file

### Returns:

(continued from last page)

duration or time (milliseconds) of the media file

---

## getLength

```
public long getLength()
```

Get the stream length in bytes

**Returns:**

stream length in bytes

---

## getPath

```
public String getPath()
```

Get abstract path to the media item

**Returns:**

abstract path to the media item

---

## getMediaExtension

```
public String getMediaExtension()
```

Get media extension

**Returns:**

media extension

---

## getStreamPosition

```
public IMediaReaderStreamPosition getStreamPosition()
```

Get a reference to the current stream position

**Returns:**

stream position

---

## setStreamPosition

```
public void setStreamPosition(IMediaReaderStreamPosition pos)
```

Set the file position within the media file

**Parameters:**

pos - stream position

---

## setProperties

```
public void setProperties(WMSProperties properties)
```

Set the properties for this media reader

**Parameters:**

properties - properties



## com.wowza.wms.stream Interface IMediaReaderActionNotify

public interface **IMediaReaderActionNotify**  
extends

IMediaReaderActionNotify: listener interface for IMediaReader actions: See  
IApplicationInstance.addMediaReaderListener(IMediaReaderActionNotify mediaReaderListener)

### Method Summary

void	<a href="#">onMediaReaderClose</a> ( <a href="#">IMediaReader</a> mediaReader, <a href="#">IMediaStream</a> stream) Called when media reader is closed
void	<a href="#">onMediaReaderCreate</a> ( <a href="#">IMediaReader</a> mediaReader) Called when media reader is created
void	<a href="#">onMediaReaderExtractMetaData</a> ( <a href="#">IMediaReader</a> mediaReader, <a href="#">IMediaStream</a> stream) Called after media reader metadata is extraced from the file
void	<a href="#">onMediaReaderInit</a> ( <a href="#">IMediaReader</a> mediaReader, <a href="#">IMediaStream</a> stream) Called after media reader is initialized
void	<a href="#">onMediaReaderOpen</a> ( <a href="#">IMediaReader</a> mediaReader, <a href="#">IMediaStream</a> stream) Called after media reader is opened

### Methods

#### onMediaReaderCreate

public void **onMediaReaderCreate**([IMediaReader](#) mediaReader)

Called when media reader is created

**Parameters:**

mediaReader - media reader

#### onMediaReaderInit

public void **onMediaReaderInit**([IMediaReader](#) mediaReader, [IMediaStream](#) stream)

Called after media reader is initialized

**Parameters:**

mediaReader - media reader

stream - stream

(continued from last page)

## onMediaReaderOpen

```
public void onMediaReaderOpen(IMediaReader mediaReader,  
    IMediaStream stream)
```

Called after media reader is opened

**Parameters:**

mediaReader - media reader  
stream - stream

---

## onMediaReaderExtractMetaData

```
public void onMediaReaderExtractMetaData(IMediaReader mediaReader,  
    IMediaStream stream)
```

Called after media reader metadata is extracted from the file

**Parameters:**

mediaReader - media reader  
stream - stream

---

## onMediaReaderClose

```
public void onMediaReaderClose(IMediaReader mediaReader,  
    IMediaStream stream)
```

Called when media reader is closed

**Parameters:**

mediaReader - media reader  
stream - stream

---

com.wowza.wms.stream  
Interface IMediaReaderEncInfo

public interface IMediaReaderEncInfo  
extends

Method Summary	
<a href="#">MediaReaderEncInfo</a>	<a href="#">getEncInfo()</a>

Methods

**getEncInfo**  
public [MediaReaderEncInfo](#) **getEncInfo()**

---

## com.wowza.wms.stream Interface IMediaReaderStreamPosition

---

public interface **IMediaReaderStreamPosition**  
extends

IMediaReaderStreamPosition: Internal use

---

### Method Summary

boolean	<a href="#">isValid()</a>
---------	---------------------------

---

### Methods

#### isValid

public boolean **isValid()**

## com.wowza.wms.stream Interface IMediaStream

public interface **IMediaStream**  
extends

IMediaStream: public, generic interface to mediaStream object. Upon creation of a new mediaStream, the client connection's default streamType value will be used to dynamically create a mediaStream object based on the definitions available in the vHosts.mediaStreamMap. All mediaStream implementations implement this interface.

### Field Summary

public static final	<a href="#">AUDIOSAMPLEACCESS</a> Value: <b>2</b>
public static final	<a href="#">READACCESS</a> Value: <b>0</b>
public static final	<a href="#">VIDEOSAMPLEACCESS</a> Value: <b>3</b>
public static final	<a href="#">WRITEACCESS</a> Value: <b>1</b>

### Method Summary

void	<a href="#">addAudioCodecConfigPacket</a> (long timecode, <a href="#">AMFPacket</a> packet) Set audio codec configuration packet (needed for H.264/AAC playback)
void	<a href="#">addAudioData</a> (byte[] data, int offset, int size) Add data to current audio packet
void	<a href="#">addClientListener</a> ( <a href="#">IMediaStreamActionNotify</a> actionListener) Add client listener.
void	<a href="#">addClientListener</a> ( <a href="#">IMediaStreamActionNotify2</a> actionListener) Add client listener.
void	<a href="#">addClientListener</a> ( <a href="#">IMediaStreamActionNotify3</a> actionListener) Add client listener.
void	<a href="#">addDataData</a> (byte[] data, int offset, int size) Add data to current data packet
void	<a href="#">addVideoCodecConfigPacket</a> (long timecode, <a href="#">AMFPacket</a> packet) Set video codec configuration packet (needed for H.264/AAC playback)
void	<a href="#">addVideoData</a> (byte[] data, int offset, int size) Add data to current video packet

void	<a href="#"><u>addVideoH264SEIListener</u></a> ( <a href="#"><u>IMediaStreamH264SEINotify</u></a> h264SEIListener) Add an H.264 SEI listener.
void	<a href="#"><u>clear</u></a> ( ) Delete media file pointed to by this mediaStream (be careful)
void	<a href="#"><u>clearFastPlaySettings</u></a> ( ) Clear fastPlay settings
void	<a href="#"><u>clearLoggingValues</u></a> ( )
void	<a href="#"><u>close</u></a> ( ) Close mediaStream
void	<a href="#"><u>flush</u></a> ( ) Force publishing packets to be flushed from the input buffers to the output buffers
boolean[]	<a href="#"><u>getAccess</u></a> ( <a href="#"><u>IClient</u></a> client, String name) Get the read/write access to this stream for this client
<a href="#"><u>AMFPacket</u></a>	<a href="#"><u>getAudioCodecConfigPacket</u></a> (long timecode) Get audio codec configuration packet (needed for H.264/AAC playback)
int	<a href="#"><u>getAudioMissing</u></a> ( ) Get number of audio bytes missing from current audio packet
int	<a href="#"><u>getAudioSize</u></a> ( ) Get the size of the current audio packet that is being streamed from the client to the server
long	<a href="#"><u>getAudioTC</u></a> ( ) Get last absolute audio timecode (milliseconds) sent to mediaStream
int	<a href="#"><u>getBufferTime</u></a> ( ) Get buffer time for mediaStream (milliseconds)
byte[]	<a href="#"><u>getBurstStartStop</u></a> (boolean isStart) Get the dynamic streaming burst start/stop AMF packet
String	<a href="#"><u>getCacheName</u></a> ( ) not used
<a href="#"><u>IClient</u></a>	<a href="#"><u>getClient</u></a> ( ) Get parent client connection
int	<a href="#"><u>getClientId</u></a> ( ) Get parent client connection (id)
String	<a href="#"><u>getContextStr</u></a> ( ) Returns the stream context string in the form [application]/[appInstance]/[streamName].
int	<a href="#"><u>getDataMissing</u></a> ( ) Get number of data bytes missing from current audio packet
int	<a href="#"><u>getDataSize</u></a> ( ) Get the size of the current data packet that is being streamed from the client to the server
long	<a href="#"><u>getDataTC</u></a> ( ) Get last absolute data timecode (milliseconds) sent to mediaStream

int	<a href="#"><code>getDataType()</code></a> Get the data packet type: (IVHost.CONTENTTYPE_DATA0 or IVHost.CONTENTTYPE_DATA3)
String	<a href="#"><code>getDvrRecorder()</code></a> Get the DVR Recorder for this stream
<a href="#"><code>ILiveStreamDvrRecorder</code></a>	<a href="#"><code>getDvrRecorder(String name)</code></a> Get the DVR Recorder interface to a stream by name
String	<a href="#"><code>getDvrRecorderList()</code></a> Get the comma separated list of DVR Recorder names being used by this stream (see conf/Dvr.xml)
String	<a href="#"><code>getDvrRepeater()</code></a> Get the DVR repeater name for this stream
<a href="#"><code>ElapsedTimer</code></a>	<a href="#"><code>getElapsedTime()</code></a> Get the interface to the elapse timer
String	<a href="#"><code>getExt()</code></a> Get media file extension
<a href="#"><code>FastPlaySettings</code></a>	<a href="#"><code>getFastPlaySettings()</code></a> Get current fastPlay settings
int	<a href="#"><code>getHeaderSize()</code></a> Get the last packet header size (debugging)
<a href="#"><code>IHTTPStreamerSession</code></a>	<a href="#"><code>getHTTPStreamerSession()</code></a> Get the HTTPStreamer session associated with this stream
<a href="#"><code>AMFPacket</code></a>	<a href="#"><code>getLastKeyFrame()</code></a> Get most recent video key frame
<a href="#"><code>AMFPacket</code></a>	<a href="#"><code>getLastPacket()</code></a> Get most recent live packet
String	<a href="#"><code>getLiveStreamPacketizer()</code></a> Get the live stream packetizer that this stream is using
<a href="#"><code>ILiveStreamPacketizer</code></a>	<a href="#"><code>getLiveStreamPacketizer(String name)</code></a> Get the LiveStreamPacketizer interface to a stream by name
String	<a href="#"><code>getLiveStreamPacketizerList()</code></a> Get the comma separated list of LiveStreamPacketizers names being used by this stream (see conf/LiveStreamPacketizers.xml)
String	<a href="#"><code>getLiveStreamRepeater()</code></a> Get the live stream repeater name for the stream
<a href="#"><code>ILiveStreamTranscoder</code></a>	<a href="#"><code>getLiveStreamTranscoder(String name)</code></a> Get a live stream transcoder for this stream by name
String	<a href="#"><code>getLiveStreamTranscoderList()</code></a> Get the comma separated list of LiveStreamTranscoders names being used by this stream (see conf/LiveStreamTranscoders.xml)
java.util.Map	<a href="#"><code>getLiveStreamTranscoders()</code></a> Get the list of transcoders for this stream.

long	<a href="#"><u>getMaxTimecode()</u></a> Get the timecode of the latest received packet
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getMediaIOPerformance()</u></a> Get IO performance counter
<a href="#"><u>IMediaStreamMetaDataProvider</u></a>	<a href="#"><u>getMetaDataProvider()</u></a> Get the metaData provider
String	<a href="#"><u>getName()</u></a> Get stream name
com.wowza.wms.netconnection.INetConnection	<a href="#"><u>getNetConnection()</u></a> Get parent netConnection (future server to server communication)
<a href="#"><u>IMediaStreamPlay</u></a>	<a href="#"><u>getPlayer()</u></a> Get underlying player (IMediaStreamPlay) object
java.util.List	<a href="#"><u>getPlayPackets()</u></a> Get all available live packets
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties()</u></a> Get mediaStream properties
int	<a href="#"><u>getPublishAudioCodecId()</u></a> Get the codec id of the most recently published audio packet
int	<a href="#"><u>getPublishVideoCodecId()</u></a> Get the codec id of the most recently published video packet
String	<a href="#"><u>getQueryStr()</u></a> Get play/publish name query string.
int	<a href="#"><u>getReceiveVideoFPS()</u></a> Set frame per seconds for video (not currently implemented)
<a href="#"><u>AMFObj</u></a>	<a href="#"><u>getRespAMFAudioObj()</u></a> Get audio response channel object
<a href="#"><u>AMFObj</u></a>	<a href="#"><u>getRespAMFDataObj()</u></a> Get data response channel object
<a href="#"><u>AMFObj</u></a>	<a href="#"><u>getRespAMFVideoObj()</u></a> Get video response channel object
<a href="#"><u>RTPStream</u></a>	<a href="#"><u>getRTPStream()</u></a> Get the RTP based stream this stream is associated with
int	<a href="#"><u>getSrc()</u></a> Get the stream id
java.io.File	<a href="#"><u>getStreamFileForRead()</u></a> Get the File object to read from a stream (get stream name, ext and query from stream object)
java.io.File	<a href="#"><u>getStreamFileForRead(String name, String ext, String query)</u></a> Get the File object to read from a stream (specify name, ext and query)
java.io.File	<a href="#"><u>getStreamFileForWrite()</u></a> Get the File object to write to a stream (get stream name, ext and query from stream object)



java.io.File	<a href="#"><u>getStreamFileForWrite</u></a> (String name, String ext, String query) Get the File object to write to a stream (specify name, ext and query)
<a href="#"><u>MediaStreamMap</u></a>	<a href="#"><u>getStreams</u></a> ( ) Get parent mediaStreamMap (owned by applicationInstance)
String	<a href="#"><u>getStreamType</u></a> ( ) Get mediaStream streamType
String	<a href="#"><u>getUniqueStreamIdStr</u></a> ( ) Get a string that uniquely identifies this stream
<a href="#"><u>AMFPacket</u></a>	<a href="#"><u>getVideoCodecConfigPacket</u></a> (long timecode) Get video codec configuration packet (needed for H.264/AAC playback)
int	<a href="#"><u>getVideoMissing</u></a> ( ) Get number of video bytes missing from current audio packet
int	<a href="#"><u>getVideoSize</u></a> ( ) Get the size of the current video packet that is being streamed from the client to the server
long	<a href="#"><u>getVideoTC</u></a> ( ) Get last absolute video timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>handleCallback</u></a> (com.wowza.wms.request.RequestFunction function) Routes request function to callback handler onStatus, onPlayStatus or [method/handler]
boolean	<a href="#"><u>idle</u></a> ( ) Allow the mediaStream to perform idle work (not currently in use)
long	<a href="#"><u>incrementMediaInBytes</u></a> (long increment) Increment the number of mediaStream bytes received
long	<a href="#"><u>incrementMediaLossBytes</u></a> (long bytes, long count) Increment the number of mediaStream loss bytes sent and number of packets sent
long	<a href="#"><u>incrementMediaOutBytes</u></a> (long bytes, long count) Increment the number of mediaStream bytes sent and number of packets sent
void	<a href="#"><u>init</u></a> ( <a href="#"><u>MediaStreamMap</u></a> parent, int src, <a href="#"><u>WMSProperties</u></a> properties) Initialize the mediaStream object after creation.
void	<a href="#"><u>initLiveStreamRepeating</u></a> (String liveStreamPacketizer, String liveStreamRepeater) Initialize this stream for live stream repeating
boolean	<a href="#"><u>isAppend</u></a> ( ) Is append to media file (only valid if isRecord)
boolean	<a href="#"><u>isClustered</u></a> ( ) not used
boolean	<a href="#"><u>isMediaCasterPlay</u></a> ( ) Is MediaCaster play enabled (if true, will trigger MediaCaster startup)
boolean	<a href="#"><u>isMergeOnMetadata</u></a> ( ) If true, merge incoming onMetadata events with the current onMetadata event data.
boolean	<a href="#"><u>isOpen</u></a> ( ) Is mediaStream open

boolean	<a href="#"><u>isPlay()</u></a> Is the stream a play stream (vs a publish stream)
boolean	<a href="#"><u>isPlaying()</u></a> Is mediaStream playing (or paused - false)
boolean	<a href="#"><u>isPublishStreamReady()</u></a> (boolean checkAudio, boolean checkVideo) Returns true if the publishing stream contains enough video/audio data to start playback
boolean	<a href="#"><u>isReceiveAudio()</u></a> Is client currently receiving audio.
boolean	<a href="#"><u>isReceiveVideo()</u></a> Is client currently receiving video.
boolean	<a href="#"><u>isRecord()</u></a> Is this stream being recorded to a file
boolean	<a href="#"><u>isSendPlayStopLogEvent()</u></a> Get need to send a log event for stop
boolean	<a href="#"><u>isSendPublishStopLogEvent()</u></a> Get need to send a log event for publishing
boolean	<a href="#"><u>isSendRecordStopLogEvent()</u></a> Get need to send a log event for recording
boolean	<a href="#"><u>isTranscodeResult()</u></a> Is this stream the result of a transcode operation.
boolean	<a href="#"><u>isVideoH264SEIListenerEmpty()</u></a> Is H.264 SEI listener list empty.
double	<a href="#"><u>length()</u></a> Get length/duration (seconds) of media file pointed to by mediaStream
void	<a href="#"><u>notifyActionOnCodecInfoAudio()</u></a> (com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio) Notify client listeners of audio codec information change
void	<a href="#"><u>notifyActionOnCodecInfoVideo()</u></a> (com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo) Notify client listeners of video codec information change
void	<a href="#"><u>notifyActionOnMetaData()</u></a> ( <a href="#"><u>AMFPacket</u></a> metaDataPacket) Notify client listeners of onMetaData change
void	<a href="#"><u>notifyActionPause()</u></a> (boolean isPause, long location) Notify client listeners of pause action
void	<a href="#"><u>notifyActionPauseRaw()</u></a> (boolean isPause, long location) Notify client listeners of pauseRaw action
void	<a href="#"><u>notifyActionPlay()</u></a> (String streamName, double playStart, double playLen, int playReset) Notify client listeners of play action
void	<a href="#"><u>notifyActionPublish()</u></a> (String streamName, boolean isRecord, boolean isAppend) Notify client listeners of publish action

void	<a href="#"><u>notifyActionSeek</u></a> (double location) Notify client listeners of seek action
void	<a href="#"><u>notifyActionStop</u></a> ( ) Notify client listeners of stop action
void	<a href="#"><u>notifyActionUnPublish</u></a> (String streamName, boolean isRecord, boolean isAppend) Notify client listeners of unpublish action
void	<a href="#"><u>notifyVideoH264Packet</u></a> ( <a href="#"><u>AMFPPacket</u></a> packet, <a href="#"><u>com.wowza.wms.media.h264.H264SEIMessages</u></a> seiMessages) Notify H.264 SEI listener.
void	<a href="#"><u>packetComplete</u></a> ( ) Invoked by requestAdapter when at the end of a set of packets
void	<a href="#"><u>publish</u></a> ( ) Publish mediaStream
void	<a href="#"><u>putDvrRecorder</u></a> (String name, <a href="#"><u>ILiveStreamDvrRecorder</u></a> dvr) Add a live stream dvr to this stream
void	<a href="#"><u>putLiveStreamTranscoder</u></a> (String name, <a href="#"><u>ILiveStreamTranscoder</u></a> liveStreamTranscoder) Add a live stream transcoder to this stream
void	<a href="#"><u>registerCallback</u></a> (String handlerName, <a href="#"><u>IMediaStreamCallback</u></a> callback) Register a callback handler
void	<a href="#"><u>registerOnPlayStatus</u></a> ( <a href="#"><u>IMediaStreamCallback</u></a> callback) Register onPlayStatus handler
void	<a href="#"><u>registerOnStatus</u></a> ( <a href="#"><u>IMediaStreamCallback</u></a> callback) Register onStatus handler
void	<a href="#"><u>removeClientListener</u></a> ( <a href="#"><u>IMediaStreamActionNotify</u></a> actionListener) Remove client listener.
void	<a href="#"><u>removeClientListener</u></a> ( <a href="#"><u>IMediaStreamActionNotify2</u></a> actionListener) Remove client listener.
void	<a href="#"><u>removeClientListener</u></a> ( <a href="#"><u>IMediaStreamActionNotify3</u></a> actionListener) Remove client listener.
<a href="#"><u>ILiveStreamDvrRecorder</u></a>	<a href="#"><u>removeDvrRecorder</u></a> (String name) Remove a live stream dvr by name
<a href="#"><u>ILiveStreamTranscoder</u></a>	<a href="#"><u>removeLiveStreamTranscoder</u></a> (String name) Remove a live stream transcoder by name
void	<a href="#"><u>removeVideoH264SEIListener</u></a> ( <a href="#"><u>IMediaStreamH264SEINotify</u></a> h264SEIListener) Remove an H.264 SEI listener.
void	<a href="#"><u>send</u></a> (String handlerName) Call client side NetStream method/handler with no parameters
void	<a href="#"><u>send</u></a> (String handlerName, Object[] params) Call client side NetStream method/handler

void	<a href="#"><code>sendAMF3</code></a> (String handlerName) Call client side NetStream method/handler with no parameters.
void	<a href="#"><code>sendAMF3</code></a> (String handlerName, Object[] params) Call client side NetStream method/handler.
int	<a href="#"><code>sendControlBytes</code></a> (int controlType, java.io.OutputStream out) Send playback control bytes.
void	<a href="#"><code>sendDirect</code></a> (String handlerName) Call client side NetStream method/handler and send event to underlying stream (will record event)
void	<a href="#"><code>sendDirect</code></a> (String handlerName, Object[] params) Call client side NetStream method/handler and send event to underlying stream (will record event)
void	<a href="#"><code>sendDirectAMF3</code></a> (String handlerName) Call client side NetStream method/handler and send event to underlying stream (will record event).
void	<a href="#"><code>sendDirectAMF3</code></a> (String handlerName, Object[] params) Call client side NetStream method/handler and send event to underlying stream (will record event).
int	<a href="#"><code>sendLivePlaySeek</code></a> (java.io.OutputStream out, String name, long timecode) Send onStatus(NetStream.Seek.Notify) event
int	<a href="#"><code>sendLivePlayStart</code></a> (java.io.OutputStream out, String name, long timecode, long timecodeOffset) Send onStatus(NetStream.Play.Start) event
int	<a href="#"><code>sendLivePlaySwitch</code></a> (java.io.OutputStream out, String name, long timecode) Send onStatus(NetStream.Play.Transition) event
int	<a href="#"><code>sendPauseNotify</code></a> (long timecode, String name) Send onStatus(NetStream.Pause.Notify) event
int	<a href="#"><code>sendPauseNotify</code></a> (java.io.OutputStream out, long timecode, String name) Send onStatus(NetStream.Pause.Notify) event.
int	<a href="#"><code>sendPlayReset</code></a> (java.io.OutputStream out, String name) Send onStatus(NetStream.Play.Reset) event.
int	<a href="#"><code>sendPlayReset</code></a> (String name) Send onStatus(NetStream.Play.Reset) event
int	<a href="#"><code>sendPlaySeek</code></a> (long location, long seekLocation, String name) Send onStatus(NetStream.Seek.Notify) event.
int	<a href="#"><code>sendPlaySeek</code></a> (java.io.OutputStream out, long location, long seekLocation, String name) Send onStatus(NetStream.Seek.Notify) event.
int	<a href="#"><code>sendPlaySeek</code></a> (java.io.OutputStream out, long location, long seekLocation, String name, java.util.List seekTypes) Send onStatus(NetStream.Seek.Notify) event.

int	<a href="#"><code>sendPlayStart</code></a> (java.io.OutputStream out, String name, boolean isSwitch, boolean isLive, long timecode, java.util.List seekTypes) Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch).
int	<a href="#"><code>sendPlayStart</code></a> (java.io.OutputStream out, String name, boolean isSwitch, long timecode) Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch).
int	<a href="#"><code>sendPlayStart</code></a> (java.io.OutputStream out, String name, boolean isSwitch, long timecode, java.util.List seekTypes) Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch).
int	<a href="#"><code>sendPlayStart</code></a> (String name, long timecode) Send onStatus(NetStream.Play.Start) event
int	<a href="#"><code>sendPlayStatus</code></a> (long timecode, int statusType, double duration, double bytesSent) Send onPlayStatus(NetStream.Play.Switch, NetStream.Play.Complete, NetStream.Play.Stop) event
int	<a href="#"><code>sendPlayStatus</code></a> (java.io.OutputStream out, long timecode, int statusType, double duration, double bytesSent) Send onPlayStatus(NetStream.Play.Switch, NetStream.Play.Complete, NetStream.Play.Stop) event.
int	<a href="#"><code>sendPlayStop</code></a> (long location, String name) Send onStatus(NetStream.Play.Stop) event
int	<a href="#"><code>sendPlayStop</code></a> (java.io.OutputStream out, long location, String name) Send onStatus(NetStream.Play.Stop) event.
int	<a href="#"><code>sendPlaySwitch</code></a> (java.io.OutputStream out, String name, boolean isSwitch, long timecode) Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch).
int	<a href="#"><code>sendPlaySwitch</code></a> (String name, long timecode) Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch).
int	<a href="#"><code>sendStreamNotFound</code></a> (java.io.OutputStream out, String name) Send onStatus(NetStream.Play.StreamNotFound) event.
int	<a href="#"><code>sendStreamNotFound</code></a> (String name) Send onStatus(NetStream.Play.StreamNotFound) event
int	<a href="#"><code>sendUnpauseNotify</code></a> (long location, String name) Send onStatus(NetStream.Unpause.Notify) event
int	<a href="#"><code>sendUnpauseNotify</code></a> (java.io.OutputStream out, long location, String name) Send onStatus(NetStream.Unpause.Notify) event.
int	<a href="#"><code>sendUnpauseNotify</code></a> (java.io.OutputStream out, long location, String name, java.util.List seekTypes) Send onStatus(NetStream.Unpause.Notify) event
int	<a href="#"><code>sendVODPlaySwitch</code></a> (java.io.OutputStream out, String name, long timecode) Send onStatus(NetStream.Play.Transition) event

void	<a href="#"><u>setAppend</u></a> (boolean isAppend) Set is append to media file (only valid if isRecord)
void	<a href="#"><u>setAudioSize</u></a> (int audioSize) Set the size of the current audio packet that is being streamed from the client to the server
void	<a href="#"><u>setAudioTC</u></a> (long audioTC) Set last absolute audio timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>setAudioTC</u></a> (long audioTC, boolean isAbsolute) Set last absolute audio timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>setBufferTime</u></a> (int bufferTime) Set buffer time for mediaStream (milliseconds)
void	<a href="#"><u>setClient</u></a> ( <a href="#"><u>IClient</u></a> client) Set parent client connection
void	<a href="#"><u>setClustered</u></a> (boolean isClustered) not used
void	<a href="#"><u>setDataSize</u></a> (int dataSize) Set the size of the current data packet that is being streamed from the client to the server
void	<a href="#"><u>setDataTC</u></a> (long dataTC) Set last absolute data timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>setDataTC</u></a> (long dataTC, boolean isAbsolute) Set last absolute data timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>setDataType</u></a> (int dataType) Set the data packet type: (IVHost.CONTENTTYPE_DATA0 or IVHost.CONTENTTYPE_DATA3)
void	<a href="#"><u>setDvrRecorder</u></a> (String recorderName) Set the DVR Recorder that this stream is using
void	<a href="#"><u>setDvrRecorderList</u></a> (String recorderList) Set the comma separated list of DVR Recorder names being used by this stream (see conf/Dvr.xml)
void	<a href="#"><u>setExt</u></a> (String ext) Set media file extension
void	<a href="#"><u>setFastPlaySettings</u></a> ( <a href="#"><u>FastPlaySettings</u></a> fastPlaySettings) Set fastPlay settings
void	<a href="#"><u>setHeaderSize</u></a> (int headerSize) Set the last packet header size (debugging)
void	<a href="#"><u>setHTTPStreamerSession</u></a> ( <a href="#"><u>IHTTPStreamerSession</u></a> httpStreamerSession) Set the HTTPStreamer session associated with this stream
void	<a href="#"><u>setIsPlaying</u></a> (boolean isPlaying) Set is mediaStream playing
void	<a href="#"><u>setLiveStreamPacketizer</u></a> (String liveStreamPacketizer) Set the live stream packetizer that this stream is using

void	<a href="#"><code>setLiveStreamPacketizerList</code></a> (String liveStreamPacketizerList) Set the comma separated list of LiveStreamPacketizers names being used by this stream (see conf/LiveStreamPacketizers.xml)
void	<a href="#"><code>setLiveStreamRepeater</code></a> (String liveStreamRepeater) Set the live stream repeater name for the stream
void	<a href="#"><code>setLiveStreamTranscoderList</code></a> (String liveStreamTranscoderList) Set the comma separated list of LiveStreamTranscoders names being used by this stream (see conf/LiveStreamTranscoders.xml)
void	<a href="#"><code>setMediaCasterPlay</code></a> (boolean isMediaCasterPlay) Is MediaCaster play enabled (if true, will trigger MediaCaster startup)
void	<a href="#"><code>setMergeOnMetadata</code></a> (boolean mergeOnMetadata) If true, merge incoming onMetadata events with the current onMetadata event data.
void	<a href="#"><code>setMetaDataProvider</code></a> ( <a href="#"><code>IMediaStreamMetaDataProvider</code></a> metaDataProvider) Set the metaData provider
void	<a href="#"><code>setName</code></a> (String name) Set stream name
void	<a href="#"><code>setName</code></a> (String name, String ext) Set stream name and extension.
void	<a href="#"><code>setName</code></a> (String name, String oldName, String ext, String queryStr, double playStart, double playLen, int playTransition) Set stream name, extension, query string, play start, play len and play reset from play command.
void	<a href="#"><code>setNetConnection</code></a> (com.wowza.wms.netconnection.INetConnection netConnection) Set parent netConnection (future server to server communication)
void	<a href="#"><code>setOpen</code></a> (boolean isOpen) Set mediaStream open
void	<a href="#"><code>setPlay</code></a> (boolean isPlay) Set is the stream a play stream (vs a publish stream)
void	<a href="#"><code>setPlayer</code></a> ( <a href="#"><code>IMediaStreamPlay</code></a> player) Set underlying player (IMediaStreamPlay) object
void	<a href="#"><code>setPublishAudioCodecId</code></a> (int publishAudioCodecId) Set the codec id of the most recently published audio packet
void	<a href="#"><code>setPublishVideoCodecId</code></a> (int publishVideoCodecId) Set the codec id of the most recently published video packet
void	<a href="#"><code>setQueryStr</code></a> (String queryStr) Set play/publish name query string.
void	<a href="#"><code>setReceiveAudio</code></a> (boolean receiveAudio) Set receive audio
void	<a href="#"><code>setReceiveVideo</code></a> (boolean receiveVideo) Set receive video
void	<a href="#"><code>setReceiveVideoFPS</code></a> (int receiveVideoFPS) Set frame per second for video (not currently implemented)

void	<a href="#"><u>setRecord</u></a> (boolean isRecord) Set is the stream being recorded
void	<a href="#"><u>setRTPStream</u></a> ( <a href="#"><u>RTPStream</u></a> rtpStream) Set the RTP based stream this stream is associated with
void	<a href="#"><u>setSendPlayStopLogEvent</u></a> (boolean sendPlayStopLogEvent) Set need to send a log event for stop
void	<a href="#"><u>setSendPublishStopLogEvent</u></a> (boolean sendPlayStopLogEvent) Set need to send a log event for publishing
void	<a href="#"><u>setSendRecordStopLogEvent</u></a> (boolean sendPlayStopLogEvent) Set need to send a log event for recording
void	<a href="#"><u>setSrc</u></a> (int src) Set stream id
void	<a href="#"><u>setStreamType</u></a> (String streamType) Set mediaStream streamType.
void	<a href="#"><u>setTranscodeResult</u></a> (boolean isTranscodeResult) Is this stream the result of a transcode operation.
void	<a href="#"><u>setVideoSize</u></a> (int videoSize) Set the size of the current video packet that is being streamed from the client to the server
void	<a href="#"><u>setVideoTC</u></a> (long videoTC) Set last absolute video timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>setVideoTC</u></a> (long videoTC, boolean isAbsolute) Set last absolute video timecode (milliseconds) sent to mediaStream
void	<a href="#"><u>shutdown</u></a> ( ) shutdown or close this mediaStream
long	<a href="#"><u>size</u></a> ( ) Get size (bytes) of media file pointed to by mediaStream
void	<a href="#"><u>startAudioPacket</u></a> ( ) Called when an audio packet is first being populated with data
void	<a href="#"><u>startDataPacket</u></a> ( ) Called when a data packet is first being populated with data
void	<a href="#"><u>startPublishing</u></a> ( ) Start publishing live stream
void	<a href="#"><u>startVideoPacket</u></a> ( ) Called when a video packet is first being populated with data
void	<a href="#"><u>stopName</u></a> (String name, String oldName, String ext, String queryStr, double playStart, double playLen, int playTransition) Stop stream name
void	<a href="#"><u>stopPublishing</u></a> ( ) Stop publishing live stream



void	<a href="#"><code>switchName</code></a> (String name, String oldName, String ext, String queryStr, double playStart, double playLen, int playTransition) Switch to stream name
void	<a href="#"><code>trim</code></a> () Trim mediaStream.
void	<a href="#"><code>unregisterCallback</code></a> (String handlerName) Unregister a callback handler
void	<a href="#"><code>unregisterOnPlayStatus</code></a> ( <a href="#"><code>IMediaStreamCallback</code></a> callback) Unregister onPlayStatus handler
void	<a href="#"><code>unregisterOnStatus</code></a> ( <a href="#"><code>IMediaStreamCallback</code></a> callback) Unregister onStatus handler
void	<a href="#"><code>updateLoggingDuration</code></a> ( ) Update logging.MDC with mediaStream logging information
void	<a href="#"><code>updateLoggingValues</code></a> ( ) Update logging.MDC with mediaStream logging information

## Fields

### READACCESS

public static final int **READACCESS**

Constant value: **0**

### WRITEACCESS

public static final int **WRITEACCESS**

Constant value: **1**

### AUDIOSAMPLEACCESS

public static final int **AUDIOSAMPLEACCESS**

Constant value: **2**

### VIDEOSAMPLEACCESS

public static final int **VIDEOSAMPLEACCESS**

Constant value: **3**

## Methods

(continued from last page)

## init

```
public void init(MediaStreamMap parent,  
                int src,  
                WMSProperties properties)
```

Initialize the mediaStream object after creation. Creation and initialization are separated due to the order of the creation events.

### Parameters:

parent - parent mediaStreamMap of the parent applicationInstance  
src - stream id for this stream  
properties - initial properties as defined in Streams.xml

---

## getBufferTime

```
public int getBufferTime()
```

Get buffer time for mediaStream (milliseconds)

### Returns:

buffer time (milliseconds)

---

## setBufferTime

```
public void setBufferTime(int bufferTime)
```

Set buffer time for mediaStream (milliseconds)

### Parameters:

bufferTime - buffer time (milliseconds)

---

## isPlaying

```
public boolean isPlaying()
```

Is mediaStream playing (or paused - false)

### Returns:

is playing

---

## setIsPlaying

```
public void setIsPlaying(boolean isPlaying)
```

Set is mediaStream playing

### Parameters:

isPlaying

---

## getAudioSize

```
public int getAudioSize()
```

Get the size of the current audio packet that is being streamed from the client to the server

### Returns:

size

## getVideoSize

```
public int getVideoSize()
```

Get the size of the current video packet that is being streamed from the client to the server

**Returns:**  
size

---

## getDataSize

```
public int getDataSize()
```

Get the size of the current data packet that is being streamed from the client to the server

**Returns:**  
size

---

## setAudioSize

```
public void setAudioSize(int audioSize)
```

Set the size of the current audio packet that is being streamed from the client to the server

**Parameters:**  
audioSize

---

## setVideoSize

```
public void setVideoSize(int videoSize)
```

Set the size of the current video packet that is being streamed from the client to the server

**Parameters:**  
videoSize

---

## setDataSize

```
public void setDataSize(int dataSize)
```

Set the size of the current data packet that is being streamed from the client to the server

**Parameters:**  
dataSize

---

## getSrc

```
public int getSrc()
```

Get the stream id

**Returns:**  
stream id

---

## setSrc

```
public void setSrc(int src)
```

---

(continued from last page)

Set stream id

**Parameters:**

src - stream id

---

## getName

```
public String getName()
```

Get stream name

**Returns:**

stream name

---

## setName

```
public void setName(String name)
```

Set stream name

**Parameters:**

name - stream name

---

## setName

```
public void setName(String name,  
String ext)
```

Set stream name and extension. Example: if play command sent flv:test name=test, ext=flv.

**Parameters:**

name - stream name

ext - stream extension

---

## setName

```
public void setName(String name,  
String oldName,  
String ext,  
String queryStr,  
double playStart,  
double playLen,  
int playTransition)
```

Set stream name, extension, query string, play start, play len and play reset from play command.

**Parameters:**

name - stream name

oldName - old stream name

ext - stream extension

queryStr - query string

playStart - play start

playLen - play len

playTransition - play transition (see MediaBase.PLAYTRANSITION\_\*)

(continued from last page)

## switchName

```
public void switchName(String name,  
    String oldName,  
    String ext,  
    String queryStr,  
    double playStart,  
    double playLen,  
    int playTransition)
```

Switch to stream name

### Parameters:

name - stream name  
oldName - old stream name  
ext - stream extension  
queryStr - query string  
playStart - play start  
playLen - play len  
playTransition - play transition (see MediaBase.PLAYTRANSITION\_\*)

---

## stopName

```
public void stopName(String name,  
    String oldName,  
    String ext,  
    String queryStr,  
    double playStart,  
    double playLen,  
    int playTransition)
```

Stop stream name

### Parameters:

name - stream name  
oldName - old stream name  
ext - stream extension  
queryStr - query string  
playStart - play start  
playLen - play len  
playTransition - play transition (see MediaBase.PLAYTRANSITION\_\*)

---

## shutdown

```
public void shutdown()
```

shutdown or close this mediaStream

---

## getAudioTC

```
public long getAudioTC()
```

Get last absolute audio timecode (milliseconds) sent to mediaStream

### Returns:

last absolute audio timecode (milliseconds)

(continued from last page)

## setAudioTC

```
public void setAudioTC(long audioTC,  
    boolean isAbsolute)
```

Set last absolute audio timecode (milliseconds) sent to mediaStream

### Parameters:

audioTC - timecode (milliseconds)

isAbsolute - is the timecode value relative to last timecode or absolute

---

## setAudioTC

```
public void setAudioTC(long audioTC)
```

Set last absolute audio timecode (milliseconds) sent to mediaStream

### Parameters:

audioTC - timecode (milliseconds)

---

## getVideoTC

```
public long getVideoTC( )
```

Get last absolute video timecode (milliseconds) sent to mediaStream

### Returns:

last absolute video timecode (milliseconds)

---

## setVideoTC

```
public void setVideoTC(long videoTC,  
    boolean isAbsolute)
```

Set last absolute video timecode (milliseconds) sent to mediaStream

### Parameters:

videoTC - timecode (milliseconds)

isAbsolute - is the timecode value relative to last timecode or absolute

---

## setVideoTC

```
public void setVideoTC(long videoTC)
```

Set last absolute video timecode (milliseconds) sent to mediaStream

### Parameters:

videoTC - timecode (milliseconds)

---

## getDataTC

```
public long getDataTC( )
```

Get last absolute data timecode (milliseconds) sent to mediaStream

### Returns:

last absolute data timecode (milliseconds)

(continued from last page)

## setDataTC

```
public void setDataTC(long dataTC,  
    boolean isAbsolute)
```

Set last absolute data timecode (milliseconds) sent to mediaStream

### Parameters:

dataTC - timecode (milliseconds)

isAbsolute - is the timecode value relative to last timecode or absolute

---

## getDataType

```
public int getDataType()
```

Get the data packet type: (IVHost.CONTENTTYPE\_DATA0 or IVHost.CONTENTTYPE\_DATA3)

### Returns:

data packet type

---

## setDataType

```
public void setDataType(int dataType)
```

Set the data packet type: (IVHost.CONTENTTYPE\_DATA0 or IVHost.CONTENTTYPE\_DATA3)

### Parameters:

dataType - data packet type

---

## setDataTC

```
public void setDataTC(long dataTC)
```

Set last absolute data timecode (milliseconds) sent to mediaStream

### Parameters:

dataTC - timecode (milliseconds)

---

## isRecord

```
public boolean isRecord()
```

Is this stream being recorded to a file

### Returns:

is stream being recorded

---

## setRecord

```
public void setRecord(boolean isRecord)
```

Set is the stream being recorded

### Parameters:

isRecord

(continued from last page)

## isPlay

```
public boolean isPlay()
```

Is the stream a play stream (vs a publish stream)

**Returns:**

is play stream (has nothing to do with if its playing just that its play vs publish)

---

## setPlay

```
public void setPlay(boolean isPlay)
```

Set is the stream a play stream (vs a publish stream)

**Parameters:**

isPlay - is play stream (has nothing to do with if its playing just that its play vs publish)

---

## idle

```
public boolean idle()
```

Allow the mediaStream to perform idle work (not currently in use)

**Returns:**

true if it did some work

---

## getClientId

```
public int getClientId()
```

Get parent client connection (id)

**Returns:**

parent client connection (id)

---

## getClient

```
public IClient getClient()
```

Get parent client connection

**Returns:**

parent client connection

---

## getNetConnection

```
public com.wowza.wms.netconnection.INetConnection getNetConnection()
```

Get parent netConnection (future server to server communication)

**Returns:**

parent netConnection connection

---

## setNetConnection

```
public void setNetConnection(com.wowza.wms.netconnection.INetConnection netConnection)
```



(continued from last page)

Set parent netConnection (future server to server communication)

**Parameters:**

netConnection - netConnection connection

---

## setClient

```
public void setClient(IClient client)
```

Set parent client connection

**Parameters:**

client - parent client connection

---

## getStreams

```
public MediaStreamMap getStreams()
```

Get parent mediaStreamMap (owned by applicationInstance)

**Returns:**

parent mediaStreamMap

---

## packetComplete

```
public void packetComplete()
```

Invoked by requestAdapter when at the end of a set of packets

---

## sendStreamNotFound

```
public int sendStreamNotFound(String name)
```

Send onStatus(NetStream.Play.StreamNotFound) event

**Parameters:**

name - stream name

**Returns:**

bytes sent to client

---

## sendStreamNotFound

```
public int sendStreamNotFound(java.io.OutputStream out,  
    String name)
```

Send onStatus(NetStream.Play.StreamNotFound) event. Send directly to OutputStream.

**Parameters:**

out - OutputStream

name - stream name

**Returns:**

bytes sent to client

(continued from last page)

## sendLivePlayStart

```
public int sendLivePlayStart( java.io.OutputStream out,  
    String name,  
    long timecode,  
    long timecodeOffset)
```

Send onStatus(NetStream.Play.Start) event

### Parameters:

out - OutputStream  
name - stream name  
timecode - timecode  
timecodeOffset - timecode offset

### Returns:

bytes sent to client

---

## sendVODPlaySwitch

```
public int sendVODPlaySwitch( java.io.OutputStream out,  
    String name,  
    long timecode)
```

Send onStatus(NetStream.Play.Transition) event

### Parameters:

out - OutputStream  
name - stream name  
timecode - timecode

### Returns:

bytes sent to client

---

## sendLivePlaySwitch

```
public int sendLivePlaySwitch( java.io.OutputStream out,  
    String name,  
    long timecode)
```

Send onStatus(NetStream.Play.Transition) event

### Parameters:

out - OutputStream  
name - stream name  
timecode - timecode

### Returns:

bytes sent to client

---

## sendLivePlaySeek

```
public int sendLivePlaySeek( java.io.OutputStream out,  
    String name,  
    long timecode)
```

Send onStatus(NetStream.Seek.Notify) event

### Parameters:

out - OutputStream

(continued from last page)

name - stream name  
timecode - timecode

**Returns:**

bytes sent to client

---

## sendPlayReset

```
public int sendPlayReset(String name)
```

Send onStatus(NetStream.Play.Reset) event

**Parameters:**

name - stream name

**Returns:**

bytes sent to client

---

## sendPlayReset

```
public int sendPlayReset(java.io.OutputStream out,  
    String name)
```

Send onStatus(NetStream.Play.Reset) event. Send directly to OutputStream.

**Parameters:**

out - OutputStream  
name - stream name

**Returns:**

bytes sent to client

---

## sendPlayStop

```
public int sendPlayStop(long location,  
    String name)
```

Send onStatus(NetStream.Play.Stop) event

**Parameters:**

location - timecode where play stopped  
name - stream name

**Returns:**

bytes sent to client

---

## sendPlayStop

```
public int sendPlayStop(java.io.OutputStream out,  
    long location,  
    String name)
```

Send onStatus(NetStream.Play.Stop) event. Send directly to OutputStream

**Parameters:**

out - OutputStream  
location - timecode where play stopped  
name - stream name

(continued from last page)

**Returns:**

bytes sent to client

---

**sendPlaySeek**

```
public int sendPlaySeek(java.io.OutputStream out,  
    long location,  
    long seekLocation,  
    String name,  
    java.util.List seekTypes)
```

Send onStatus(NetStream.Seek.Notify) event.

**Parameters:**

out - OutputStream  
location - request location of seek  
seekLocation - result location of seek  
name - stream name  
seekTypes - list of commands to respond to (seek, unpause, play)

**Returns:**

bytes sent to client

---

**sendPlaySeek**

```
public int sendPlaySeek(long location,  
    long seekLocation,  
    String name)
```

Send onStatus(NetStream.Seek.Notify) event.

**Parameters:**

location - request location of seek  
seekLocation - result location of seek  
name - stream name

**Returns:**

bytes sent to client

---

**sendPlaySeek**

```
public int sendPlaySeek(java.io.OutputStream out,  
    long location,  
    long seekLocation,  
    String name)
```

Send onStatus(NetStream.Seek.Notify) event. Send directly to OutputStream

**Parameters:**

out - OutputStream  
location - request location of seek  
seekLocation - result location of seek  
name - stream name

**Returns:**

bytes sent to client

(continued from last page)

## sendPlayStart

```
public int sendPlayStart(String name,  
    long timecode)
```

Send onStatus(NetStream.Play.Start) event

**Parameters:**

name - stream name

**Returns:**

bytes sent to client

---

## sendPlaySwitch

```
public int sendPlaySwitch(String name,  
    long timecode)
```

Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch).

**Parameters:**

name - stream name

timecode - timecode of event

**Returns:**

bytes sent to client

---

## sendPlaySwitch

```
public int sendPlaySwitch(java.io.OutputStream out,  
    String name,  
    boolean isSwitch,  
    long timecode)
```

Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch). Send directly to OutputStream

**Parameters:**

out - OutputStream

name - stream name

isSwitch - is this a switch or a start

timecode - timecode of event

**Returns:**

bytes sent to client

---

## sendPlayStart

```
public int sendPlayStart(java.io.OutputStream out,  
    String name,  
    boolean isSwitch,  
    boolean isLive,  
    long timecode,  
    java.util.List seekTypes)
```

Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch). Send directly to OutputStream

**Parameters:**

out - OutputStream

(continued from last page)

name - stream name  
isSwitch - is this a switch or a start  
isLive - is the stream live  
timecode - timecode of event  
seekTypes - commands to respond to (seek, unpause, play)

---

## sendPlayStart

```
public int sendPlayStart( java.io.OutputStream out,  
    String name,  
    boolean isSwitch,  
    long timecode,  
    java.util.List seekTypes)
```

Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch). Send directly to OutputStream

### Parameters:

out - OutputStream  
name - stream name  
isSwitch - is this a switch or a start  
timecode - timecode of event  
seekTypes - commands to respond to (seek, unpause, play)

### Returns:

bytes sent to client

---

## sendPlayStart

```
public int sendPlayStart( java.io.OutputStream out,  
    String name,  
    boolean isSwitch,  
    long timecode)
```

Send onStatus(NetStream.Play.Start) event (it is not a typo, this also send play start but with different control codes for media switch). Send directly to OutputStream

### Parameters:

out - OutputStream  
name - stream name  
isSwitch - is this a switch or a start  
timecode - timecode of event

### Returns:

bytes sent to client

---

## sendPlayStatus

```
public int sendPlayStatus(long timecode,  
    int statusType,  
    double duration,  
    double bytesSent)
```

Send onPlayStatus(NetStream.Play.Switch, NetStream.Play.Complete, NetStream.Play.Stop) event

### Parameters:

timecode - timecode of event  
statusType - status type IMediaStreamPlay.PLAYSTATUSTYPE\_\*  
duration - (not used)  
bytesSent - (not used)

(continued from last page)

**Returns:**

bytes sent to client

---

**sendPlayStatus**

```
public int sendPlayStatus(java.io.OutputStream out,  
    long timecode,  
    int statusType,  
    double duration,  
    double bytesSent)
```

Send onPlayStatus(NetStream.Play.Switch, NetStream.Play.Complete, NetStream.Play.Stop) event. Send directly to OutputStream.

**Parameters:**

out - OutputStream  
timecode - timecode of event  
statusType - status type IMediaStreamPlay.PLAYSTATUSTYPE\_\*  
duration - (not used)  
bytesSent - (not used)

**Returns:**

bytes sent to client

---

**sendPauseNotify**

```
public int sendPauseNotify(long timecode,  
    String name)
```

Send onStatus(NetStream.Pause.Notify) event

**Parameters:**

timecode - timecode of event  
name - stream name

**Returns:**

bytes sent to client

---

**sendPauseNotify**

```
public int sendPauseNotify(java.io.OutputStream out,  
    long timecode,  
    String name)
```

Send onStatus(NetStream.Pause.Notify) event. Send directly to OutputStream.

**Parameters:**

out - OutputStream  
timecode - timecode of event  
name - stream name

**Returns:**

bytes sent to client

---

**sendUnpauseNotify**

```
public int sendUnpauseNotify(java.io.OutputStream out,  
    long location,  
    String name,  
    java.util.List seekTypes)
```

(continued from last page)

Send onStatus(NetStream.Unpause.Notify) event

**Parameters:**

out - OutputStream  
location - timecode of event  
name - stream name  
seekTypes - list of operations to respond to (seek, play, unpause)

**Returns:**

bytes sent to client

---

## sendUnpauseNotify

```
public int sendUnpauseNotify(long location,  
    String name)
```

Send onStatus(NetStream.Unpause.Notify) event

**Parameters:**

location - timecode of event  
name - stream name

**Returns:**

bytes sent to client

---

## sendUnpauseNotify

```
public int sendUnpauseNotify(java.io.OutputStream out,  
    long location,  
    String name)
```

Send onStatus(NetStream.Unpause.Notify) event. Send directly to OutputStream.

**Parameters:**

out - OutputStream  
location - timecode of event  
name - stream name

**Returns:**

bytes sent to client

---

## isAppend

```
public boolean isAppend()
```

Is append to media file (only valid if isRecord)

**Returns:**

is appending or rewriting media file

---

## setAppend

```
public void setAppend(boolean isAppend)
```

Set is append to media file (only valid if isRecord)

**Parameters:**

isAppend - is appending or rewriting media file



## setPlayer

```
public void setPlayer(IMediaStreamPlay player)
```

Set underlying player (IMediaStreamPlay) object

**Parameters:**

player - underlying player (IMediaStreamPlay) object

---

## getPlayer

```
public IMediaStreamPlay getPlayer()
```

Get underlying player (IMediaStreamPlay) object

**Returns:**

underlying player (IMediaStreamPlay) object

---

## getAudioMissing

```
public int getAudioMissing()
```

Get number of audio bytes missing from current audio packet

**Returns:**

number of bytes missing

---

## getVideoMissing

```
public int getVideoMissing()
```

Get number of video bytes missing from current audio packet

**Returns:**

number of bytes missing

---

## getDataMissing

```
public int getDataMissing()
```

Get number of data bytes missing from current audio packet

**Returns:**

number of bytes missing

---

## addVideoData

```
public void addVideoData(byte[] data,  
    int offset,  
    int size)
```

Add data to current video packet

**Parameters:**

data - byte array

offset - offset in byte array

size - size of data to add

---

## addAudioData

```
public void addAudioData(byte[] data,  
    int offset,  
    int size)
```

Add data to current audio packet

**Parameters:**

data - byte array  
offset - offset in byte array  
size - size of data to add

---

## addDataData

```
public void addDataData(byte[] data,  
    int offset,  
    int size)
```

Add data to current data packet

**Parameters:**

data - byte array  
offset - offset in byte array  
size - size of data to add

---

## getProperties

```
public WMSProperties getProperties()
```

Get mediaStream properties

**Returns:**

properties

---

## getPlayPackets

```
public java.util.List getPlayPackets()
```

Get all available live packets

**Returns:**

play packets

---

## getMaxTimecode

```
public long getMaxTimecode()
```

Get the timecode of the latest received packet

**Returns:**

timecode of the latest received packet

---

## getLastKeyFrame

```
public AMFPacket getLastKeyFrame()
```

Get most recent video key frame

---

(continued from last page)

**Returns:**

play packets

---

**getLastPacket**

```
public AMFPacket getLastPacket()
```

Get most recent live packet

**Returns:**

most recent live packet or null or no live packets

---

**getStreamType**

```
public String getStreamType()
```

Get mediaStream streamType

**Returns:**

streamType

---

**setStreamType**

```
public void setStreamType(String streamType)
```

Set mediaStream streamType. This method will not change the type of the current stream.

**Parameters:**

streamType

---

**sendDirectAMF3**

```
public void sendDirectAMF3(String handlerName,  
    Object[] params)
```

Call client side NetStream method/handler and send event to underlying stream (will record event). Force AMF3 encoding.

**Parameters:**

handlerName - handler name

params - variable list of parameters. All parameters will be wrapped in AMFDataObj.

---

**sendDirect**

```
public void sendDirect(String handlerName,  
    Object[] params)
```

Call client side NetStream method/handler and send event to underlying stream (will record event)

**Parameters:**

handlerName - handler name

params - variable list of parameters. All parameters will be wrapped in AMFDataObj.

---

**sendDirectAMF3**

```
public void sendDirectAMF3(String handlerName)
```

Call client side NetStream method/handler and send event to underlying stream (will record event). Force AMF3 encoding.

(continued from last page)

**Parameters:**

handlerName - handler name

---

**sendDirect**

```
public void sendDirect(String handlerName)
```

Call client side NetStream method/handler and send event to underlying stream (will record event)

**Parameters:**

handlerName - handler name

---

**sendAMF3**

```
public void sendAMF3(String handlerName,  
    Object[] params)
```

Call client side NetStream method/handler. Force AMF3 encoding.

**Parameters:**

handlerName - handler name

params - variable list of parameters. All parameters will be wrapped in AMFDataObj.

---

**send**

```
public void send(String handlerName,  
    Object[] params)
```

Call client side NetStream method/handler

**Parameters:**

handlerName - handler name

params - variable list of parameters. All parameters will be wrapped in AMFDataObj.

---

**sendAMF3**

```
public void sendAMF3(String handlerName)
```

Call client side NetStream method/handler with no parameters. Force AMF3 encoding.

**Parameters:**

handlerName - handler name

---

**send**

```
public void send(String handlerName)
```

Call client side NetStream method/handler with no parameters

**Parameters:**

handlerName - handler name

---

**close**

```
public void close()
```

Close mediaStream

(continued from last page)

## isOpen

```
public boolean isOpen()
```

Is mediaStream open

**Returns:**

is mediaStream open

---

## setOpen

```
public void setOpen(boolean isOpen)
```

Set mediaStream open

**Parameters:**

isOpen - mediaStream open

---

## getFastPlaySettings

```
public FastPlaySettings getFastPlaySettings()
```

Get current fastPlay settings

**Returns:**

fastPlay settings

---

## setFastPlaySettings

```
public void setFastPlaySettings(FastPlaySettings fastPlaySettings)
```

Set fastPlay settings

**Parameters:**

fastPlaySettings - fastPlay settings

---

## clearFastPlaySettings

```
public void clearFastPlaySettings()
```

Clear fastPlay settings

---

## isReceiveAudio

```
public boolean isReceiveAudio()
```

Is client currently receiving audio. Controlled by client side call receiveAudio.

**Returns:**

receive audio

---

## setReceiveAudio

```
public void setReceiveAudio(boolean receiveAudio)
```

Set receive audio

**Parameters:**

(continued from last page)

---

`receiveAudio` - receive audio

---

## `isReceiveVideo`

```
public boolean isReceiveVideo()
```

Is client currently receiving video. Controlled by client side call `receiveVideo`

**Returns:**

receive video

---

## `setReceiveVideo`

```
public void setReceiveVideo(boolean receiveVideo)
```

Set receive video

**Parameters:**

`receiveVideo` - receive video

---

## `getReceiveVideoFPS`

```
public int getReceiveVideoFPS()
```

Set frame per seconds for video (not currently implemented)

**Returns:**

video frames per second

---

## `setReceiveVideoFPS`

```
public void setReceiveVideoFPS(int receiveVideoFPS)
```

Set frame per second for video (not currently implemented)

**Parameters:**

`receiveVideoFPS` - video frames per second

---

## `getMediaIOPerformance`

```
public IOPerformanceCounter getMediaIOPerformance()
```

Get IO performance counter

**Returns:**

IO performance counter

---

## `incrementMediaOutBytes`

```
public long incrementMediaOutBytes(long bytes,  
    long count)
```

Increment the number of mediaStream bytes sent and number of packets sent

**Parameters:**

`bytes` - number of bytes sent  
`count` - number of packets sent

**Returns:**

(continued from last page)

total number of bytes sent (after increment)

---

## incrementMediaLossBytes

```
public long incrementMediaLossBytes(long bytes,  
                                     long count)
```

Increment the number of mediaStream loss bytes sent and number of packets sent

### Parameters:

bytes - number of bytes sent  
count - number of packets sent

### Returns:

total number of bytes sent (after increment)

---

## incrementMediaInBytes

```
public long incrementMediaInBytes(long increment)
```

Increment the number of mediaStream bytes received

### Parameters:

increment - number of byte received

### Returns:

total number of bytes received (after increment)

---

## publish

```
public void publish()
```

Publish mediaStream

---

## trim

```
public void trim()
```

Trim mediaStream. This method will remove live packets that are older than the live buffer size.

---

## handleCallback

```
public void handleCallback(com.wowza.wms.request.RequestFunction function)
```

Routes request function to callback handler onStatus, onPlayStatus or [method/handler]

### Parameters:

function - request function

---

## unregisterCallback

```
public void unregisterCallback(String handlerName)
```

Unregister a callback handler

### Parameters:

handlerName - handler name

## registerCallback

```
public void registerCallback(String handlerName,  
    IMediaStreamCallback callback)
```

Register a callback handler

### Parameters:

handlerName - handler name  
callback - callback object

---

## unregisterOnStatus

```
public void unregisterOnStatus(IMediaStreamCallback callback)
```

Unregister onStatus handler

### Parameters:

callback

---

## registerOnStatus

```
public void registerOnStatus(IMediaStreamCallback callback)
```

Register onStatus handler

### Parameters:

callback - callback object

---

## unregisterOnPlayStatus

```
public void unregisterOnPlayStatus(IMediaStreamCallback callback)
```

Unregister onPlayStatus handler

### Parameters:

callback - callback object

---

## registerOnPlayStatus

```
public void registerOnPlayStatus(IMediaStreamCallback callback)
```

Register onPlayStatus handler

### Parameters:

callback - callback object

---

## addClientListener

```
public void addClientListener(IMediaStreamActionNotify actionListener)
```

Add client listener. Listens for (onPlay, onPublish, onPause, onSeek, onStop)

### Parameters:

actionListener - listener

---



(continued from last page)

## addClientListener

```
public void addClientListener(IMediaStreamActionNotify2 actionListener)
```

Add client listener. Listens for (onPlay, onPublish, onPause, onSeek, onStop)

**Parameters:**

actionListener - listener

---

## addClientListener

```
public void addClientListener(IMediaStreamActionNotify3 actionListener)
```

Add client listener. Listens for (onPlay, onPublish, onPause, onSeek, onStop)

**Parameters:**

actionListener - listener

---

## removeClientListener

```
public void removeClientListener(IMediaStreamActionNotify actionListener)
```

Remove client listener. Listens for (onPlay, onPublish, onPause, onSeek, onStop)

**Parameters:**

actionListener - listener

---

## removeClientListener

```
public void removeClientListener(IMediaStreamActionNotify2 actionListener)
```

Remove client listener. Listens for (onPlay, onPublish, onPause, onSeek, onStop)

**Parameters:**

actionListener - listener

---

## removeClientListener

```
public void removeClientListener(IMediaStreamActionNotify3 actionListener)
```

Remove client listener. Listens for (onPlay, onPublish, onPause, onSeek, onStop)

**Parameters:**

actionListener - listener

---

## notifyActionPlay

```
public void notifyActionPlay(String streamName,  
    double playStart,  
    double playLen,  
    int playReset)
```

Notify client listeners of play action

**Parameters:**

streamName - stream name

playStart - play start

playLen - play length

playReset - play reset

---

## notifyActionPauseRaw

```
public void notifyActionPauseRaw(boolean isPause,  
    long location)
```

Notify client listeners of pauseRaw action

### Parameters:

isPause - is pause or unpause  
location - timecode (milliseconds) of action

---

## notifyActionPause

```
public void notifyActionPause(boolean isPause,  
    long location)
```

Notify client listeners of pause action

### Parameters:

isPause - is pause or unpause  
location - timecode (milliseconds) of action

---

## notifyActionSeek

```
public void notifyActionSeek(double location)
```

Notify client listeners of seek action

### Parameters:

location - timecode (milliseconds) of seek request

---

## notifyActionPublish

```
public void notifyActionPublish(String streamName,  
    boolean isRecord,  
    boolean isAppend)
```

Notify client listeners of publish action

### Parameters:

streamName - stream name  
isRecord - is record or live  
isAppend - is append if isRecord is true

---

## notifyActionUnPublish

```
public void notifyActionUnPublish(String streamName,  
    boolean isRecord,  
    boolean isAppend)
```

Notify client listeners of unpublish action

### Parameters:

streamName - stream name  
isRecord - is record or live  
isAppend - is append if isRecord is true

---

(continued from last page)

## notifyActionOnMetaData

```
public void notifyActionOnMetaData(AMFPacket metaDataPacket)
```

Notify client listeners of onMetaData change

### Parameters:

metaDataPacket - metaDataPacket

---

## notifyActionOnCodecInfoVideo

```
public void notifyActionOnCodecInfoVideo(com.wowza.wms.media.model.MediaCodecInfoVideo  
codecInfoVideo)
```

Notify client listeners of video codec information change

### Parameters:

codecInfoVideo - video codec information

---

## notifyActionOnCodecInfoAudio

```
public void notifyActionOnCodecInfoAudio(com.wowza.wms.media.model.MediaCodecInfoAudio  
codecInfoAudio)
```

Notify client listeners of audio codec information change

### Parameters:

codecInfoAudio - audio codec information

---

## notifyActionStop

```
public void notifyActionStop()
```

Notify client listeners of stop action

---

## isClustered

```
public boolean isClustered()
```

not used

### Returns:

isClustered

---

## setClustered

```
public void setClustered(boolean isClustered)
```

not used

### Parameters:

isClustered

---

## getCacheName

```
public String getCacheName()
```

not used

(continued from last page)

**Returns:**

cache name

---

**startPublishing**

```
public void startPublishing()
```

Start publishing live stream

---

**stopPublishing**

```
public void stopPublishing()
```

Stop publishing live stream

---

**getStreamFileForWrite**

```
public java.io.File getStreamFileForWrite()
```

Get the File object to write to a stream (get stream name, ext and query from stream object)

**Returns:**

resultant File object

---

**getStreamFileForWrite**

```
public java.io.File getStreamFileForWrite(String name,  
                                           String ext,  
                                           String query)
```

Get the File object to write to a stream (specify name, ext and query)

**Parameters:**

name - stream name

ext - stream prefix (Ex. mp4:)

query - query part of stream name (Ex. mystream?param1=value1)

**Returns:**

resultant File object

---

**getStreamFileForRead**

```
public java.io.File getStreamFileForRead()
```

Get the File object to read from a stream (get stream name, ext and query from stream object)

**Returns:**

resultant File object

---

**getStreamFileForRead**

```
public java.io.File getStreamFileForRead(String name,  
                                           String ext,  
                                           String query)
```

Get the File object to read from a stream (specify name, ext and query)

**Parameters:**

name - stream name

(continued from last page)

ext - stream prefix (Ex. mp4:)

query - query part of stream name (Ex. mystream?param1=value1)

**Returns:**

resultant File object

---

## sendControlBytes

```
public int sendControlBytes(int controlType,  
    java.io.OutputStream out)
```

Send playback control bytes. Valid values are (0, 1, 4)

**Parameters:**

controlType - control types (0, 1, 4)

out - OutputStream

**Returns:**

bytes sent to client

---

## getBurstStartStop

```
public byte[] getBurstStartStop(boolean isStart)
```

Get the dynamic streaming burst start/stop AMF packet

**Parameters:**

isStart - is start

**Returns:**

byte array with AMF packet

---

## getRespAMFAudioObj

```
public AMFObj getRespAMFAudioObj()
```

Get audio response channel object

**Returns:**

audio response channel object

---

## getRespAMFVideoObj

```
public AMFObj getRespAMFVideoObj()
```

Get video response channel object

**Returns:**

video response channel object

---

## getRespAMFDataObj

```
public AMFObj getRespAMFDataObj()
```

Get data response channel object

**Returns:**

data response channel object

## getQueryStr

```
public String getQueryStr()
```

Get play/publish name query string. Example: if play name is flv:test?param1=data1&param2=data2, query string is "param1=data1&param2=data2".

**Returns:**

query string

---

## setQueryStr

```
public void setQueryStr(String queryStr)
```

Set play/publish name query string. Example: if play name is flv:test?param1=data1&param2=data2, query string is "param1=data1&param2=data2".

**Parameters:**

queryStr

---

## updateLoggingDuration

```
public void updateLoggingDuration()
```

Update logging.MDC with mediaStream logging information

---

## updateLoggingValues

```
public void updateLoggingValues()
```

Update logging.MDC with mediaStream logging information

---

## clearLoggingValues

```
public void clearLoggingValues()
```

---

## length

```
public double length()
```

Get length/duration (seconds) of media file pointed to by mediaStream

**Returns:**

length (seconds)

---

## size

```
public long size()
```

Get size (bytes) of media file pointed to by mediaStream

**Returns:**

size (bytes)

---

(continued from last page)

## getExt

```
public String getExt()
```

Get media file extension

**Returns:**

media file extension

---

## setExt

```
public void setExt(String ext)
```

Set media file extension

**Parameters:**

ext

---

## clear

```
public void clear()
```

Delete media file pointed to by this mediaStream (be careful)

---

## isSendPlayStopLogEvent

```
public boolean isSendPlayStopLogEvent()
```

Get need to send a log event for stop

**Returns:**

need to send a log event for stop

---

## setSendPlayStopLogEvent

```
public void setSendPlayStopLogEvent(boolean sendPlayStopLogEvent)
```

Set need to send a log event for stop

**Parameters:**

sendPlayStopLogEvent - need to send a log event for stop

---

## isSendRecordStopLogEvent

```
public boolean isSendRecordStopLogEvent()
```

Get need to send a log event for recording

**Returns:**

need to send a log event for stop

---

## setSendRecordStopLogEvent

```
public void setSendRecordStopLogEvent(boolean sendPlayStopLogEvent)
```

Set need to send a log event for recording

**Parameters:**

(continued from last page)

sendPlayStopLogEvent - need to send a log event for stop

---

## isSendPublishStopLogEvent

```
public boolean isSendPublishStopLogEvent()
```

Get need to send a log event for publishing

**Returns:**

need to send a log event for stop

---

## setSendPublishStopLogEvent

```
public void setSendPublishStopLogEvent(boolean sendPlayStopLogEvent)
```

Set need to send a log event for publishing

**Parameters:**

sendPlayStopLogEvent - need to send a log event for stop

---

## getAccess

```
public boolean[] getAccess(IClient client,  
    String name)
```

Get the read/write access to this stream for this client

**Parameters:**

client - client

name - stream name

**Returns:**

array of booleans read[0], write[1]

---

## getMetaDataProvider

```
public IMediaStreamMetaDataProvider getMetaDataProvider()
```

Get the metaData provider

**Returns:**

metaData provider

---

## setMetaDataProvider

```
public void setMetaDataProvider(IMediaStreamMetaDataProvider metaDataProvider)
```

Set the metaData provider

**Parameters:**

metaDataProvider - metaData provider

---

## getHeaderSize

```
public int getHeaderSize()
```

Get the last packet header size (debugging)

**Returns:**



(continued from last page)

last packet header size

---

## setHeaderSize

```
public void setHeaderSize(int headerSize)
```

Set the last packet header size (debugging)

**Parameters:**

headerSize - last packet header size

---

## getAudioCodecConfigPacket

```
public AMFPacket getAudioCodecConfigPacket(long timecode)
```

Get audio codec configuration packet (needed for H.264/AAC playback)

**Parameters:**

timecode - timecode of the packet to which you want to get the codec config information

**Returns:**

audio codec configuration packet (needed for H.264/AAC playback)

---

## addAudioCodecConfigPacket

```
public void addAudioCodecConfigPacket(long timecode,  
    AMFPacket packet)
```

Set audio codec configuration packet (needed for H.264/AAC playback)

**Parameters:**

timecode - timecode in milliseconds of first packet that uses this timecode

packet - audio codec configuration packet (needed for H.264/AAC playback)

---

## getVideoCodecConfigPacket

```
public AMFPacket getVideoCodecConfigPacket(long timecode)
```

Get video codec configuration packet (needed for H.264/AAC playback)

**Parameters:**

timecode - timecode of the packet to which you want to get the codec config information

**Returns:**

video codec configuration packet (needed for H.264/AAC playback)

---

## addVideoCodecConfigPacket

```
public void addVideoCodecConfigPacket(long timecode,  
    AMFPacket packet)
```

Set video codec configuration packet (needed for H.264/AAC playback)

**Parameters:**

timecode - timecode in milliseconds of first packet that uses this timecode

packet - video codec configuration packet (needed for H.264/AAC playback)

---

(continued from last page)

---

## getRTPStream

```
public RTPStream getRTPStream( )
```

Get the RTP based stream this stream is associated with

**Returns:**

RTP based stream this stream is associated with

---

## setRTPStream

```
public void setRTPStream(RTPStream rtpStream)
```

Set the RTP based stream this stream is associated with

**Parameters:**

rtpStream - RTP based stream this stream is associated with

---

## flush

```
public void flush( )
```

Force publishing packets to be flushed from the input buffers to the output buffers

---

## startAudioPacket

```
public void startAudioPacket( )
```

Called when an audio packet is first being populated with data

---

## startVideoPacket

```
public void startVideoPacket( )
```

Called when a video packet is first being populated with data

---

## startDataPacket

```
public void startDataPacket( )
```

Called when a data packet is first being populated with data

---

## getLiveStreamPacketizerList

```
public String getLiveStreamPacketizerList( )
```

Get the comma separated list of LiveStreamPacketizers names being used by this stream (see conf/LiveStreamPacketizers.xml)

**Returns:**

comma separated list of LiveStreamPacketizers names

---

## setLiveStreamPacketizerList

```
public void setLiveStreamPacketizerList(String liveStreamPacketizerList)
```

Set the comma separated list of LiveStreamPacketizers names being used by this stream (see conf/LiveStreamPacketizers.xml)

**Parameters:**

(continued from last page)

liveStreamPacketizerList - comma separated list of LiveStreamPacketizers names

---

## getLiveStreamTranscoderList

```
public String getLiveStreamTranscoderList()
```

Get the comma separated list of LiveStreamTranscoders names being used by this stream (see conf/LiveStreamTranscoders.xml)

**Returns:**

comma separated list of LiveStreamTranscoders names

---

## setLiveStreamTranscoderList

```
public void setLiveStreamTranscoderList(String liveStreamTranscoderList)
```

Set the comma separated list of LiveStreamTranscoders names being used by this stream (see conf/LiveStreamTranscoders.xml)

**Parameters:**

liveStreamTranscoderList - comma separated list of LiveStreamTranscoders names

---

## getLiveStreamPacketizer

```
public ILiveStreamPacketizer getLiveStreamPacketizer(String name)
```

Get the LiveStreamPacketizer interface to a stream by name

**Parameters:**

name - LiveStreamPacketizer name

**Returns:**

LiveStreamPacketizer interface

---

## getDvrRecorderList

```
public String getDvrRecorderList()
```

Get the comma separated list of DVR Recorder names being used by this stream (see conf/Dvr.xml)

**Returns:**

comma separated list of DVR Recorder names

---

## setDvrRecorderList

```
public void setDvrRecorderList(String recorderList)
```

Set the comma separated list of DVR Recorder names being used by this stream (see conf/Dvr.xml)

**Parameters:**

recorderList - comma separated list of DVR Recorder names

---

## getDvrRecorder

```
public ILiveStreamDvrRecorder getDvrRecorder(String name)
```

Get the DVR Recorder interface to a stream by name

**Parameters:**

(continued from last page)

name - DVR Recorder name

**Returns:**

DVR Recorder interface

---

**getUniqueStreamIdStr**

```
public String getUniqueStreamIdStr()
```

Get a string that uniquely identifies this stream

**Returns:**

unique stream identifier

---

**getHTTPStreamerSession**

```
public IHTTPStreamerSession getHTTPStreamerSession()
```

Get the HTTPStreamer session associated with this stream

**Returns:**

HTTPStreamer session associated with this stream

---

**setHTTPStreamerSession**

```
public void setHTTPStreamerSession(IHTTPStreamerSession httpStreamerSession)
```

Set the HTTPStreamer session associated with this stream

**Parameters:**

httpStreamerSession - HTTPStreamer session associated with this stream

---

**getElapsedTime**

```
public ElapsedTimer getElapsedTime()
```

Get the interface to the elapse timer

**Returns:**

interface to the elapse timer

---

**getLiveStreamPacketizer**

```
public String getLiveStreamPacketizer()
```

Get the live stream packetizer that this stream is using

**Returns:**

live stream packetizer

---

**setLiveStreamPacketizer**

```
public void setLiveStreamPacketizer(String liveStreamPacketizer)
```

Set the live stream packetizer that this stream is using

**Parameters:**

liveStreamPacketizer - live stream packetizer

## getLiveStreamRepeater

```
public String getLiveStreamRepeater()
```

Get the live stream repeater name for the stream

**Returns:**

live stream repeater name

---

## setLiveStreamRepeater

```
public void setLiveStreamRepeater(String liveStreamRepeater)
```

Set the live stream repeater name for the stream

**Parameters:**

liveStreamRepeater - live stream repeater name

---

## initLiveStreamRepeating

```
public void initLiveStreamRepeating(String liveStreamPacketizer,  
    String liveStreamRepeater)
```

Initialize this stream for live stream repeating

**Parameters:**

liveStreamPacketizer - live stream packetizer

liveStreamRepeater - live stream repeater name

---

## getPublishVideoCodecId

```
public int getPublishVideoCodecId()
```

Get the codec id of the most recently published video packet

**Returns:**

codec id of the most recently published video packet

---

## setPublishVideoCodecId

```
public void setPublishVideoCodecId(int publishVideoCodecId)
```

Set the codec id of the most recently published video packet

**Parameters:**

publishVideoCodecId - codec id of the most recently published video packet

---

## getPublishAudioCodecId

```
public int getPublishAudioCodecId()
```

Get the codec id of the most recently published audio packet

**Returns:**

codec id of the most recently published audio packet

---

(continued from last page)

---

## setPublishAudioCodecId

```
public void setPublishAudioCodecId(int publishAudioCodecId)
```

Set the codec id of the most recently published audio packet

**Parameters:**

publishAudioCodecId - codec id of the most recently published audio packet

---

## isPublishStreamReady

```
public boolean isPublishStreamReady(boolean checkAudio,  
    boolean checkVideo)
```

Returns true if the publishing stream contains enough video/audio data to start playback

**Parameters:**

checkAudio - check audio stream

checkVideo - check video stream

**Returns:**

true if the publishing stream contains enough video/audio data to start playback

---

## getContextStr

```
public String getContextStr()
```

Returns the stream context string in the form [application]/[appInstance]/[streamName].

**Returns:**

stream context string

---

## isMediaCasterPlay

```
public boolean isMediaCasterPlay()
```

Is MediaCaster play enabled (if true, will trigger MediaCaster startup)

**Returns:**

true if MediaCaster play enabled

---

## setMediaCasterPlay

```
public void setMediaCasterPlay(boolean isMediaCasterPlay)
```

Is MediaCaster play enabled (if true, will trigger MediaCaster startup)

**Parameters:**

isMediaCasterPlay - true if MediaCaster play enabled

---

## isMergeOnMetadata

```
public boolean isMergeOnMetadata()
```

If true, merge incoming onMetadata events with the current onMetadata event data. If false, replace.

**Returns:**

true, merge incoming onMetadata events with the current onMetadata event data. If false, replace.

---

## setMergeOnMetadata

```
public void setMergeOnMetadata(boolean mergeOnMetadata)
```

If true, merge incoming onMetadata events with the current onMetadata event data. If false, replace.

**Parameters:**

mergeOnMetadata - true, merge incoming onMetadata events with the current onMetadata event data. If false, replace.

---

## getDvrRecorder

```
public String getDvrRecorder()
```

Get the DVR Recorder for this stream

**Returns:**

DVR Recorder

---

## getDvrRepeater

```
public String getDvrRepeater()
```

Get the DVR repeater name for this stream

**Returns:**

repeater name

---

## setDvrRecorder

```
public void setDvrRecorder(String recorderName)
```

Set the DVR Recorder that this stream is using

**Parameters:**

recorderName - DVR Recorder

---

## removeDvrRecorder

```
public ILiveStreamDvrRecorder removeDvrRecorder(String name)
```

Remove a live stream dvr by name

**Parameters:**

name - dvr name

**Returns:**

live stream dvr

---

## putDvrRecorder

```
public void putDvrRecorder(String name,  
    ILiveStreamDvrRecorder dvr)
```

Add a live stream dvr to this stream

**Parameters:**

name - dvr name

dvr - live stream dvr

---

## getLiveStreamTranscoders

```
public java.util.Map getLiveStreamTranscoders()
```

Get the list of transcoders for this stream.

**Returns:**

list of transcoders for this stream

---

## getLiveStreamTranscoder

```
public ILiveStreamTranscoder getLiveStreamTranscoder(String name)
```

Get a live stream transcoder for this stream by name

**Parameters:**

name - transcoder name

**Returns:**

live stream transcoder

---

## removeLiveStreamTranscoder

```
public ILiveStreamTranscoder removeLiveStreamTranscoder(String name)
```

Remove a live stream transcoder by name

**Parameters:**

name - transcoder name

**Returns:**

live stream transcoder

---

## putLiveStreamTranscoder

```
public void putLiveStreamTranscoder(String name,  
    ILiveStreamTranscoder liveStreamTranscoder)
```

Add a live stream transcoder to this stream

**Parameters:**

name - transcoder name

liveStreamTranscoder - live stream transcoder

---

## isTranscodeResult

```
public boolean isTranscodeResult()
```

Is this stream the result of a transcode operation.

**Returns:**

true if stream the result of a transcode operation

---

## setTranscodeResult

```
public void setTranscodeResult(boolean isTranscodeResult)
```

Is this stream the result of a transcode operation.

---



(continued from last page)

**Parameters:**

isTranscodeResult - true if stream the result of a transcode operation

---

**addVideoH264SEIListener**

```
public void addVideoH264SEIListener(IMediaStreamH264SEINotify h264SEIListener)
```

Add an H.264 SEI listener. This listener will be notified of all incoming H.264 video packets and has the ability to read and/or modify SEI section of the video frame.

**Parameters:**

h264SEIListener - H.264 SEI listener

---

**removeVideoH264SEIListener**

```
public void removeVideoH264SEIListener(IMediaStreamH264SEINotify h264SEIListener)
```

Remove an H.264 SEI listener. This listener will be notified of all incoming H.264 video packets and has the ability to read and/or modify SEI section of the video frame.

**Parameters:**

h264SEIListener - H.264 SEI listener

---

**isVideoH264SEIListenerEmpty**

```
public boolean isVideoH264SEIListenerEmpty()
```

Is H.264 SEI listener list empty. This listener will be notified of all incoming H.264 video packets and has the ability to read and/or modify SEI section of the video frame.

**Returns:**

true if H.264 SEI listener list empty

---

**notifyVideoH264Packet**

```
public void notifyVideoH264Packet(AMFPacket packet,  
com.wowza.wms.media.h264.H264SEIMessages seiMessages)
```

Notify H.264 SEI listener.

**Parameters:**

packet - AMF Packet

seiMessages - seiMessages

## com.wowza.wms.stream Interface IMediaStreamActionNotify

All Subinterfaces:

[IMediaStreamActionNotify2](#), [IMediaStreamActionNotify3](#)

All Known Implementing Classes:

[LiveStreamRecordActionNotifier](#)

public interface **IMediaStreamActionNotify**  
extends

IMediaStreamActionNotify: listener interface used by IMediaStream addClientListener

### Method Summary

void	<a href="#">onPause</a> ( <a href="#">IMediaStream</a> stream, boolean isPause, double location) Triggered on mediaStream pause
void	<a href="#">onPlay</a> ( <a href="#">IMediaStream</a> stream, String streamName, double playStart, double playLen, int playReset) Triggered on mediaStream play
void	<a href="#">onPublish</a> ( <a href="#">IMediaStream</a> stream, String streamName, boolean isRecord, boolean isAppend) Triggered on mediaStream publish
void	<a href="#">onSeek</a> ( <a href="#">IMediaStream</a> stream, double location) Triggered on mediaStream seek
void	<a href="#">onStop</a> ( <a href="#">IMediaStream</a> stream) Triggered on mediaStream stop
void	<a href="#">onUnPublish</a> ( <a href="#">IMediaStream</a> stream, String streamName, boolean isRecord, boolean isAppend) Triggered on mediaStream unpublish

### Methods

#### onPlay

```
public void onPlay(IMediaStream stream,  
    String streamName,  
    double playStart,  
    double playLen,  
    int playReset)
```

Triggered on mediaStream play

#### Parameters:

stream - mediaStream  
streamName - streamName  
playStart - playStart offset  
playLen - playLen

(continued from last page)

playReset - reset playlist

---

## onPublish

```
public void onPublish(IMediaStream stream,  
    String streamName,  
    boolean isRecord,  
    boolean isAppend)
```

Triggered on mediaStream publish

### Parameters:

stream - mediaStream  
streamName - streamName  
isRecord - recording stream  
isAppend - appending to file

---

## onUnPublish

```
public void onUnPublish(IMediaStream stream,  
    String streamName,  
    boolean isRecord,  
    boolean isAppend)
```

Triggered on mediaStream unpublish

### Parameters:

stream - mediaStream  
streamName - streamName  
isRecord - recording stream  
isAppend - appending to file

---

## onPause

```
public void onPause(IMediaStream stream,  
    boolean isPause,  
    double location)
```

Triggered on mediaStream pause

### Parameters:

stream - mediaStream  
isPause - pause or unpause  
location - location (milliseconds)

---

## onSeek

```
public void onSeek(IMediaStream stream,  
    double location)
```

Triggered on mediaStream seek

### Parameters:

stream - mediaStream  
location - location (milliseconds)

---

## onStop

```
public void onStop(IMediaStream stream)
```

(continued from last page)

Triggered on mediaStream stop

**Parameters:**

stream - mediaStream

## com.wowza.wms.stream Interface IMediaStreamActionNotify2

All Superinterfaces:

[IMediaStreamActionNotify](#)

All Subinterfaces:

[IMediaStreamActionNotify3](#)

public interface **IMediaStreamActionNotify2**  
extends [IMediaStreamActionNotify](#)

### Method Summary

void	<a href="#">onMetaData</a> ( <a href="#">IMediaStream</a> stream, <a href="#">AMFPacket</a> metaDataPacket) Triggered when a published streams metadata is set or changes
void	<a href="#">onPauseRaw</a> ( <a href="#">IMediaStream</a> stream, boolean isPause, double location) Triggered on mediaStream pauseRaw.

Methods inherited from interface [com.wowza.wms.stream.IMediaStreamActionNotify](#)

[onPause](#), [onPlay](#), [onPublish](#), [onSeek](#), [onStop](#), [onUnPublish](#)

### Methods

#### onMetaData

```
public void onMetaData(IMediaStream stream,  
    AMFPacket metaDataPacket)
```

Triggered when a published streams metadata is set or changes

#### onPauseRaw

```
public void onPauseRaw(IMediaStream stream,  
    boolean isPause,  
    double location)
```

Triggered on mediaStream pauseRaw. The pauseRaw method is called when a pause occurs in the player.

##### Parameters:

stream - mediaStream  
isPause - pause or unpause  
location - location (milliseconds)

## com.wowza.wms.stream Interface IMediaStreamActionNotify3

All Superinterfaces:

[IMediaStreamActionNotify2](#), [IMediaStreamActionNotify](#)

public interface **IMediaStreamActionNotify3**  
extends [IMediaStreamActionNotify2](#)

### Method Summary

void	<a href="#">onCodecInfoAudio</a> ( <a href="#">IMediaStream</a> stream, <a href="#">com.wowza.wms.media.model.MediaCodecInfoAudio</a> codecInfoAudio) Triggered when publishing stream receives codec information.
void	<a href="#">onCodecInfoVideo</a> ( <a href="#">IMediaStream</a> stream, <a href="#">com.wowza.wms.media.model.MediaCodecInfoVideo</a> codecInfoVideo) Triggered when publishing stream receives codec information.

Methods inherited from interface [com.wowza.wms.stream.IMediaStreamActionNotify2](#)

[onMetaData](#), [onPauseRaw](#)

Methods inherited from interface [com.wowza.wms.stream.IMediaStreamActionNotify](#)

[onPause](#), [onPlay](#), [onPublish](#), [onSeek](#), [onStop](#), [onUnPublish](#)

### Methods

#### onCodecInfoVideo

```
public void onCodecInfoVideo(IMediaStream stream,  
    com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo)
```

Triggered when publishing stream receives codec information.

**Parameters:**

stream - mediaStream  
codecInfoVideo - video codec information

#### onCodecInfoAudio

```
public void onCodecInfoAudio(IMediaStream stream,  
    com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio)
```

Triggered when publishing stream receives codec information.

**Parameters:**

stream - mediaStream  
codecInfoAudio - video codec information

com.wowza.wms.stream

# Interface IMediaStreamCallback

public interface **IMediaStreamCallback**  
extends

IMediaStreamCallback: callback interface used by IMediaStream registerCallback, registerOnStatus, registerOnPlayStatus

Method Summary	
void	<div><div>onCallback(<a href="#">IMediaStream</a> stream, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params)</div><div>Triggered on callback event</div></div>

## Methods

### onCallback

```
public void onCallback(IMediaStream stream,
    com.wowza.wms.request.RequestFunction function,
    AMFDataList params)
```

Triggered on callback event

**Parameters:**

- stream - mediaStream
- function - function that triggered callback
- params - function parameters

## com.wowza.wms.stream Interface IMediaStreamFileMapper

public interface **IMediaStreamFileMapper**  
extends

Interface for mapping a IMediaStream to the underlying file system. Implement this interface and set your class using `IApplicationInstance.setStreamFileMapper(IMediaStreamFileMapper streamFileMapper)`. Your class will then be called each time a stream needs to be mapped to the underlying file system.

### Method Summary

java.io.File	<a href="#"><code>streamToFileForRead(IMediaStream stream)</code></a> Get the File object to read from a stream (get stream name, ext and query from stream object)
java.io.File	<a href="#"><code>streamToFileForRead(IMediaStream stream, String name, String ext, String query)</code></a> Get the File object to read from a stream (specify name, ext and query)
java.io.File	<a href="#"><code>streamToFileForWrite(IMediaStream stream)</code></a> Get the File object to write to a stream (get stream name, ext and query from stream object)
java.io.File	<a href="#"><code>streamToFileForWrite(IMediaStream stream, String name, String ext, String query)</code></a> Get the File object to write to a stream (specify name, ext and query)

### Methods

#### **streamToFileForRead**

```
public java.io.File streamToFileForRead(IMediaStream stream,  
    String name,  
    String ext,  
    String query)
```

Get the File object to read from a stream (specify name, ext and query)

##### **Parameters:**

stream - stream  
name - stream name  
ext - stream prefix (Ex. mp4:)  
query - query part of stream name (Ex. mystream?param1=value1)

##### **Returns:**

resultant File object

#### **streamToFileForRead**

```
public java.io.File streamToFileForRead(IMediaStream stream)
```

Get the File object to read from a stream (get stream name, ext and query from stream object)

##### **Parameters:**



---

(continued from last page)

stream - stream

**Returns:**

resultant File object

---

## streamToFileForWrite

```
public java.io.File streamToFileForWrite(IMediaStream stream,  
    String name,  
    String ext,  
    String query)
```

Get the File object to write to a stream (specify name, ext and query)

**Parameters:**

stream - stream

name - stream name

ext - stream prefix (Ex. mp4:)

query - query part of stream name (Ex. mystream?param1=value1)

**Returns:**

resultant File object

---

## streamToFileForWrite

```
public java.io.File streamToFileForWrite(IMediaStream stream)
```

Get the File object to write to a stream (get stream name, ext and query from stream object)

**Parameters:**

stream - stream

**Returns:**

resultant File object

com.wowza.wms.stream

Interface IMediaStreamH264SEINotify

public interface IMediaStreamH264SEINotify

extends

Method Summary	
void	<a href="#">onVideoH264Packet</a> ( <a href="#">IMediaStream</a> stream, <a href="#">AMFPacket</a> packet, <a href="#">com.wowza.wms.media.h264.H264SEIMessages</a> seiMessages)

Methods

onVideoH264Packet

```
public void onVideoH264Packet(IMediaStream stream,
    AMFPacket packet,
    com.wowza.wms.media.h264.H264SEIMessages seiMessages)
```

---

## com.wowza.wms.stream Interface IMediaStreamMediaCaster

---

public interface **IMediaStreamMediaCaster**  
extends

IMediaStreamMediaCaster: Internal use

---

### Method Summary

<a href="#">IMediaCaster</a>	<a href="#">getMediaCaster()</a>
void	<a href="#">setMediaCasterItem(<a href="#">MediaCasterItem</a> mediaCasterItem)</a>

---

### Methods

#### setMediaCasterItem

public void **setMediaCasterItem**([MediaCasterItem](#) mediaCasterItem)

---

#### getMediaCaster

public [IMediaCaster](#) **getMediaCaster**()

## com.wowza.wms.stream Interface IMediaStreamMetaDataProvider

public interface **IMediaStreamMetaDataProvider**  
extends

IMediaStreamMetaDataProvider: Live streaming metadata provider.

### Method Summary

void	<a href="#"><u>onStreamStart</u></a> (java.util.List metaDataList, long timecode) Called to get the onMetadata data at a particular point in time in the stream
------	--

### Methods

#### onStreamStart

```
public void onStreamStart(java.util.List metaDataList,  
    long timecode)
```

Called to get the onMetadata data at a particular point in time in the stream

**Parameters:**

metaDataList - list of onMetadata data (should always be one item in list)  
timecode - timecode in milliseconds

## com.wowza.wms.stream Interface IMediaStreamNameAliasProvider

All Subinterfaces:

[IMediaStreamNameAliasProvider2](#)

public interface **IMediaStreamNameAliasProvider**  
extends

IMediaStreamNameAliasProvider: alias provider interface. See [IAApplication.setStreamNameAliasProvider\(IMediaStreamNameAliasProvider streamNameAliasProvider\)](#). See updated interface [IMediaStreamNameAliasProvider2](#) which provides more complete context information.

### Method Summary

String	<a href="#">resolvePlayAlias</a> ( <a href="#">IAApplicationInstance</a> appInstance, String name) Called to resolve a play alias
String	<a href="#">resolveStreamAlias</a> ( <a href="#">IAApplicationInstance</a> appInstance, String name) Called to resolve a stream alias

### Methods

#### resolvePlayAlias

```
public String resolvePlayAlias(IAApplicationInstance appInstance,  
    String name)
```

Called to resolve a play alias

**Parameters:**

appInstance - applicationInstance  
name - stream name

**Returns:**

resultant name, null if want to block playback

#### resolveStreamAlias

```
public String resolveStreamAlias(IAApplicationInstance appInstance,  
    String name)
```

Called to resolve a stream alias

**Parameters:**

appInstance - applicationInstance  
name - stream name

**Returns:**

resultant name, null if want to block playback

## com.wowza.wms.stream Interface IMediaStreamNameAliasProvider2

All Superinterfaces:

[IMediaStreamNameAliasProvider](#)

public interface **IMediaStreamNameAliasProvider2**

extends [IMediaStreamNameAliasProvider](#)

IMediaStreamNameAliasProvider: alias provider interface. See

`IApplication.setStreamNameAliasProvider(IMediaStreamNameAliasProvider streamNameAliasProvider)`.

### Method Summary

String	<a href="#">resolvePlayAlias</a> ( <a href="#">IApplicationInstance</a> appInstance, String name, <a href="#">IClient</a> client) Resolve play alias for RTMP streaming
String	<a href="#">resolvePlayAlias</a> ( <a href="#">IApplicationInstance</a> appInstance, String name, <a href="#">IHTTPStreamerSession</a> httpSession) Resolve play alias for HTTP streaming.
String	<a href="#">resolvePlayAlias</a> ( <a href="#">IApplicationInstance</a> appInstance, String name, <a href="#">ILiveStreamPacketizer</a> liveStreamPacketizer) Resolve play alias for live stream packetizer
String	<a href="#">resolvePlayAlias</a> ( <a href="#">IApplicationInstance</a> appInstance, String name, <a href="#">RTPSession</a> rtpSession) Resolve play alias for RTSP/RTP streaming
String	<a href="#">resolveStreamAlias</a> ( <a href="#">IApplicationInstance</a> appInstance, String name, <a href="#">IMediaCaster</a> mediaCaster) Resolve stream alias for MediaCaster

Methods inherited from interface [com.wowza.wms.stream.IMediaStreamNameAliasProvider](#)

[resolvePlayAlias](#), [resolveStreamAlias](#)

### Methods

#### resolvePlayAlias

```
public String resolvePlayAlias(IApplicationInstance appInstance,  
    String name,  
    IClient client)
```

Resolve play alias for RTMP streaming

**Parameters:**

appInstance - application instance  
name - stream name  
client - client interface

**Returns:**

(continued from last page)

resultant name, null if want to block playback

---

## resolvePlayAlias

```
public String resolvePlayAlias(IApplicationInstance appInstance,  
    String name,  
    IHTTPStreamerSession httpSession)
```

Resolve play alias for HTTP streaming. This callback may be called when there is not a valid HTTP session. In this case a phantom HTTP session will be created and will be populated with information from the underlying HTTP request (such as IP address and query string) but the session Id will be null.

### Parameters:

appInstance - application instance

name - name

httpSession - HTTP session

### Returns:

resultant name, null if want to block playback

---

## resolvePlayAlias

```
public String resolvePlayAlias(IApplicationInstance appInstance,  
    String name,  
    RTPSession rtpSession)
```

Resolve play alias for RTSP/RTP streaming

### Parameters:

appInstance - application instance

name - name

rtpSession - RTP session

### Returns:

resultant name, null if want to block playback

---

## resolvePlayAlias

```
public String resolvePlayAlias(IApplicationInstance appInstance,  
    String name,  
    ILiveStreamPacketizer liveStreamPacketizer)
```

Resolve play alias for live stream packetizer

### Parameters:

appInstance - application instance

name - name

liveStreamPacketizer - live stream packetizer

### Returns:

resultant name, null if want to block playback

---

## resolveStreamAlias

```
public String resolveStreamAlias(IApplicationInstance appInstance,  
    String name,  
    IMediaCaster mediaCaster)
```

Resolve stream alias for MediaCaster

(continued from last page)

**Parameters:**

appInstance - application instance  
name - name  
mediaCaster - media caster

**Returns:**

resultant name, null if want to block playback



com.wowza.wms.stream

# Interface IMediaStreamNotify

public interface **IMediaStreamNotify**  
extends

IMediaStreamNotify: listener interface used by IApplicationInstance addMediaStreamListener

Method Summary	
void	<a href="#">onMediaStreamCreate</a> ( <a href="#">IMediaStream</a> stream) Triggered when mediaStream created
void	<a href="#">onMediaStreamDestroy</a> ( <a href="#">IMediaStream</a> stream) Triggered when mediaStream destroyed

## Methods

### onMediaStreamCreate

public void **onMediaStreamCreate**([IMediaStream](#) stream)

Triggered when mediaStream created

**Parameters:**  
stream - mediaStream

### onMediaStreamDestroy

public void **onMediaStreamDestroy**([IMediaStream](#) stream)

Triggered when mediaStream destroyed

**Parameters:**  
stream - mediaStream

## com.wowza.wms.stream Interface IMediaStreamPlay

public interface **IMediaStreamPlay**  
extends

IMediaStreamPlay: public interface of mediaStreamPlayer object.

### Field Summary

public static final	<a href="#"><u>PAUSE_PAUSE</u></a> Pause type: pause Value: <b>1</b>
public static final	<a href="#"><u>PAUSE_PLAY</u></a> Pause type: play Value: <b>0</b>
public static final	<a href="#"><u>PAUSE_TOGGLE</u></a> Pause type: toggle Value: <b>-1</b>
public static final	<a href="#"><u>PLAYSIZES_AUDIO_BYTES</u></a> IMediaReader sizes array: audio byte count Value: <b>0</b>
public static final	<a href="#"><u>PLAYSIZES_AUDIO_COUNT</u></a> IMediaReader sizes array: audio packet count Value: <b>1</b>
public static final	<a href="#"><u>PLAYSIZES_DATA_BYTES</u></a> IMediaReader sizes array: data byte count Value: <b>4</b>
public static final	<a href="#"><u>PLAYSIZES_DATA_COUNT</u></a> IMediaReader sizes array: data packet count Value: <b>5</b>
public static final	<a href="#"><u>PLAYSIZES_LOSS_BYTES</u></a> IMediaReader sizes array: data byte count Value: <b>6</b>
public static final	<a href="#"><u>PLAYSIZES_LOSS_COUNT</u></a> IMediaReader sizes array: data packet count Value: <b>7</b>
public static final	<a href="#"><u>PLAYSIZES_SIZE</u></a> IMediaReader sizes array: size of sizes array long[PLAYSIZES_SIZE] Value: <b>8</b>
public static final	<a href="#"><u>PLAYSIZES_VIDEO_BYTES</u></a> IMediaReader sizes array: video byte count Value: <b>2</b>

public static final	<a href="#">PLAYSIZES_VIDEO_COUNT</a> IMediaReader sizes array: video packet count Value: <b>3</b>
public static final	<a href="#">PLAYSTATUSTYPE_COMPLETE</a> onPlayStatus type: complete Value: <b>2</b>
public static final	<a href="#">PLAYSTATUSTYPE_STOP</a> onPlayStatus type: stop Value: <b>3</b>
public static final	<a href="#">PLAYSTATUSTYPE_SWITCH</a> onPlayStatus type: switch Value: <b>1</b>

## Method Summary

void	<a href="#">close()</a> Close mediaStreamPlay
<a href="#">IMediaStream</a>	<a href="#">getParent()</a> Get the parent media stream object
void	<a href="#">init</a> ( <a href="#">IMediaStream</a> parent, <a href="#">MediaStreamMap</a> streams) Initialize mediaStreamPlayer
void	<a href="#">initLiveStreamRepeating</a> (String liveStreamPacketizer, String liveStreamRepeater) Initialize this stream for live stream repeating
void	<a href="#">interruptPlay()</a> Interrupt play to perform operation.
double	<a href="#">length()</a> Get stream length/seconds (seconds)
void	<a href="#">pause</a> (int pauseType, long timecode) pause mediaPlayStream
void	<a href="#">pauseRaw</a> (int pauseType, long timecode) pauseRaw mediaPlayStream
boolean	<a href="#">play()</a> Return true if there are packets to play
int	<a href="#">play</a> (java.io.OutputStream out, <a href="#">AMFObj</a> wmsObjAudio, <a href="#">AMFObj</a> wmsObjVideo, <a href="#">AMFObj</a> wmsObjData, long[] sizes) Write new packets or play packets
void	<a href="#">reset</a> (boolean isReset) Reset mediaStreamPlayer
void	<a href="#">resetNoLookup()</a> Reset but do not lookup current position in live stream
void	<a href="#">seek</a> (int location) seek mediaPlayStream

void	<a href="#"><code>setBufferTime</code></a> (int bufferTime) Set buffer time
void	<a href="#"><code>setName</code></a> (String name, String oldName, String ext, String queryStr, double playStart, double playLen, int playTransition) Set mediaPlayStream name, extension, query string, play start, play len, play reset
void	<a href="#"><code>shutdown</code></a> () Shutdown mediaStreamPlayer
long	<a href="#"><code>size</code></a> () Get stream media file size
void	<a href="#"><code>startPlay</code></a> () Start playing stream
void	<a href="#"><code>stopName</code></a> (String name, String oldName, String ext, String queryStr, double playStart, double playLen, int playTransition) Stop stream name
void	<a href="#"><code>switchName</code></a> (String name, String oldName, String ext, String queryStr, double playStart, double playLen, int playTransition) Switch to stream name
void	<a href="#"><code>switchPlay</code></a> ()
void	<a href="#"><code>updateLoggingValues</code></a> () Update internal logging values

## Fields

### PAUSE\_PAUSE

```
public static final int PAUSE_PAUSE
```

Pause type: pause  
Constant value: **1**

### PAUSE\_TOGGLE

```
public static final int PAUSE_TOGGLE
```

Pause type: toggle  
Constant value: **-1**

### PAUSE\_PLAY

```
public static final int PAUSE_PLAY
```

Pause type: play  
Constant value: **0**

### PLAYSTATUSTYPE\_SWITCH

```
public static final int PLAYSTATUSTYPE_SWITCH
```

onPlayStatus type: switch

(continued from last page)

Constant value: **1**

---

## PLAYSTATUSTYPE\_COMPLETE

```
public static final int PLAYSTATUSTYPE_COMPLETE
```

onPlayStatus type: complete  
Constant value: **2**

---

## PLAYSTATUSTYPE\_STOP

```
public static final int PLAYSTATUSTYPE_STOP
```

onPlayStatus type: stop  
Constant value: **3**

---

## PLAYSIZES\_AUDIO\_BYTES

```
public static final int PLAYSIZES_AUDIO_BYTES
```

IMediaReader sizes array: audio byte count  
Constant value: **0**

---

## PLAYSIZES\_AUDIO\_COUNT

```
public static final int PLAYSIZES_AUDIO_COUNT
```

IMediaReader sizes array: audio packet count  
Constant value: **1**

---

## PLAYSIZES\_VIDEO\_BYTES

```
public static final int PLAYSIZES_VIDEO_BYTES
```

IMediaReader sizes array: video byte count  
Constant value: **2**

---

## PLAYSIZES\_VIDEO\_COUNT

```
public static final int PLAYSIZES_VIDEO_COUNT
```

IMediaReader sizes array: video packet count  
Constant value: **3**

---

## PLAYSIZES\_DATA\_BYTES

```
public static final int PLAYSIZES_DATA_BYTES
```

IMediaReader sizes array: data byte count  
Constant value: **4**

---

## PLAYSIZES\_DATA\_COUNT

```
public static final int PLAYSIZES_DATA_COUNT
```

IMediaReader sizes array: data packet count  
Constant value: **5**

---

(continued from last page)

## PLAYSIZES\_LOSS\_BYTES

```
public static final int PLAYSIZES_LOSS_BYTES
```

IMediaReader sizes array: data byte count  
Constant value: **6**

## PLAYSIZES\_LOSS\_COUNT

```
public static final int PLAYSIZES_LOSS_COUNT
```

IMediaReader sizes array: data packet count  
Constant value: **7**

## PLAYSIZES\_SIZE

```
public static final int PLAYSIZES_SIZE
```

IMediaReader sizes array: size of sizes array long[PLAYSIZES\_SIZE]  
Constant value: **8**

## Methods

### init

```
public void init(IMediaStream parent,  
                 MediaStreamMap streams)
```

Initialize mediaStreamPlayer

#### Parameters:

parent - parent mediaStream object  
streams - parent mediaStreamMap

### shutdown

```
public void shutdown()
```

Shutdown mediaStreamPlayer

### reset

```
public void reset(boolean isReset)
```

Reset mediaStreamPlayer

#### Parameters:

isReset - is this a playlist reset or addition, true if reset

### resetNoLookup

```
public void resetNoLookup()
```

Reset but do not lookup current position in live stream

(continued from last page)

## play

```
public int play(java.io.OutputStream out,
    AMFObj wmsObjAudio,
    AMFObj wmsObjVideo,
    AMFObj wmsObjData,
    long[] sizes)
```

Write new packets or play packets

### Parameters:

out - OutputStream  
wmsObjAudio - audio response channel  
wmsObjVideo - video response channel  
wmsObjData - data response channel  
sizes - sizes array. See IMediaStreamPlay.PLAYSIZES\_\*

### Returns:

total byte output

## play

```
public boolean play()
```

Return true if there are packets to play

### Returns:

true if packets to play

## seek

```
public void seek(int location)
```

seek mediaPlayStream

### Parameters:

location - timecode (milliseconds)

## pause

```
public void pause(int pauseType,
    long timecode)
```

pause mediaPlayStream

### Parameters:

pauseType - pause type. See IMediaStreamPlay.PAUSE\_\*  
timecode - timecode (milliseconds)

## pauseRaw

```
public void pauseRaw(int pauseType,
    long timecode)
```

pauseRaw mediaPlayStream

### Parameters:

pauseType - pause type. See IMediaStreamPlay.PAUSE\_\*  
timecode - timecode (milliseconds)

## setBufferTime

```
public void setBufferTime(int bufferTime)
```

Set buffer time

**Parameters:**

bufferTime

---

## setName

```
public void setName(String name,  
    String oldName,  
    String ext,  
    String queryStr,  
    double playStart,  
    double playLen,  
    int playTransition)
```

Set mediaPlayStream name, extension, query string, play start, play len, play reset

**Parameters:**

name - stream name  
oldName - old stream name  
ext - extension  
queryStr - query string  
playStart - play start  
playLen - play len  
playTransition - play reset

---

## switchName

```
public void switchName(String name,  
    String oldName,  
    String ext,  
    String queryStr,  
    double playStart,  
    double playLen,  
    int playTransition)
```

Switch to stream name

**Parameters:**

name - stream name  
oldName - old stream name  
ext - stream extension  
queryStr - query string  
playStart - play start  
playLen - play len  
playTransition - play transition (see MediaBase.PLAYTRANSITION\_\*)

---

## stopName

```
public void stopName(String name,  
    String oldName,  
    String ext,  
    String queryStr,  
    double playStart,  
    double playLen,  
    int playTransition)
```



(continued from last page)

Stop stream name

**Parameters:**

name - stream name  
oldName - old stream name  
ext - stream extension  
queryStr - query string  
playStart - play start  
playLen - play len  
playTransition - play transition (see MediaBase.PLAYTRANSITION\_\*)

---

**close**

```
public void close()
```

Close mediaStreamPlay

---

**interruptPlay**

```
public void interruptPlay()
```

Interrupt play to perform operation. Usually for seek or pause.

---

**startPlay**

```
public void startPlay()
```

Start playing stream

---

**switchPlay**

```
public void switchPlay()
```

---

**updateLoggingValues**

```
public void updateLoggingValues()
```

Update internal logging values

---

**length**

```
public double length()
```

Get stream length/seconds (seconds)

**Returns:**

length/duration (seconds)

---

**size**

```
public long size()
```

Get stream media file size

**Returns:**

media file size

---

## getParent

```
public IMediaStream getParent( )
```

Get the parent media stream object

**Returns:**

parent media stream object

---

## initLiveStreamRepeating

```
public void initLiveStreamRepeating(String liveStreamPacketizer,  
    String liveStreamRepeater)
```

Initialize this stream for live stream repeating

**Parameters:**

liveStreamPacketizer - live stream packetizer

liveStreamRepeater - live stream repeater name

---

---

**com.wowza.wms.stream****Interface IMediaStreamTimecodeControl**

---

public interface **IMediaStreamTimecodeControl**  
extends

IMediaStreamTimecodeControl: Internal use.

---

## Method Summary

void	<a href="#">resetTimecodes()</a>
------	----------------------------------

---

## Methods

**resetTimecodes**

public void **resetTimecodes**()

## **com.wowza.wms.stream**

### **Interface IMediaWriter**

---

public interface **IMediaWriter**  
extends

IMediaWriter: generic media writer interface. The flv recording system using this interface to persist .flv data captured from the Flash client. These classes are referenced in [\[install-dir\]/conf/MediaWriters.xml](#).

### Example IMediaWriter implementation: MediaWriterFLVBasic

This is a basic IMediaWriter implementation that can handle record and append.

```
import java.io.*;
import java.nio.ByteBuffer;
import java.util.*;

import com.wowza.util.*;
import com.wowza.wms.stream.*;
import com.wowza.wms.amf.AMFData;
import com.wowza.wms.logging.*;

public class MediaWriterFLV implements IMediaWriter
{
    private IMediaStream parent = null;
    private MediaWriterItem mediaWriterItem = null;
    private long[] currentTCs = new long[3];
    private long duration = 0;
    private Map extraMetadata = new HashMap();
    private boolean versionFile = false;

    public void setMediaWriterItem(MediaWriterItem mediaWriterItem)
    {
        this.mediaWriterItem = mediaWriterItem;
    }

    public void setParent(IMediaStream parent)
    {
        this.parent = parent;
    }

    public void writePackets(List audioPackets, List videoPackets,
                             List dataPackets, List audioTCs, List videoTCs, List dataTCs, List
dataTypes,
                             boolean isFirst, boolean isLast)
    {
        File newFile = this.parent.getStreamFile();

        boolean localAppend = this.parent.isAppend();

        if (isFirst)
        {
            long startTC = 0;
            if (newFile.exists())
            {
                if (localAppend)
                    startTC = FLVUtils.getLastTC(newFile);
                else
                {
                    if (versionFile)
                        FileUtils.versionFile(newFile);
                    else
                    {
                        try
```

```

        {
            newFile.delete();
        }
        catch (Exception e)
        {
        }
    }
}
else
    localAppend = false;

this.currentTCs[FLVUtils.FLV_TCINDEXAUDIO] = startTC;
this.currentTCs[FLVUtils.FLV_TCINDEXVIDEO] = startTC;
this.currentTCs[FLVUtils.FLV_TCINDEXDATA] = startTC;
}
else
    localAppend = true;

try
{
    if (newFile.getParentFile() == null)

WMSLoggerFactory.getLogger(MediaWriterFLV.class).warn("MediaWriterFLV: File path does not
exist: "+newFile.getPath());
        else if (!newFile.getParentFile().exists())

WMSLoggerFactory.getLogger(MediaWriterFLV.class).warn("MediaWriterFLV: Folder does not exist:
"+newFile.getParentFile().getPath());
        else if (newFile.exists() && !newFile.canWrite())

WMSLoggerFactory.getLogger(MediaWriterFLV.class).warn("MediaWriterFLV: Cannot write to file
(permission error): "+newFile.getPath());

        FileOutputStream ds = new FileOutputStream(newFile, localAppend);

        if (isFirst)
        {
            if (!localAppend)
            {
                FLVUtils.writeHeader(ds, 0.0, extraMetadata);

                boolean writeZeroPacket = true;
                while(true)
                {
                    if (audioPackets.size() == 0)
                        break;

                    ByteBuffer data =
(ByteBuffer)audioPackets.get(0);

                    long tcA = ((Long)audioTCs.get(0)).longValue();

```

```

        if (tcA == 0 && data.limit() == 0)
            writeZeroPacket = false;

        break;
    }

    if (writeZeroPacket)
    {
        FLVUtils.writeChunk(ds, null, 0,

this.currentTCs[FLVUtils.FLV_TCINDEXAUDIO],

                                                                    (byte) 0x08); //
write zero length audio block
    }
}

    FLVUtils.writePackets(ds, audioPackets, videoPackets, dataPackets,
        audioTCs, videoTCs, dataTCs, dataTypes, currentTCs);

    ds.flush();
    ds.close();
}
catch (Exception e)
{
    WMSLoggerFactory.getLogger(MediaWriterFLV.class).error(
        "MediaWriterFLV: Error writing to file:
"+newFile.getPath()+": "+e.toString());
    e.printStackTrace();
}

    if (isLast)
    {
        duration = Math.max(Math.max(currentTCs[FLVUtils.FLV_TCINDEXAUDIO],
            currentTCs[FLVUtils.FLV_TCINDEXVIDEO]),
            currentTCs[FLVUtils.FLV_TCINDEXDATA]);
        double durationSecs = ((double)duration) / 1000.0;

        FLVUtils.writeDuration(newFile, durationSecs);
    }
}

public Map getExtraMetadata()
{
    return extraMetadata;
}

public void setExtraMetadata(Map extraMetadata)
{
    this.extraMetadata = extraMetadata;
}

```

```
    }

    public boolean isVersionFile()
    {
        return versionFile;
    }

    public void setVersionFile(boolean versionFile)
    {
        this.versionFile = versionFile;
    }

    public void putMetaData(String name, AMFData value)
    {
        this.extraMetadata.put(name, value);
    }
}
```

To use this class, edit [install-dir]/conf/MediaWriter and replace the definition for the **flv** MediaWriter:

```
<MediaWriter>
  <Name>flv</Name>
  <Description>FLV Media Writer</Description>
  <FileExtension>flv</FileExtension>
  <ClassBase>com.wowza.wms.plugin.mediawriter.flv.MediaWriterFLVBasic</ClassBase>
</MediaWriter>
```

## Example IMediaWriter implementation: MediaWriterFLVMetadata

This example illustrates how to write custom metadata into the recorded flv file on the fly.



```
public class MediaWriterFLVMetadata implements IMediaWriter
{
    private IMediaStream parent = null;
    private MediaWriterItem mediaWriterItem = null;
    private long[] currentTCs = new long[3];
    private long duration = 0;
    private File tmpFile = null;
    private Map extraMetadata = new HashMap();
    private boolean versionFile = false;

    public void setMediaWriterItem(MediaWriterItem mediaWriterItem)
    {
        this.mediaWriterItem = mediaWriterItem;
    }

    public void setParent(IMediaStream parent)
    {
        this.parent = parent;
    }

    public void writePackets(List audioPackets, List videoPackets,
        List dataPackets, List audioTCs, List videoTCs, List dataTCs,
        boolean isFirst, boolean isLast)
    {
        File newFile = this.parent.getStreamFile();
        try
        {
            if (tmpFile == null)
                tmpFile = File.createTempFile("wowza", "flv");
        }
        catch (Exception e)
        {
            WMSLoggerFactory.getLogger(MediaWriterFLVBasic.class).error(
                "MediaWriterFLVMetadata: Error createTempFile: "+
                tmpFile+" :"+e.toString());
        }

        boolean localAppend = this.parent.isAppend();
        if (isFirst)
        {
            AMFDataArray keyFrames = null;

            long startTC = 0;
            if (newFile.exists())
            {
                if (localAppend)
                {
                    startTC = FLVUtils.getLastTC(newFile);
                    keyFrames = getKeyFrames(newFile);
                    copyPacketsToTmpFile(newFile, tmpFile);
                }
            }
        }
    }
}
```

```

        if (versionFile)
            FileUtils.versionFile(newFile);
        else
        {
            try
            {
                newFile.delete();
            }
            catch (Exception e)
            {
            }
        }
    }
    else
        localAppend = false;

    if (keyFrames == null)
        keyFrames = new AMFDataArray();
    extraMetadata.put("keyFrames", keyFrames);

    this.currentTCs[FLVUtils.FLV_TCINDEXAUDIO] = startTC;
    this.currentTCs[FLVUtils.FLV_TCINDEXVIDEO] = startTC;
    this.currentTCs[FLVUtils.FLV_TCINDEXDATA] = startTC;
}
else
    localAppend = true;

    AMFDataArray keyFrames = (AMFDataArray)extraMetadata.get("keyFrames");
    long timecode = this.currentTCs[FLVUtils.FLV_TCINDEXVIDEO];
    int size = videoPackets.size();
    for(int i=0;i<size;i++)
    {
        ByteBuffer data = (ByteBuffer)videoPackets.get(i);
        int firstByte = data.get(0);
        timecode += ((Long)videoTCs.get(i)).longValue();
        if (FLVUtils.getFrameType(firstByte) == FLVUtils.FLV_KFRAME)
        {
            double durationSecs = ((double)timecode) / 1000.0;
            AMFDataObj dataObj = new AMFDataObj();
            dataObj.put("name", new AMFDataItem("keyframe
"+durationSecs));

            dataObj.put("time", new AMFDataItem(durationSecs));
            keyFrames.add(dataObj);
        }
    }

    try
    {
        FileOutputStream ds = new FileOutputStream(tmpFile, localAppend);
        FLVUtils.writePackets(ds, audioPackets, videoPackets, dataPackets,

```

```

        audioTCs, videoTCs, dataTCs, currentTCs);

        ds.flush();
        ds.close();
    }
    catch (Exception e)
    {
        WMSLoggerFactory.getLogger(MediaWriterFLVBasic.class).error(
            "MediaWriterFLVMetadata: Error writing to tmp file:

"+
            newFile.getPath()+" :"+e.toString());
    }

    if (isLast)
    {
        duration = Math.max(Math.max(currentTCs[FLVUtils.FLV_TCINDEXAUDIO],
            currentTCs[FLVUtils.FLV_TCINDEXVIDEO]),
            currentTCs[FLVUtils.FLV_TCINDEXDATA]);
        double durationSecs = ((double)duration) / 1000.0;

        try
        {
            AMFPacket packet = null;
            FileOutputStream ds = new FileOutputStream(newFile);

            FileInputStream di = new FileInputStream(tmpFile);
            FLVUtils.writeHeader(ds, durationSecs, extraMetadata);
            while((packet = FLVUtils.readChunk(di)) != null)
            {
                FLVUtils.writeChunk(ds, packet.getDataBuffer(),
packet.getSize(),
                                packet.getTimecode(),
(byte)packet.getType());
            }
            di.close();

            ds.flush();
            ds.close();

            tmpFile.delete();
        }
        catch (Exception e)
        {
            WMSLoggerFactory.getLogger(MediaWriterFLVBasic.class).error(
                "MediaWriterFLVMetadata: Error tmp writing to

file: "+
                newFile.getPath()+" :"+e.toString());
        }
    }
}

private void copyPacketsToTmpFile(File newFile, File tmpFile)

```

```

{
    AMFDataArray keyFrames = null;
    try
    {
        AMFPacket packet = null;
        FileOutputStream ds = new FileOutputStream(tmpFile);

        FileInputStream di = new FileInputStream(newFile);
        FLVUtils.readHeader(di);
        FLVUtils.readChunk(di); // skip metaData packet
        while((packet = FLVUtils.readChunk(di)) != null)
        {
            FLVUtils.writeChunk(ds, packet.getDataBuffer(),
packet.getSize(),
                                packet.getTimecode(),
(byte)packet.getType());
        }
        di.close();

        ds.flush();
        ds.close();
    }
    catch (Exception e)
    {
        WMSLoggerFactory.getLogger(MediaWriterFLVBasic.class).error(
            "MediaWriterFLVMetadata: Error copyPacketsToTmpFile:
"+
            newFile.getPath()+" "+e.toString());
    }
}

private AMFDataArray getKeyFrames(File newFile)
{
    AMFDataArray keyFrames = null;
    try
    {
        BufferedInputStream inStream = new BufferedInputStream(new
FileInputStream(newFile));
        FLVUtils.readHeader(inStream);
        AMFPacket packet = FLVUtils.readChunk(inStream);
        if (packet.getType() == IVHost.CONTENTTYPE_DATA0 || packet.getType()
== IVHost.CONTENTTYPE_DATA3)
        {
            byte[] mbytes = packet.getData();
            int moffset = 0;
            if (packet.getType() == IVHost.CONTENTTYPE_DATA3 &&
mbytes.length > 0)
            {
                if (mbytes[0] == 0)
                    moffset = 1;
            }
        }
    }
}

```

```

        AMFDataList dataList = new AMFDataList(mbytes, moffset,
mbytes.length-moffset);
        if (dataList.size() > 1)
        {
            if (dataList.get(1).getType() ==
AMFData.DATA_TYPE_MIXED_ARRAY)
            {
                AMFDataMixedArray metaValues =
                (AMFDataMixedArray)dataList.get(1);
                if (metaValues.containsKey("keyFrames"))
                    keyFrames =
                (AMFDataArray)metaValues.get("keyFrames");
            }
        }
        inStream.close();
    }
    catch (Exception e)
    {
        WMSLoggerFactory.getLogger(MediaWriterFLVBasic.class).error(
            "MediaWriterFLVMetadata: Error getKeyFrames: "+
            newFile.getPath()+" :"+e.toString());
    }

    return keyFrames;
}

public boolean isVersionFile()
{
    return versionFile;
}

public void setVersionFile(boolean versionFile)
{
    this.versionFile = versionFile;
}

public void putMetaData(String name, AMFData value)
{
    this.extraMetadata.put(name, value);
}
}

```

To use this class, edit [install-dir]/conf/MediaWriter and replace the definition for the **flv** MediaWriter:

```

<MediaWriter>
  <Name>flv</Name>
  <Description>FLV Media Writer</Description>
  <FileExtension>flv</FileExtension>
  <ClassBase>com.wowza.wms.plugin.mediawriter.flv.MediaWriterFLVMetadata</ClassBase>
</MediaWriter>

```

## Method Summary

long	<a href="#">getDuration()</a> Get the recorded duration of the file in seconds
boolean	<a href="#">isVersionFile()</a> Return true if the old file is to be versioned
boolean	<a href="#">isWaitForVideoKeyFrame()</a> get wait for key frame
void	<a href="#">putMetaData()</a> (String name, <a href="#">AMFData</a> value) Add metadata to the metadata packet.
void	<a href="#">setMediaWriterItem()</a> (MediaWriterItem mediaWriterItem) Set the media write definition
void	<a href="#">setParent()</a> ( <a href="#">IMediaStream</a> parent) Set the parent stream for this media write object
void	<a href="#">setVersionFile()</a> (boolean versionFile) Set to true if the old file is to be versioned
void	<a href="#">setWaitForVideoKeyFrame()</a> (boolean waitForVideoKeyFrame) Set to true if you want the recorder to skip opening frames until it hits a key frame
void	<a href="#">writePackets()</a> (java.util.List audioPackets, java.util.List videoPackets, java.util.List dataPackets, java.util.List audioTCs, java.util.List videoTCs, java.util.List dataTCs, java.util.List dataTypes, boolean isFirst, boolean isLast) Invoked each time a set of packets are ready to be presisted.

## Methods

### writePackets

```

public void writePackets(java.util.List audioPackets,
    java.util.List videoPackets,
    java.util.List dataPackets,
    java.util.List audioTCs,
    java.util.List videoTCs,
    java.util.List dataTCs,
    java.util.List dataTypes,
    boolean isFirst,
    boolean isLast)

```

Invoked each time a set of packets are ready to be presisted.

(continued from last page)

**Parameters:**

audioPackets - List of audio packets  
videoPackets - List of video packets  
dataPackets - List of data packets  
audioTCs - List of audio timecodes  
videoTCs - List of video timecodes  
dataTCs - List of data timecodes  
dataTypes - list of integer packets types (IVHost.CONTENTTYPE\_DATA0, IVHost.CONTENTTYPE\_DATA3) - if null assumed to be IVHost.CONTENTTYPE\_DATA0  
isFirst - true if first packet to be written  
isLast - false if last packet to be written

---

**setMediaWriterItem**

```
public void setMediaWriterItem(MediaWriterItem mediaWriterItem)
```

Set the media write definition

**Parameters:**

mediaWriterItem - media write definition

---

**setParent**

```
public void setParent(IMediaStream parent)
```

Set the parent stream for this media write object

**Parameters:**

parent

---

**isVersionFile**

```
public boolean isVersionFile()
```

Return true if the old file is to be versioned

**Returns:**

true if the old file is to be versioned

---

**setVersionFile**

```
public void setVersionFile(boolean versionFile)
```

Set to true if the old file is to be versioned

**Parameters:**

versionFile

---

**isWaitForVideoKeyFrame**

```
public boolean isWaitForVideoKeyFrame()
```

get wait for key frame

**Returns:**

wait for key frame

(continued from last page)

## setWaitForVideoKeyFrame

```
public void setWaitForVideoKeyFrame(boolean waitForVideoKeyFrame)
```

Set to true if you want the recorder to skip opening frames until it hits a key frame

### Parameters:

waitForVideoKeyFrame - wait for key frame

---

## putMetaData

```
public void putMetaData(String name,  
    AMFData value)
```

Add metadata to the metadata packet. Only metadata added before the first call to writePackets will be included in the file

### Parameters:

name - field name

value - metadata value

---

## getDuration

```
public long getDuration()
```

Get the recorded duration of the file in seconds

### Returns:

recorded duration of the file in seconds



## com.wowza.wms.stream Interface IMediaWriterActionNotify

public interface **IMediaWriterActionNotify**  
extends

IMediaWriterActionNotify: listener interface for file writing. See  
IApplicationInstance.addMediaWriterListener(IMediaWriterActionNotify listener)

### Method Summary

void	<a href="#">onFLVAddMetadata</a> ( <a href="#">IMediaStream</a> stream, java.util.Map extraMetadata) Called just before metadata is written to the file (FLV only)
void	<a href="#">onWriteComplete</a> ( <a href="#">IMediaStream</a> stream, java.io.File file) Called when writing is complete

### Methods

#### onWriteComplete

```
public void onWriteComplete(IMediaStream stream,  
    java.io.File file)
```

Called when writing is complete

**Parameters:**

stream - stream  
file - file handle

#### onFLVAddMetadata

```
public void onFLVAddMetadata(IMediaStream stream,  
    java.util.Map extraMetadata)
```

Called just before metadata is written to the file (FLV only)

**Parameters:**

stream - stream  
extraMetadata - additional metadata, add to this collection to add items to onMetadata event written to FLV file.

## com.wowza.wms.stream Class MediaReaderEncInfo

java.lang.Object

└─com.wowza.wms.stream.MediaReaderEncInfo

public class **MediaReaderEncInfo**  
extends Object

### Field Summary

public static final	<a href="#">METHOD_NONE</a> Value: <b>0</b>
public static final	<a href="#">METHOD_SAMPLE_PLAYREADY</a> Value: <b>1</b>

### Constructor Summary

public	<a href="#">MediaReaderEncInfo()</a>
--------	--------------------------------------

### Method Summary

void	<a href="#">addPlayReadyDecryptorKey</a> (com.wowza.wms.drm.playready.PlayReadyKeyInfo decryptorKey)
int	<a href="#">getEncMethod</a> ()
com.wowza.wms.drm.playready.PlayReadyKeyInfo	<a href="#">getPlayReadyDecryptorKey</a> ()
com.wowza.wms.drm.playready.PlayReadyKeyInfo	<a href="#">getPlayReadyDecryptorKey</a> (String keyId)
void	<a href="#">setEncMethod</a> (int encMethod)

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Fields

#### METHOD\_NONE

public static final int **METHOD\_NONE**

(continued from last page)

Constant value: **0**

---

## METHOD\_SAMPLE\_PLAYREADY

```
public static final int METHOD_SAMPLE_PLAYREADY
```

Constant value: **1**

---

## Constructors

### MediaReaderEncInfo

```
public MediaReaderEncInfo()
```

---

## Methods

### addPlayReadyDecryptorKey

```
public void addPlayReadyDecryptorKey(com.wowza.wms.drm.playready.PlayReadyKeyInfo  
decryptorKey)
```

---

### getPlayReadyDecryptorKey

```
public com.wowza.wms.drm.playready.PlayReadyKeyInfo getPlayReadyDecryptorKey()
```

---

### getPlayReadyDecryptorKey

```
public com.wowza.wms.drm.playready.PlayReadyKeyInfo getPlayReadyDecryptorKey(String  
keyId)
```

---

### getEncMethod

```
public int getEncMethod()
```

---


### setEncMethod

```
public void setEncMethod(int encMethod)
```

## com.wowza.wms.stream

### Class MediaStreamBase

java.lang.Object



All Implemented Interfaces:

[IMediaStream](#)

```
public class MediaStreamBase
extends MediaStream
```

### Field Summary

public static	<a href="#"><u>p</u></a> Deprecated.
public static	<a href="#"><u>sinfo</u></a> Deprecated.

#### Fields inherited from class com.wowza.wms.stream.MediaStream

actionListeners, audioBytes, audioSize, audioTC, BASE\_STREAM\_EXT, bufferTime, callbacks, client, dataBytes, dataSize, dataTC, dataType, dvrLock, dvrMap, dvrPlayer, dvrRecorder, dvrRecorderList, dvrRepeater, elapsedTime, ext, fastPlaySettings, h264SEIListeners, headerSize, httpStreamerSession, ID3\_STREAM\_EXT, isAppend, isClustered, isMediaCasterPlay, isOpen, isPlay, isPlaying, isRecord, isTranscodeResult, liveStreamPacketizer, liveStreamPacketizerList, liveStreamRepeater, liveStreamTranscoderList, lock, mediaIOPerformance, mergeOnMetadata, metaDataProvider, MP3\_STREAM\_EXT, MP4\_STREAM\_EXT, name, netConnection, parent, player, playLen, playStart, playTransition, properties, queryStr, receiveAudio, receiveVideo, receiveVideoFPS, rtpStream, SEND\_CONTROL0, SEND\_CONTROL1, SEND\_CONTROL3, SEND\_CONTROL4, sendDirectLock, sendDirectMessages, sendPlayStopLogEvent, sendPublishStopLogEvent, sendRecordStopLogEvent, SMIL\_STREAM\_EXT, src, STREAM\_DEFAULTNAME, streamType, transcoderLock, transcoderMap, tss, videoBytes, videoSize, videoTC

#### Fields inherited from interface [com.wowza.wms.stream.IMediaStream](#)

[AUDIOSAMPLEACCESS](#), [READACCESS](#), [VIDEOSAMPLEACCESS](#), [WRITEACCESS](#)

### Constructor Summary

public	<a href="#"><u>MediaStreamBase</u></a> ( )
--------	--

### Method Summary

void	<a href="#"><u>init</u></a> ( <a href="#"><u>MediaStreamMap</u></a> parent, int src, <a href="#"><u>WMSProperties</u></a> properties)
void	<a href="#"><u>publish</u></a> ( )

void	<a href="#">trim()</a>
------	------------------------

#### Methods inherited from class com.wowza.wms.stream.MediaStream

addAudioCodecConfigPacket, addAudioData, addClientListener, addClientListener, addClientListener, addDataData, addVideoCodecConfigPacket, addVideoData, addVideoH264SEIListener, clear, clearFastPlaySettings, clearLoggingValues, close, flush, getAccess, getAudioCodecConfigPacket, getAudioMissing, getAudioSize, getAudioTC, getBufferTime, getBurstStartStop, getCacheName, getClient, getClientId, getContextStr, getDataMissing, getDataSize, getDataTC, getDataTC, getDataTC, getDvrRecorder, getDvrRecorder, getDvrRecorderList, getDvrRepeater, getElapsedTime, getExt, getFastPlaySettings, getHeaderSize, getHTTPStreamerSession, getLastKeyFrame, getLastPacket, getLiveStreamDvr, getLiveStreamDvrs, getLiveStreamPacketizer, getLiveStreamPacketizer, getLiveStreamPacketizerList, getLiveStreamRepeater, getLiveStreamTranscoder, getLiveStreamTranscoderList, getLiveStreamTranscoders, getMaxTimecode, getMediaIOPerformance, getMetaDataProvider, getName, getNetConnection, getPlayer, getPlayPackets, getProperties, getPublishAudioCodecId, getPublishVideoCodecId, getQueryStr, getReceiveVideoFPS, getRespAMFAudioObj, getRespAMFDataObj, getRespAMFVideoObj, getRTPStream, getSrc, getStreamFileForRead, getStreamFileForRead, getStreamFileForWrite, getStreamFileForWrite, getStreams, getStreamType, getTss, getUniqueStreamIdStr, getVideoCodecConfigPacket, getVideoMissing, getVideoSize, getVideoTC, handleCallback, idle, incrementMediaInBytes, incrementMediaLossBytes, incrementMediaOutBytes, init, initDvrRepeating, initLiveStreamRepeating, isAppend, isClustered, isMediaCasterPlay, isMergeOnMetadata, isOpen, isPlay, isPlaying, isPublishStreamReady, isReceiveAudio, isReceiveVideo, isRecord, isSendDirectMessages, isSendPlayStopLogEvent, isSendPublishStopLogEvent, isSendRecordStopLogEvent, isTranscodeResult, isVideoH264SEIListenerEmpty, length, notifyActionOnCodecInfoAudio, notifyActionOnCodecInfoVideo, notifyActionOnMetaData, notifyActionPause, notifyActionPauseRaw, notifyActionPlay, notifyActionPublish, notifyActionSeek, notifyActionStop, notifyActionUnPublish, notifyVideoH264Packet, packetComplete, processSendDirectMessages, publish, putDvrRecorder, putLiveStreamTranscoder, registerCallback, registerOnPlayStatus, registerOnStatus, removeClientListener, removeClientListener, removeClientListener, removeDvrRecorder, removeLiveStreamTranscoder, removeVideoH264SEIListener, reset, send, send, sendAMF3, sendAMF3, sendControlBytes, sendDataToCallback, sendDirect, sendDirect, sendDirectAMF3, sendDirectAMF3, sendDirectInternal, sendDirectInternal, sendInternal, sendInternal, sendLivePlaySeek, sendLivePlayStart, sendLivePlaySwitch, sendPauseNotify, sendPauseNotify, sendPlayReset, sendPlayReset, sendPlaySeek, sendPlaySeek, sendPlaySeek, sendPlayStart, sendPlayStart, sendPlayStart, sendPlayStart, sendPlayStatus, sendPlayStatus, sendPlayStop, sendPlayStop, sendPlaySwitch, sendPlaySwitch, sendStreamNotFound, sendStreamNotFound, sendUnpauseNotify, sendUnpauseNotify, sendUnpauseNotify, sendVODPlaySwitch, setAppend, setAudioSize, setAudioTC, setAudioTC, setBufferTime, setClient, setClustered, setDataSize, setDataTC, setDataTC, setDataTC, setDataTC, setDvrRecorder, setDvrRecorderList, setDvrRepeater, setExt, setFastPlaySettings, setHeaderSize, setHTTPStreamerSession, setIsPlaying, setJustName, setLiveStreamPacketizer, setLiveStreamPacketizerList, setLiveStreamRepeater, setLiveStreamTranscoderList, setMediaCasterPlay, setMergeOnMetadata, setMetaDataProvider, setName, setName, setName, setNetConnection, setOpen, setPlay, setPlayer, setPublishAudioCodecId, setPublishVideoCodecId, setQueryStr, setReceiveAudio, setReceiveVideo, setReceiveVideoFPS, setRecord, setRTPStream, setSendPlayStopLogEvent, setSendPublishStopLogEvent, setSendRecordStopLogEvent, setSrc, setStreamType, setTranscodeResult, setTss, setVideoSize, setVideoTC, setVideoTC, shutdown, size, startAudioPacket, startDataPacket, startPublishing, startVideoPacket, stopName, stopPublishing, switchName, trim, unregisterCallback, unregisterOnPlayStatus, unregisterOnStatus, updateLoggingDuration, updateLoggingValues

**Methods inherited from class [java.lang.Object](#)**

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [toString](#), [wait](#), [wait](#), [wait](#)

**Methods inherited from interface [com.wowza.wms.stream.IMediaStream](#)**

[addAudioCodecConfigPacket](#), [addAudioData](#), [addClientListener](#), [addClientListener](#), [addClientListener](#), [addDataData](#), [addVideoCodecConfigPacket](#), [addVideoData](#), [addVideoH264SEIListener](#), [clear](#), [clearFastPlaySettings](#), [clearLoggingValues](#), [close](#), [flush](#), [getAccess](#), [getAudioCodecConfigPacket](#), [getAudioMissing](#), [getAudioSize](#), [getAudioTC](#), [getBufferTime](#), [getBurstStartStop](#), [getCacheName](#), [getClient](#), [getClientId](#), [getContextStr](#), [getDataMissing](#), [getDataSize](#), [getDataTC](#), [getDataType](#), [getDvrRecorder](#), [getDvrRecorder](#), [getDvrRecorderList](#), [getDvrRepeater](#), [getElapsedTime](#), [getExt](#), [getFastPlaySettings](#), [getHeaderSize](#), [getHTTPStreamerSession](#), [getLastKeyFrame](#), [getLastPacket](#), [getLiveStreamPacketizer](#), [getLiveStreamPacketizer](#), [getLiveStreamPacketizerList](#), [getLiveStreamRepeater](#), [getLiveStreamTranscoder](#), [getLiveStreamTranscoderList](#), [getLiveStreamTranscoders](#), [getMaxTimecode](#), [getMediaIOPerformance](#), [getMetaDataProvider](#), [getName](#), [getNetConnection](#), [getPlayer](#), [getPlayPackets](#), [getProperties](#), [getPublishAudioCodecId](#), [getPublishVideoCodecId](#), [getQueryStr](#), [getReceiveVideoFPS](#), [getRespAMFAudioObj](#), [getRespAMFDataObj](#), [getRespAMFVideoObj](#), [getRTPStream](#), [getSrc](#), [getStreamFileForRead](#), [getStreamFileForRead](#), [getStreamFileForWrite](#), [getStreamFileForWrite](#), [getStreams](#), [getStreamType](#), [getUniqueStreamIdStr](#), [getVideoCodecConfigPacket](#), [getVideoMissing](#), [getVideoSize](#), [getVideoTC](#), [handleCallback](#), [idle](#), [incrementMediaInBytes](#), [incrementMediaLossBytes](#), [incrementMediaOutBytes](#), [init](#), [initLiveStreamRepeating](#), [isAppend](#), [isClustered](#), [isMediaCasterPlay](#), [isMergeOnMetadata](#), [isOpen](#), [isPlay](#), [isPlaying](#), [isPublishStreamReady](#), [isReceiveAudio](#), [isReceiveVideo](#), [isRecord](#), [isSendPlayStopLogEvent](#), [isSendPublishStopLogEvent](#), [isSendRecordStopLogEvent](#), [isTranscodeResult](#), [isVideoH264SEIListenerEmpty](#), [length](#), [notifyActionOnCodecInfoAudio](#), [notifyActionOnCodecInfoVideo](#), [notifyActionOnMetadata](#), [notifyActionPause](#), [notifyActionPauseRaw](#), [notifyActionPlay](#), [notifyActionPublish](#), [notifyActionSeek](#), [notifyActionStop](#), [notifyActionUnPublish](#), [notifyVideoH264Packet](#), [packetComplete](#), [publish](#), [putDvrRecorder](#), [putLiveStreamTranscoder](#), [registerCallback](#), [registerOnPlayStatus](#), [registerOnStatus](#), [removeClientListener](#), [removeClientListener](#), [removeClientListener](#), [removeDvrRecorder](#), [removeLiveStreamTranscoder](#), [removeVideoH264SEIListener](#), [send](#), [send](#), [sendAMF3](#), [sendAMF3](#), [sendControlBytes](#), [sendDirect](#), [sendDirect](#), [sendDirectAMF3](#), [sendDirectAMF3](#), [sendLivePlaySeek](#), [sendLivePlayStart](#), [sendLivePlaySwitch](#), [sendPauseNotify](#), [sendPauseNotify](#), [sendPlayReset](#), [sendPlayReset](#), [sendPlaySeek](#), [sendPlaySeek](#), [sendPlaySeek](#), [sendPlayStart](#), [sendPlayStart](#), [sendPlayStart](#), [sendPlayStart](#), [sendPlayStatus](#), [sendPlayStatus](#), [sendPlayStop](#), [sendPlayStop](#), [sendPlaySwitch](#), [sendPlaySwitch](#), [sendStreamNotFound](#), [sendStreamNotFound](#), [sendUnpauseNotify](#), [sendUnpauseNotify](#), [sendUnpauseNotify](#), [sendVODPlaySwitch](#), [setAppend](#), [setAudioSize](#), [setAudioTC](#), [setAudioTC](#), [setBufferTime](#), [setClient](#), [setClustered](#), [setDataSize](#), [setDataTC](#), [setDataTC](#), [setDataTC](#), [setDataType](#), [setDvrRecorder](#), [setDvrRecorderList](#), [setExt](#), [setFastPlaySettings](#), [setHeaderSize](#), [setHTTPStreamerSession](#), [setIsPlaying](#), [setLiveStreamPacketizer](#), [setLiveStreamPacketizerList](#), [setLiveStreamRepeater](#), [setLiveStreamTranscoderList](#), [setMediaCasterPlay](#), [setMergeOnMetadata](#), [setMetaDataProvider](#), [setName](#), [setName](#), [setName](#), [setNetConnection](#), [setOpen](#), [setPlay](#), [setPlayer](#), [setPublishAudioCodecId](#), [setPublishVideoCodecId](#), [setQueryStr](#), [setReceiveAudio](#), [setReceiveVideo](#), [setReceiveVideoFPS](#), [setRecord](#), [setRTPStream](#), [setSendPlayStopLogEvent](#), [setSendPublishStopLogEvent](#), [setSendRecordStopLogEvent](#), [setSrc](#), [setStreamType](#), [setTranscodeResult](#), [setVideoSize](#), [setVideoTC](#), [setVideoTC](#), [shutdown](#), [size](#), [startAudioPacket](#), [startDataPacket](#), [startPublishing](#), [startVideoPacket](#), [stopName](#), [stopPublishing](#), [switchName](#), [trim](#), [unregisterCallback](#), [unregisterOnPlayStatus](#), [unregisterOnStatus](#), [updateLoggingDuration](#), [updateLoggingValues](#)

---

## Fields

### **sinfo**

```
public static java.util.Map sinfo
```

Deprecated.

---

### **p**

```
public static java.lang.String p
```

Deprecated.

---

## Constructors

### **MediaStreamBase**

```
public MediaStreamBase()
```

---

## Methods

### **init**

```
public void init(MediaStreamMap parent,  
                int src,  
                WMSProperties properties)
```

---

### **publish**

```
public void publish()
```

---

### **trim**

```
public void trim()
```

## com.wowza.wms.stream Class MediaStreamMap

java.lang.Object

└--com.wowza.wms.stream.MediaStreamMap

public class **MediaStreamMap**  
extends Object

MediaStreamMap: collection of IMediaStream object. This collection is usually attached to an IApplicationInstance object.

### Field Summary

protected	<a href="#">appInstance</a>
protected	<a href="#">dvrRecorders</a>
protected	<a href="#">liveStreamPacketizers</a>
public static final	<a href="#">MAXSTREAMINDEX</a> Value: <b>65536</b>
protected	<a href="#">mediaStreamListeners</a>
protected	<a href="#">nameGroupId</a>
protected	<a href="#">nameGroups</a>
protected	<a href="#">nextStreamId</a>
protected	<a href="#">packetizerLicenses</a>
protected	<a href="#">streamLicenses</a>
protected	<a href="#">streamLock</a>
protected	<a href="#">streamNames</a>
protected	<a href="#">streamNamesLock</a>
protected	<a href="#">streamNameToGroup</a>
protected	<a href="#">streams</a>

### Constructor Summary



public	<a href="#">MediaStreamMap</a> ( <a href="#">IApplicationInstance</a> appInstance) Create empty MediaStreamMap collection
--------	--

## Method Summary

LicenseHolder	<a href="#">addLicense</a> ( <a href="#">ILiveStreamPacketizer</a> liveStreamPacketizer, int licenseType)
LicenseHolder	<a href="#">addLicense</a> ( <a href="#">IMediaStream</a> stream, int licenseType)
void	<a href="#">addMediaStreamListener</a> ( <a href="#">IMediaStreamNotify</a> mediaStreamListener) Add a media stream listener.
MediaStreamMapGroup	<a href="#">addNameGroup</a> (MediaStreamMapGroup newGroup)
void	<a href="#">broadcastPlayMessage</a> ( <a href="#">IMediaStream</a> stream, long timecode, <a href="#">java.nio.ByteBuffer</a> msg, int objectEncoding) Send a broadcast message to all play stream that are listening to this live published stream.
int	<a href="#">broadcastGetObjectEncoding</a> ( <a href="#">IMediaStream</a> stream) Get the minimum object encoding level for the clients playing this stream.
void	<a href="#">clearStreamName</a> (String name) Unregister a published live media stream name.
void	<a href="#">clearStreamName</a> (String name, <a href="#">IMediaStream</a> stream) Unregister a published live media stream name.
<a href="#">IApplicationInstance</a>	<a href="#">getAppInstance</a> () Get the parent applicationInstance.
String	<a href="#">getAppInstanceName</a> () Get the name of the parent applicationInstance.
String	<a href="#">getAppName</a> () Get the name of the parent application.
int	<a href="#">getCount</a> () Get the total number of streams stored in the mediaStreamMap
<a href="#">ILiveStreamDvrRecorder</a>	<a href="#">getDvrRecorder</a> (String streamName, String recorderName, boolean doCreate) Get a DVR recorder by name and recorder name
java.util.List	<a href="#">getDvrRecorders</a> () Returns a list of <a href="#">ILiveStreamDvrRecorder</a> objects
<a href="#">ILiveStreamPacketizer</a>	<a href="#">getLiveStreamPacketizer</a> (String streamName, String packetizerName, boolean doCreate) Get a live stream packetizer by name and packetizer id
Object	<a href="#">getLiveStreamPacketizerLock</a> () Get the lock to the live stream packetizer system
MediaStreamMapGroup	<a href="#">getNameGroupByGroupName</a> (String groupName)
java.util.Set	<a href="#">getNameGroups</a> ()

java.util.Set	<a href="#"><u>getNameGroups</u></a> (String streamName)
java.util.Set	<a href="#"><u>getNameGroupStreamNames</u></a> (String streamName)
long	<a href="#"><u>getNextNameGroupId</u></a> (MediaStreamMapGroup newGroup)
int	<a href="#"><u>getNextStreamIndex</u></a> ( ) Reserve a clientless stream id for a new media stream.
int	<a href="#"><u>getNextStreamIndex</u></a> ( <a href="#"><u>IClient</u></a> client) Reserve a stream for a client connection.
int	<a href="#"><u>getNextStreamIndex</u></a> (com.wowza.wms.netconnection.INetConnection netConnection) Reserve a stream for a netConnection connection.
java.util.List	<a href="#"><u>getPublishStreamNames</u></a> ( ) Returns a List of published stream names
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream</u></a> ( <a href="#"><u>IClient</u></a> client, int index) Get a media stream reference by stream id.
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream</u></a> ( <a href="#"><u>IClient</u></a> client, int index, boolean doCreate) Get a media stream reference by stream id.
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream</u></a> (com.wowza.wms.netconnection.INetConnection netConnection, int index) Get a media stream object that is owned by a server to server netConnection object (not yet implemented).
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream</u></a> (com.wowza.wms.netconnection.INetConnection netConnection, int index, boolean doCreate) Get a media stream reference by stream id.
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream</u></a> (String name) Get a media stream by stream name.
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStreamClientless</u></a> (int index, String streamTypeStr) Get a media stream reference by stream id.
edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock	<a href="#"><u>getStreamListLock</u></a> ( ) Get the underlying read/write lock associated with the list of streams
edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock	<a href="#"><u>getStreamNameLock</u></a> ( ) Get the underlying read/write lock associated with the stream names list
java.util.List	<a href="#"><u>getStreams</u></a> ( ) Returns a list of IMediaStream objects
<a href="#"><u>IVHost</u></a>	<a href="#"><u>getVHost</u></a> ( ) Get the parent vHost.
void	<a href="#"><u>notifyMediaStreamCreate</u></a> ( <a href="#"><u>IMediaStream</u></a> mediaStream) Notify all media stream listeners that a new media stream object has been created.

void	<a href="#"><u>notifyMediaStreamDestroy</u></a> ( <a href="#"><u>IMediaStream</u></a> mediaStream) Notify all media stream listeners that a media stream object is being destroyed.
void	<a href="#"><u>notifyPlayPublish</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Notify all play streams that are listening to this stream that the stream is going into a state of publish (NetStream.Play.PublishNotify).
void	<a href="#"><u>notifyPlayUnpublish</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Notify all play streams that are listening to this stream that the stream is going into a state of unpublished (NetStream.Play.UnpublishNotify).
void	<a href="#"><u>notifyPlayUnpublish</u></a> (String streamName) Notify all play streams that are listening to this stream name that the stream is going into a state of unpublished (NetStream.Play.UnpublishNotify).
void	<a href="#"><u>removeDvrRecorder</u></a> (String streamName)
<a href="#"><u>ILiveStreamDvrRecorder</u></a>	<a href="#"><u>removeDvrRecorder</u></a> (String streamName, String recorderName) Remove DVR Recorder
void	<a href="#"><u>removeLiveStreamPacketizer</u></a> (String streamName) Remove all live stream packetizers for this stream name
<a href="#"><u>ILiveStreamPacketizer</u></a>	<a href="#"><u>removeLiveStreamPacketizer</u></a> (String streamName, String packetizerName) Remove live stream packetizer
void	<a href="#"><u>removeMediaStreamListener</u></a> ( <a href="#"><u>IMediaStreamNotify</u></a> mediaStreamListener) Remove a media stream listener.
MediaStreamMapGroup	<a href="#"><u>removeNameGroup</u></a> (int groupId)
MediaStreamMapGroup	<a href="#"><u>removeNameGroup</u></a> (MediaStreamMapGroup nameGroup)
void	<a href="#"><u>removeStream</u></a> ( <a href="#"><u>IClient</u></a> client, int index) Remove a stream associated with a client connection
void	<a href="#"><u>removeStream</u></a> (com.wowza.wms.netconnection.INetConnection netConnection, int index) Remove a stream associated with a netConnection object
void	<a href="#"><u>removeStream</u></a> (int index) Remove a clientless media stream
void	<a href="#"><u>setStreamName</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, String name) Insert live media stream into the mediaStreamMap by name.
long	<a href="#"><u>streamToIndex</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Get the unique stream identifier for a given stream

**Methods inherited from class** java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Fields**

(continued from last page)

## MAXSTREAMINDEX

```
public static final int MAXSTREAMINDEX
```

Constant value: **65536**

---

## streams

```
protected java.util.Map streams
```

---

## streamNames

```
protected java.util.Map streamNames
```

---

## streamLicenses

```
protected java.util.Map streamLicenses
```

---

## packetizerLicenses

```
protected java.util.Map packetizerLicenses
```

---

## streamNameToGroup

```
protected java.util.Map streamNameToGroup
```

---

## nameGroups

```
protected java.util.List nameGroups
```

---

## nameGroupId

```
protected long nameGroupId
```

---

## streamLock

```
protected edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock  
streamLock
```

---

(continued from last page)

---

## streamNamesLock

protected edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock  
**streamNamesLock**

---

## appInstance

protected com.wowza.wms.application.IApplicationInstance **appInstance**

---

## mediaStreamListeners

protected java.util.List **mediaStreamListeners**

---

## nextStreamId

protected java.util.concurrent.atomic.AtomicLong **nextStreamId**

---

## liveStreamPacketizers

protected java.util.Map **liveStreamPacketizers**

---

## dvrRecorders

protected java.util.Map **dvrRecorders**

---

## Constructors

### MediaStreamMap

public **MediaStreamMap**([IApplicationInstance](#) appInstance)

Create empty MediaStreamMap collection

**Parameters:**

appInstance - parent applicationInstance

## Methods

### getStreamListLock

public edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock  
**getStreamListLock**( )

Get the underlying read/write lock associated with the list of streams

**Returns:**

(continued from last page)

underlying read/write lock associated with the list of streams

---

## getStreamNameLock

```
public edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock  
getStreamNameLock()
```

Get the underlying read/write lock associated with the stream names list

### Returns:

underlying read/write lock associated with the stream names list

---

## getPublishStreamNames

```
public java.util.List getPublishStreamNames()
```

Returns a List of published stream names

### Returns:

List of published stream names

---

## getStreams

```
public java.util.List getStreams()
```

Returns a list of IMediaStream objects

### Returns:

list of IMediaStream objects

---

## getStream

```
public IMediaStream getStream(IClient client,  
int index)
```

Get a media stream reference by stream id.

### Parameters:

client - client  
index - stream id

### Returns:

media stream object or null if does not exist.

---

## getStreamClientless

```
public IMediaStream getStreamClientless(int index,  
String streamTypeStr)
```

Get a media stream reference by stream id. If it does not exist, create a new one with the given id. This is a clientless stream that is served by the backend of the server. If creating a new media stream object, its id must first be obtained by calling [getNextStreamIndex\(\)](#).

### Parameters:

index - stream id  
streamTypeStr - stream type

### Returns:

media stream object

## getStream

```
public IMediaStream getStream(IClient client,  
                               int index,  
                               boolean doCreate)
```

Get a media stream reference by stream id. If it does not exist, create a new one with the given id. If creating a new media stream object, its id must first be obtained by calling [getNextStreamIndex\(IClient\)](#).

**Parameters:**

client - client  
index - stream id  
doCreate - true to create if it does not exist

**Returns:**

media stream object

---

## getStream

```
public IMediaStream getStream(com.wowza.wms.netconnection.INetConnection  
netConnection,  
                               int index)
```

Get a media stream object that is owned by a server to server netConnection object (not yet implemented).

**Parameters:**

netConnection - netConnection to remote server  
index - stream id

**Returns:**

media stream object or null if does not exist

---

## getStream

```
public IMediaStream getStream(com.wowza.wms.netconnection.INetConnection  
netConnection,  
                               int index,  
                               boolean doCreate)
```

Get a media stream reference by stream id. If it does not exist, create a new one with the given id. If creating a new media stream object, its id must first be obtained by calling [getNextStreamIndex\(INetConnection\)](#).

**Parameters:**

netConnection - netConnection to remote server  
index - stream id  
doCreate - true to create if it does not exist

**Returns:**

media stream object

---

## getStream

```
public IMediaStream getStream(String name)
```

Get a media stream by stream name. Only published live streams are stored in the mediaStreamMap by name. This method is used to lookup a published live stream by name.

**Parameters:**

name - stream name

---

(continued from last page)

**Returns:**

media stream object or null if does not exist

---

**setStreamName**

```
public void setStreamName(IMediaStream stream,  
    String name)
```

Insert live media stream into the mediaStreamMap by name.

**Parameters:**

stream - media stream object  
name - media stream name

---

**clearStreamName**

```
public void clearStreamName(String name)
```

Unregister a published live media stream name.

**Parameters:**

name - stream name

---

**streamToIndex**

```
public long streamToIndex(IMediaStream stream)
```

Get the unique stream identifier for a given stream

**Parameters:**

stream - stream

**Returns:**

unique stream identifier

---

**clearStreamName**

```
public void clearStreamName(String name,  
    IMediaStream stream)
```

Unregister a published live media stream name.

**Parameters:**

name - stream name  
stream - stream

---

**getNextStreamIndex**

```
public int getNextStreamIndex(com.wowza.wms.netconnection.INetConnection  
    netConnection)
```

Reserve a stream for a netConnection connection. Use [getStream\(INetConnection, int, boolean\)](#) to create stream.**Parameters:**

netConnection

**Returns:**

next stream index



## getNextStreamIndex

```
public int getNextStreamIndex(IClient client)
```

Reserve a stream for a client connection. Use [getStream\(IClient, int, boolean\)](#) to create stream.

**Parameters:**

client - parent client

**Returns:**

stream index

---

## getNextStreamIndex

```
public int getNextStreamIndex()
```

Reserve a clientless stream id for a new media stream. Use this method to obtain a stream id for a new media stream object that is then created with a call to getClientlessStream().

**Returns:**

new reserved stream id

---

## getCount

```
public int getCount()
```

Get the total number of streams stored in the mediaStreamMap

**Returns:**

total number of streams stored in the mediaStreamMap

---

## removeStream

```
public void removeStream(com.wowza.wms.netconnection.INetConnection netConnection,  
int index)
```

Remove a stream associated with a netConnection object

**Parameters:**

netConnection - net connection

index - stream index

---

## removeStream

```
public void removeStream(IClient client,  
int index)
```

Remove a stream associated with a client connection

**Parameters:**

client - client

index - stream index

---

## removeStream

```
public void removeStream(int index)
```

Remove a clientless media stream

---

(continued from last page)

**Parameters:**

index - stream index

---

**getAppName**

```
public String getAppName()
```

Get the name of the parent application.

**Returns:**

parent application name.

---

**getAppInstanceName**

```
public String getAppInstanceName()
```

Get the name of the parent applicationInstance.

**Returns:**

parent applicationInstance name

---

**getVHost**

```
public IVHost getVHost()
```

Get the parent vHost.

**Returns:**

parent vHost

---

**getAppInstance**

```
public IApplicationInstance getAppInstance()
```

Get the parent applicationInstance.

**Returns:**

parent applicationInstance

---

**notifyPlayUnpublish**

```
public void notifyPlayUnpublish(IMediaStream stream)
```

Notify all play streams that are listening to this stream that the stream is going into a state of unpublished (NetStream.Play.UnpublishNotify).

**Parameters:**

stream - live published stream that is being unpublished

---

**notifyPlayUnpublish**

```
public void notifyPlayUnpublish(String streamName)
```

Notify all play streams that are listening to this stream name that the stream is going into a state of unpublished (NetStream.Play.UnpublishNotify).

**Parameters:**

streamName - live published stream that is being unpublished

## **broadcastGetObjectEncoding**

```
public int broadcastGetObjectEncoding(IMediaStream stream)
```

Get the minimum object encoding level for the clients playing this stream.

**Parameters:**

stream - publish stream

**Returns:**

object encoding level (AMF0 or AMF3)

---

## **broadcastPlayMessage**

```
public void broadcastPlayMessage(IMediaStream stream,  
    long timecode,  
    java.nio.ByteBuffer msg,  
    int objectEncoding)
```

Send a broadcast message to all play stream that are listening to this live published stream.

**Parameters:**

stream - media stream

timecode - timecode (milliseconds)

msg - byte[] of data that will be deserialized as an AMFData object.

objectEncoding - object encoding (AMF0 or AMF3)

---

## **notifyPlayPublish**

```
public void notifyPlayPublish(IMediaStream stream)
```

Notify all play streams that are listening to this stream that the stream is going into a state of publish (NetStream.Play.PublishNotify).

**Parameters:**

stream - live published stream that is being published

---

## **addMediaStreamListener**

```
public void addMediaStreamListener(IMediaStreamNotify mediaStreamListener)
```

Add a media stream listener. A media stream listener will receive the following events: onMediaStreamCreate, onMediaStreamDestroy.

**Parameters:**

mediaStreamListener - media stream listener

---

## **removeMediaStreamListener**

```
public void removeMediaStreamListener(IMediaStreamNotify mediaStreamListener)
```

Remove a media stream listener.

**Parameters:**

mediaStreamListener - media stream listener

---

(continued from last page)

## notifyMediaStreamCreate

```
public void notifyMediaStreamCreate(IMediaStream mediaStream)
```

Notify all media stream listeners that a new media stream object has been created.

**Parameters:**

mediaStream - new media stream object

---

## notifyMediaStreamDestroy

```
public void notifyMediaStreamDestroy(IMediaStream mediaStream)
```

Notify all media stream listeners that a media stream object is being destroyed.

**Parameters:**

mediaStream - media stream object being destroyed

---

## removeLiveStreamPacketizer

```
public void removeLiveStreamPacketizer(String streamName)
```

Remove all live stream packetizers for this stream name

**Parameters:**

streamName - streamName

---

## removeLiveStreamPacketizer

```
public ILiveStreamPacketizer removeLiveStreamPacketizer(String streamName,  
String packetizerName)
```

Remove live stream packetizer

**Parameters:**

streamName - stream name

packetizerName - packetizer id

**Returns:**

live stream packetizer

---

## getLiveStreamPacketizerLock

```
public Object getLiveStreamPacketizerLock()
```

Get the lock to the live stream packetizer system

**Returns:**

lock to the live stream packetizer system

---

## getLiveStreamPacketizer

```
public ILiveStreamPacketizer getLiveStreamPacketizer(String streamName,  
String packetizerName,  
boolean doCreate)
```

Get a live stream packetizer by name and packetizer id

**Parameters:**

(continued from last page)

streamName - stream name  
packetizerName - packetizer id  
doCreate - create if does not exist

**Returns:**

live stream packetizer

---

**getNextNameGroupId**

```
public long getNextNameGroupId(MediaStreamMapGroup newGroup)
```

---

**addNameGroup**

```
public MediaStreamMapGroup addNameGroup(MediaStreamMapGroup newGroup)
```

---

**removeNameGroup**

```
public MediaStreamMapGroup removeNameGroup(int groupId)
```

---

**removeNameGroup**

```
public MediaStreamMapGroup removeNameGroup(MediaStreamMapGroup nameGroup)
```

---

**getNameGroups**

```
public java.util.Set getNameGroups()
```

---

**getNameGroupByGroupName**

```
public MediaStreamMapGroup getNameGroupByGroupName(String groupName)
```

---

**getNameGroups**

```
public java.util.Set getNameGroups(String streamName)
```

---

**getNameGroupStreamNames**

```
public java.util.Set getNameGroupStreamNames(String streamName)
```

---

(continued from last page)

## getDvrRecorder

```
public ILiveStreamDvrRecorder getDvrRecorder(String streamName,  
      String recorderName,  
      boolean doCreate)
```

Get a DVR recorder by name and recorder name

### Parameters:

streamName - stream name  
recorderName - packetizer id  
doCreate - create if does not exist

### Returns:

dvr recorder

---

## removeDvrRecorder

```
public void removeDvrRecorder(String streamName)
```

---

## removeDvrRecorder

```
public ILiveStreamDvrRecorder removeDvrRecorder(String streamName,  
      String recorderName)
```

Remove DVR Recorder

### Parameters:

streamName - stream name  
recorderName - recorder name

### Returns:

DVR Recorder

---

## getDvrRecorders

```
public java.util.List getDvrRecorders()
```

Returns a list of [ILiveStreamDvrRecorder](#) objects

### Returns:

list of [ILiveStreamDvrRecorder](#) objects

---

## addLicense

```
public LicenseHolder addLicense(IMediaStream stream,  
      int licenseType)
```

---

## addLicense

```
public LicenseHolder addLicense(ILiveStreamPacketizer liveStreamPacketizer,  
      int licenseType)
```

---

Package

**com.wowza.wms.stream.livedvr**

## com.wowza.wms.stream.livedvr Interface IDvrStreamManagerActionNotify

public interface **IDvrStreamManagerActionNotify**  
extends

IDvrActionNotify notify interface for dvr stores. See IApplicationInstance.addDvrStoreListener(IDvrStoreActionNotify storeListener)

### Method Summary

void	<a href="#">onDvrStreamManagerCreate</a> ( <a href="#">IDvrStreamManager</a> dvrMgr) Called when DVR stream manager created but before it is initialized.
void	<a href="#">onDvrStreamManagerDestroy</a> ( <a href="#">IDvrStreamManager</a> dvrMgr) Called when DVR stream manager destroyed.
void	<a href="#">onDvrStreamManagerInit</a> ( <a href="#">IDvrStreamManager</a> dvrMgr) Called when DVR stream manager initialized.

### Methods

#### onDvrStreamManagerCreate

public void **onDvrStreamManagerCreate**([IDvrStreamManager](#) dvrMgr)

Called when DVR stream manager created but before it is initialized.

**Parameters:**

dvrMgr - DVR stream manager

#### onDvrStreamManagerInit

public void **onDvrStreamManagerInit**([IDvrStreamManager](#) dvrMgr)

Called when DVR stream manager initialized.

**Parameters:**

dvrMgr - DVR stream manager

#### onDvrStreamManagerDestroy

public void **onDvrStreamManagerDestroy**([IDvrStreamManager](#) dvrMgr)

Called when DVR stream manager destroyed.

**Parameters:**

dvrMgr - DVR stream manager



## com.wowza.wms.stream.livedvr Interface **ILiveStreamDvrRecorder**

public interface **ILiveStreamDvrRecorder**  
extends

ILiveStreamDvrRecorder: DVR Recorder interface.

### Method Summary

boolean	<a href="#"><u>canRecordAudio()</u></a> True if audio is being recorded
boolean	<a href="#"><u>canRecordData()</u></a> True if data is being recorded
boolean	<a href="#"><u>canRecordVideo()</u></a> True if video is being recorded
<a href="#"><u>IApplicationInstance</u></a>	<a href="#"><u>getAppInstance()</u></a> Get associated applicationInstance.
<a href="#"><u>IDvrStreamManager</u></a>	<a href="#"><u>getDvrManager()</u></a> Get DVR recorder's associated DVR stream manager
int	<a href="#"><u>getDvrRecorderId()</u></a> Get the DVR recorder id
LicenseHolder	<a href="#"><u>getLicenseHolder()</u></a>
<a href="#"><u>WMSProperties</u></a>	<a href="#"><u>getProperties()</u></a> Get properties
String	<a href="#"><u>getRecordingName()</u></a>
<a href="#"><u>IMediaStream</u></a>	<a href="#"><u>getStream()</u></a> Get the current stream that is being recorded
void	<a href="#"><u>handlePacket()</u></a> ( <a href="#"><u>IMediaStream</u></a> stream, <a href="#"><u>AMFPacket</u></a> packet) Called to handle an incoming packet
void	<a href="#"><u>init()</u></a> (String streamName, String recorderName, <a href="#"><u>IApplicationInstance</u></a> appInstance, DvrRecorderItem dvrRecorderItem) Initialize DVR recorder.
boolean	<a href="#"><u>isActive()</u></a> Is the DVR recorder active
boolean	<a href="#"><u>isRecording()</u></a> Is this stream currently recording.
boolean	<a href="#"><u>isRecordingPaused()</u></a> Is this stream currently paused from recording.

boolean	<a href="#"><u>pauseRecording()</u></a> Request that stream recording pause.
void	<a href="#"><u>resetStream()</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Called when something happens that forces the stream to reset
boolean	<a href="#"><u>resumeRecording()</u></a> Request that stream recording resume.
void	<a href="#"><u>setDvrRecorderId()</u></a> (int liveStreamId) Set the DVR recorder id
void	<a href="#"><u>setRecordAudio()</u></a> (boolean recordAudio) Set to true to record audio
void	<a href="#"><u>setRecordData()</u></a> (boolean recordVideo) Set to true to record data
void	<a href="#"><u>setRecordingName()</u></a> (String name)
void	<a href="#"><u>setRecordVideo()</u></a> (boolean recordVideo) Set to true to record video
void	<a href="#"><u>setStartRecordingOnStartup()</u></a> (boolean shouldStartRecordingOnStartup) Set recording behavior of DVR Manager on startup.
boolean	<a href="#"><u>shouldStartRecordingOnStartup()</u></a> Should DVR start recording when packets start flowing.
void	<a href="#"><u>shutdown()</u></a> Called to shutdown the DVR recorder
<a href="#"><u>IDvrStreamManager</u></a>	<a href="#"><u>startRecording()</u></a> Request that stream recording start.
void	<a href="#"><u>startStream()</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Called when the stream starts
boolean	<a href="#"><u>stopRecording()</u></a> Request that stream recording stop.
void	<a href="#"><u>touch()</u></a> (long timecode) Touch the stream to keep it active

## Methods

### init

```
public void init(String streamName,
    String recorderName,
    IApplicationInstance appInstance,
    DvrRecorderItem dvrRecorderItem)
```

Initialize DVR recorder.

#### Parameters:

streamName - stream name

(continued from last page)

recorderName - DVR recorder name  
appInstance - application instance  
dvrRecorderItem - DVR recorder

---

## shutdown

```
public void shutdown()
```

Called to shutdown the DVR recorder

---

## getStream

```
public IMediaStream getStream()
```

Get the current stream that is being recorded

**Returns:**  
stream

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get associated applicationInstance.

**Returns:**  
application Instance

---

## handlePacket

```
public void handlePacket(IMediaStream stream,  
    AMFPacket packet)
```

Called to handle an incoming packet

**Parameters:**  
stream - stream  
packet - packet

---

## startStream

```
public void startStream(IMediaStream stream)
```

Called when the stream starts

**Parameters:**  
stream - stream

---

## resetStream

```
public void resetStream(IMediaStream stream)
```

Called when something happens that forces the stream to reset

**Parameters:**  
stream - stream

(continued from last page)

## touch

```
public void touch(long timecode)
```

Touch the stream to keep it active

**Parameters:**

timecode - timecode of touch in milliseconds

---

## isActive

```
public boolean isActive()
```

Is the DVR recorder active

**Returns:**

true if active

---

## getProperties

```
public WMSProperties getProperties()
```

Get properties

**Returns:**

properties

---

## getDvrRecorderId

```
public int getDvrRecorderId()
```

Get the DVR recorder id

**Returns:**

DVR recorder id

---

## setDvrRecorderId

```
public void setDvrRecorderId(int liveStreamId)
```

Set the DVR recorder id

**Parameters:**

liveStreamId

---

## getDvrManager

```
public IDvrStreamManager getDvrManager()
```

Get DVR recorder's associated DVR stream manager

**Returns:**

DVR manager

---

## canRecordAudio

```
public boolean canRecordAudio()
```

---

(continued from last page)

True if audio is being recorded

**Returns:**

True if audio is being recorded

---

## setRecordAudio

```
public void setRecordAudio(boolean recordAudio)
```

Set to true to record audio

**Parameters:**

recordAudio - true to record audio

---

## canRecordVideo

```
public boolean canRecordVideo()
```

True if video is being recorded

**Returns:**

True if video is being recorded

---

## setRecordVideo

```
public void setRecordVideo(boolean recordVideo)
```

Set to true to record video

**Parameters:**

recordVideo - true to record video

---

## canRecordData

```
public boolean canRecordData()
```

True if data is being recorded

**Returns:**

True if data is being recorded

---

## setRecordData

```
public void setRecordData(boolean recordVideo)
```

Set to true to record data

**Parameters:**

recordVideo - true to record data

---

## startRecording

```
public IDvrStreamManager startRecording()
```

Request that stream recording start.

**Returns:**

stream manager if successful. null otherwise.

## isRecording

```
public boolean isRecording()
```

Is this stream currently recording. If this stream is not recordable, the method returns false.

**Returns:**

true if has a recording stream and it is recording.

---

## isRecordingPaused

```
public boolean isRecordingPaused()
```

Is this stream currently paused from recording. If this stream is not recording and not paused, the method returns false.

**Returns:**

true if has a recording is paused.

---

## stopRecording

```
public boolean stopRecording()
```

Request that stream recording stop. Note that this call places the DVR stream in the *not* recording state.

A successful stop will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingStopped\(IDvrStreamStore\)](#) method called.

Success only occurs if the stream is already in the recording state [IDvrStreamStore.isRecording\(\)](#).

**Returns:**

store if successful. null otherwise.

---

## pauseRecording

```
public boolean pauseRecording()
```

Request that stream recording pause. The stream does not have to be actively recording to be paused. For example, it could be paused before packets start flowing.

A successful pause will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingPaused\(IDvrStreamStore\)](#) method called.

**Returns:**

store if successful. null otherwise.

---

## resumeRecording

```
public boolean resumeRecording()
```

Request that stream recording resume. The stream does not have to be actively recording to be resumed. For example, it could have been paused before the stream started, and this call would move it out of the paused state.

A successful resume will result in registered [IDvrRecordingListeners](#) to have their [IDvrRecordingListener.recordingResumed\(IDvrStreamStore\)](#) method called.

**Returns:**

store if successful. null otherwise.

---

(continued from last page)

---

## setRecordingName

```
public void setRecordingName(String name)
```

---

## getRecordingName

```
public String getRecordingName()
```

---

## shouldStartRecordingOnStartup

```
public boolean shouldStartRecordingOnStartup()
```

Should DVR start recording when packets start flowing.

**Returns:**

true if should start recording initially, false otherwise

---

## setStartRecordingOnStartup

```
public void setStartRecordingOnStartup(boolean shouldStartRecordingOnStartup)
```

Set recording behavior of DVR Manager on startup.

**Parameters:**

shouldStartRecordingOnStartup - should recording start when DVR manager starts.

---

## getLicenseHolder

```
public LicenseHolder getLicenseHolder()
```

## com.wowza.wms.stream.livedvr Interface **ILiveStreamDvrRecorderActionNotify**

public interface **ILiveStreamDvrRecorderActionNotify**  
extends

ILiveStreamDvrRecorderActionNotify: notify interface for dvr recorders.

See Also:

[IApplicationInstance.addDvrRecorderListener\(ILiveStreamDvrRecorderActionNotify\)](#),

### Method Summary

void	<a href="#">onLiveStreamDvrRecorderCreate</a> ( <a href="#">ILiveStreamDvrRecorder</a> recorder, String streamName) Called when recorder created
void	<a href="#">onLiveStreamDvrRecorderDestroy</a> ( <a href="#">ILiveStreamDvrRecorder</a> recorder) Called when recorder destroyed
void	<a href="#">onLiveStreamDvrRecorderInit</a> ( <a href="#">ILiveStreamDvrRecorder</a> recorder, String streamName) Called after recorder is initialized

### Methods

#### **onLiveStreamDvrRecorderCreate**

```
public void onLiveStreamDvrRecorderCreate(ILiveStreamDvrRecorder recorder,  
String streamName)
```

Called when recorder created

**Parameters:**

recorder - recorder  
streamName - stream name

#### **onLiveStreamDvrRecorderInit**

```
public void onLiveStreamDvrRecorderInit(ILiveStreamDvrRecorder recorder,  
String streamName)
```

Called after recorder is initialized

**Parameters:**

recorder - recorder  
streamName - stream name

#### **onLiveStreamDvrRecorderDestroy**

```
public void onLiveStreamDvrRecorderDestroy(ILiveStreamDvrRecorder recorder)
```

Called when recorder destroyed



(continued from last page)

**Parameters:**

recorder - recorder

# com.wowza.wms.stream.livedvr

## Interface ILiveStreamDvrRecorderControl

public interface **ILiveStreamDvrRecorderControl**  
extends

ILiveStreamDvrRecorderControl: interface to control which recorders are run for which streams.  
**See Also:**  
[IApplicationInstance.setLiveStreamDvrRecorderControl\(ILiveStreamDvrRecorderControl\)](#)

Method Summary	
boolean	<a href="#">shouldDvrRecord</a> (String recorderName, <a href="#">IMediaStream</a> stream) Returns true if given string should be recorded.;

## Methods

### shouldDvrRecord

public boolean **shouldDvrRecord**(String recorderName, [IMediaStream](#) stream)

Returns true if given string should be recorded.;

**Parameters:**

- recorderName - recorder name
- stream - stream

**Returns:**

true to record

---

Package

**com.wowza.wms.stream.livepacketizer**

## com.wowza.wms.stream.livepacketizer

### Interface ILiveStreamPacketizer

All Subinterfaces:

[IDvrStreamManager](#)

public interface **ILiveStreamPacketizer**

extends

ILiveStreamPacketizer: live stream packetizer interface.

#### Method Summary

<a href="#">IMediaStream</a>	<a href="#">getAndSetStartStream</a> ( <a href="#">IMediaStream</a> stream) Get the current stream that is being packetized
<a href="#">IApplicationInstance</a>	<a href="#">getApplicationInstance</a> () Get the application instance associated with this live stream packetizer.
int	<a href="#">getLiveStreamPacketizerId</a> () Get the live stream packetizer id
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> () Get properties
long	<a href="#">getRepeaterLastSequence</a> () Get the sequence number of the last added repeater item
void	<a href="#">handlePacket</a> ( <a href="#">IMediaStream</a> stream, <a href="#">AMFPacket</a> packet) Called to handle an incoming packet
void	<a href="#">init</a> (String streamName, String packetizerName, <a href="#">IApplicationInstance</a> appInstance, LiveStreamPacketizerItem liveStreamPacketizerItem) Initialize live stream packetizer
boolean	<a href="#">isActive</a> () Is the live stream packetizer active
boolean	<a href="#">isPacketizeAudio</a> () True if audio is being packetized
boolean	<a href="#">isPacketizeData</a> () True if data is being packetized
boolean	<a href="#">isPacketizeVideo</a> () True if video is being packetized
boolean	<a href="#">isRepeaterEdge</a> () Is this packetizer a live repeater edge
void	<a href="#">resetStream</a> ( <a href="#">IMediaStream</a> stream) Called when something happens that forces the stream to reset
void	<a href="#">setLiveStreamPacketizerId</a> (int id) Set the live stream packetizer id

void	<a href="#"><u>setPacketizeAudio</u></a> (boolean packetizeAudio) Set to true to packetize audio
void	<a href="#"><u>setPacketizeData</u></a> (boolean packetizeVideo) Set to true to packetize data
void	<a href="#"><u>setPacketizeVideo</u></a> (boolean packetizeVideo) Set to true to packetize video
void	<a href="#"><u>setRepeaterEdge</u></a> (boolean isRepeaterEdge) Set is live repeater edge
void	<a href="#"><u>shutdown</u></a> ( ) Called to shutdown the live stream packetizer
void	<a href="#"><u>startStream</u></a> ( <a href="#"><u>IMediaStream</u></a> stream) Called when the stream starts
void	<a href="#"><u>touch</u></a> (long timecode) Touch the stream to keep it active

## Methods

### init

```
public void init(String streamName,
String packetizerName,
IApplicationInstance appInstance,
LiveStreamPacketizerItem liveStreamPacketizerItem)
```

Initialize live stream packetizer

#### Parameters:

streamName - stream name  
packetizerName - packetizer name  
appInstance - application instance  
liveStreamPacketizerItem - live stream packetizer

### shutdown

```
public void shutdown( )
```

Called to shutdown the live stream packetizer

### isActive

```
public boolean isActive( )
```

Is the live stream packetizer active

#### Returns:

true if active

### getProperties

```
public WMSProperties getProperties( )
```

(continued from last page)

Get properties

**Returns:**  
properties

---

## getRepeaterLastSequence

```
public long getRepeaterLastSequence()
```

Get the sequence number of the last added repeater item

**Returns:**  
sequence number

---

## getLiveStreamPacketizerId

```
public int getLiveStreamPacketizerId()
```

Get the live stream packetizer id

**Returns:**  
live stream packetizer id

---

## setLiveStreamPacketizerId

```
public void setLiveStreamPacketizerId(int id)
```

Set the live stream packetizer id

**Parameters:**  
id

---

## handlePacket

```
public void handlePacket(IMediaStream stream,  
    AMFPacket packet)
```

Called to handle an incoming packet

**Parameters:**  
stream - stream  
packet - packet

---

## startStream

```
public void startStream(IMediaStream stream)
```

Called when the stream starts

**Parameters:**  
stream - stream

---

## resetStream

```
public void resetStream(IMediaStream stream)
```

Called when something happens that forces the stream to reset

**Parameters:**

(continued from last page)

---

stream - stream

---

## touch

```
public void touch(long timecode)
```

Touch the stream to keep it active

**Parameters:**

timecode - timecode of touch in milliseconds

---

## isRepeaterEdge

```
public boolean isRepeaterEdge()
```

Is this packetizer a live repeater edge

**Returns:**

true if live repeater edge

---

## setRepeaterEdge

```
public void setRepeaterEdge(boolean isRepeaterEdge)
```

Set is live repeater edge

**Parameters:**

isRepeaterEdge - is live repeater edge

---

## isPacketizeAudio

```
public boolean isPacketizeAudio()
```

True if audio is being packetized

**Returns:**

True if audio is being packetized

---

## setPacketizeAudio

```
public void setPacketizeAudio(boolean packetizeAudio)
```

Set to true to packetize audio

**Parameters:**

packetizeAudio - true to packetize audio

---

## isPacketizeVideo

```
public boolean isPacketizeVideo()
```

True if video is being packetized

**Returns:**

True if video is being packetized

---

(continued from last page)

---

## setPacketizeVideo

```
public void setPacketizeVideo(boolean packetizeVideo)
```

Set to true to packetize video

**Parameters:**

packetizeVideo - true to packetize video

---

## isPacketizeData

```
public boolean isPacketizeData()
```

True if data is being packetized

**Returns:**

True if data is being packetized

---

## setPacketizeData

```
public void setPacketizeData(boolean packetizeVideo)
```

Set to true to packetize data

**Parameters:**

packetizeVideo - true to packetize data

---

## getAndSetStartStream

```
public IMediaStream getAndSetStartStream(IMediaStream stream)
```

Get the current stream that is being packetized

**Returns:**

stream

---

## getApplicationInstance

```
public IApplicationInstance getApplicationInstance()
```

Get the application instance associated with this live stream packetizer.

**Returns:**

application instance

---



## com.wowza.wms.stream.livepacketizer Interface **ILiveStreamPacketizerActionNotify**

public interface **ILiveStreamPacketizerActionNotify**  
extends

ILiveStreamPacketizerActionNotify: notify interface for live stream packetizers. See  
IApplicationInstance.addLiveStreamPacketizerListener(ILiveStreamPacketizerActionNotify liveStreamPacketizerListener)

### Method Summary

void	<a href="#">onLiveStreamPacketizerCreate</a> ( <a href="#">ILiveStreamPacketizer</a> liveStreamPacketizer, String streamName) Called when packetizer created
void	<a href="#">onLiveStreamPacketizerDestroy</a> ( <a href="#">ILiveStreamPacketizer</a> liveStreamPacketizer) Called when packetizer destroyed
void	<a href="#">onLiveStreamPacketizerInit</a> ( <a href="#">ILiveStreamPacketizer</a> liveStreamPacketizer, String streamName) Called after packetizer is initialized

### Methods

#### **onLiveStreamPacketizerCreate**

```
public void onLiveStreamPacketizerCreate(ILiveStreamPacketizer liveStreamPacketizer,  
String streamName)
```

Called when packetizer created

**Parameters:**

liveStreamPacketizer - packetizer  
streamName - stream name

#### **onLiveStreamPacketizerDestroy**

```
public void onLiveStreamPacketizerDestroy(ILiveStreamPacketizer liveStreamPacketizer)
```

Called when packetizer destroyed

**Parameters:**

liveStreamPacketizer - packetizer

#### **onLiveStreamPacketizerInit**

```
public void onLiveStreamPacketizerInit(ILiveStreamPacketizer liveStreamPacketizer,  
String streamName)
```

Called after packetizer is initialized

**Parameters:**

(continued from last page)

liveStreamPacketizer - packetizer  
streamName - stream name

# com.wowza.wms.stream.livepacketizer

## Interface ILiveStreamPacketizerControl

public interface **ILiveStreamPacketizerControl**  
extends

ILiveStreamPacketizerControl: interface to control which packetizers are run for which streams. See:  
IApplicationInstance.setLiveStreamPacketizerControl(ILiveStreamPacketizerControl liveStreamPacketizerControl)

Method Summary	
boolean	<a href="#">isLiveStreamPacketize</a> (String packetizer, <a href="#">IMediaStream</a> stream) Return true to packetize stream

## Methods

### isLiveStreamPacketize

public boolean **isLiveStreamPacketize**(String packetizer, [IMediaStream](#) stream)

Return true to packetize stream

**Parameters:**

- packetizer - packetizer name
- stream - stream

**Returns:**

true to packetize

---

Package

**com.wowza.wms.stream.livetranscoder**

## com.wowza.wms.stream.livetranscoder

### Interface **ILiveStreamTranscoder**

public interface **ILiveStreamTranscoder**  
extends

ILiveStreamTranscoder: Interface to live stream transcoder.

#### Method Summary

void	<a href="#"><code>close(IMediaStream stream)</code></a> Called when live stream transcoder is stream is closed
<a href="#"><code>IApplicationInstance</code></a>	<a href="#"><code>getAppInstance()</code></a> Get the application instance associated with this live stream transcoder.
String	<a href="#"><code>getContextStr()</code></a> Get the streaming context for this live stream transcoder.
LicenseHolder	<a href="#"><code>getLicenseHolder()</code></a> Get license holder.
LiveStreamTranscoderItem	<a href="#"><code>getLiveStreamTranscoderItem()</code></a> Get the definition for live stream transcoder.
<a href="#"><code>WMSProperties</code></a>	<a href="#"><code>getProperties()</code></a> Get the user properties
String	<a href="#"><code>getStreamName()</code></a> Get the stream name of the source stream.
String	<a href="#"><code>getTranscoderName()</code></a> Get the live stream transcoder name
void	<a href="#"><code>handleOnMetadata(IMediaStream stream, AMFPacket packet, long timecode, boolean isSetDataFrame)</code></a> Called for each new onMetaData packet
void	<a href="#"><code>handlePacket(IMediaStream stream, AMFPacket packet)</code></a> Called for each new source packet
void	<a href="#"><code>init(String streamName, IMediaStream stream, String transcoderName, IApplicationInstance appInstance, LiveStreamTranscoderItem liveStreamTranscoderItem)</code></a> Called when live stream transcoder interface is initialized.
boolean	<a href="#"><code>isTemplateLoaded()</code></a> Is the transcoder template loaded.
boolean	<a href="#"><code>isTranscoderActive(long currTime)</code></a> Returns true if the transcoder is actively receiving packets
void	<a href="#"><code>resetStream(IMediaStream stream)</code></a> Called when source stream changes.

void	<a href="#">setAppInstance</a> ( <a href="#">IApplicationInstance</a> appInstance) Set the application instance associated with this live stream transcoder.
void	<a href="#">setLiveStreamTranscoderItem</a> ( <a href="#">LiveStreamTranscoderItem</a> liveStreamTranscoderItem) Set the definition for live stream transcoder.
void	<a href="#">setStreamName</a> (String streamName) Set source stream name.
void	<a href="#">setTranscoderName</a> (String transcoderName) Get the live stream transcoder name
void	<a href="#">shutdown</a> ( <a href="#">IMediaStream</a> stream) Called when live stream transcoder is shutdown

## Methods

### init

```
public void init(String streamName,
    IMediaStream stream,
    String transcoderName,
    IApplicationInstance appInstance,
    LiveStreamTranscoderItem liveStreamTranscoderItem)
```

Called when live stream transcoder interface is initialized.

#### Parameters:

streamName - stream name  
transcoderName - transcoder name  
appInstance - application instance  
liveStreamTranscoderItem - live stream transcoder config item

### handlePacket

```
public void handlePacket(IMediaStream stream,
    AMFPacket packet)
```

Called for each new source packet

#### Parameters:

stream - stream  
packet - packet

### handleOnMetadata

```
public void handleOnMetadata(IMediaStream stream,
    AMFPacket packet,
    long timecode,
    boolean isSetDataFrame)
```

Called for each new onMetaData packet

#### Parameters:

stream - stream  
packet - packet  
timecode - timecode (milliseconds)

(continued from last page)

---

isSetDataFrame - is SetDataFrame call

---

## resetStream

```
public void resetStream(IMediaStream stream)
```

Called when source stream changes.

### Parameters:

stream - stream interface

---

## close

```
public void close(IMediaStream stream)
```

Called when live stream transcoder is stream is closed

### Parameters:

stream - stream interface

---

## shutdown

```
public void shutdown(IMediaStream stream)
```

Called when live stream transcoder is shutdown

### Parameters:

stream - stream interface

---

## getStreamName

```
public String getStreamName()
```

Get the stream name of the source stream.

### Returns:

stream name of the source stream

---

## setStreamName

```
public void setStreamName(String streamName)
```

Set source stream name.

### Parameters:

streamName - source stream name

---

## getTranscoderName

```
public String getTranscoderName()
```

Get the live stream transcoder name

### Returns:

live stream transcoder name

---

(continued from last page)

## setTranscoderName

```
public void setTranscoderName(String transcoderName)
```

Get the live stream transcoder name

**Parameters:**

transcoderName - live stream transcoder name

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

Get the application instance associated with this live stream transcoder.

**Returns:**

application instance associated with this live stream transcoder

---

## setAppInstance

```
public void setAppInstance(IApplicationInstance appInstance)
```

Set the application instance associated with this live stream transcoder.

**Parameters:**

appInstance - application instance associated with this live stream transcoder

---

## getLiveStreamTranscoderItem

```
public LiveStreamTranscoderItem getLiveStreamTranscoderItem()
```

Get the definition for live stream transcoder.

**Returns:**

definition for live stream transcoder

---

## setLiveStreamTranscoderItem

```
public void setLiveStreamTranscoderItem(LiveStreamTranscoderItem  
liveStreamTranscoderItem)
```

Set the definition for live stream transcoder.

**Parameters:**

liveStreamTranscoderItem - definition for live stream transcoder

---

## getProperties

```
public WMSProperties getProperties()
```

Get the user properties

**Returns:**

user properties

---

## getLicenseHolder

```
public LicenseHolder getLicenseHolder()
```

---



(continued from last page)

Get license holder.

**Returns:**

license holder

---

## isTranscoderActive

```
public boolean isTranscoderActive(long currTime)
```

Returns true if the transcoder is actively receiving packets

**Parameters:**

currTime - current timecode in milliseconds

**Returns:**

true if the transcoder is actively receiving packets

---

## isTemplateLoaded

```
public boolean isTemplateLoaded()
```

Is the transcoder template loaded.

**Returns:**

true if transcoder template is loaded.

---

## getContextStr

```
public String getContextStr()
```

Get the streaming context for this live stream transcoder.

**Returns:**

streaming context for this live stream transcoder

---

## com.wowza.wms.stream.livetranscoder Interface **ILiveStreamTranscoderControl**

public interface **ILiveStreamTranscoderControl**  
extends

Interface used to control if stream is transcoded. See  
`IApplicationInstance.setLiveStreamTranscoderControl(ILiveStreamTranscoderControl)`

### Method Summary

boolean	<a href="#"><code>isLiveStreamTranscode</code></a> (String transcoder, <a href="#"><code>IMediaStream</code></a> stream) Called each time a new publishing stream is started.
---------	--

### Methods

#### **isLiveStreamTranscode**

```
public boolean isLiveStreamTranscode(String transcoder,  
    IMediaStream stream)
```

Called each time a new publishing stream is started. Return true if you wish stream to be transcoded. See  
`IApplicationInstance.setLiveStreamTranscoderControl(ILiveStreamTranscoderControl)`

**Parameters:**

transcoder - name of transcoder  
stream - stream interface

**Returns:**

true if wish stream to be transcoded

## com.wowza.wms.stream.livetranscoder Interface **ILiveStreamTranscoderNotify**

public interface **ILiveStreamTranscoderNotify**  
extends

ILiveStreamTranscoderNotify: Listener interface for listening for new live stream transcoders. See  
IApplicationInstance.addLiveStreamTranscoderListener(ILiveStreamTranscoderNotify)

### Method Summary

void	<a href="#">onLiveStreamTranscoderCreate</a> ( <a href="#">ILiveStreamTranscoder</a> liveStreamTranscoder, <a href="#">IMediaStream</a> stream) Triggered when live stream transcoder is created.
void	<a href="#">onLiveStreamTranscoderDestroy</a> ( <a href="#">ILiveStreamTranscoder</a> liveStreamTranscoder, <a href="#">IMediaStream</a> stream) Triggered when live stream transcoder is destroyed.
void	<a href="#">onLiveStreamTranscoderInit</a> ( <a href="#">ILiveStreamTranscoder</a> liveStreamTranscoder, <a href="#">IMediaStream</a> stream) Triggered after live stream transcoder is initialized.

### Methods

#### **onLiveStreamTranscoderCreate**

```
public void onLiveStreamTranscoderCreate(ILiveStreamTranscoder liveStreamTranscoder,
IMediaStream stream)
```

Triggered when live stream transcoder is created.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
stream - source stream

#### **onLiveStreamTranscoderDestroy**

```
public void onLiveStreamTranscoderDestroy(ILiveStreamTranscoder liveStreamTranscoder,
IMediaStream stream)
```

Triggered when live stream transcoder is destroyed.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
stream - source stream

#### **onLiveStreamTranscoderInit**

```
public void onLiveStreamTranscoderInit(ILiveStreamTranscoder liveStreamTranscoder,
IMediaStream stream)
```

Triggered after live stream transcoder is initialized.

(continued from last page)

**Parameters:**

liveStreamTranscoder - live stream transcoder

stream - source stream

---

Package

**com.wowza.wms.stream.publish**

## com.wowza.wms.stream.publish Interface IPublishingProvider

All Known Implementing Classes:

[PublishingProviderMediaReader](#), [PublishingProviderLive](#)

public interface **IPublishingProvider**  
extends

IPublishingProvider: publishing provider interface.

### Method Summary

void	<a href="#">close()</a> Invoked on stream close
boolean	<a href="#">isSendOnMetadata()</a> Get to send onMetadata event when stream starts
boolean	<a href="#">play(Publisher publisher)</a> Invoked on play
boolean	<a href="#">seek(long timecode)</a> Invoked on seek
boolean	<a href="#">seek(long timecode, int seekType)</a> Invoked on seek
void	<a href="#">setDuration(long duration)</a> Set target duration for playback (milliseconds)
void	<a href="#">setRealTimeStartTime(long realTimeStartTime)</a> Set real start time (milliseconds)
void	<a href="#">setSendOnMetadata(boolean sendOnMetadata)</a> Set to send onMetadata event when stream starts

### Methods

#### play

public boolean **play**([Publisher](#) publisher)

Invoked on play

**Parameters:**

publisher - publisher

**Returns:**

true if successful

(continued from last page)

## close

```
public void close()
```

Invoked on stream close

---

## seek

```
public boolean seek(long timecode,  
                    int seekType)
```

Invoked on seek

### Parameters:

timecode - target timecode

seekType - seek type, see IMediaReader.SEEKTARGET\_\*

### Returns:

true, if seek successful

---

## seek

```
public boolean seek(long timecode)
```

Invoked on seek

### Parameters:

timecode - target timecode

### Returns:

true, if seek successful

---

## setDuration

```
public void setDuration(long duration)
```

Set target duration for playback (milliseconds)

### Parameters:

duration - duration for playback (milliseconds)

---

## setRealTimeStartTime

```
public void setRealTimeStartTime(long realTimeStartTime)
```

Set real start time (milliseconds)

### Parameters:

realTimeStartTime - real start time (milliseconds)

---

## setSendOnMetadata

```
public void setSendOnMetadata(boolean sendOnMetadata)
```

Set to send onMetadata event when stream starts

### Parameters:

sendOnMetadata - true to send onMetadata event

---

---

## isSendOnMetadata

```
public boolean isSendOnMetadata()
```

Get to send onMetadata event when stream starts

**Returns:**

true to send onMetadata event



## com.wowza.wms.stream.publish Interface IStreamActionNotify

public interface **IStreamActionNotify**  
extends

IStreamActionNotify: listener interface to Stream class for playlist items. See Stream.addListener(IStreamActionNotify listener)

### Method Summary

void	<a href="#">onPlaylistItemStart</a> ( <a href="#">Stream</a> stream, <a href="#">PlaylistItem</a> playlistItem) Invoked when playlist item playback is started
void	<a href="#">onPlaylistItemStop</a> ( <a href="#">Stream</a> stream, <a href="#">PlaylistItem</a> playlistItem) Invoked when playlist item playback has ended

### Methods

#### onPlaylistItemStart

```
public void onPlaylistItemStart(Stream stream,  
    PlaylistItem playlistItem)
```

Invoked when playlist item playback is started

**Parameters:**

stream - stream

playlistItem - playlist item

#### onPlaylistItemStop

```
public void onPlaylistItemStop(Stream stream,  
    PlaylistItem playlistItem)
```

Invoked when playlist item playback has ended

**Parameters:**

stream - stream

playlistItem - playlist item

## com.wowza.wms.stream.publish Class Playlist

java.lang.Object

└─com.wowza.wms.stream.publish.Playlist

public class **Playlist**  
extends Object

### Constructor Summary

public	<a href="#">Playlist</a> (String sName) Class constructor - A simple structure that maintains a list of playlist items.
--------	--

### Method Summary

void	<a href="#">addItem</a> (String sName, int start, int length) Appends an item to this playlist
java.util.List	<a href="#">getItems</a> () Get the items in the playlist (returns a copy of the list)
String	<a href="#">getName</a> () Returns the name of this playlist as defined in the XML definition file
boolean	<a href="#">getRepeat</a> ()
boolean	<a href="#">open</a> ( <a href="#">Stream</a> s) Opens this playlist on the given stream...
void	<a href="#">removeItem</a> (int index) Remove an item from the list
void	<a href="#">setRepeat</a> (boolean repeat)

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### Playlist

public **Playlist**(String sName)

Class constructor - A simple structure that maintains a list of playlist items.

#### Parameters:

sName -- name of playlist - as defined in the XML definition file

## Methods

### getItems

```
public java.util.List getItems()
```

Get the items in the playlist (returns a copy of the list)

**Returns:**

items in the playlist (returns a copy of the list)

### getRepeat

```
public boolean getRepeat()
```

### setRepeat

```
public void setRepeat(boolean repeat)
```

### addItem

```
public void addItem(String sName,  
                    int start,  
                    int length)
```

Appends an item to this playlist

**Parameters:**

sName - - item name

start - - start seconds

length - - playlength seconds

### removeItem

```
public void removeItem(int index)
```

Remove an item from the list

**Parameters:**

index - index of item to remove

### open

```
public boolean open(Stream s)
```

Opens this playlist on the given stream... stopping anything currently playing on that stream and switching over.

**Parameters:**

s - - stream to play on

**Returns:**

- true if successful

## getName

```
public String getName()
```

Returns the name of this playlist as defined in the XML definition file

**Returns:**

name of this playlist

## com.wowza.wms.stream.publish Class PlaylistItem

java.lang.Object

└─com.wowza.wms.stream.publish.PlaylistItem

public class **PlaylistItem**  
extends Object

### Constructor Summary

public	<a href="#">PlaylistItem</a> (String name, int start, int length, int index) Class constructor - A simple structure to define parameters associated with a playlist item
--------	---

### Method Summary

int	<a href="#">getIndex()</a>
int	<a href="#">getLength()</a> Number of seconds of track to play
String	<a href="#">getName()</a> Name of playlist stream
int	<a href="#">getStart()</a> Number of seconds into track to start from
void	<a href="#">setIndex</a> (int index)
String	<a href="#">toString()</a>

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### PlaylistItem

```
public PlaylistItem(String name,
                    int start,
                    int length,
                    int index)
```

Class constructor - A simple structure to define parameters associated with a playlist item

#### Parameters:

name - - name of the playlist stream

start - - number of seconds into the track to start from (-2 means live stream)

(continued from last page)

length -- number of seconds of track to play

index -- index in the playlist

## Methods

### getName

```
public String getName()
```

Name of playlist stream

**Returns:**- name of stream

---

### getStart

```
public int getStart()
```

Number of seconds into track to start from

**Returns:**- number of seconds

---

### getLength

```
public int getLength()
```

Number of seconds of track to play

**Returns:**- number of seconds

---

### getIndex

```
public int getIndex()
```

---

### setIndex

```
public void setIndex(int index)
```

---

### toString

```
public String toString()
```

## com.wowza.wms.stream.publish Class Publisher

java.lang.Object

└─com.wowza.wms.stream.publish.Publisher

---

```
public class Publisher  
extends Object
```

Publisher: clientless stream publisher. This class can be used to publish raw video, audio and metadata packets to the Wowza Pro server. Here is a quick snippet of code that illustrates how to use it.

This code below will publish data the stream named "myStream". It will be streamed to the default virtual host and available at the rtmp address rtmp://[server-ip-address]/streamtest.

```
IVHost vhost = VHostSingleton.getInstance(VHost.VHOST_DEFAULT);
Publisher publisher = Publisher.createInstance(vhost, "streamtest");

publisher.setFileExtension("flv");
publisher.setStreamType("live");

publisher.publish("myStream", "live");

// sit in a loop adding data
boolean done = false;
while(true)
{
    AMFPacket amfPacket;

    // read packet from audio, video, data source
    // amfPacket = readPacketFromSomewhere();

    switch (amfPacket.getType())
    {
        case IVHost.CONTENTTYPE_AUDIO:
            publisher.addAudioData(amfPacket.getData(), amfPacket.getSize(),
amfPacket.getTimecode());
            break;
        case IVHost.CONTENTTYPE_VIDEO:
            publisher.addVideoData(amfPacket.getData(), amfPacket.getSize(),
amfPacket.getTimecode());
            break;
        case IVHost.CONTENTTYPE_DATA:
            publisher.addDataData(amfPacket.getData(), amfPacket.getSize(),
amfPacket.getTimecode());
            break;
    }
    if (done)
        break;
}

publisher.unpublish();
publisher.close();
```



Basic packet format:

Audio:

AAC

[1-byte header]

[1-byte codec config indicator (1 - audio data, 0 - codec config packet)]

[n-bytes audio content or codec config data]

All others

[1-byte header]

[n-bytes audio content]

Below is the bit

layout of the header byte of data (table goes from least significant bit to most significant bit):

1 bit Number of channels:

- 0 mono
- 1 stereo

1 bit Sample size:

- 0 8 bits per sample
- 1 16 bits per sample

2 bits Sample rate:

- 0 special or 8KHz
- 1 11KHz
- 2 22KHz
- 3 44KHz

4 bits Audio type:

- 0 PCM (big endian)
- 1 PCM (swf - ADPCM)
- 2 MP3
- 3 PCM (little endian)
- 4 Nelly Moser ASAO 16KHz Mono
- 5 Nelly Moser ASAO 8KHz Mono
- 6 Nelly Moser ASAO
- 7 G.711 ALaw
- 8 G.711 MULaw
- 9 Reserved
- a AAC
- b Speex
- f MP3 8Khz

Note: For AAC the codec config data is generally a two byte packet that describes the stream. It must

be published first. Here is the basic code to fill in the codec config data.

```
AACFrame frame = new AACFrame();
```

```

int sampleRate = 22100;
int channels = 2;
frame.setSampleRate(sampleRate);
frame.setRateIndex(AACUtils.sampleRateToIndex(sampleRate));
frame.setChannels(channels);
frame.setChannelIndex(AACUtils.channelCountToIndex(sampleRate));
byte[] codecConfig = new byte[2];
AACUtils.encodeAACCodecConfig(frame, codecConfig, 0);

```

Note: For AAC the header byte is always 0xaf

Note: For Speex the audio data must be encoded as 16000Hz wide band

Video:

H.264

```

[1-byte header]
[1-byte codec config indicator (1 - video data, 0 - codec config packet)]
[3-byte time difference between dts and pts in milliseconds]
[n-bytes video content or codec config data]

```

All others

```

[1-byte header]
[n-bytes audio content]

```

Below is the bit layout of the header byte of data (table goes from least significant bit to most significant bit):

4 bits Video type:

2	Sorenson Spark (H.263)
3	Screen
4	On2 VP6
5	On2 VP6A
6	Screen2
7	H.264

2 bit Frame type:

1	K frame (key frame)
2	P frame
3	B frame

Note: H.264 codec config data is the same as the AVCc packet in a QuickTime container.

Note: All timecode data is in milliseconds

## Method Summary

void	<a href="#">addAudioData</a> (byte[] data, int offset, int len, long timecode) Add audio data
void	<a href="#">addAudioData</a> (byte[] data, int len, long timecode) Add audio data
void	<a href="#">addAudioData</a> (byte[] data, long timecode) Add audio data
void	<a href="#">addAudioDataInc</a> (byte[] data, int offset, int len)
void	<a href="#">addDataData</a> (byte[] data, int offset, int len, long timecode) Add metadata
void	<a href="#">addDataData</a> (byte[] data, int len, long timecode) Add metadata
void	<a href="#">addDataData</a> (byte[] data, long timecode) Add metadata
void	<a href="#">addDataDataInc</a> (byte[] data, int offset, int len)
void	<a href="#">addVideoData</a> (byte[] data, int offset, int len, long timecode) Add video data
void	<a href="#">addVideoData</a> (byte[] data, int len, long timecode) Add video data
void	<a href="#">addVideoData</a> (byte[] data, long timecode) Add video data
void	<a href="#">addVideoDataInc</a> (byte[] data, int offset, int len)
void	<a href="#">close</a> () Close the publisher
static <a href="#">Publisher</a>	<a href="#">createInstance</a> ( <a href="#">IApplicationInstance</a> appInstance)
static <a href="#">Publisher</a>	<a href="#">createInstance</a> ( <a href="#">IVHost</a> vhost, String applicationName)
static <a href="#">Publisher</a>	<a href="#">createInstance</a> ( <a href="#">IVHost</a> vhost, String applicationName, String appInstanceName)
void	<a href="#">createStream</a> () Create underlying IMediaStream object if not already created
void	<a href="#">flush</a> () Flush the packets from the input buffer to the output buffer
<a href="#">IApplicationInstance</a>	<a href="#">getAppInstance</a> ()
String	<a href="#">getFileExtension</a> () Get the file extension (default flv)
long	<a href="#">getLastAudioTimecode</a> () Get last audio timecode written through this publisher (milliseconds).

long	<a href="#"><code>getLastDataTimecode()</code></a> Get last data timecode written through this publisher (milliseconds).
long	<a href="#"><code>getLastVideoTimecode()</code></a> Get last video timecode written through this publisher (milliseconds).
long	<a href="#"><code>getMaxTimecode()</code></a> Highest timecode written through this publisher (milliseconds).
<a href="#"><code>IMediaStream</code></a>	<a href="#"><code>getStream()</code></a> Get the media stream object
String	<a href="#"><code>getStreamType()</code></a>
boolean	<a href="#"><code>isPublishDataEvents()</code></a>
void	<a href="#"><code>publish(String streamName)</code></a> Publish a stream (null to stop publishing)
void	<a href="#"><code>publish(String streamName, String howToPublish)</code></a> Start publishing a stream (streamName = null to stop).
void	<a href="#"><code>setFileExtension(String fileExtension)</code></a> Set the file extension
void	<a href="#"><code>setPublishDataEvents(boolean publishDataEvents)</code></a>
void	<a href="#"><code>setStreamType(String streamType)</code></a> Set the stream type (default live)
void	<a href="#"><code>startAudioData(int len, long timecode)</code></a>
void	<a href="#"><code>startDataData(int len, long timecode)</code></a>
void	<a href="#"><code>startVideoData(int len, long timecode)</code></a>
void	<a href="#"><code>unpublish()</code></a>

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Methods

### **createInstance**

```
public static Publisher createInstance(IVHost vhost,
    String applicationName)
```

(continued from last page)

## createInstance

```
public static Publisher createInstance(IVHost vhost,  
    String applicationName,  
    String appInstanceName)
```

---

## createInstance

```
public static Publisher createInstance(IApplicationInstance appInstance)
```

---

## getStream

```
public IMediaStream getStream()
```

Get the media stream object

**Returns:**

media stream object

---

## getStreamType

```
public String getStreamType()
```

---

## setStreamType

```
public void setStreamType(String streamType)
```

Set the stream type (default live)

**Parameters:**

streamType - stream type

---

## publish

```
public void publish(String streamName)
```

Publish a stream (null to stop publishing)

**Parameters:**

streamName - stream name

---

## getFileExtension

```
public String getFileExtension()
```

Get the file extension (default flv)

**Returns:**

file extension

(continued from last page)

## setFileExtension

```
public void setFileExtension(String fileExtension)
```

Set the file extension

### Parameters:

fileExtension - file extension

---

## getAppInstance

```
public IApplicationInstance getAppInstance()
```

---

## unpublish

```
public void unpublish()
```

---

## createStream

```
public void createStream()
```

Create underlying IMediaStream object if not already created

---

## publish

```
public void publish(String streamName,  
                    String howToPublish)
```

Start publishing a stream (streamName = null to stop). Valid howToPublish values are (live, record, append)

### Parameters:

streamName - stream name

howToPublish - publish method (live, record, append)

---

## addVideoData

```
public void addVideoData(byte[] data,  
                          long timecode)
```

Add video data

### Parameters:

data - data

timecode - absolute timecode (milliseconds)

---

## addVideoData

```
public void addVideoData(byte[] data,  
                          int len,  
                          long timecode)
```

Add video data

### Parameters:

data - data

---

(continued from last page)

len - data length  
timecode - absolute timecode (milliseconds)

---

## addVideoData

```
public void addVideoData(byte[] data,  
    int offset,  
    int len,  
    long timecode)
```

Add video data

### Parameters:

data - data  
offset - offset  
len - data length  
timecode - absolute timecode (milliseconds)

---

## startVideoData

```
public void startVideoData(int len,  
    long timecode)
```

---

## addVideoDataInc

```
public void addVideoDataInc(byte[] data,  
    int offset,  
    int len)
```

---

## startAudioData

```
public void startAudioData(int len,  
    long timecode)
```

---

## addAudioDataInc

```
public void addAudioDataInc(byte[] data,  
    int offset,  
    int len)
```

---

## addAudioData

```
public void addAudioData(byte[] data,  
    long timecode)
```

Add audio data

### Parameters:

data - data  
timecode - absolute timecode (milliseconds)

---

(continued from last page)

## addAudioData

```
public void addAudioData(byte[] data,  
    int len,  
    long timecode)
```

Add audio data

### Parameters:

data - data  
len - data length  
timecode - absolute timecode (milliseconds)

---

## addAudioData

```
public void addAudioData(byte[] data,  
    int offset,  
    int len,  
    long timecode)
```

Add audio data

### Parameters:

data - data  
len - data length  
offset - offset  
timecode - absolute timecode (milliseconds)

---

## addDataData

```
public void addDataData(byte[] data,  
    long timecode)
```

Add metadata

### Parameters:

data - data  
timecode - absolute timecode (milliseconds)

---

## addDataData

```
public void addDataData(byte[] data,  
    int len,  
    long timecode)
```

Add metadata

### Parameters:

data - data  
len - data length  
timecode - absolute timecode (milliseconds)

---

## addDataData

```
public void addDataData(byte[] data,  
    int offset,  
    int len,  
    long timecode)
```

Add metadata



(continued from last page)

**Parameters:**

data - data  
offset - offset  
len - data length  
timecode - absolute timecode (milliseconds)

---

**startDataData**

```
public void startDataData(int len,  
                           long timecode)
```

---

**addDataDataInc**

```
public void addDataDataInc(byte[] data,  
                           int offset,  
                           int len)
```

---

**flush**

```
public void flush()
```

Flush the packets from the input buffer to the output buffer

---

**close**

```
public void close()
```

Close the publisher

---

**getMaxTimecode**

```
public long getMaxTimecode()
```

Highest timecode written through this publisher (milliseconds).

**Returns:**

highest timecode written through this publisher (milliseconds)

---

**getLastAudioTimecode**

```
public long getLastAudioTimecode()
```

Get last audio timecode written through this publisher (milliseconds).

**Returns:**

last audio timecode written through this publisher (milliseconds).

---

**getLastVideoTimecode**

```
public long getLastVideoTimecode()
```

Get last video timecode written through this publisher (milliseconds).

**Returns:**

(continued from last page)

last video timecode written through this publisher (milliseconds).

---

## **getLastDataTimecode**

```
public long getLastDataTimecode()
```

Get last data timecode written through this publisher (milliseconds).

### **Returns:**

last data timecode written through this publisher (milliseconds).

---

## **isPublishDataEvents**

```
public boolean isPublishDataEvents()
```

---

## **setPublishDataEvents**

```
public void setPublishDataEvents(boolean publishDataEvents)
```

com.wowza.wms.stream.publish  
Class PublishingProviderBase



Direct Known Subclasses:  
[PublishingProviderMediaReader](#), [PublishingProviderLive](#)

```
public class PublishingProviderBase
extends Object
```

PublishingProviderBase: Base class for publishing providers.

Field Summary	
protected	<a href="#">sendOnMetadata</a>

Constructor Summary	
public	<a href="#">PublishingProviderBase()</a>

Method Summary	
boolean	<a href="#">isSendOnMetadata()</a> True to send onMetadata event on stream start
void	<a href="#">setSendOnMetadata</a> (boolean sendOnMetadata) True to send onMetadata event on stream start

Methods inherited from class java.lang.Object	
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait	

Fields

**sendOnMetadata**  
protected boolean **sendOnMetadata**

Constructors

**PublishingProviderBase**  
public **PublishingProviderBase()**

---

(continued from last page)

## Methods

### isSendOnMetadata

```
public boolean isSendOnMetadata()
```

True to send onMetadata event on stream start

**Returns:**

True to send onMetadata event on stream start

---

### setSendOnMetadata

```
public void setSendOnMetadata(boolean sendOnMetadata)
```


True to send onMetadata event on stream start

**Parameters:**

sendOnMetadata - True to send onMetadata event on stream start

## com.wowza.wms.stream.publish Class PublishingProviderLive

java.lang.Object



All Implemented Interfaces:

[IPublishingProvider](#)

public class **PublishingProviderLive**

extends [PublishingProviderBase](#)

implements [IPublishingProvider](#)

Fields inherited from class [com.wowza.wms.stream.publish.PublishingProviderBase](#)

[sendOnMetadata](#)

### Constructor Summary

public	<a href="#">PublishingProviderLive</a> ( <a href="#">Publisher</a> publisher, long timeoffset, String streamName)
--------	---

### Method Summary

void	<a href="#">close</a> ()
long	<a href="#">getDuration</a> ()
long	<a href="#">getStartOnPreviousBufferTime</a> ()
boolean	<a href="#">isStartOnPreviousKeyFrame</a> ()
boolean	<a href="#">isStopIfStreamMissing</a> ()
boolean	<a href="#">play</a> ( <a href="#">Publisher</a> publisher)
boolean	<a href="#">seek</a> (long timecode)
boolean	<a href="#">seek</a> (long timecode, int seekType)
void	<a href="#">setDuration</a> (long duration)
void	<a href="#">setRealTimeStartTime</a> (long realTimeStartTime)
void	<a href="#">setStartOnPreviousBufferTime</a> (long startOnPreviousBufferTime)

void	<a href="#">setStartOnPreviousKeyFrame</a> (boolean startOnPreviousKeyFrame)
void	<a href="#">setStopIfStreamMissing</a> (boolean stopIfStreamMissing)

Methods inherited from class [com.wowza.wms.stream.publish.PublishingProviderBase](#)

[isSendOnMetadata](#), [setSendOnMetadata](#)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface [com.wowza.wms.stream.publish.IPublishingProvider](#)

[close](#), [isSendOnMetadata](#), [play](#), [seek](#), [seek](#), [setDuration](#), [setRealTimeStartTime](#), [setSendOnMetadata](#)

## Constructors

### PublishingProviderLive

```
public PublishingProviderLive(Publisher publisher,
                             long timeoffset,
                             String streamName)
```

## Methods

### close

```
public void close()
```

### play

```
public boolean play(Publisher publisher)
```

### seek

```
public boolean seek(long timecode)
```

### seek

```
public boolean seek(long timecode,
                    int seekType)
```

---

### **getDuration**

```
public long getDuration()
```

---

### **setDuration**

```
public void setDuration(long duration)
```

---

### **setRealTimeStartTime**

```
public void setRealTimeStartTime(long realTimeStartTime)
```

---

### **isStartOnPreviousKeyFrame**

```
public boolean isStartOnPreviousKeyFrame()
```

---

### **setStartOnPreviousKeyFrame**

```
public void setStartOnPreviousKeyFrame(boolean startOnPreviousKeyFrame)
```

---

### **getStartOnPreviousBufferTime**

```
public long getStartOnPreviousBufferTime()
```

---

### **setStartOnPreviousBufferTime**

```
public void setStartOnPreviousBufferTime(long startOnPreviousBufferTime)
```

---

### **isStopIfStreamMissing**

```
public boolean isStopIfStreamMissing()
```

---


### **setStopIfStreamMissing**

```
public void setStopIfStreamMissing(boolean stopIfStreamMissing)
```

---

## com.wowza.wms.stream.publish Class PublishingProviderMediaReader

java.lang.Object



All Implemented Interfaces:

[IPublishingProvider](#)

public class **PublishingProviderMediaReader**

extends [PublishingProviderBase](#)

implements [IPublishingProvider](#)

PublishingProviderMediaReader: Publishing provider for media reader based stream (vod).

Fields inherited from class [com.wowza.wms.stream.publish.PublishingProviderBase](#)

[sendOnMetadata](#)

### Constructor Summary

public	<a href="#">PublishingProviderMediaReader</a> ( <a href="#">Publisher</a> publisher, long timeoffset, String streamName) Constructor
--------	---

### Method Summary

void	<a href="#">close</a> ()
long	<a href="#">getDuration</a> () Get the target playback duration (milliseconds)
boolean	<a href="#">play</a> ( <a href="#">Publisher</a> publisher)
boolean	<a href="#">seek</a> (long timecode)
boolean	<a href="#">seek</a> (long timecode, int seekType)
void	<a href="#">setDuration</a> (long duration)
void	<a href="#">setRealTimeStartTime</a> (long realTimeStartTime)

Methods inherited from class [com.wowza.wms.stream.publish.PublishingProviderBase](#)

[isSendOnMetadata](#), [setSendOnMetadata](#)

Methods inherited from class java.lang.Object



clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Methods inherited from interface [com.wowza.wms.stream.publish.IPublishingProvider](#)

[close](#), [isSendOnMetadata](#), [play](#), [seek](#), [seek](#), [setDuration](#), [setRealTimeStartTime](#), [setSendOnMetadata](#)

## Constructors

### PublishingProviderMediaReader

```
public PublishingProviderMediaReader(Publisher publisher,  
                                     long timeoffset,  
                                     String streamName)
```

Constructor

#### Parameters:

publisher - publisher  
timeoffset - timeoffset (milliseconds)  
streamName - stream name

## Methods

### seek

```
public boolean seek(long timecode)
```

### seek

```
public boolean seek(long timecode,  
                    int seekType)
```

### play

```
public boolean play(Publisher publisher)
```

### close

```
public void close()
```

### getDuration

```
public long getDuration()
```

Get the target playback duration (milliseconds)

(continued from last page)

**Returns:**playback duration (milliseconds)

---

**setDuration**

```
public void setDuration(long duration)
```

---

**setRealTimeStartTime**

```
public void setRealTimeStartTime(long realTimeStartTime)
```

## com.wowza.wms.stream.publish Class Stream

java.lang.Object

└─com.wowza.wms.stream.publish.Stream

All Implemented Interfaces:

Runnable

public class **Stream**  
extends Object  
implements Runnable

### Constructor Summary

public	<a href="#">Stream()</a>
--------	--------------------------

### Method Summary

void	<a href="#">addListener(IStreamActionNotify listener)</a> Add a listener
boolean	<a href="#">addToPlaylist(int index, String name, int start, int length)</a> Inserts a media source item to this playlist at a particular index, without interruption.
boolean	<a href="#">addToPlaylist(String existing, String name, int start, int length)</a> Insert item into playlist just after the first item in the playlist with a given name.
void	<a href="#">close()</a> Call this method when you have finished with the playlist object.
void	<a href="#">closeAndWait()</a> Call this method when you have finished with the playlist object.
static <a href="#">Stream</a>	<a href="#">createInstance(IApplicationInstance appInstance, String sName)</a> Use this to create a named Stream on an application instance.
static <a href="#">Stream</a>	<a href="#">createInstance(IVHost vhost, String applicationName, String sName)</a> Use this to create a named Stream on the default instance (_definst_) of an application on a particular VHost.
static <a href="#">Stream</a>	<a href="#">createInstance(IVHost vhost, String applicationName, String appInstanceName, String sName)</a> Use this to create a named Stream on the non-default instance of an application on a particular VHost.
<a href="#">PlaylistItem</a>	<a href="#">getCurrentItem()</a> Get the currently playing playlist item
Object	<a href="#">getLock()</a> Get the synchronization lock for this interface.

String	<a href="#"><code>getName()</code></a> Returns the name of the playlist stream - the client would play this stream by this name.
java.util.List	<a href="#"><code>getPlaylist()</code></a> Get the current playlist
int	<a href="#"><code>getPollingInterval()</code></a> Get the polling interval (milliseconds)
<a href="#"><code>Publisher</code></a>	<a href="#"><code>getPublisher()</code></a>
boolean	<a href="#"><code>getRepeat()</code></a> Use this to determine if the playlist is auto-repeating
long	<a href="#"><code>getStartLiveOnPreviousBufferTime()</code></a> Get time in milliseconds to go back in live stream buffer to get previous key frame
int	<a href="#"><code>getTimeOffsetBetweenItems()</code></a> Get time in milliseconds to add to stream time between playlist items (default is zero)
boolean	<a href="#"><code>isMoveToNextIfLiveStreamMissing()</code></a> If true, will move to next playlist item if live stream is missing or is unpublished.
boolean	<a href="#"><code>isSendOnMetadata()</code></a> True if sending onMetadata events
boolean	<a href="#"><code>isStartLiveOnPreviousKeyFrame()</code></a> Set to true to start live streams on most recent key frame (smoother switching)
boolean	<a href="#"><code>isSwitchLog()</code></a> Log when a playlist switch occurs
boolean	<a href="#"><code>isTimesInMilliseconds()</code></a> If true start time and duration and are milliseconds.
void	<a href="#"><code>next()</code></a>
void	<a href="#"><code>next(int n)</code></a>
void	<a href="#"><code>play(int n)</code></a>
boolean	<a href="#"><code>play(String sPlaylist)</code></a> Add a media item to the playlist as defined by an XML file ..
boolean	<a href="#"><code>play(String name, int start, int length, boolean reset)</code></a> Adds a media source item to this playlist -
void	<a href="#"><code>previous()</code></a>
void	<a href="#"><code>previous(int n)</code></a>
boolean	<a href="#"><code>removeFromPlaylist(int index)</code></a> Remove item from playlist based on index.
boolean	<a href="#"><code>removeFromPlaylist(String name)</code></a> Remove all items matching the given stream name from the playlist.

void	<a href="#"><code>removeListener</code></a> ( <a href="#"><code>IStreamActionNotify</code></a> listener) Remove a listener
void	<a href="#"><code>run</code></a> () Overridden from class Runnable ....
void	<a href="#"><code>setMoveToNextIfLiveStreamMissing</code></a> (boolean moveToNextIfLiveStreamMissing) If true, will move to next playlist item if live stream is missing or is unpublished.
void	<a href="#"><code>setPollingInterval</code></a> (int pollingInterval) Set the polling interval (milliseconds)
void	<a href="#"><code>setRepeat</code></a> (boolean repeat) Use this to make the playlist repeat or not...
void	<a href="#"><code>setSendOnMetadata</code></a> (boolean sendOnMetadata) True if sending onMetadata events
void	<a href="#"><code>setStartLiveOnPreviousBufferTime</code></a> (long startLiveOnPreviousBufferTime) Set time in milliseconds to go back in live stream buffer to get previous key frame
void	<a href="#"><code>setStartLiveOnPreviousKeyFrame</code></a> (boolean startLiveOnPreviousKeyFrame) Set to true to start live streams on most recent key frame (smoother switching)
void	<a href="#"><code>setSwitchLog</code></a> (boolean switchLog) Log when a playlist switch occurs
void	<a href="#"><code>setTimeOffsetBetweenItems</code></a> (int timeOffsetBetweenItems) Set time in milliseconds to add to stream time between playlist items (default is zero)
void	<a href="#"><code>setTimesInMilliseconds</code></a> (boolean timesInMilliseconds) If true start time and duration and are milliseconds.

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

#### Methods inherited from interface `java.lang.Runnable`

`run`

## Constructors

### Stream

```
public Stream()
```

## Methods

(continued from last page)

## createInstance

```
public static Stream createInstance(IVHost vhost,  
    String applicationName,  
    String sName)
```

Use this to create a named Stream on the default instance (`_definst_`) of an application on a particular VHost.

### Parameters:

vhost -- Virtual Host  
applicationName -- Application name  
sName -- Name of Stream

### Returns:

stream interface

---

## createInstance

```
public static Stream createInstance(IVHost vhost,  
    String applicationName,  
    String appInstanceName,  
    String sName)
```

Use this to create a named Stream on the non-default instance of an application on a particular VHost.

### Parameters:

vhost -- Virtual Host  
applicationName -- Application name  
appInstanceName -- Instance name  
sName -- Name of Stream

### Returns:

stream interface

---

## getLock

```
public Object getLock()
```

Get the synchronization lock for this interface.

### Returns:

synchronization lock for this interface

---

## createInstance

```
public static Stream createInstance(IApplicationInstance appInstance,  
    String sName)
```

Use this to create a named Stream on an application instance.

### Parameters:

appInstance -- Application instance  
sName -- Name of Stream

### Returns:

stream interface

---

(continued from last page)

## run

```
public void run()
```

Overridden from class Runnable .... do NOT call this directly. This method handles switching between media sources in the playlist.

---

## getPlaylist

```
public java.util.List getPlaylist()
```

Get the current playlist

**Returns:**

current playlist

---

## getCurrentItem

```
public PlaylistItem getCurrentItem()
```

Get the currently playing playlist item

**Returns:**

currently playing playlist item

---

## play

```
public boolean play(String name,  
                    int start,  
                    int length,  
                    boolean reset)
```

Adds a media source item to this playlist -

**Parameters:**

name -- name of media item

start -- where to start playing the item. (-2 implies play a live stream)

length -- how much of the item to play (-1 implies play the entire file or live stream)

reset -- if true, will begin a new playlist, otherwise items are appended

**Returns:**

- returns true if item was added successfully ...otherwise false.

---

## addToPlaylist

```
public boolean addToPlaylist(int index,  
                             String name,  
                             int start,  
                             int length)
```

Inserts a media source item to this playlist at a particular index, without interruption.

**Parameters:**

index -- insertion index

name -- name of media item being inserted

start -- where to start playing the item. (-2 implies play a live stream)

length -- how much of the item to play (-1 implies play the entire file or live stream)

**Returns:**

(continued from last page)

- returns true if item was inserted successfully ...otherwise false. this should not interrupt anything that might be currently playing.... will do nothing if existing item does not exist.. if existing == "" insert at head of list

---

## addToPlaylist

```
public boolean addToPlaylist(String existing,  
    String name,  
    int start,  
    int length)
```

Insert item into playlist just after the first item in the playlist with a given name.

### Parameters:

existing - name of playlist item in which to insert the item after  
name - name of new item  
start - where to start playing the item. (-2 implies play a live stream)  
length - how much of the item to play (-1 implies play the entire file or live stream)

### Returns:

true if item inserted

---

## removeFromPlaylist

```
public boolean removeFromPlaylist(int index)
```

Remove item from playlist based on index.

### Parameters:

index - item index

### Returns:

true if at least one item from removed

---

## removeFromPlaylist

```
public boolean removeFromPlaylist(String name)
```

Remove all items matching the given stream name from the playlist. If the item is currently being played, it is not removed.

### Parameters:

name - stream name

### Returns:

true if at least one item from removed

---

## play

```
public boolean play(String sPlaylist)
```

Add a media item to the playlist as defined by an XML file ..

### Parameters:

sPlaylist -- the playlist XML definition file

### Returns:

- returns true if item was added successfully ...otherwise false.



(continued from last page)

## close

```
public void close()
```

Call this method when you have finished with the playlist object. It will terminate the playlist thread. The playlist object cannot be used after this call.

---

## closeAndWait

```
public void closeAndWait()
```

Call this method when you have finished with the playlist object. It will terminate the playlist thread. The playlist object cannot be used after this call. This method will wait for the thread to exit.

---

## getName

```
public String getName()
```

Returns the name of the playlist stream - the client would play this stream by this name.

**Returns:**

- the name of the playlist stream

---

## getRepeat

```
public boolean getRepeat()
```

Use this to determine if the playlist is auto-repeating

**Returns:**

- true if repeating otherwise false.

---

## setRepeat

```
public void setRepeat(boolean repeat)
```

Use this to make the playlist repeat or not...

**Parameters:**

repeat - - true to repeat otherwise false

---

## play

```
public void play(int n)
```

---

## next

```
public void next(int n)
```

---

## next

```
public void next()
```

## previous

```
public void previous()
```

---

## previous

```
public void previous(int n)
```

---

## getPollingInterval

```
public int getPollingInterval()
```

Get the polling interval (milliseconds)

**Returns:**

polling interval (milliseconds)

---

## setPollingInterval

```
public void setPollingInterval(int pollingInterval)
```

Set the polling interval (milliseconds)

**Parameters:**

pollingInterval - polling interval (milliseconds)

---

## getPublisher

```
public Publisher getPublisher()
```

---

## addListener

```
public void addListener(IStreamActionNotify listener)
```

Add a listener

**Parameters:**

listener - listener

---

## removeListener

```
public void removeListener(IStreamActionNotify listener)
```

Remove a listener

**Parameters:**

listener - listener

---

## isSwitchLog

```
public boolean isSwitchLog()
```

---

(continued from last page)

Log when a playlist switch occurs

**Returns:**

log when a playlist switch occurs

---

## setSwitchLog

```
public void setSwitchLog(boolean switchLog)
```

Log when a playlist switch occurs

**Parameters:**

switchLog - log when a playlist switch occurs

---

## isSendOnMetadata

```
public boolean isSendOnMetadata()
```

True if sending onMetadata events

**Returns:**

True if sending onMetadata events

---

## setSendOnMetadata

```
public void setSendOnMetadata(boolean sendOnMetadata)
```

True if sending onMetadata events

**Parameters:**

sendOnMetadata - True if sending onMetadata events

---

## isTimesInMilliseconds

```
public boolean isTimesInMilliseconds()
```

If true start time and duration and are milliseconds. If false startTime and duration are in seconds.

**Returns:**

true start time and duration and are milliseconds

---

## setTimesInMilliseconds

```
public void setTimesInMilliseconds(boolean timesInMilliseconds)
```

If true start time and duration and are milliseconds. If false startTime and duration are in seconds.

**Parameters:**

timesInMilliseconds - true start time and duration and are milliseconds

---

## isStartLiveOnPreviousKeyFrame

```
public boolean isStartLiveOnPreviousKeyFrame()
```

Set to true to start live streams on most recent key frame (smoother switching)

**Returns:**

true to start live streams on most recent key frame

---

## setStartLiveOnPreviousKeyFrame

```
public void setStartLiveOnPreviousKeyFrame(boolean startLiveOnPreviousKeyFrame)
```

Set to true to start live streams on most recent key frame (smoother switching)

### Parameters:

startLiveOnPreviousKeyFrame - true to start live streams on most recent key frame

---

## getStartLiveOnPreviousBufferTime

```
public long getStartLiveOnPreviousBufferTime()
```

Get time in milliseconds to go back in live stream buffer to get previous key frame

### Returns:

time in milliseconds to go back in live stream buffer to get previous key frame

---

## setStartLiveOnPreviousBufferTime

```
public void setStartLiveOnPreviousBufferTime(long startLiveOnPreviousBufferTime)
```

Set time in milliseconds to go back in live stream buffer to get previous key frame

### Parameters:

startLiveOnPreviousBufferTime - time in milliseconds to go back in live stream buffer to get previous key frame

---

## getTimeOffsetBetweenItems

```
public int getTimeOffsetBetweenItems()
```

Get time in milliseconds to add to stream time between playlist items (default is zero)

### Returns:

time in milliseconds to add to stream time between playlist items

---

## setTimeOffsetBetweenItems

```
public void setTimeOffsetBetweenItems(int timeOffsetBetweenItems)
```

Set time in milliseconds to add to stream time between playlist items (default is zero)

### Parameters:

timeOffsetBetweenItems - time in milliseconds to add to stream time between playlist items

---

## isMoveToNextIfLiveStreamMissing

```
public boolean isMoveToNextIfLiveStreamMissing()
```

If true, will move to next playlist item if live stream is missing or is unpublished.

### Returns:

move to next playlist item if live stream is missing or is unpublished

---

## setMoveToNextIfLiveStreamMissing

```
public void setMoveToNextIfLiveStreamMissing(boolean moveToNextIfLiveStreamMissing)
```

---

(continued from last page)

If true, will move to next playlist item if live stream is missing or is unpublished.

**Parameters:**

`moveToNextIfLiveStreamMissing` - move to next playlist item if live stream is missing or is unpublished

---

Package

**com.wowza.wms.timedtext.cea608**

## com.wowza.wms.timedtext.cea608 Class ClosedCaptionCEA608Utils

java.lang.Object

└─com.wowza.wms.timedtext.cea608.ClosedCaptionCEA608Utils

public class **ClosedCaptionCEA608Utils**  
extends Object

### Field Summary

public static	<a href="#">CEA608_MUSICAL_NOTE</a>
public static	<a href="#">CEA608_SOLID_BLOCK</a>
public static final	<a href="#">CHANNEL1</a> Value: <b>0</b>
public static final	<a href="#">CHANNEL2</a> Value: <b>1</b>
public static final	<a href="#">COL_0</a> Value: <b>0</b>
public static final	<a href="#">COL_12</a> Value: <b>6</b>
public static final	<a href="#">COL_16</a> Value: <b>8</b>
public static final	<a href="#">COL_20</a> Value: <b>10</b>
public static final	<a href="#">COL_24</a> Value: <b>12</b>
public static final	<a href="#">COL_28</a> Value: <b>14</b>
public static final	<a href="#">COL_4</a> Value: <b>2</b>
public static final	<a href="#">COL_5</a> Value: <b>4</b>

public static final	<a href="#"><u>COL0_BLUE</u></a> Value: <b>4</b>
public static final	<a href="#"><u>COL0_CYAN</u></a> Value: <b>6</b>
public static final	<a href="#"><u>COL0_GREEN</u></a> Value: <b>2</b>
public static final	<a href="#"><u>COL0_HIBYTE</u></a> Move to set color (high-byte) [channel][row]
public static final	<a href="#"><u>COL0_LOWBYTE</u></a> Move to set color (low-byte) [color][row]
public static final	<a href="#"><u>COL0_MAGENTA</u></a> Value: <b>12</b>
public static final	<a href="#"><u>COL0_RED</u></a> Value: <b>8</b>
public static final	<a href="#"><u>COL0_WHITE</u></a> Value: <b>0</b>
public static final	<a href="#"><u>COL0_YELLOW</u></a> Value: <b>10</b>
public static final	<a href="#"><u>COLN_LOWBYTE</u></a>
public static final	<a href="#"><u>CONTROLCODES_AOF</u></a> AOF Reserved (formerly Alarm Off) [channel]
public static final	<a href="#"><u>CONTROLCODES_AON</u></a> AON Reserved (formerly Alarm On) [channel]
public static final	<a href="#"><u>CONTROLCODES_BAO</u></a> BAO Background Black, Opaque [channel]
public static final	<a href="#"><u>CONTROLCODES_BAS</u></a> BAS Background Black, Semi-transparent [channel]
public static final	<a href="#"><u>CONTROLCODES_BBO</u></a> BBO Background Blue, Opaque [channel]
public static final	<a href="#"><u>CONTROLCODES_BBS</u></a> BBS Background Blue, Semi-transparent [channel]
public static final	<a href="#"><u>CONTROLCODES_BCO</u></a> BCO Background Cyan, Opaque [channel]
public static final	<a href="#"><u>CONTROLCODES_BCS</u></a> BCS Background Cyan, Semi-transparent [channel]



public static final	<a href="#">CONTROLCODES_BGO</a> BGO Background Green, Opaque [channel]
public static final	<a href="#">CONTROLCODES_BGS</a> BGS Background Green, Semi-transparent [channel]
public static final	<a href="#">CONTROLCODES_BMO</a> BMO Background Magenta, Opaque [channel]
public static final	<a href="#">CONTROLCODES_BMS</a> BMS Background Magenta, Semi-transparent [channel]
public static final	<a href="#">CONTROLCODES BRO</a> BRO Background Red, Opaque [channel]
public static final	<a href="#">CONTROLCODES_BRS</a> BRS Background Red, Semi-transparent [channel]
public static final	<a href="#">CONTROLCODES_BS</a> BS Backspace [channel]
public static final	<a href="#">CONTROLCODES_BT</a> BT Background Transparent [channel]
public static final	<a href="#">CONTROLCODES_BWO</a> BWO Background White, Opaque [channel]
public static final	<a href="#">CONTROLCODES_BWS</a> BWS Background White, Semi-transparent [channel]
public static final	<a href="#">CONTROLCODES_BYO</a> BYO Background Yellow, Opaque [channel]
public static final	<a href="#">CONTROLCODES_BYS</a> BYS Background Yellow, Semi-transparent [channel]
public static final	<a href="#">CONTROLCODES_CR</a> CR Carriage Return [channel]
public static final	<a href="#">CONTROLCODES_DER</a> DER Delete to End of Row [channel]
public static final	<a href="#">CONTROLCODES_EDM</a> EDM Erase Displayed Memory [channel]
public static final	<a href="#">CONTROLCODES_ENM</a> ENM Erase Non-Displayed Memory [channel]
public static final	<a href="#">CONTROLCODES_EOC</a> EOC End of Caption (Flip Memories) [channel]
public static final	<a href="#">CONTROLCODES_FA</a> FA Foreground Black [channel]
public static final	<a href="#">CONTROLCODES_FAU</a> FAU Foreground Black Underline [channel]
public static final	<a href="#">CONTROLCODES_FON</a> FON Flash On [channel]

public static final	<a href="#"><u>CONTROLCODES_RCL</u></a> RCL Resume caption loading [channel]
public static final	<a href="#"><u>CONTROLCODES_RDC</u></a> RDC Resume Direct Captioning [channel]
public static final	<a href="#"><u>CONTROLCODES_RTD</u></a> RTD Resume Text Display [channel]
public static final	<a href="#"><u>CONTROLCODES_RU2</u></a> RU2 Roll-Up Captions-2 Rows [channel]
public static final	<a href="#"><u>CONTROLCODES_RU3</u></a> RU3 Roll-Up Captions-3 Rows [channel]
public static final	<a href="#"><u>CONTROLCODES_RU4</u></a> RU4 Roll-Up Captions-4 Rows [channel]
public static final	<a href="#"><u>CONTROLCODES_TO1</u></a> TO1 Tab Offset 1 Column [channel]
public static final	<a href="#"><u>CONTROLCODES_TO2</u></a> TO2 Tab Offset 2 Columns [channel]
public static final	<a href="#"><u>CONTROLCODES_TO3</u></a> TO3 Tab Offset 3 Columns [channel]
public static final	<a href="#"><u>CONTROLCODES_TR</u></a> TR Text Restart [channel]
public static final	<a href="#"><u>COUNT_COLS</u></a> Total number of columns per frame Value: <b>31</b>
public static final	<a href="#"><u>COUNT_ROWS</u></a> Total number of rows of characters per frame Value: <b>15</b>
public static final	<a href="#"><u>DONOTHING_BYTE</u></a> Value: <b>-128</b>
public static final	<a href="#"><u>DONOTHING_SHORT</u></a> Value: <b>-32640</b>
public static final	<a href="#"><u>FIELD1</u></a> Value: <b>0</b>
public static final	<a href="#"><u>FIELD2</u></a> Value: <b>1</b>
public static final	<a href="#"><u>FORMAT_COLOR</u></a>
public static final	<a href="#"><u>FORMAT_FLASH</u></a> Value: <b>-27480</b>

public static final	<a href="#"><u>FORMAT_ITALICS</u></a> Value: <b>-28242</b>
public static final	<a href="#"><u>FORMAT_ITALICS_UNDERLINE</u></a> Value: <b>-28369</b>
public static final	<a href="#"><u>LANG_ASCII</u></a> Select the standard line 21 character set in normal size.
public static final	<a href="#"><u>LANG_ASCII_DBL</u></a> Select the standard line 21 character set in double size.
public static final	<a href="#"><u>LANG_GB231280</u></a> Select the People's Republic of China character set: GB 2312-80.
public static final	<a href="#"><u>LANG_KSC56011987</u></a> Select the Korean Standard character set: KSC 5601-1987.
public static final	<a href="#"><u>LANG_PRIV1</u></a> Select the first private character set.
public static final	<a href="#"><u>LANG_PRIV2</u></a> Select the second private character set.
public static final	<a href="#"><u>LANG_REG1</u></a> Select the first registered character set.
public static final	<a href="#"><u>MAX_CCCOUNT</u></a> Maximum number of closed caption codes per SEI packet Value: <b>31</b>
public static final	<a href="#"><u>ODDPARITY</u></a> Odd parity calculator
public static final	<a href="#"><u>SEI_PAYLOADTYPE</u></a> Value: <b>4</b>
public static final	<a href="#"><u>SEI_STARTCODE</u></a> SEI start code
public static final	<a href="#"><u>SEI_USERDATATYPECODE</u></a> Value: <b>3</b>
public static final	<a href="#"><u>UTF8_DASH</u></a> Value: <b>45</b>
public static final	<a href="#"><u>UTF8_DOUBLEQUOTE</u></a> Value: <b>34</b>
public static final	<a href="#"><u>UTF8_EXCLAMATION</u></a> Value: <b>33</b>
public static final	<a href="#"><u>UTF8_GREATERTHAN</u></a> Value: <b>62</b>

public static final	<a href="#">UTF8_LEFTPAREN</a> Value: <b>40</b>
public static final	<a href="#">UTF8_LESSTHAN</a> Value: <b>60</b>
public static final	<a href="#">UTF8_LOWER_A</a> Value: <b>97</b>
public static final	<a href="#">UTF8_LOWER_B</a> Value: <b>98</b>
public static final	<a href="#">UTF8_LOWER_C</a> Value: <b>99</b>
public static final	<a href="#">UTF8_LOWER_D</a> Value: <b>100</b>
public static final	<a href="#">UTF8_LOWER_E</a> Value: <b>101</b>
public static final	<a href="#">UTF8_LOWER_F</a> Value: <b>102</b>
public static final	<a href="#">UTF8_LOWER_G</a> Value: <b>103</b>
public static final	<a href="#">UTF8_LOWER_H</a> Value: <b>104</b>
public static final	<a href="#">UTF8_LOWER_I</a> Value: <b>105</b>
public static final	<a href="#">UTF8_LOWER_J</a> Value: <b>106</b>
public static final	<a href="#">UTF8_LOWER_K</a> Value: <b>107</b>
public static final	<a href="#">UTF8_LOWER_L</a> Value: <b>108</b>
public static final	<a href="#">UTF8_LOWER_M</a> Value: <b>109</b>
public static final	<a href="#">UTF8_LOWER_N</a> Value: <b>110</b>

public static final	<a href="#">UTF8_LOWER_O</a> Value: <b>111</b>
public static final	<a href="#">UTF8_LOWER_P</a> Value: <b>112</b>
public static final	<a href="#">UTF8_LOWER_Q</a> Value: <b>113</b>
public static final	<a href="#">UTF8_LOWER_R</a> Value: <b>114</b>
public static final	<a href="#">UTF8_LOWER_S</a> Value: <b>115</b>
public static final	<a href="#">UTF8_LOWER_T</a> Value: <b>116</b>
public static final	<a href="#">UTF8_LOWER_U</a> Value: <b>117</b>
public static final	<a href="#">UTF8_LOWER_V</a> Value: <b>118</b>
public static final	<a href="#">UTF8_LOWER_W</a> Value: <b>119</b>
public static final	<a href="#">UTF8_LOWER_X</a> Value: <b>120</b>
public static final	<a href="#">UTF8_LOWER_Y</a> Value: <b>121</b>
public static final	<a href="#">UTF8_LOWER_Z</a> Value: <b>122</b>
public static final	<a href="#">UTF8_MINUSHYPHEN</a> Value: <b>45</b>
public static final	<a href="#">UTF8_NOTMATCH</a>
public static final	<a href="#">UTF8_PERIOD</a> Value: <b>46</b>
public static final	<a href="#">UTF8_PIPE</a> Value: <b>124</b>

public static final	<a href="#">UTF8_QUESTION</a> Value: <b>63</b>
public static final	<a href="#">UTF8_RIGHTPAREN</a> Value: <b>41</b>
public static final	<a href="#">UTF8_SINGLEQUOTE</a> Value: <b>39</b>
public static final	<a href="#">UTF8_SPACE</a> Value: <b>32</b>
public static final	<a href="#">UTF8_UNDERSCORE</a> Value: <b>84</b>
public static final	<a href="#">UTF8_UPPER_A</a> Value: <b>65</b>
public static final	<a href="#">UTF8_UPPER_B</a> Value: <b>66</b>
public static final	<a href="#">UTF8_UPPER_C</a> Value: <b>67</b>
public static final	<a href="#">UTF8_UPPER_D</a> Value: <b>68</b>
public static final	<a href="#">UTF8_UPPER_E</a> Value: <b>69</b>
public static final	<a href="#">UTF8_UPPER_F</a> Value: <b>70</b>
public static final	<a href="#">UTF8_UPPER_G</a> Value: <b>71</b>
public static final	<a href="#">UTF8_UPPER_H</a> Value: <b>72</b>
public static final	<a href="#">UTF8_UPPER_I</a> Value: <b>73</b>
public static final	<a href="#">UTF8_UPPER_J</a> Value: <b>74</b>
public static final	<a href="#">UTF8_UPPER_K</a> Value: <b>75</b>

public static final	<a href="#">UTF8_UPPER_L</a> Value: <b>76</b>
public static final	<a href="#">UTF8_UPPER_M</a> Value: <b>77</b>
public static final	<a href="#">UTF8_UPPER_N</a> Value: <b>78</b>
public static final	<a href="#">UTF8_UPPER_O</a> Value: <b>79</b>
public static final	<a href="#">UTF8_UPPER_P</a> Value: <b>80</b>
public static final	<a href="#">UTF8_UPPER_Q</a> Value: <b>81</b>
public static final	<a href="#">UTF8_UPPER_R</a> Value: <b>82</b>
public static final	<a href="#">UTF8_UPPER_S</a> Value: <b>83</b>
public static final	<a href="#">UTF8_UPPER_T</a> Value: <b>84</b>
public static final	<a href="#">UTF8_UPPER_U</a> Value: <b>85</b>
public static final	<a href="#">UTF8_UPPER_V</a> Value: <b>86</b>
public static final	<a href="#">UTF8_UPPER_W</a> Value: <b>87</b>
public static final	<a href="#">UTF8_UPPER_X</a> Value: <b>88</b>
public static final	<a href="#">UTF8_UPPER_Y</a> Value: <b>89</b>
public static final	<a href="#">UTF8_UPPER_Z</a> Value: <b>90</b>
public static final	<a href="#">UTF8MAP</a>

public static final	<a href="#">UTF8MAP_INDEX_OFFSET</a> Value: <b>32</b>
---------------------	--

## Constructor Summary

public	<a href="#">ClosedCaptionCEA608Utils()</a>
--------	--

## Method Summary

static byte	<a href="#">calcParity</a> (byte inByte)
static short	<a href="#">calcParity</a> (short inShort)
static byte[]	<a href="#">charUTF8ToCAE608</a> (String text, int pos, String charaterSet, int channel)
static boolean	<a href="#">checkParity</a> (byte inByte)
static boolean	<a href="#">checkParity</a> (short inShort)

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Fields

### SEI\_PAYLOADTYPE

public static final byte **SEI\_PAYLOADTYPE**

Constant value: **4**

### SEI\_USERDATATYPECODE

public static final byte **SEI\_USERDATATYPECODE**

Constant value: **3**

### MAX\_CCCOUNT

public static final int **MAX\_CCCOUNT**

Maximum number of closed caption codes per SEI packet  
Constant value: **31**

### SEI\_STARTCODE

public static final byte **SEI\_STARTCODE**

SEI start code



---

## ODDPARITY

```
public static final byte ODDPARITY
```

Odd parity calculator

---

## COL0\_WHITE

```
public static final int COL0_WHITE
```

Constant value: **0**

---

## COL0\_GREEN

```
public static final int COL0_GREEN
```

Constant value: **2**

---

## COL0\_BLUE

```
public static final int COL0_BLUE
```

Constant value: **4**

---

## COL0\_CYAN

```
public static final int COL0_CYAN
```

Constant value: **6**

---

## COL0\_RED

```
public static final int COL0_RED
```

Constant value: **8**

---

## COL0\_YELLOW

```
public static final int COL0_YELLOW
```

Constant value: **10**

---

## COL0\_MAGENTA

```
public static final int COL0_MAGENTA
```

Constant value: **12**

---

## CHANNEL1

```
public static final int CHANNEL1
```

---

(continued from last page)

Constant value: **0**

---

## CHANNEL2

```
public static final int CHANNEL2
```

Constant value: **1**

---

## FIELD1

```
public static final int FIELD1
```

Constant value: **0**

---

## FIELD2

```
public static final int FIELD2
```

Constant value: **1**

---

## DONOTHING\_SHORT

```
public static final short DONOTHING_SHORT
```

Constant value: **-32640**

---

## DONOTHING\_BYTE

```
public static final byte DONOTHING_BYTE
```

Constant value: **-128**

---

## CONTROLCODES\_RCL

```
public static final short CONTROLCODES_RCL
```

RCL Resume caption loading [channel]

---

## CONTROLCODES\_BS

```
public static final short CONTROLCODES_BS
```

BS Backspace [channel]

---

## CONTROLCODES\_AOF

```
public static final short CONTROLCODES_AOF
```

AOF Reserved (formerly Alarm Off) [channel]

(continued from last page)

---

## CONTROLCODES\_AON

public static final short **CONTROLCODES\_AON**

AON Reserved (formerly Alarm On) [channel]

---

## CONTROLCODES\_DER

public static final short **CONTROLCODES\_DER**

DER Delete to End of Row [channel]

---

## CONTROLCODES\_RU2

public static final short **CONTROLCODES\_RU2**

RU2 Roll-Up Captions-2 Rows [channel]

---

## CONTROLCODES\_RU3

public static final short **CONTROLCODES\_RU3**

RU3 Roll-Up Captions-3 Rows [channel]

---

## CONTROLCODES\_RU4

public static final short **CONTROLCODES\_RU4**

RU4 Roll-Up Captions-4 Rows [channel]

---

## CONTROLCODES\_FON

public static final short **CONTROLCODES\_FON**

FON Flash On [channel]

---

## CONTROLCODES\_RDC

public static final short **CONTROLCODES\_RDC**

RDC Resume Direct Captioning [channel]

---

## CONTROLCODES\_TR

public static final short **CONTROLCODES\_TR**

TR Text Restart [channel]

---

## CONTROLCODES\_RTD

public static final short **CONTROLCODES\_RTD**

RTD Resume Text Display [channel]

---

## CONTROLCODES\_EDM

public static final short **CONTROLCODES\_EDM**

---

(continued from last page)

EDM Erase Displayed Memory [channel]

---

## CONTROLCODES\_CR

public static final short **CONTROLCODES\_CR**

CR Carriage Return [channel]

---

## CONTROLCODES\_ENM

public static final short **CONTROLCODES\_ENM**

ENM Erase Non-Displayed Memory [channel]

---

## CONTROLCODES\_EOC

public static final short **CONTROLCODES\_EOC**

EOC End of Caption (Flip Memories) [channel]

---

## CONTROLCODES\_TO1

public static final short **CONTROLCODES\_TO1**

TO1 Tab Offset 1 Column [channel]

---

## CONTROLCODES\_TO2

public static final short **CONTROLCODES\_TO2**

TO2 Tab Offset 2 Columns [channel]

---

## CONTROLCODES\_TO3

public static final short **CONTROLCODES\_TO3**

TO3 Tab Offset 3 Columns [channel]

---

## CONTROLCODES\_BWO

public static final short **CONTROLCODES\_BWO**

BWO Background White, Opaque [channel]

---

## CONTROLCODES\_BWS

public static final short **CONTROLCODES\_BWS**

BWS Background White, Semi-transparent [channel]

---

## CONTROLCODES\_BGO

public static final short **CONTROLCODES\_BGO**

BGO Background Green, Opaque [channel]

(continued from last page)

---

## CONTROLCODES\_BGS

```
public static final short CONTROLCODES_BGS
```

BGS Background Green, Semi-transparent [channel]

---

## CONTROLCODES\_BBO

```
public static final short CONTROLCODES_BBO
```

BBO Background Blue, Opaque [channel]

---

## CONTROLCODES\_BBS

```
public static final short CONTROLCODES_BBS
```

BBS Background Blue, Semi-transparent [channel]

---

## CONTROLCODES\_BCO

```
public static final short CONTROLCODES_BCO
```

BCO Background Cyan, Opaque [channel]

---

## CONTROLCODES\_BCS

```
public static final short CONTROLCODES_BCS
```

BCS Background Cyan, Semi-transparent [channel]

---

## CONTROLCODES\_BRO

```
public static final short CONTROLCODES_BRO
```

BRO Background Red, Opaque [channel]

---

## CONTROLCODES\_BRS

```
public static final short CONTROLCODES_BRS
```

BRS Background Red, Semi-transparent [channel]

---

## CONTROLCODES\_BYO

```
public static final short CONTROLCODES_BYO
```

BYO Background Yellow, Opaque [channel]

---

## CONTROLCODES\_BYS

```
public static final short CONTROLCODES_BYS
```

BYS Background Yellow, Semi-transparent [channel]

---

## CONTROLCODES\_BMO

```
public static final short CONTROLCODES_BMO
```

---

(continued from last page)

BMO Background Magenta, Opaque [channel]

---

## CONTROLCODES\_BMS

public static final short **CONTROLCODES\_BMS**

BMS Background Magenta, Semi-transparent [channel]

---

## CONTROLCODES\_BAO

public static final short **CONTROLCODES\_BAO**

BAO Background Black, Opaque [channel]

---

## CONTROLCODES\_BAS

public static final short **CONTROLCODES\_BAS**

BAS Background Black, Semi-transparent [channel]

---

## CONTROLCODES\_BT

public static final short **CONTROLCODES\_BT**

BT Background Transparent [channel]

---

## CONTROLCODES\_FA

public static final short **CONTROLCODES\_FA**

FA Foreground Black [channel]

---

## CONTROLCODES\_FAU

public static final short **CONTROLCODES\_FAU**

FAU Foreground Black Underline [channel]

---

## LANG\_ASCII

public static final short **LANG\_ASCII**

Select the standard line 21 character set in normal size. [channel]

---

## LANG\_ASCII\_DBL

public static final short **LANG\_ASCII\_DBL**

Select the standard line 21 character set in double size. [channel]

---

## LANG\_PRIV1

public static final short **LANG\_PRIV1**

Select the first private character set. [channel]

(continued from last page)

---

## LANG\_PRIV2

```
public static final short LANG_PRIV2
```

Select the second private character set. [channel]

---

## LANG\_GB231280

```
public static final short LANG_GB231280
```

Select the People's Republic of China character set: GB 2312-80. [channel]

---

## LANG\_KSC56011987

```
public static final short LANG_KSC56011987
```

Select the Korean Standard character set: KSC 5601-1987. [channel]

---

## LANG\_REG1

```
public static final short LANG_REG1
```

Select the first registered character set. [channel]

---

## COUNT\_ROWS

```
public static final int COUNT_ROWS
```

Total number of rows of characters per frame  
Constant value: **15**

---

## COUNT\_COLS

```
public static final int COUNT_COLS
```

Total number of columns per frame  
Constant value: **31**

---

## COL0\_HIBYTE

```
public static final short COL0_HIBYTE
```

Move to set color (high-byte) [channel][row]

---

## COL0\_LOWBYTE

```
public static final short COL0_LOWBYTE
```

Move to set color (low-byte) [color][row]

---

## COL\_0

```
public static final int COL_0
```

Constant value: **0**

---

(continued from last page)

## COL\_4

```
public static final int COL_4
```

Constant value: **2**

## COL\_5

```
public static final int COL_5
```

Constant value: **4**

## COL\_12

```
public static final int COL_12
```

Constant value: **6**

## COL\_16

```
public static final int COL_16
```

Constant value: **8**

## COL\_20

```
public static final int COL_20
```

Constant value: **10**

## COL\_24

```
public static final int COL_24
```

Constant value: **12**

## COL\_28

```
public static final int COL_28
```

Constant value: **14**

## COLN\_LOWBYTE

```
public static final short COLN_LOWBYTE
```

## FORMAT\_COLOR

```
public static final short FORMAT_COLOR
```



(continued from last page)

---

## FORMAT\_ITALICS

public static final short **FORMAT\_ITALICS**

Constant value: **-28242**

---

## FORMAT\_ITALICS\_UNDERLINE

public static final short **FORMAT\_ITALICS\_UNDERLINE**

Constant value: **-28369**

---

## FORMAT\_FLASH

public static final short **FORMAT\_FLASH**

Constant value: **-27480**

---

## UTF8\_NOTMATCH

public static final byte **UTF8\_NOTMATCH**

---

## UTF8\_PERIOD

public static final byte **UTF8\_PERIOD**

Constant value: **46**

---

## UTF8\_SINGLEQUOTE

public static final byte **UTF8\_SINGLEQUOTE**

Constant value: **39**

---

## UTF8\_DOUBLEQUOTE

public static final byte **UTF8\_DOUBLEQUOTE**

Constant value: **34**

---

## UTF8\_DASH

public static final byte **UTF8\_DASH**

Constant value: **45**

---

(continued from last page)

---

## UTF8\_UNDERSCORE

```
public static final byte UTF8_UNDERSCORE
```

Constant value: **84**

---

## UTF8\_LEFTPAREN

```
public static final byte UTF8_LEFTPAREN
```

Constant value: **40**

---

## UTF8\_RIGHTPAREN

```
public static final byte UTF8_RIGHTPAREN
```

Constant value: **41**

---

## UTF8\_SPACE

```
public static final byte UTF8_SPACE
```

Constant value: **32**

---

## UTF8\_EXCLAMATION

```
public static final byte UTF8_EXCLAMATION
```

Constant value: **33**

---

## UTF8\_QUESTION

```
public static final byte UTF8_QUESTION
```

Constant value: **63**

---

## UTF8\_LESSTHAN

```
public static final byte UTF8_LESSTHAN
```

Constant value: **60**

---

## UTF8\_GREATERTHAN

```
public static final byte UTF8_GREATERTHAN
```

Constant value: **62**

---

## UTF8\_MINUSHYPHEN

```
public static final byte UTF8_MINUSHYPHEN
```

---

(continued from last page)

---

Constant value: **45**

---

**UTF8\_PIPE**public static final byte **UTF8\_PIPE**

---

Constant value: **124**

---

**UTF8\_LOWER\_A**public static final byte **UTF8\_LOWER\_A**

---

Constant value: **97**

---

**UTF8\_LOWER\_B**public static final byte **UTF8\_LOWER\_B**

---

Constant value: **98**

---

**UTF8\_LOWER\_C**public static final byte **UTF8\_LOWER\_C**

---

Constant value: **99**

---

**UTF8\_LOWER\_D**public static final byte **UTF8\_LOWER\_D**

---

Constant value: **100**

---

**UTF8\_LOWER\_E**public static final byte **UTF8\_LOWER\_E**

---

Constant value: **101**

---

**UTF8\_LOWER\_F**public static final byte **UTF8\_LOWER\_F**

---

Constant value: **102**

---

**UTF8\_LOWER\_G**public static final byte **UTF8\_LOWER\_G**

---

Constant value: **103**

---

## UTF8\_LOWER\_H

public static final byte UTF8\_LOWER\_H

Constant value: **104**

---

## UTF8\_LOWER\_I

public static final byte UTF8\_LOWER\_I

Constant value: **105**

---

## UTF8\_LOWER\_J

public static final byte UTF8\_LOWER\_J

Constant value: **106**

---

## UTF8\_LOWER\_K

public static final byte UTF8\_LOWER\_K

Constant value: **107**

---

## UTF8\_LOWER\_L

public static final byte UTF8\_LOWER\_L

Constant value: **108**

---

## UTF8\_LOWER\_M

public static final byte UTF8\_LOWER\_M

Constant value: **109**

---

## UTF8\_LOWER\_N

public static final byte UTF8\_LOWER\_N

Constant value: **110**

---

## UTF8\_LOWER\_O

public static final byte UTF8\_LOWER\_O

Constant value: **111**

---

(continued from last page)

---

## UTF8\_LOWER\_P

public static final byte **UTF8\_LOWER\_P**

Constant value: **112**

---

## UTF8\_LOWER\_Q

public static final byte **UTF8\_LOWER\_Q**

Constant value: **113**

---

## UTF8\_LOWER\_R

public static final byte **UTF8\_LOWER\_R**

Constant value: **114**

---

## UTF8\_LOWER\_S

public static final byte **UTF8\_LOWER\_S**

Constant value: **115**

---

## UTF8\_LOWER\_T

public static final byte **UTF8\_LOWER\_T**

Constant value: **116**

---

## UTF8\_LOWER\_U

public static final byte **UTF8\_LOWER\_U**

Constant value: **117**

---

## UTF8\_LOWER\_V

public static final byte **UTF8\_LOWER\_V**

Constant value: **118**

---

## UTF8\_LOWER\_W

public static final byte **UTF8\_LOWER\_W**

Constant value: **119**

---

## UTF8\_LOWER\_X

public static final byte **UTF8\_LOWER\_X**

---

(continued from last page)

Constant value: **120**

---

**UTF8\_LOWER\_Y**public static final byte **UTF8\_LOWER\_Y**Constant value: **121**

---

**UTF8\_LOWER\_Z**public static final byte **UTF8\_LOWER\_Z**Constant value: **122**

---

**UTF8\_UPPER\_A**public static final byte **UTF8\_UPPER\_A**Constant value: **65**

---

**UTF8\_UPPER\_B**public static final byte **UTF8\_UPPER\_B**Constant value: **66**

---

**UTF8\_UPPER\_C**public static final byte **UTF8\_UPPER\_C**Constant value: **67**

---

**UTF8\_UPPER\_D**public static final byte **UTF8\_UPPER\_D**Constant value: **68**

---

**UTF8\_UPPER\_E**public static final byte **UTF8\_UPPER\_E**Constant value: **69**

---

**UTF8\_UPPER\_F**public static final byte **UTF8\_UPPER\_F**Constant value: **70**

---

## UTF8\_UPPER\_G

public static final byte **UTF8\_UPPER\_G**

Constant value: **71**

---

## UTF8\_UPPER\_H

public static final byte **UTF8\_UPPER\_H**

Constant value: **72**

---

## UTF8\_UPPER\_I

public static final byte **UTF8\_UPPER\_I**

Constant value: **73**

---

## UTF8\_UPPER\_J

public static final byte **UTF8\_UPPER\_J**

Constant value: **74**

---

## UTF8\_UPPER\_K

public static final byte **UTF8\_UPPER\_K**

Constant value: **75**

---

## UTF8\_UPPER\_L

public static final byte **UTF8\_UPPER\_L**

Constant value: **76**

---

## UTF8\_UPPER\_M

public static final byte **UTF8\_UPPER\_M**

Constant value: **77**

---

## UTF8\_UPPER\_N

public static final byte **UTF8\_UPPER\_N**

Constant value: **78**

---

(continued from last page)

---

## UTF8\_UPPER\_O

public static final byte **UTF8\_UPPER\_O**

Constant value: **79**

---

## UTF8\_UPPER\_P

public static final byte **UTF8\_UPPER\_P**

Constant value: **80**

---

## UTF8\_UPPER\_Q

public static final byte **UTF8\_UPPER\_Q**

Constant value: **81**

---

## UTF8\_UPPER\_R

public static final byte **UTF8\_UPPER\_R**

Constant value: **82**

---

## UTF8\_UPPER\_S

public static final byte **UTF8\_UPPER\_S**

Constant value: **83**

---

## UTF8\_UPPER\_T

public static final byte **UTF8\_UPPER\_T**

Constant value: **84**

---

## UTF8\_UPPER\_U

public static final byte **UTF8\_UPPER\_U**

Constant value: **85**

---

## UTF8\_UPPER\_V

public static final byte **UTF8\_UPPER\_V**

Constant value: **86**

---

## UTF8\_UPPER\_W

public static final byte **UTF8\_UPPER\_W**

---



(continued from last page)

Constant value: **87**

---

## UTF8\_UPPER\_X

```
public static final byte UTF8_UPPER_X
```

Constant value: **88**

---

## UTF8\_UPPER\_Y

```
public static final byte UTF8_UPPER_Y
```

Constant value: **89**

---

## UTF8\_UPPER\_Z

```
public static final byte UTF8_UPPER_Z
```

Constant value: **90**

---

## UTF8MAP\_INDEX\_OFFSET

```
public static final int UTF8MAP_INDEX_OFFSET
```

Constant value: **32**

---

## CEA608\_MUSICAL\_NOTE

```
public static byte CEA608_MUSICAL_NOTE
```

---

## CEA608\_SOLID\_BLOCK

```
public static byte CEA608_SOLID_BLOCK
```

---

## UTF8MAP

```
public static final byte UTF8MAP
```

---

## Constructors

### ClosedCaptionCEA608Utils

```
public ClosedCaptionCEA608Utils()
```

---

## Methods

(continued from last page)

## **charUTF8ToCAE608**

```
public static byte[] charUTF8ToCAE608(String text,  
    int pos,  
    String charaterSet,  
    int channel)
```

---

## **calcParity**

```
public static byte calcParity(byte inByte)
```

---

## **calcParity**

```
public static short calcParity(short inShort)
```

---

## **checkParity**

```
public static boolean checkParity(byte inByte)
```

---

## **checkParity**

```
public static boolean checkParity(short inShort)
```

---

---

Package

**com.wowza.wms.timedtext.model**

## com.wowza.wms.timedtext.model Interface ITimedTextConstants

public interface **ITimedTextConstants**  
extends **ITimedTextPrivateConstants**

### Field Summary

public static final	<a href="#">AMF_TEXTTYPE_ON_TEXT_DATA</a> Value: <b>onTextData</b>
public static final	<a href="#">DEFAULT_AMF_CONVERTER_TEXT_TYPE</a> Value: <b>onTextData</b>
public static final	<a href="#">DEFAULT_AMF_CONVERTER_TRACK_INDEX</a> Value: <b>99</b>
public static final	<a href="#">DEFAULT_CAPTION_CHARACTER_SET</a> Default value for Timed Text Property "captionCharacterSet". Value: <b>UTF-8</b>
public static final	<a href="#">DEFAULT_MAXIMUM_CAPTION_DURATION</a> Default value for Timed Text Property "maximumCaptionDuration". Value: <b>10000</b>
public static final	<a href="#">DEFAULT_PROPERTY_CAPION_LANGUAGES</a> Default value for Timed Text Property "captionLanguages". Value: <b>*</b>
public static final	<a href="#">DEFAULT_PROPERTY_CAPTION_FILE_NAMING_RULE</a> Default value for Timed Text Property "captionFileNamingRule". Value: <b>\${SourceStreamName}.\${FileExtension}</b>
public static final	<a href="#">DEFAULT_PROPERTY_CAPTION_PATH_NAMING_RULE</a> Default value for Timed Text Property "captionFileNamingRule". Value: <b>\${SourceBasePath}</b>
public static final	<a href="#">LANGUAGE_ID_ENGLISH</a> Value: <b>eng</b>
public static final	<a href="#">LANGUAGE_LOCALE</a> Value: <b>locale</b>
public static final	<a href="#">OUTPUT_TYPE_AMF</a> Value: <b>AMF</b>
public static final	<a href="#">OUTPUT_TYPE_CEA608</a> Value: <b>CEA608</b>

public static final	<a href="#">OUTPUT_TYPE_TTML</a> Value: <b>TTML</b>
public static final	<a href="#">PROP_3GPP_CAPTION_CHARACTER_SET</a> Timed Text Property "reader3GPPCaptionCharacterSet": used to determine character set when ingesting TTML captions Overrides general property "captionCharacterSet" Value: <b>reader3GPPCaptionCharacterSet</b>
public static final	<a href="#">PROP_AMF_CONVERTER_INSERT_ERASES_IN_GAPS</a> Timed Text Property "amfCaptionConverterInsertErases": insert erase captions if gaps between captions are greater than PROP_MAXIMUM_CAPTION_DURATION Value: <b>amfCaptionConverterInsertErases</b>
public static final	<a href="#">PROP_AMF_CONVERTER_TEXT_TYPE</a> Timed Text Property "amfCaptionConverterTextType": AMF text type used in conversion Value: <b>amfCaptionConverterTextType</b>
public static final	<a href="#">PROP_AMF_CONVERTER_TRACK_INDEX</a> Timed Text Property "amfCaptionConverterTrackIndex": track index used for captions Value: <b>amfCaptionConverterTrackIndex</b>
public static final	<a href="#">PROP_CAPTION_CHARACTER_SET</a> Timed Text Property "captionCharacterSet": used to determine character set when ingesting captions Value: <b>captionCharacterSet</b>
public static final	<a href="#">PROP_CAPTION_FILE_NAMING_RULE</a> Timed Text Property "captionFileNamingRule": to change logic determining the caption companion file naming scheme Value: <b>captionFileNamingRule</b>
public static final	<a href="#">PROP_CAPTION_FILENAME_QUERY_PARAMETER</a> HTTP Streamer Property "captionFilenameQueryParameter": used for changing query string param used for caption file selection. Value: <b>captionFilenameQueryParameter</b>
public static final	<a href="#">PROP_CAPTION_LANGUAGE_QUERY_PARAMETER</a> HTTP Streamer Property "captionLanguageQueryParameter": used for changing query string param used for caption language selection. Value: <b>captionLanguageQueryParameter</b>
public static final	<a href="#">PROP_CAPTION_LANGUAGES</a> Timed Text Property "captionLanguages": used to select presented caption Language. Value: <b>captionLanguages</b>
public static final	<a href="#">PROP_CAPTION_PATH_NAMING_RULE</a> Timed Text Property "captionPathNamingRule": to change logic determining the caption companion path Value: <b>captionPathNamingRule</b>
public static final	<a href="#">PROP_CEA608_CONVERTER_CHARACTER_SET</a> Timed Text Property "cea608CaptionConverterCharacterSet": character set in default CEA caption converter. Value: <b>cea608CaptionConverterCharacterSet</b>

public static final	<a href="#">PROP_CEA608_CONVERTER_CHARS_PER_LINE</a> Timed Text Property "cea608CaptionConverterCharsPerLine": max number characters per line in default CEA caption converter. Value: <b>cea608CaptionConverterCharsPerLine</b>
public static final	<a href="#">PROP_CEA608_CONVERTER_COLOR</a> Timed Text Property "cea608CaptionConverterColor": color of text in default CEA caption converter. Value: <b>cea608CaptionConverterColor</b>
public static final	<a href="#">PROP_CUPERTINO_CAPTION_LANGUAGES</a> Timed Text Property "cupertinoCaptionLanguages": to enabled captionLanguage selection for Cupertino streaming. Value: <b>cupertinoCaptionLanguages</b>
public static final	<a href="#">PROP_CUPERTINO_VOD_CAPTIONS_ENABLED</a> Timed Text Property "cupertinoVODCaptionsEnabled": to enabled VOD captions for Cupertino streaming. Value: <b>cupertinoVODCaptionsEnabled</b>
public static final	<a href="#">PROP_DEBUG_3GPP_CAPTION_PARSER</a> Timed Text Property "debug3GPPCaptionParser": adds info level logging regarding the 3GPP parser Value: <b>debug3GPPCaptionParser</b>
public static final	<a href="#">PROP_DEBUG_3GPP_CAPTION_PARSER_TIME</a> Timed Text Property "debug3GPPCaptionParserTime": adds info level logging regarding how long it took parser to index Value: <b>debug3GPPCaptionParserTime</b>
public static final	<a href="#">PROP_DEBUG_CUPERTINO_VOD_CAPTION_LANGUAGE_SELECTION</a> Timed Text Property "cupertinoDebugVODCaptionLanguageSelection": adds info level logging regarding language selection for Cupertino Streaming Value: <b>cupertinoDebugVODCaptionLanguageSelection</b>
public static final	<a href="#">PROP_DEBUG_CUPERTINO_VOD_CAPTION_PROVIDER_DETERMINATION</a> Timed Text Property "cupertinoDebugVODCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset for Cupertino Streaming. Value: <b>cupertinoDebugVODCaptionProviderDetermination</b>
public static final	<a href="#">PROP_DEBUG_RTMP_VOD_CAPTION_LANGUAGE_SELECTION</a> Timed Text Property "rtmpDebugVODCaptionLanguageSelection": adds info level logging regarding language selection for RTMP Streaming Value: <b>rtmpDebugVODCaptionLanguageSelection</b>
public static final	<a href="#">PROP_DEBUG_RTMP_VOD_CAPTION_PROVIDER_DETERMINATION</a> Timed Text Property "rtmpDebugVODCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset for RTMP Streaming. Value: <b>rtmpDebugVODCaptionProviderDetermination</b>
public static final	<a href="#">PROP_DEBUG_SANJOSE_VOD_CAPTION_LANGUAGE_SELECTION</a> Timed Text Property "sanJoseDebugVODCaptionLanguageSelection": adds info level logging regarding language selection for San Jose Streaming Value: <b>sanJoseDebugVODCaptionLanguageSelection</b>

public static final	<a href="#"><u>PROP_DEBUG_SANJOSE_VOD_CAPTION_PROVIDER_DETERMINATION</u></a> Timed Text Property "sanJoseVODDebugCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset for San Jose Streaming. Value: <b>sanJoseVODDebugCaptionProviderDetermination</b>
public static final	<a href="#"><u>PROP_DEBUG_SCC_CAPTION_PARSER</u></a> Timed Text Property "debugSCCCaptionParser": adds info level logging regarding the SCC caption parser Value: <b>debugSCCCaptionParser</b>
public static final	<a href="#"><u>PROP_DEBUG_SCC_CAPTION_PARSER_TIME</u></a> Timed Text Property "debugSCCCaptionParserTime": adds info level logging regarding how long it took parser to index Value: <b>debugSCCCaptionParserTime</b>
public static final	<a href="#"><u>PROP_DEBUG_SCC_VOD_CAPTION_COMPANION_FILES</u></a> Timed Text Property "debugSCCVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset for SCC provider Value: <b>debugSCCVODCaptionFileDetermination</b>
public static final	<a href="#"><u>PROP_DEBUG_SRT_CAPTION_PARSER</u></a> Timed Text Property "debugSRTCaptionParser": adds info level logging regarding the SRT caption parser Value: <b>debugSRTCaptionParser</b>
public static final	<a href="#"><u>PROP_DEBUG_SRT_CAPTION_PARSER_TIME</u></a> Timed Text Property "debugSRTCaptionParserTime": adds info level logging regarding how long it took parser to index Value: <b>debugSRTCaptionParserTime</b>
public static final	<a href="#"><u>PROP_DEBUG_SRT_VOD_CAPTION_COMPANION_FILES</u></a> Timed Text Property "debugSRTVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset for SRT provider Value: <b>debugSRTVODCaptionFileDetermination</b>
public static final	<a href="#"><u>PROP_DEBUG_TTML_CAPTION_PARSER</u></a> Timed Text Property "debugTTMLCaptionParser": adds info level logging regarding the TTML caption parser Value: <b>debugTTMLCaptionParser</b>
public static final	<a href="#"><u>PROP_DEBUG_TTML_CAPTION_PARSER_TIME</u></a> Timed Text Property "debugTTMLCaptionParserTime": adds info level logging regarding how long it took parser to index Value: <b>debugTTMLCaptionParserTime</b>
public static final	<a href="#"><u>PROP_DEBUG_TTML_VOD_CAPTION_COMPANION_FILES</u></a> Timed Text Property "debugTTMLVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset for TTML Streaming. Value: <b>debugTTMLVODCaptionFileDetermination</b>
public static final	<a href="#"><u>PROP_DEBUG_VOD_CAPTION_COMPANION_FILES</u></a> Timed Text Property "debugVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset Value: <b>debugVODCaptionFileDetermination</b>

public static final	<a href="#"><u>PROP_DEBUG_VOD_CAPTION_LANGUAGE_SELECTION</u></a> Timed Text Property "debugVODCaptionLanguageSelection": adds info level logging regarding language selection Value: <b>debugVODCaptionLanguageSelection</b>
public static final	<a href="#"><u>PROP_DEBUG_VOD_CAPTION_PROVIDER_DETERMINATION</u></a> Timed Text Property "debugVODCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset Value: <b>debugVODCaptionProviderDetermination</b>
public static final	<a href="#"><u>PROP_MAXIMUM_CAPTION_DURATION</u></a> Timed Text Property "maximumCaptionDuration": used to determine maximum caption duration Value: <b>maximumCaptionDuration</b>
public static final	<a href="#"><u>PROP_RTMP_CAPTION_LANGUAGES</u></a> Timed Text Property "rtmpCaptionLanguages": to enabled captionLanguage selection for RTMP Type String. Value: <b>rtmpCaptionLanguages</b>
public static final	<a href="#"><u>PROP_RTMP_VOD_CAPTIONS_ENABLED</u></a> Timed Text Property "rtmpVODCaptionsEnabled": to enabled VOD captions for RTMP streaming. Value: <b>rtmpVODCaptionsEnabled</b>
public static final	<a href="#"><u>PROP_SANJOSE_CAPTION_LANGUAGES</u></a> Timed Text Property "sanJoseCaptionLanguages": to enabled captionLanguage selection for San Jose streaming. Value: <b>sanJoseCaptionLanguages</b>
public static final	<a href="#"><u>PROP_SANJOSE_VOD_CAPTIONS_ENABLED</u></a> Timed Text Property "sanJoseVODCaptionsEnabled": to enabled VOD captions for San Jose streaming. Value: <b>sanJoseVODCaptionsEnabled</b>
public static final	<a href="#"><u>PROP_SRT_CAPTION_CHARACTER_SET</u></a> Timed Text Property "srtReaderCaptionCharacterSet": used to determine character set when ingesting SRT captions Overrides general property "captionCharacterSet" Value: <b>srtReaderCaptionCharacterSet</b>
public static final	<a href="#"><u>PROP_TTML_CAPTION_CHARACTER_SET</u></a> Timed Text Property "ttmlReaderCaptionCharacterSet": used to determine character set when ingesting TTML captions Overrides general property "captionCharacterSet" Value: <b>ttmlReaderCaptionCharacterSet</b>
public static final	<a href="#"><u>PROP_TTML_INLINE_TAGS_IN_TEXT</u></a> Timed Text Property "ttmlInlineTagsInText": TTML parser includes in-line styling and line-break tags in the sample text Value: <b>ttmlInlineTagsInText</b>
public static final	<a href="#"><u>PROP_UNDEFINED_LANG_CODE</u></a> Timed Text Property "captionUndefinedLanguageId": if incoming caption language is undefined, use this language ID. Value: <b>captionUndefinedLanguageId</b>
public static final	<a href="#"><u>PROP_VOD_CAPTIONS_ENABLED</u></a> Timed Text Property "vodCaptionsEnabled": to enabled VOD captions for all supported protocols Value: <b>vodCaptionsEnabled</b>



public static final	<a href="#"><u>QUERYSTR_CAPTION_FILENAME</u></a> Query string used for choosing caption languages. Value: <b>wowzacaptionfile</b>
public static final	<a href="#"><u>QUERYSTR_CAPTIONLANGUAGES</u></a> Query string used for choosing caption languages. Value: <b>wowzacaptionlanguages</b>
public static final	<a href="#"><u>SOURCE_TYPE_3GPP</u></a> Value: <b>3GPP</b>
public static final	<a href="#"><u>SOURCE_TYPE_AMF</u></a> Value: <b>AMF</b>
public static final	<a href="#"><u>SOURCE_TYPE_SCC</u></a> Value: <b>SCC</b>
public static final	<a href="#"><u>SOURCE_TYPE_SRT</u></a> Value: <b>SRT</b>
public static final	<a href="#"><u>SOURCE_TYPE_TTML</u></a> Value: <b>TTML</b>
public static final	<a href="#"><u>TIMED_TEXT_TYPE_CAPTION</u></a> Value: <b>Caption</b>

#### Fields inherited from interface com.wowza.wms.timedtext.model.ITimedTextPrivateConstants

```

DEFAULT_AMF_CONVERTER_CLASS,DEFAULT_CEA608_CONVERTER_CLASS,
DEFAULT_CEA608_IDENTITY_CONVERTER_CLASS,
DEFAULT_PROPERTY_CUPERTINO_VOD_CAPTIONS_DELEGATE_CLASS,
DEFAULT_PROPERTY_RTMP_VOD_CAPTIONS_DELEGATE_CLASS,
DEFAULT_PROPERTY_SANJOSE_VOD_CAPTIONS_DELEGATE_CLASS,DEFAULT_TIMED_TEXT_READER_SCC,
DEFAULT_TIMED_TEXT_READER_SRT,DEFAULT_TIMED_TEXT_READER_TTML,PROP_AMF_CONVERTER_CLASS,
PROP_CEA608_CONVERTER_CLASS,PROP_CEA608_MAX_COMMANDS_PER_FRAME,
PROP_CUPERTINO_VOD_CAPTIONS_DELEGATE_CLASS,PROP_MP4_TO_AMF_CONVERTER_CLASS,
PROP_MP4_TO_CEA608_CONVERTER_CLASS,PROP_RTMP_VOD_CAPTIONS_DELEGATE_CLASS,
PROP_SANJOSE_VOD_CAPTIONS_DELEGATE_CLASS,PROP_SCC_TO_CEA608_CONVERTER_CLASS,
PROP_SRT_TO_AMF_CONVERTER_CLASS,PROP_SRT_TO_CEA608_CONVERTER_CLASS,
PROP_TTML_TO_AMF_CONVERTER_CLASS,PROP_TTML_TO_CEA608_CONVERTER_CLASS,
PROPERTY_SOURCE_DURATION,PROPERTY_SOURCE_TIME_SCALE,PROPERTY_SOURCE_TRACK_INDEX,
TIMED_TEXT_READER_EXTENSION_SCC,TIMED_TEXT_READER_EXTENSION_SRT,
TIMED_TEXT_READER_EXTENSION_TTML

```

## Fields

### TIMED\_TEXT\_TYPE\_CAPTION

```
public static final java.lang.String TIMED_TEXT_TYPE_CAPTION
```

Constant value: **Caption**

---

## SOURCE\_TYPE\_AMF

```
public static final java.lang.String SOURCE_TYPE_AMF
```

Constant value: **AMF**

---

## SOURCE\_TYPE\_TTML

```
public static final java.lang.String SOURCE_TYPE_TTML
```

Constant value: **TTML**

---

## SOURCE\_TYPE\_3GPP

```
public static final java.lang.String SOURCE_TYPE_3GPP
```

Constant value: **3GPP**

---

## SOURCE\_TYPE\_SRT

```
public static final java.lang.String SOURCE_TYPE_SRT
```

Constant value: **SRT**

---

## SOURCE\_TYPE\_SCC

```
public static final java.lang.String SOURCE_TYPE_SCC
```

Constant value: **SCC**

---

## OUTPUT\_TYPE\_CEA608

```
public static final java.lang.String OUTPUT_TYPE_CEA608
```

Constant value: **CEA608**

---

## OUTPUT\_TYPE\_AMF

```
public static final java.lang.String OUTPUT_TYPE_AMF
```

Constant value: **AMF**

---

## OUTPUT\_TYPE\_TTML

```
public static final java.lang.String OUTPUT_TYPE_TTML
```

Constant value: **TTML**

---

(continued from last page)

---

## AMF\_TEXTTYPE\_ON\_TEXT\_DATA

```
public static final java.lang.String AMF_TEXTTYPE_ON_TEXT_DATA
```

Constant value: **onTextData**

---

## LANGUAGE\_LOCALE

```
public static final java.lang.String LANGUAGE_LOCALE
```

Constant value: **locale**

---

## LANGUAGE\_ID\_ENGLISH

```
public static final java.lang.String LANGUAGE_ID_ENGLISH
```

Constant value: **eng**

---

## PROP\_VOD\_CAPTIONS\_ENABLED

```
public static final java.lang.String PROP_VOD_CAPTIONS_ENABLED
```

Timed Text Property "vodCaptionsEnabled": to enabled VOD captions for all supported protocols

Type boolean. The default is true.

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled on a per protocol basis using [PROP\\_CUPERTINO\\_VOD\\_CAPTIONS\\_ENABLED](#), [PROP\\_RTMP\\_VOD\\_CAPTIONS\\_ENABLED](#), [PROP\\_SANJOSE\\_VOD\\_CAPTIONS\\_ENABLED](#).

Constant value: **vodCaptionsEnabled**

### See Also:

[PROP\\_CUPERTINO\\_VOD\\_CAPTIONS\\_ENABLED](#)

[PROP\\_RTMP\\_VOD\\_CAPTIONS\\_ENABLED](#)

[PROP\\_SANJOSE\\_VOD\\_CAPTIONS\\_ENABLED](#)

---

## PROP\_CUPERTINO\_VOD\_CAPTIONS\_ENABLED

```
public static final java.lang.String PROP_CUPERTINO_VOD_CAPTIONS_ENABLED
```

Timed Text Property "cupertinoVODCaptionsEnabled": to enabled VOD captions for Cupertino streaming.

Type boolean. The default is true.

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled for all protocols using [PROP\\_VOD\\_CAPTIONS\\_ENABLED](#).

Constant value: **cupertinoVODCaptionsEnabled**

### See Also:

[PROP\\_VOD\\_CAPTIONS\\_ENABLED](#)

---

## PROP\_RTMP\_VOD\_CAPTIONS\_ENABLED

```
public static final java.lang.String PROP_RTMP_VOD_CAPTIONS_ENABLED
```

---

(continued from last page)

Timed Text Property "rtmpVODCaptionsEnabled": to enabled VOD captions for RTMP streaming.

Type boolean. The default is true.

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled for all protocols using [PROP\\_VOD\\_CAPTIONS\\_ENABLED](#).  
Constant value: **rtmpVODCaptionsEnabled**

See Also:

[PROP\\_VOD\\_CAPTIONS\\_ENABLED](#)

---

## PROP\_SANJOSE\_VOD\_CAPTIONS\_ENABLED

```
public static final java.lang.String PROP_SANJOSE_VOD_CAPTIONS_ENABLED
```

Timed Text Property "sanJoseVODCaptionsEnabled": to enabled VOD captions for San Jose streaming.

Type boolean. The default is true.

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled for all protocols using [PROP\\_VOD\\_CAPTIONS\\_ENABLED](#).  
Constant value: **sanJoseVODCaptionsEnabled**

See Also:

[PROP\\_VOD\\_CAPTIONS\\_ENABLED](#)

---

## PROP\_CAPTION\_LANGUAGES

```
public static final java.lang.String PROP_CAPTION_LANGUAGES
```

Timed Text Property "captionLanguages": used to select presented caption Language.

Type String. The default is [DEFAULT\\_PROPERTY\\_CAPION\\_LANGUAGES](#)

Add the property to Application/TimedText/Properties in Application.xml

VOD Caption languages can be specified on a per protocol basis using [PROP\\_CUPERTINO\\_CAPTION\\_LANGUAGES](#), [PROP\\_RTMP\\_CAPTION\\_LANGUAGES](#), [PROP\\_SANJOSE\\_CAPTION\\_LANGUAGES](#).  
Constant value: **captionLanguages**

See Also:

[PROP\\_CUPERTINO\\_CAPTION\\_LANGUAGES](#)

[PROP\\_RTMP\\_CAPTION\\_LANGUAGES](#)

[PROP\\_SANJOSE\\_CAPTION\\_LANGUAGES](#)

---

## DEFAULT\_PROPERTY\_CAPION\_LANGUAGES

```
public static final java.lang.String DEFAULT_PROPERTY_CAPION_LANGUAGES
```

Default value for Timed Text Property "captionLanguages".

Default value is "\*", meaning present all found languages.  
Constant value: **\***

See Also:

[PROP\\_CAPTION\\_LANGUAGES](#)

---

## PROP\_CUPERTINO\_CAPTION\_LANGUAGES

```
public static final java.lang.String PROP_CUPERTINO_CAPTION_LANGUAGES
```

---

(continued from last page)

Timed Text Property "cupertinoCaptionLanguages": to enabled captionLanguage selection for Cupertino streaming.

Type String. The default is [DEFAULT\\_PROPERTY\\_CAPION\\_LANGUAGES](#)

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled for all protocols using [PROP\\_CAPTION\\_LANGUAGES](#).

Constant value: **cupertinoCaptionLanguages**

See Also:

[PROP\\_CAPTION\\_LANGUAGES](#)

## PROP\_RTMP\_CAPTION\_LANGUAGES

```
public static final java.lang.String PROP_RTMP_CAPTION_LANGUAGES
```

Timed Text Property "rtmpCaptionLanguages": to enabled captionLanguage selection for RTMP Type String. The default is [DEFAULT\\_PROPERTY\\_CAPION\\_LANGUAGES](#)

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled for all protocols using [PROP\\_CAPTION\\_LANGUAGES](#).

Constant value: **rtmpCaptionLanguages**

See Also:

[PROP\\_CAPTION\\_LANGUAGES](#)

## PROP\_SANJOSE\_CAPTION\_LANGUAGES

```
public static final java.lang.String PROP_SANJOSE_CAPTION_LANGUAGES
```

Timed Text Property "sanJoseCaptionLanguages": to enabled captionLanguage selection for San Jose streaming.

Type String. The default is [DEFAULT\\_PROPERTY\\_CAPION\\_LANGUAGES](#)

Add the property to Application/TimedText/Properties in Application.xml

VOD Captions can be enabled for all protocols using [PROP\\_CAPTION\\_LANGUAGES](#).

Constant value: **sanJoseCaptionLanguages**

See Also:

[PROP\\_CAPTION\\_LANGUAGES](#)

## PROP\_DEBUG\_VOD\_CAPTION\_LANGUAGE\_SELECTION

```
public static final java.lang.String PROP_DEBUG_VOD_CAPTION_LANGUAGE_SELECTION
```

Timed Text Property "debugVODCaptionLanguageSelection": adds info level logging regarding language selection

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Can be enabled on a per protocol basis using [PROP\\_DEBUG\\_CUPERTINO\\_VOD\\_CAPTION\\_LANGUAGE\\_SELECTION](#), [PROP\\_DEBUG\\_RTMP\\_VOD\\_CAPTION\\_LANGUAGE\\_SELECTION](#), [PROP\\_DEBUG\\_SANJOSE\\_VOD\\_CAPTION\\_LANGUAGE\\_SELECTION](#).

Constant value: **debugVODCaptionLanguageSelection**

## PROP\_DEBUG\_CUPERTINO\_VOD\_CAPTION\_LANGUAGE\_SELECTION

```
public static final java.lang.String
PROP_DEBUG_CUPERTINO_VOD_CAPTION_LANGUAGE_SELECTION
```

---

(continued from last page)

Timed Text Property "cupertinoDebugVODCaptionLanguageSelection": adds info level logging regarding language selection for Cupertino Streaming

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **cupertinoDebugVODCaptionLanguageSelection**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_LANGUAGE\\_SELECTION](#)

---

## PROP\_DEBUG\_RTMP\_VOD\_CAPTION\_LANGUAGE\_SELECTION

```
public static final java.lang.String PROP_DEBUG_RTMP_VOD_CAPTION_LANGUAGE_SELECTION
```

Timed Text Property "rtmpDebugVODCaptionLanguageSelection": adds info level logging regarding language selection for RTMP Streaming

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **rtmpDebugVODCaptionLanguageSelection**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_LANGUAGE\\_SELECTION](#)

---

## PROP\_DEBUG\_SANJOSE\_VOD\_CAPTION\_LANGUAGE\_SELECTION

```
public static final java.lang.String PROP_DEBUG_SANJOSE_VOD_CAPTION_LANGUAGE_SELECTION
```

Timed Text Property "sanJoseDebugVODCaptionLanguageSelection": adds info level logging regarding language selection for San Jose Streaming

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **sanJoseDebugVODCaptionLanguageSelection**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_LANGUAGE\\_SELECTION](#)

---

## PROP\_DEBUG\_VOD\_CAPTION\_PROVIDER\_DETERMINATION

```
public static final java.lang.String PROP_DEBUG_VOD_CAPTION_PROVIDER_DETERMINATION
```

Timed Text Property "debugVODCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Can be enabled on a per protocol basis using [PROP\\_DEBUG\\_CUPERTINO\\_VOD\\_CAPTION\\_PROVIDER\\_DETERMINATION](#), [PROP\\_DEBUG\\_RTMP\\_VOD\\_CAPTION\\_PROVIDER\\_DETERMINATION](#), [PROP\\_DEBUG\\_SANJOSE\\_VOD\\_CAPTION\\_PROVIDER\\_DETERMINATION](#).

Constant value: **debugVODCaptionProviderDetermination**

---

(continued from last page)

---

## PROP\_DEBUG\_CUPERTINO\_VOD\_CAPTION\_PROVIDER\_DETERMINATION

```
public static final java.lang.String  
PROP_DEBUG_CUPERTINO_VOD_CAPTION_PROVIDER_DETERMINATION
```

Timed Text Property "cupertinoDebugVODCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset for Cupertino Streaming.

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **cupertinoDebugVODCaptionProviderDetermination**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_PROVIDER\\_DETERMINATION](#)

---

## PROP\_DEBUG\_RTMP\_VOD\_CAPTION\_PROVIDER\_DETERMINATION

```
public static final java.lang.String  
PROP_DEBUG_RTMP_VOD_CAPTION_PROVIDER_DETERMINATION
```

Timed Text Property "rtmpDebugVODCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset for RTMP Streaming.

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **rtmpDebugVODCaptionProviderDetermination**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_PROVIDER\\_DETERMINATION](#)

---

## PROP\_DEBUG\_SANJOSE\_VOD\_CAPTION\_PROVIDER\_DETERMINATION

```
public static final java.lang.String  
PROP_DEBUG_SANJOSE_VOD_CAPTION_PROVIDER_DETERMINATION
```

Timed Text Property "sanJoseVODDebugCaptionProviderDetermination": adds info level logging regarding caption provider determination for a given VOD asset for San Jose Streaming.

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **sanJoseVODDebugCaptionProviderDetermination**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_PROVIDER\\_DETERMINATION](#)

---

## PROP\_DEBUG\_VOD\_CAPTION\_COMPANION\_FILES

```
public static final java.lang.String PROP_DEBUG_VOD_CAPTION_COMPANION_FILES
```

(continued from last page)

Timed Text Property "debugVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Can be enabled on a per provider basis as well using [PROP\\_DEBUG\\_TTML\\_VOD\\_CAPTION\\_COMPANION\\_FILES](#)  
Constant value: **debugVODCaptionFileDetermination**

## PROP\_UNDEFINED\_LANG\_CODE

```
public static final java.lang.String PROP_UNDEFINED_LANG_CODE
```

Timed Text Property "captionUndefinedLanguageId": if incoming caption language is undefined, use this language ID.

Type String. If not defined, the Locale's 3 character language code is used. See `Locale.getDefault().getISO3Language()`

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **captionUndefinedLanguageId**

## PROP\_CAPTION\_FILE\_NAMING\_RULE

```
public static final java.lang.String PROP_CAPTION_FILE_NAMING_RULE
```

Timed Text Property "captionFileNamingRule": to change logic determining the caption companion file naming scheme

Type String. The default value is [DEFAULT\\_PROPERTY\\_CAPTION\\_FILE\\_NAMING\\_RULE](#).

This string is used to find the caption file for a given VOD asset. It is used in conjunction with [PROP\\_CAPTION\\_PATH\\_NAMING\\_RULE](#), which determines the file location.

It is comprised of variables preceded by a dollar sign and enclosed in squiggly brackets. For example: "\${var1}.\${var2}"

Valid variables include these:

- `${SourceStreamName}` : The baseName of the VOD file
- `${SourceBasePath}` : The base path of the VOD asset
- `${FileExtension}` : Registered file extensions with the Timed Text Provider

and these standard ones:

- `${com.wowza.wms.context.VHost}`
- `${com.wowza.wms.context.VHostConfigHome, appInstance.getVHost().getHomePath()};`
- `${com.wowza.wms.context.Application, appInstance.getApplication().getName()};`
- `${com.wowza.wms.context.ApplicationInstance, appInstance.getName()};`

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **captionFileNamingRule**

See Also:

[DEFAULT\\_PROPERTY\\_CAPTION\\_FILE\\_NAMING\\_RULE](#)

## DEFAULT\_PROPERTY\_CAPTION\_FILE\_NAMING\_RULE

```
public static final java.lang.String DEFAULT_PROPERTY_CAPTION_FILE_NAMING_RULE
```

Default value for Timed Text Property "captionFileNamingRule".

Default value is `"${SourceStreamName}.${FileExtension}"`

Constant value: **`${SourceStreamName}.${FileExtension}`**



(continued from last page)

**See Also:**[PROP\\_CAPTION\\_FILE\\_NAMING\\_RULE](#)

---

## PROP\_CAPTION\_PATH\_NAMING\_RULE

```
public static final java.lang.String PROP_CAPTION_PATH_NAMING_RULE
```

Timed Text Property "captionPathNamingRule": to change logic determining the caption companion path

Type String. The default value is [DEFAULT\\_PROPERTY\\_CAPTION\\_PATH\\_NAMING\\_RULE](#).

This string is used to find the caption file location for a given VOD asset. It is used in conjunction with [PROP\\_CAPTION\\_FILE\\_NAMING\\_RULE](#), which determines the file name.

It is comprised of variables preceded by a dollar sign and enclosed in squiggly brackets. For example: "\${var1}.{var2}"

Valid variables include these:

- \${SourceStreamName} : The baseName of the VOD file
- \${SourceBasePath} : The base path of the VOD asset
- \${FileExtension} : Registered file extensions with the Timed Text Provider

and these standard ones:

- \${com.wowza.wms.context.VHost}
- \${com.wowza.wms.context.VHostConfigHome", appInstance.getVHost().getHomePath()};
- \${com.wowza.wms.context.Application", appInstance.getApplication().getName()};
- \${com.wowza.wms.context.ApplicationInstance", appInstance.getName()};

Add the property to Application/TimedText/Properties in Application.xml  
Constant value: **captionPathNamingRule**

**See Also:**[DEFAULT\\_PROPERTY\\_CAPTION\\_PATH\\_NAMING\\_RULE](#)

---

## DEFAULT\_PROPERTY\_CAPTION\_PATH\_NAMING\_RULE

```
public static final java.lang.String DEFAULT_PROPERTY_CAPTION_PATH_NAMING_RULE
```

Default value for Timed Text Property "captionFileNamingRule". Default value is "\${SourceBasePath}"  
Constant value: **\${SourceBasePath}**

**See Also:**[PROP\\_CAPTION\\_PATH\\_NAMING\\_RULE](#)

---

## PROP\_MAXIMUM\_CAPTION\_DURATION

```
public static final java.lang.String PROP_MAXIMUM_CAPTION_DURATION
```

Timed Text Property "maximumCaptionDuration": used to determine maximum caption duration

Type Integer. In ms. The default is [DEFAULT\\_MAXIMUM\\_CAPTION\\_DURATION](#)

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **maximumCaptionDuration**

---

(continued from last page)

---

## DEFAULT\_MAXIMUM\_CAPTION\_DURATION

```
public static final int DEFAULT_MAXIMUM_CAPTION_DURATION
```

Default value for Timed Text Property "maximumCaptionDuration".

Default value is 10000.  
Constant value: **10000**

See Also:

[PROP\\_MAXIMUM\\_CAPTION\\_DURATION](#)

---

## PROP\_CAPTION\_CHARACTER\_SET

```
public static final java.lang.String PROP_CAPTION_CHARACTER_SET
```

Timed Text Property "captionCharacterSet": used to determine character set when ingesting captions

Type String. The default is [DEFAULT\\_CAPTION\\_CHARACTER\\_SET](#)

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **captionCharacterSet**

---

## DEFAULT\_CAPTION\_CHARACTER\_SET

```
public static final java.lang.String DEFAULT_CAPTION_CHARACTER_SET
```

Default value for Timed Text Property "captionCharacterSet".

Default value is "UTF-8"  
Constant value: **UTF-8**

See Also:

[PROP\\_CAPTION\\_CHARACTER\\_SET](#)

---

## PROP\_SRT\_CAPTION\_CHARACTER\_SET

```
public static final java.lang.String PROP_SRT_CAPTION_CHARACTER_SET
```

Timed Text Property "srtReaderCaptionCharacterSet": used to determine character set when ingesting SRT captions  
Overrides general property "captionCharacterSet"

Type String. The default is [DEFAULT\\_CAPTION\\_CHARACTER\\_SET](#)  
Constant value: **srtReaderCaptionCharacterSet**

See Also:

Add the property to Application/TimedText/Properties in Application.xml

---

## PROP\_TTML\_CAPTION\_CHARACTER\_SET

```
public static final java.lang.String PROP_TTML_CAPTION_CHARACTER_SET
```

Timed Text Property "ttmlReaderCaptionCharacterSet": used to determine character set when ingesting TTML captions  
Overrides general property "captionCharacterSet"

Type String. The default is [DEFAULT\\_CAPTION\\_CHARACTER\\_SET](#)

---

(continued from last page)

Constant value: **ttmlReaderCaptionCharacterSet**

**See Also:**

Add the property to Application/TimedText/Properties in Application.xml

## PROP\_3GPP\_CAPTION\_CHARACTER\_SET

```
public static final java.lang.String PROP_3GPP_CAPTION_CHARACTER_SET
```

Timed Text Property "reader3GPPCaptionCharacterSet": used to determine character set when ingesting TTML captions Overrides general property "captionCharacterSet"

Type String. The default is [DEFAULT\\_CAPTION\\_CHARACTER\\_SET](#)

Constant value: **reader3GPPCaptionCharacterSet**

**See Also:**

Add the property to Application/TimedText/Properties in Application.xml

## PROP\_CEA608\_CONVERTER\_COLOR

```
public static final java.lang.String PROP_CEA608_CONVERTER_COLOR
```

Timed Text Property "cea608CaptionConverterColor": color of text in default CEA caption converter.

Type Integer. Default is [ClosedCaptionCEA608Utils.COL0\\_WHITE](#)

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **cea608CaptionConverterColor**

**See Also:**

[ClosedCaptionCEA608Utils.COL0\\_WHITE](#)

[ClosedCaptionCEA608Utils.COL0\\_GREEN](#)

[ClosedCaptionCEA608Utils.COL0\\_BLUE](#)

[ClosedCaptionCEA608Utils.COL0\\_CYAN](#)

[ClosedCaptionCEA608Utils.COL0\\_RED](#)

[ClosedCaptionCEA608Utils.COL0\\_YELLOW](#)

[ClosedCaptionCEA608Utils.COL0\\_MAGENTA](#)

## PROP\_CEA608\_CONVERTER\_CHARS\_PER\_LINE

```
public static final java.lang.String PROP_CEA608_CONVERTER_CHARS_PER_LINE
```

Timed Text Property "cea608CaptionConverterCharsPerLine": max number characters per line in default CEA caption converter.

Type Integer. Default is [ClosedCaptionCEA608Utils.COUNT\\_COLS](#)

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **cea608CaptionConverterCharsPerLine**

## PROP\_CEA608\_CONVERTER\_CHARACTER\_SET

```
public static final java.lang.String PROP_CEA608_CONVERTER_CHARACTER_SET
```

(continued from last page)

Timed Text Property "cea608CaptionConverterCharacterSet": character set in default CEA caption converter.

Type String. Default is "UTF-8"

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **cea608CaptionConverterCharacterSet**

---

## PROP\_AMF\_CONVERTER\_TEXT\_TYPE

```
public static final java.lang.String PROP_AMF_CONVERTER_TEXT_TYPE
```

Timed Text Property "amfCaptionConverterTextType": AMF text type used in conversion

Type String. Default is [AMF\\_TEXTTYPE\\_ON\\_TEXT\\_DATA](#)

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **amfCaptionConverterTextType**

---

## DEFAULT\_AMF\_CONVERTER\_TEXT\_TYPE

```
public static final java.lang.String DEFAULT_AMF_CONVERTER_TEXT_TYPE
```

Constant value: **onTextData**

---

## PROP\_AMF\_CONVERTER\_TRACK\_INDEX

```
public static final java.lang.String PROP_AMF_CONVERTER_TRACK_INDEX
```

Timed Text Property "amfCaptionConverterTrackIndex": track index used for captions

Type Integer.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **amfCaptionConverterTrackIndex**

---

## DEFAULT\_AMF\_CONVERTER\_TRACK\_INDEX

```
public static final int DEFAULT_AMF_CONVERTER_TRACK_INDEX
```

Constant value: **99**

---

## PROP\_AMF\_CONVERTER\_INSERT\_ERASES\_IN\_GAPS

```
public static final java.lang.String PROP_AMF_CONVERTER_INSERT_ERASES_IN_GAPS
```

Timed Text Property "amfCaptionConverterInsertErases": insert erase captions if gaps between captions are greater than PROP\_MAXIMUM\_CAPTION\_DURATION

Type boolean. The default is true.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **amfCaptionConverterInsertErases**

---

## PROP\_DEBUG\_TTML\_VOD\_CAPTION\_COMPANION\_FILES

```
public static final java.lang.String PROP_DEBUG_TTML_VOD_CAPTION_COMPANION_FILES
```

(continued from last page)

Timed Text Property "debugTTMLVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset for TTML Streaming.

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugTTMLVODCaptionFileDetermination**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_COMPANION\\_FILES](#)

## PROP\_DEBUG\_TTML\_CAPTION\_PARSER

```
public static final java.lang.String PROP_DEBUG_TTML_CAPTION_PARSER
```

Timed Text Property "debugTTMLCaptionParser": adds info level logging regarding the TTML caption parser

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugTTMLCaptionParser**

## PROP\_DEBUG\_TTML\_CAPTION\_PARSER\_TIME

```
public static final java.lang.String PROP_DEBUG_TTML_CAPTION_PARSER_TIME
```

Timed Text Property "debugTTMLCaptionParserTime": adds info level logging regarding how long it took parser to index

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugTTMLCaptionParserTime**

## PROP\_TTML\_INLINE\_TAGS\_IN\_TEXT

```
public static final java.lang.String PROP_TTML_INLINE_TAGS_IN_TEXT
```

Timed Text Property "ttmlInlineTagsInText": TTML parser includes in-line styling and line-break tags in the sample text

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Example sample: "

I can linebreak

or change fontWeight to bold in the middle of a sample." If ttmlInlineTagsInText=true then the parser provides the sample text as: "I can linebreak

or change fontWeight to bold in the middle of a sample." If ttmlInlineTagsInText=false then the parser provides the sample text as: "I can linebreak or change fontWeight to bold in the middle of a sample."

Constant value: **ttmlInlineTagsInText**

## PROP\_DEBUG\_SRT\_VOD\_CAPTION\_COMPANION\_FILES

```
public static final java.lang.String PROP_DEBUG_SRT_VOD_CAPTION_COMPANION_FILES
```

---

(continued from last page)

Timed Text Property "debugSRTVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset for SRT provider

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugSRTVODCaptionFileDetermination**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_COMPANION\\_FILES](#)

---

## PROP\_DEBUG\_SRT\_CAPTION\_PARSER

```
public static final java.lang.String PROP_DEBUG_SRT_CAPTION_PARSER
```

Timed Text Property "debugSRTCaptionParser": adds info level logging regarding the SRT caption parser

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugSRTCaptionParser**

---

## PROP\_DEBUG\_SRT\_CAPTION\_PARSER\_TIME

```
public static final java.lang.String PROP_DEBUG_SRT_CAPTION_PARSER_TIME
```

Timed Text Property "debugSRTCaptionParserTime": adds info level logging regarding how long it took parser to index

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugSRTCaptionParserTime**

---

## PROP\_DEBUG\_SCC\_VOD\_CAPTION\_COMPANION\_FILES

```
public static final java.lang.String PROP_DEBUG_SCC_VOD_CAPTION_COMPANION_FILES
```

Timed Text Property "debugSCCVODCaptionFileDetermination": adds info level logging regarding caption companion file determination for a given VOD asset for SCC provider

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugSCCVODCaptionFileDetermination**

See Also:

[PROP\\_DEBUG\\_VOD\\_CAPTION\\_COMPANION\\_FILES](#)

---

## PROP\_DEBUG\_SCC\_CAPTION\_PARSER

```
public static final java.lang.String PROP_DEBUG_SCC_CAPTION_PARSER
```

(continued from last page)

Timed Text Property "debugSCCCaptionParser": adds info level logging regarding the SCC caption parser

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugSCCCaptionParser**

---

## PROP\_DEBUG\_SCC\_CAPTION\_PARSER\_TIME

```
public static final java.lang.String PROP_DEBUG_SCC_CAPTION_PARSER_TIME
```

Timed Text Property "debugSCCCaptionParserTime": adds info level logging regarding how long it took parser to index

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debugSCCCaptionParserTime**

---

## PROP\_DEBUG\_3GPP\_CAPTION\_PARSER

```
public static final java.lang.String PROP_DEBUG_3GPP_CAPTION_PARSER
```

Timed Text Property "debug3GPPCaptionParser": adds info level logging regarding the 3GPP parser

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debug3GPPCaptionParser**

---

## PROP\_DEBUG\_3GPP\_CAPTION\_PARSER\_TIME

```
public static final java.lang.String PROP_DEBUG_3GPP_CAPTION_PARSER_TIME
```

Timed Text Property "debug3GPPCaptionParserTime": adds info level logging regarding how long it took parser to index

Type boolean. The default is false.

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **debug3GPPCaptionParserTime**

---

## QUERYSTR\_CAPTIONLANGUAGES

```
public static final java.lang.String QUERYSTR_CAPTIONLANGUAGES
```

Query string used for choosing caption languages. Language must be presented using ISO 3 letter language codes.

Constant value: **wowzacaptionlanguages**

---

## PROP\_CAPTION\_LANGUAGE\_QUERY\_PARAMETER

```
public static final java.lang.String PROP_CAPTION_LANGUAGE_QUERY_PARAMETER
```

(continued from last page)

HTTP Streamer Property "captionLanguageQueryParameter": used for changing query string param used for caption language selection. Note: Must go into HTTPStreamers.xml under Properties for each streamer type

Type String. The default is "wowzacaptionlanguages"

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **captionLanguageQueryParameter**

---

## QUERYSTR\_CAPTION\_FILENAME

```
public static final java.lang.String QUERYSTR_CAPTION_FILENAME
```

Query string used for choosing caption languages. Language must be presented using ISO 3 letter language codes.

Constant value: **wowzacaptionfile**

---

## PROP\_CAPTION\_FILENAME\_QUERY\_PARAMETER

```
public static final java.lang.String PROP_CAPTION_FILENAME_QUERY_PARAMETER
```

HTTP Streamer Property "captionFilenameQueryParameter": used for changing query string param used for caption file selection. Note: Must go into HTTPStreamers.xml under Properties for each streamer type

Type String. The default is "wowzacaptionfile"

Add the property to Application/TimedText/Properties in Application.xml

Constant value: **captionFilenameQueryParameter**



---

Package

**com.wowza.wms.transcoder.model**

## com.wowza.wms.transcoder.model Interface ILiveStreamTranscoderActionNotify

public interface **ILiveStreamTranscoderActionNotify**  
extends

ILiveStreamTranscoderActionNotify: listener interface for live stream transcoder events.

### Method Summary

void	<a href="#">onCalculateSourceAudioBitrate</a> (LiveStreamTranscoder liveStreamTranscoder, long bitrate) Called when the bitrate of the source audio stream is calculated
void	<a href="#">onCalculateSourceVideoBitrate</a> (LiveStreamTranscoder liveStreamTranscoder, long bitrate) Called when the bitrate of the source video stream is calculated
void	<a href="#">onInitAfterLoadTemplate</a> (LiveStreamTranscoder liveStreamTranscoder) Called just after transcoder template is loaded.
void	<a href="#">onInitBeforeLoadTemplate</a> (LiveStreamTranscoder liveStreamTranscoder) Called just before transcoder template is loaded
void	<a href="#">onInitStart</a> (LiveStreamTranscoder liveStreamTranscoder, String streamName, String transcoderName, <a href="#">IApplicationInstance</a> appInstance, LiveStreamTranscoderItem liveStreamTranscoderItem) Call when live stream transcoder is first created
void	<a href="#">onInitStop</a> (LiveStreamTranscoder liveStreamTranscoder) At the end of the initialization process
void	<a href="#">onRegisterStreamNameGroup</a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderStreamNameGroup streamNameGroup) Called after a stream name group is resolved and registered with MediaStreamMap
void	<a href="#">onResetStream</a> (LiveStreamTranscoder liveStreamTranscoder) Called when the stream feeding the live stream transcoder switches.
void	<a href="#">onSessionAudioDecodeCodecInfo</a> (LiveStreamTranscoder liveStreamTranscoder, com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio) Called when audio decoding information is available.
void	<a href="#">onSessionAudioEncodeCodecInfo</a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionAudioEncode sessionAudioEncode, com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio) Called when audio encoding information is available.
void	<a href="#">onSessionAudioEncodeCreate</a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionAudioEncode sessionAudioEncode) Called when audio encoder session is created.
void	<a href="#">onSessionAudioEncodeInit</a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionAudioEncode sessionAudioEncode) Called after audio session is initialized.

void	<a href="#"><u>onSessionAudioEncodeSetup</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionAudioEncode sessionAudioEncode) Called after native audio encoder is created and initialized.
void	<a href="#"><u>onSessionDataEncodeCreate</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionDataEncode sessionDataEncode) Called when data encoder session is created.
void	<a href="#"><u>onSessionDataEncodeInit</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionDataEncode sessionDataEncode) Called after data session is initialized.
void	<a href="#"><u>onSessionDestinationCreate</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionDestination sessionDestination) Called when transcoding destination is created
void	<a href="#"><u>onSessionVideoDecodeCodecInfo</u></a> (LiveStreamTranscoder liveStreamTranscoder, com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo) Called when video decoding information is available.
void	<a href="#"><u>onSessionVideoEncodeCodecInfo</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionVideoEncode sessionVideoEncode, com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo) Called when video encoding information is available.
void	<a href="#"><u>onSessionVideoEncodeCreate</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionVideoEncode sessionVideoEncode) Called when video encoder session is created.
void	<a href="#"><u>onSessionVideoEncodeInit</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionVideoEncode sessionVideoEncode) Called after video session is initialized.
void	<a href="#"><u>onSessionVideoEncodeSetup</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderSessionVideoEncode sessionVideoEncode) Called after native video encoder is created and initialized.
void	<a href="#"><u>onShutdownStart</u></a> (LiveStreamTranscoder liveStreamTranscoder) Called when the live stream transcoder starts to shutdown.
void	<a href="#"><u>onShutdownStop</u></a> (LiveStreamTranscoder liveStreamTranscoder) Called when the live stream transcoder is shutdown.
void	<a href="#"><u>onUnregisterStreamNameGroup</u></a> (LiveStreamTranscoder liveStreamTranscoder, TranscoderStreamNameGroup streamNameGroup) Called after a stream name group is unregistered with MediaStreamMap

## Methods

### onInitStart

```
public void onInitStart(LiveStreamTranscoder liveStreamTranscoder,
    String streamName,
    String transcoderName,
    IApplicationInstance appInstance,
    LiveStreamTranscoderItem liveStreamTranscoderItem)
```

Call when live stream transcoder is first created

#### Parameters:

(continued from last page)

liveStreamTranscoder - live stream transcoder  
streamName - stream name  
transcoderName - transcoder name  
appInstance - application instance  
liveStreamTranscoderItem - live stream transcoder definition

---

## onInitBeforeLoadTemplate

```
public void onInitBeforeLoadTemplate(LiveStreamTranscoder liveStreamTranscoder)
```

Called just before transcoder template is loaded

**Parameters:**

liveStreamTranscoder - live stream transcoder

---

## onInitAfterLoadTemplate

```
public void onInitAfterLoadTemplate(LiveStreamTranscoder liveStreamTranscoder)
```

Called just after transcoder template is loaded. Good place to modify values loaded from template.

**Parameters:**

liveStreamTranscoder - live stream transcoder

---

## onInitStop

```
public void onInitStop(LiveStreamTranscoder liveStreamTranscoder)
```

At the end of the initialization process

**Parameters:**

liveStreamTranscoder - live stream transcoder

---

## onCalculateSourceVideoBitrate

```
public void onCalculateSourceVideoBitrate(LiveStreamTranscoder liveStreamTranscoder,  
long bitrate)
```

Called when the bitrate of the source video stream is calculated

**Parameters:**

liveStreamTranscoder - live stream transcoder  
bitrate - source bitrate (bytes per second)

---

## onCalculateSourceAudioBitrate

```
public void onCalculateSourceAudioBitrate(LiveStreamTranscoder liveStreamTranscoder,  
long bitrate)
```

Called when the bitrate of the source audio stream is calculated

**Parameters:**

liveStreamTranscoder - live stream transcoder  
bitrate - source bitrate (bytes per second)

---

(continued from last page)

## onSessionDestinationCreate

```
public void onSessionDestinationCreate(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionDestination sessionDestination)
```

Called when transcoding destination is created

### Parameters:

liveStreamTranscoder - live stream transcoder  
sessionDestination - destination

---

## onSessionVideoEncodeCreate

```
public void onSessionVideoEncodeCreate(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionVideoEncode sessionVideoEncode)
```

Called when video encoder session is created.

### Parameters:

liveStreamTranscoder - live stream transcoder  
sessionVideoEncode - video session

---

## onSessionAudioEncodeCreate

```
public void onSessionAudioEncodeCreate(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionAudioEncode sessionAudioEncode)
```

Called when audio encoder session is created.

### Parameters:

liveStreamTranscoder - live stream transcoder  
sessionAudioEncode - audio session

---

## onSessionDataEncodeCreate

```
public void onSessionDataEncodeCreate(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionDataEncode sessionDataEncode)
```

Called when data encoder session is created.

### Parameters:

liveStreamTranscoder - live stream transcoder  
sessionDataEncode - data session

---

## onSessionVideoEncodeInit

```
public void onSessionVideoEncodeInit(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionVideoEncode sessionVideoEncode)
```

Called after video session is initialized.

### Parameters:

liveStreamTranscoder - live stream transcoder  
sessionVideoEncode - video session

---

## onSessionAudioEncodeInit

```
public void onSessionAudioEncodeInit(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionAudioEncode sessionAudioEncode)
```

(continued from last page)

Called after audio session is initialized.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
sessionAudioEncode - audio session

---

## onSessionDataEncodeInit

```
public void onSessionDataEncodeInit(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionDataEncode sessionDataEncode)
```

Called after data session is initialized.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
sessionDataEncode - data session

---

## onSessionVideoEncodeSetup

```
public void onSessionVideoEncodeSetup(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionVideoEncode sessionVideoEncode)
```

Called after native video encoder is created and initialized.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
sessionVideoEncode - video session

---

## onSessionAudioEncodeSetup

```
public void onSessionAudioEncodeSetup(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionAudioEncode sessionAudioEncode)
```

Called after native audio encoder is created and initialized.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
sessionAudioEncode - audio session

---

## onSessionVideoEncodeCodecInfo

```
public void onSessionVideoEncodeCodecInfo(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionVideoEncode sessionVideoEncode,  
    com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo)
```

Called when video encoding information is available.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
sessionVideoEncode - video session  
codecInfoVideo - encoding info

---

## onSessionAudioEncodeCodecInfo

```
public void onSessionAudioEncodeCodecInfo(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderSessionAudioEncode sessionAudioEncode,  
    com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio)
```

Called when audio encoding information is available.

(continued from last page)

**Parameters:**

liveStreamTranscoder - live stream transcoder  
sessionAudioEncode - audio session  
codecInfoAudio - encoding info

---

**onSessionVideoDecodeCodecInfo**

```
public void onSessionVideoDecodeCodecInfo(LiveStreamTranscoder liveStreamTranscoder,  
    com.wowza.wms.media.model.MediaCodecInfoVideo codecInfoVideo)
```

Called when video decoding information is available.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
codecInfoVideo - video info

---

**onSessionAudioDecodeCodecInfo**

```
public void onSessionAudioDecodeCodecInfo(LiveStreamTranscoder liveStreamTranscoder,  
    com.wowza.wms.media.model.MediaCodecInfoAudio codecInfoAudio)
```

Called when audio decoding information is available.

**Parameters:**

liveStreamTranscoder - live stream transcoder  
codecInfoAudio - audio info

---

**onRegisterStreamNameGroup**

```
public void onRegisterStreamNameGroup(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderStreamNameGroup streamNameGroup)
```

Called after a stream name group is resolved and registered with MediaStreamMap

**Parameters:**

liveStreamTranscoder - live stream transcoder  
streamNameGroup - stream name group

---

**onUnregisterStreamNameGroup**

```
public void onUnregisterStreamNameGroup(LiveStreamTranscoder liveStreamTranscoder,  
    TranscoderStreamNameGroup streamNameGroup)
```

Called after a stream name group is unregistered with MediaStreamMap

**Parameters:**

liveStreamTranscoder - live stream transcoder  
streamNameGroup - stream name group

---

**onShutdownStart**

```
public void onShutdownStart(LiveStreamTranscoder liveStreamTranscoder)
```

Called when the live stream transcoder starts to shutdown.

**Parameters:**

liveStreamTranscoder - live stream transcoder

---

---

## onShutdownStop

```
public void onShutdownStop(LiveStreamTranscoder liveStreamTranscoder)
```

Called when the live stream transcoder is shutdown.

**Parameters:**

liveStreamTranscoder - live stream transcoder

---

## onResetStream

```
public void onResetStream(LiveStreamTranscoder liveStreamTranscoder)
```

Called when the stream feeding the live stream transcoder switches.

**Parameters:**

liveStreamTranscoder - live stream transcoder



## com.wowza.wms.transcoder.model Interface ITranscoderFrameGrabProvider

public interface **ITranscoderFrameGrabProvider**  
extends

ITranscoderFrameGrabProvider: interface used to grab frames from the live stream transcoder.

### Method Summary

java.util.List	<a href="#">getAndClearPendingFrameGrabs()</a> Returns a list of all grab frame requests that are pending and clears the pending list.
void	<a href="#">grabFrame(ITranscoderFrameGrabResult grabResult)</a> Call to grab a frame.
void	<a href="#">grabFrame(ITranscoderFrameGrabResult grabResult, int width, int height)</a> Call to grab a frame.

### Methods

#### grabFrame

public void **grabFrame**([ITranscoderFrameGrabResult](#) grabResult)

Call to grab a frame. The size of the frame will be the full size of the video frame.

**Parameters:**

grabResult - the class that will be called back when frame is available

#### grabFrame

public void **grabFrame**([ITranscoderFrameGrabResult](#) grabResult,  
int width,  
int height)

Call to grab a frame. The size of the frame is controlled by width and height.

**Parameters:**

grabResult - the class that will be called back when frame is available

width - frame width

height - frame height

#### getAndClearPendingFrameGrabs

public java.util.List **getAndClearPendingFrameGrabs**()

Returns a list of all grab frame requests that are pending and clears the pending list.

**Returns:**

list of pending grab frames

# com.wowza.wms.transcoder.model Interface ITranscoderFrameGrabResult

public interface **ITranscoderFrameGrabResult**  
extends

ITranscoderFrameGrabResult: Implement this interface when using frame grabber interface to grab transcoder video frames.

Method Summary	
void	<a href="#">onGrabFrame</a> (TranscoderNativeVideoFrame nativeFrame) Trigger when frame is available.

## Methods

### onGrabFrame

public void **onGrabFrame**(TranscoderNativeVideoFrame nativeFrame)

Trigger when frame is available.

**Parameters:**

nativeFrame - native video frame.

com.wowza.wms.transcoder.model  
Interface ITranscoderOverlayImages

public interface ITranscoderOverlayImages  
extends

Method Summary	
void	<a href="#">addOverlayImage</a> (int index, TranscoderVideoOverlayFrame overlay)
java.util.Map	<a href="#">getOverlayImages</a> ()

Methods

addOverlayImage

```
public void addOverlayImage(int index,
    TranscoderVideoOverlayFrame overlay)
```

getOverlayImages

```
public java.util.Map getOverlayImages()
```

## com.wowza.wms.transcoder.model Interface ITranscoderOverlayProvider

public interface **ITranscoderOverlayProvider**  
extends

ITranscoderOverlayProvider: interface to add and remove video overlays.

### Method Summary

void	<a href="#"><code>addOverlay</code></a> (int index, TranscoderVideoOverlayFrame overlay) Add an overlay to a video stream.
void	<a href="#"><code>clearOverlay</code></a> (int index) Clear video overlay
java.util.Map	<a href="#"><code>getAndClearPendingOverlays</code></a> () Get a list of pending overlay requests and clear the pending overlay queue.
boolean	<a href="#"><code>isOverlayAvailable</code></a> () Returns true if there is a pending overlay request.

### Methods

#### **addOverlay**

```
public void addOverlay(int index,  
    TranscoderVideoOverlayFrame overlay)
```

Add an overlay to a video stream.

**Parameters:**

index - over lay index (zero is bottom in z-order)

overlay - overlay object

#### **clearOverlay**

```
public void clearOverlay(int index)
```

Clear video overlay

**Parameters:**

index - over lay index (zero is bottom in z-order)

#### **isOverlayAvailable**

```
public boolean isOverlayAvailable()
```

Returns true if there is a pending overlay request.

**Returns:**

true if there is a pending overlay request

---

## **getAndClearPendingOverlays**

```
public java.util.Map getAndClearPendingOverlays()
```

Get a list of pending overlay requests and clear the pending overlay queue.

**Returns:**

list of pending overlay requests

## com.wowza.wms.transcoder.model Interface ITranscoderVideoDecoderNotify

public interface **ITranscoderVideoDecoderNotify**  
extends

### Method Summary

void	<a href="#"><code>onAfterDecodeFrame</code></a> (TranscoderSessionVideo sessionVideo, TranscoderStreamSourceVideo sourceVideo, long frameCount)
void	<a href="#"><code>onAfterScaleFrame</code></a> (TranscoderSessionVideo sessionVideo, TranscoderStreamSourceVideo sourceVideo, long frameCount)
void	<a href="#"><code>onBeforeDecodeFrame</code></a> (TranscoderSessionVideo sessionVideo, TranscoderStreamSourceVideo sourceVideo, long frameCount)
void	<a href="#"><code>onBeforeScaleFrame</code></a> (TranscoderSessionVideo sessionVideo, TranscoderStreamSourceVideo sourceVideo, long frameCount)

### Methods

#### **onBeforeDecodeFrame**

```
public void onBeforeDecodeFrame(TranscoderSessionVideo sessionVideo,  
    TranscoderStreamSourceVideo sourceVideo,  
    long frameCount)
```

#### **onAfterDecodeFrame**

```
public void onAfterDecodeFrame(TranscoderSessionVideo sessionVideo,  
    TranscoderStreamSourceVideo sourceVideo,  
    long frameCount)
```

#### **onBeforeScaleFrame**

```
public void onBeforeScaleFrame(TranscoderSessionVideo sessionVideo,  
    TranscoderStreamSourceVideo sourceVideo,  
    long frameCount)
```

#### **onAfterScaleFrame**

```
public void onAfterScaleFrame(TranscoderSessionVideo sessionVideo,  
    TranscoderStreamSourceVideo sourceVideo,  
    long frameCount)
```

(continued from last page)

---

## com.wowza.wms.transcoder.model Interface ITranscoderVideoEncoderNotify

---

public interface **ITranscoderVideoEncoderNotify**  
extends

---

### Method Summary

void	<a href="#"><u>onAfterEncodeFrame</u></a> (TranscoderSessionVideoEncode sessionVideoEncode, TranscoderStreamDestinationVideo destinationVideo, long frameCount)
void	<a href="#"><u>onBeforeEncodeFrame</u></a> (TranscoderSessionVideoEncode sessionVideoEncode, TranscoderStreamDestinationVideo destinationVideo, long frameCount)

---

### Methods

#### **onBeforeEncodeFrame**

```
public void onBeforeEncodeFrame(TranscoderSessionVideoEncode sessionVideoEncode,  
    TranscoderStreamDestinationVideo destinationVideo,  
    long frameCount)
```

---

#### **onAfterEncodeFrame**

```
public void onAfterEncodeFrame(TranscoderSessionVideoEncode sessionVideoEncode,  
    TranscoderStreamDestinationVideo destinationVideo,  
    long frameCount)
```



## com.wowza.wms.transcoder.model Interface ITranscoderWorker

public interface **ITranscoderWorker**  
extends

For internal use.

### Method Summary

long	<a href="#"><code>getFrameCount()</code></a>
boolean	<a href="#"><code>isEncoderInUse()</code></a>
boolean	<a href="#"><code>isRunning()</code></a> Returns true if transcoder worker is running (internal use)
void	<a href="#"><code>setFrameCount(long frameCount)</code></a>

### Methods

#### **isRunning**

public boolean **isRunning()**

Returns true if transcoder worker is running (internal use)

**Returns:**

true if transcoder worker is running (internal use)

#### **getFrameCount**

public long **getFrameCount()**

#### **setFrameCount**

public void **setFrameCount(long frameCount)**

#### **isEncoderInUse**

public boolean **isEncoderInUse()**

com.wowza.wms.transcoder.model

# Interface ITranscoderWorkerSorterSender

public interface ITranscoderWorkerSorterSender  
extends

For internal use.

Method Summary	
void	<a href="#">addSorterPacket</a> (TranscoderPacketSorterHolder sorterHolder) For internal use.

## Methods

### addSorterPacket

public void **addSorterPacket**(TranscoderPacketSorterHolder sorterHolder)

For internal use.

**Parameters:**

sorterHolder - sorter holder

---

Package

**com.wowza.wms.util**

## com.wowza.wms.util Class RTPUtils

java.lang.Object

└─com.wowza.wms.util.RTPUtils

public class **RTPUtils**  
extends Object

### Constructor Summary

public	<a href="#">RTPUtils()</a>
--------	----------------------------

### Method Summary

static double[]	<a href="#">decodeRangeHeader</a> (String rangeStr) Decode RTP range header, Internal use.
static <a href="#">RTPStream</a>	<a href="#">decodeStreamInfo</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">RTPContext</a> context, String streamId, String streamInfo) Decode SDP info and create RTP stream
static <a href="#">RTPStream</a>	<a href="#">decodeStreamInfo</a> ( <a href="#">IApplicationInstance</a> appInstance, <a href="#">RTPStreamContext</a> rtpStreamContext, <a href="#">RTPContext</a> context, String streamId, String streamInfo) Decode SDP info and create RTP stream
static <a href="#">RTPStream</a>	<a href="#">decodeStreamInfo</a> ( <a href="#">RTPContext</a> context, String streamId, String streamInfo) Decode SDP info and create RTP stream
static byte[]	<a href="#">formatH264CodecConfig</a> (byte[] sps, java.util.List ppss, byte[] profileLevel) Format codec config info, Internal use.
static byte[]	<a href="#">formatH264CodecConfigPacket</a> (byte[] sps, java.util.List ppss, byte[] profileLevel) Format codec config info, Internal use.
static void	<a href="#">loadConfigFile</a> ( <a href="#">RTPContext</a> rtpContext, String fileURL) Load config file, Internal use.
static <a href="#">RTPPushPublishSession</a>	<a href="#">startRTPPull</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, boolean streamPacketizer, String ipAddress, int streamPort) Start pushing an RTP stream
static <a href="#">RTPPushPublishSession</a>	<a href="#">startRTPPull</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, boolean streamPacketizer, String ipAddress, int streamPort, boolean isRTPWrapped) Start pushing an RTP stream
static <a href="#">RTPPushPublishSession</a>	<a href="#">startRTPPull</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, boolean streamPacketizer, String ipAddress, int audioPort, int videoPort) Start pushing an RTP stream

static <a href="#">RTPPushPublishSession</a>	<a href="#">startRTPPull</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, boolean streamPacketizer, String ipAddress, int audioPort, int videoPort, boolean isRTPWrapped) Start pushing an RTP stream
static <a href="#">RTPPushPublishSession</a>	<a href="#">startRTPPull</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName, <a href="#">RTPDestination</a> rtpDestination) Start pushing an RTP stream
static void	<a href="#">stopRTPPull</a> ( <a href="#">RTPPushPublishSession</a> rtpPushPublishSession) Stop pushing an RTP stream
static String	<a href="#">updateSDPDestination</a> ( <a href="#">RTPDestination</a> rtpDestination, String sdpData) Update SDP data information with RTP destination information
static void	<a href="#">writeCodecConfig</a> (RTPTrack rtpTrack, int codecId, long adjTimecode, byte[] codecConfig)
static void	<a href="#">writeCodecConfig</a> (RTPTrack rtpTrack, long adjTimecode, byte[] codecConfig) Write codec config information, Internal use.

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### RTPUtils

public **RTPUtils**()

## Methods

### updateSDPDestination

public static String **updateSDPDestination**([RTPDestination](#) rtpDestination, String sdpData)

Update SDP data information with RTP destination information

#### Parameters:

rtpDestination - RTP destination  
sdpData - SDP data

#### Returns:

modified SDP data

### decodeRangeHeader

public static double[] **decodeRangeHeader**(String rangeStr)

Decode RTP range header, Internal use.

(continued from last page)

**Parameters:**

rangeStr

**Returns:**

range values

---

## stopRTPPull

```
public static void stopRTPPull(RTPPushPublishSession rtpPushPublishSession)
```

Stop pushing an RTP stream

**Parameters:**

rtpPushPublishSession - RTP push session

---

## startRTPPull

```
public static RTPPushPublishSession startRTPPull(IApplicationInstance appInstance,  
    String streamName,  
    boolean streamPacketizer,  
    String ipAddress,  
    int streamPort,  
    boolean isRTPWrapped)
```

Start pushing an RTP stream

**Parameters:**

appInstance - application instance  
streamName - stream name  
streamPacketizer - stream packetizer  
ipAddress - IP address  
streamPort - stream port  
isRTPWrapped - is RTP wrapped

**Returns:**

RTP push session

---

## startRTPPull

```
public static RTPPushPublishSession startRTPPull(IApplicationInstance appInstance,  
    String streamName,  
    boolean streamPacketizer,  
    String ipAddress,  
    int streamPort)
```

Start pushing an RTP stream

**Parameters:**

appInstance - application instance  
streamName - stream name  
streamPacketizer - stream packetizer  
ipAddress - IP address  
streamPort - stream port

**Returns:**

RTP push session

(continued from last page)

## startRTPPull

```
public static RTTPushPublishSession startRTPPull(IApplicationInstance appInstance,  
    String streamName,  
    boolean streamPacketizer,  
    String ipAddress,  
    int audioPort,  
    int videoPort)
```

Start pushing an RTP stream

### Parameters:

appInstance - application instance  
streamName - stream name  
streamPacketizer - stream packetizer  
ipAddress - IP address  
audioPort - audio port  
videoPort - video port

### Returns:

RTP push session

---

## startRTPPull

```
public static RTTPushPublishSession startRTPPull(IApplicationInstance appInstance,  
    String streamName,  
    boolean streamPacketizer,  
    String ipAddress,  
    int audioPort,  
    int videoPort,  
    boolean isRTPWrapped)
```

Start pushing an RTP stream

### Parameters:

appInstance - application instance  
streamName - stream name  
streamPacketizer - stream packetizer  
ipAddress - IP address  
audioPort - audio port  
videoPort - video port  
isRTPWrapped - is RTP wrapped

### Returns:

RTP push session

---

## startRTPPull

```
public static RTTPushPublishSession startRTPPull(IApplicationInstance appInstance,  
    String streamName,  
    RTPDestination rtpDestination)
```

Start pushing an RTP stream

### Parameters:

appInstance - application instance  
streamName - stream name  
rtpDestination - RTP destination

### Returns:

RTP push session

---

## writeCodecConfig

```
public static void writeCodecConfig(RTPTrack rtpTrack,
    int codecId,
    long adjTimecode,
    byte[] codecConfig)
```

---

## writeCodecConfig

```
public static void writeCodecConfig(RTPTrack rtpTrack,
    long adjTimecode,
    byte[] codecConfig)
```

Write codec config information, Internal use.

### Parameters:

rtpTrack - RTP track  
adjTimecode - timecode (milliseconds)  
codecConfig - codec config

---

## loadConfigFile

```
public static void loadConfigFile(RTPContext rtpContext,
    String fileURL)
```

Load config file, Internal use.

### Parameters:

rtpContext  
fileURL

---

## decodeStreamInfo

```
public static RTPStream decodeStreamInfo(RTPContext context,
    String streamId,
    String streamInfo)
```

Decode SDP info and create RTP stream

### Parameters:

context - RTP context  
streamId - stream id  
streamInfo - SDP data

### Returns:

RTP stream

---

## decodeStreamInfo

```
public static RTPStream decodeStreamInfo(IApplicationInstance appInstance,
    RTPContext context,
    String streamId,
    String streamInfo)
```

Decode SDP info and create RTP stream

### Parameters:



(continued from last page)

appInstance - app instance  
context - rtp context  
streamId - stream id  
streamInfo - stream info (SDP data)

**Returns:**

rtp stream

---

## decodeStreamInfo

```
public static RTPStream decodeStreamInfo(IApplicationInstance appInstance,
    RTPStreamContext rtpStreamContext,
    RTPContext context,
    String streamId,
    String streamInfo)
```

Decode SDP info and create RTP stream

**Parameters:**

appInstance - app instance  
rtpStreamContext - rtp stream context  
context - rtp context  
streamId - stream id  
streamInfo - stream info (SDP data)

**Returns:**

rtp stream

---

## formatH264CodecConfigPacket

```
public static byte[] formatH264CodecConfigPacket(byte[] sps,
    java.util.List ppss,
    byte[] profileLevel)
```

Format codec config info, Internal use.

**Parameters:**

sps  
ppss  
profileLevel

**Returns:**

bytes

---

## formatH264CodecConfig

```
public static byte[] formatH264CodecConfig(byte[] sps,
    java.util.List ppss,
    byte[] profileLevel)
```

Format codec config info, Internal use.

**Parameters:**

sps  
ppss  
profileLevel

**Returns:**

bytes

## com.wowza.wms.util Class StreamUtils

java.lang.Object

└─com.wowza.wms.util.StreamUtils

public class **StreamUtils**  
extends Object

### Constructor Summary

public	<a href="#">StreamUtils()</a>
--------	-------------------------------

### Method Summary

static int	<a href="#">directOutput</a> (byte[] dataBuffer, int[] headerValues, boolean isAbsTimecode, int src, java.io.OutputStream out, <a href="#">AMFObj</a> wmsObj, byte[] workBuffer, int chunkSize) Direct output, Internal use.
static double	<a href="#">getStreamBitrate</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName)
static double	<a href="#">getStreamBitrate</a> ( <a href="#">IMediaStream</a> stream) Get the approximate bitrate of a media file in bits/per-second.
static double	<a href="#">getStreamLength</a> ( <a href="#">IApplicationInstance</a> appInstance, String streamName) Get the duration of a media file in seconds.
static double	<a href="#">getStreamLength</a> ( <a href="#">IMediaStream</a> stream) Get the duration of a media file in seconds.
static void	<a href="#">loadConfigFile</a> ( <a href="#">StreamList</a> streamDefs, String fileURL) Load Streams.xml, Internal use.
static int	<a href="#">packetOutput</a> (java.io.OutputStream out, <a href="#">IMediaStream</a> stream, <a href="#">AMFPacket</a> packet, long timecode, <a href="#">AMFObj</a> wmsObj, byte[] workBuffer, int chunkSize) Packet output.
static int	<a href="#">packetOutput</a> (java.io.OutputStream out, <a href="#">IMediaStream</a> stream, <a href="#">AMFPacket</a> packet, long timecode, <a href="#">AMFObj</a> wmsObj, byte[] workBuffer, int chunkSize, boolean referenceWrite) Packet output.

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

(continued from last page)

## StreamUtils

```
public StreamUtils()
```

## Methods

### getStreamLength

```
public static double getStreamLength(IMediaStream stream)
```

Get the duration of a media file in seconds. This will work correctly with all RandomAccessReaders and caching technology

**Parameters:**

stream - stream

**Returns:**

duration in seconds

### getStreamBitrate

```
public static double getStreamBitrate(IMediaStream stream)
```

Get the approximate bitrate of a media file in bits/per-second. This will work correctly with all RandomAccessReaders and caching technology.

**Parameters:**

stream - stream

**Returns:**

bitrate in bits/per-second

### getStreamLength

```
public static double getStreamLength(IApplicationInstance appInstance,  
String streamName)
```

Get the duration of a media file in seconds. This will work correctly with all RandomAccessReaders and caching technology

**Parameters:**

appInstance - application instance  
streamName - stream name

**Returns:**

duration in seconds

### getStreamBitrate

```
public static double getStreamBitrate(IApplicationInstance appInstance,  
String streamName)
```

(continued from last page)

## directOutput

```
public static int directOutput(byte[] dataBuffer,  
    int[] headerValues,  
    boolean isAbsTimecode,  
    int src,  
    java.io.OutputStream out,  
    AMFObj wmsObj,  
    byte[] workBuffer,  
    int chunkSize)
```

Direct output. Internal use.

### Parameters:

dataBuffer  
headerValues  
isAbsTimecode  
src  
out  
wmsObj  
workBuffer  
chunkSize

### Returns:

c

---

## packetOutput

```
public static int packetOutput(java.io.OutputStream out,  
    IMediaStream stream,  
    AMFPacket packet,  
    long timecode,  
    AMFObj wmsObj,  
    byte[] workBuffer,  
    int chunkSize)
```

Packet output. Internal use.

### Parameters:

out  
stream  
packet  
timecode  
wmsObj  
workBuffer  
chunkSize

### Returns:

bytes

---

## packetOutput

```
public static int packetOutput(java.io.OutputStream out,  
    IMediaStream stream,  
    AMFPacket packet,  
    long timecode,  
    AMFObj wmsObj,  
    byte[] workBuffer,  
    int chunkSize,  
    boolean referenceWrite)
```

Packet output. Internal use.

(continued from last page)

**Parameters:**

out  
stream  
packet  
timecode  
wmsObj  
workBuffer  
chunkSize  
referenceWrite

**Returns:**

bytes

---

## loadConfigFile

```
public static void loadConfigFile(StreamList streamDefs,  
    String fileURL)
```

Load Strreams.xml, Internal use.

**Parameters:**

streamDefs  
fileURL

---

Package

**com.wowza.wms.util.crontab**

## com.wowza.wms.util.crontab Class CrontabEvent

java.lang.Object

└─com.wowza.wms.util.crontab.CrontabEvent

All Implemented Interfaces:

Comparable

public class **CrontabEvent**  
extends Object  
implements Comparable

Holds an event's schedule and is responsible for calculating event activation.

### Field Summary

public static final	<a href="#">DAY</a> Value: <b>2</b>
public static	<a href="#">DT_FORMAT</a>
public static final	<a href="#">HOUR</a> Value: <b>1</b>
public static final	<a href="#">MINUTE</a> Value: <b>0</b>
public static final	<a href="#">MONTH</a> Value: <b>3</b>
public static final	<a href="#">WEEKDAY</a> Value: <b>5</b>
public static final	<a href="#">YEAR</a> Value: <b>4</b>

### Constructor Summary

public	<a href="#">CrontabEvent</a> ( )
--------	----------------------------------

### Method Summary

int	<a href="#">compareTo</a> ( <a href="#">CrontabEvent</a> o) Allows CronEvents to be sorted via Java Sort Class.
void	<a href="#">dump</a> ( ) dumps this event's information to the console

<a href="#"><u>ICrontabEventHandler</u></a>	<a href="#"><u>getEventHandler()</u></a>
String	<a href="#"><u>getEventStr()</u></a>
CrontabField	<a href="#"><u>getField()</u></a> (int whichField)
org.joda.time.MutableDateTime	<a href="#"><u>getLastRun()</u></a>
org.joda.time.MutableDateTime	<a href="#"><u>getNextRun()</u></a>
String	<a href="#"><u>getTarget()</u></a>
boolean	<a href="#"><u>isDebugEnabled()</u></a>
boolean	<a href="#"><u>isExpired()</u></a> Indicates whether or not all execution dates for this event occur in the past
boolean	<a href="#"><u>isMatch()</u></a> (org.joda.time.MutableDateTime date) Determines if this event will fire on the date passed in
void	<a href="#"><u>setDebug()</u></a> (boolean debug) turns on/off debug logging
void	<a href="#"><u>setEventHandler()</u></a> ( <a href="#"><u>ICrontabEventHandler</u></a> handler)
void	<a href="#"><u>setEventStr()</u></a> (String entry)
void	<a href="#"><u>setField()</u></a> (int whichField, CrontabField field)
void	<a href="#"><u>setLastRun()</u></a> Sets the last run time to now
void	<a href="#"><u>setLastRun()</u></a> (org.joda.time.MutableDateTime date)
void	<a href="#"><u>setTarget()</u></a> (String target)
boolean	<a href="#"><u>start()</u></a> Starts this events timer
void	<a href="#"><u>stop()</u></a> stops this events timer

**Methods inherited from class java.lang.Object**

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

**Methods inherited from interface java.lang.Comparable**

compareTo



(continued from last page)

## Fields

### DT\_FORMAT

```
public static org.joda.time.format.DateTimeFormatter DT_FORMAT
```

### MINUTE

```
public static final int MINUTE
```

Constant value: **0**

### HOURL

```
public static final int HOUR
```

Constant value: **1**

### DAY

```
public static final int DAY
```

Constant value: **2**

### MONTH

```
public static final int MONTH
```

Constant value: **3**

### YEAR

```
public static final int YEAR
```

Constant value: **4**

### WEEKDAY

```
public static final int WEEKDAY
```

Constant value: **5**

## Constructors

### CrontabEvent

```
public CrontabEvent()
```

(continued from last page)

## Methods

### start

```
public boolean start()
```

Starts this events timer

**Returns:**

true - if timer is started, else false

### stop

```
public void stop()
```

stops this events timer

### isMatch

```
public boolean isMatch(org.joda.time.MutableDateTime date)
```

Determines if this event will fire on the date passed in

**Parameters:**

date

**Returns:**

boolean

### setField

```
public void setField(int whichField,  
    CrontabField field)
```

### getField

```
public CrontabField getField(int whichField)
```

### setTarget

```
public void setTarget(String target)
```

### getTarget

```
public String getTarget()
```

### setEventStr

```
public void setEventStr(String entry)
```

(continued from last page)

---

## getEventStr

```
public String getEventStr()
```

---

---

## getNextRun

```
public org.joda.time.MutableDateTime getNextRun()
```

---

---

## getLastRun

```
public org.joda.time.MutableDateTime getLastRun()
```

---

---

## setLastRun

```
public void setLastRun(org.joda.time.MutableDateTime date)
```

---

---

## setLastRun

```
public void setLastRun()
```

Sets the last run time to now

---

---

## setDebug

```
public void setDebug(boolean debug)
```

turns on/off debug logging

### Parameters:

debug - - true/false

---

---

## isDebugEnabled

```
public boolean isDebugEnabled()
```

---

---

## setEventHandler

```
public void setEventHandler(ICrontabEventHandler handler)
```

---

---

## getEventHandler

```
public ICrontabEventHandler getEventHandler()
```

---

## isExpired

```
public boolean isExpired()
```

Indicates whether or not all execution dates for this event occur in the past

**Returns:**

true/false

---

## compareTo

```
public int compareTo(CrontabEvent o)
```

Allows CronEvents to be sorted via Java Sort Class. Compares nextRun dates of two CronEvents where earlier events are considered "less" than later events, (e.g. today < tomorrow) and nulls are "greater" than events with dates (e.g. tomorrow < null) This provides the logic to sort events by soonest to latest with nulls at the end

**Parameters:**

o - - CronEvent to compare this event to

**Returns:**

-1,0,1 - if equal, if this event is greater than

---

## dump

```
public void dump()
```

dumps this event's information to the console

## com.wowza.wms.util.crontab Interface ICrontabEventHandler

All Known Implementing Classes:  
[LiveStreamRecorderBase](#)

public interface **ICrontabEventHandler**  
extends

EventHandler functions are called from a Java timer task context and therefore should execute very quickly so as not to delay execution of subsequent timers. If there is heavy processing which needs to take place, the implementation for these functions should spawn a thread to do it.

### Method Summary

void	<a href="#">onCronEvent</a> ( <a href="#">CrontabEvent</a> event)
------	---

### Methods

#### onCronEvent

public void **onCronEvent**([CrontabEvent](#) event)

---

Package

**com.wowza.wms.vhost**

## com.wowza.wms.vhost Class HostPort

java.lang.Object

└─com.wowza.wms.vhost.HostPort

public class **HostPort**  
extends Object

HostPort: data object that describes a socket connection. The address can be defined by ipAddress or by domainName. It can also contain a reference to an SSLFactory class that can be used to create a secure connection to the server.

### Constructor Summary

public	<a href="#">HostPort()</a> Create an empty HostPort object
--------	---

### Method Summary

void	<a href="#">addHttpProvider(IHTTPProvider httpProvider)</a>
void	<a href="#">addHttpProvider(IHTTPProvider2 httpProvider)</a>
void	<a href="#">addHTTPStreamerAdapterID(String ID)</a>
void	<a href="#">configureSocketAcceptor(org.apache.mina.transport.socket.nio.SocketAcceptorConfig socketConfig)</a> Configure a socketAcceptor
java.net.InetAddress	<a href="#">getAddress()</a> Get the ipAddress as an InetAddress object
String	<a href="#">getAddressRawStr()</a>
String	<a href="#">getAddressStr()</a> Get a String representation of the address
HostPortConfig	<a href="#">getConfiguration()</a> Get the socket configuration
java.util.List	<a href="#">getHttpProviders()</a>
java.util.List	<a href="#">getHTTPStreamerAdapterIDs()</a>
int	<a href="#">getPort()</a> Get port
int	<a href="#">getProcessorCount()</a> Get the number of threads to use to service this incoming port

HostPortSSLConfig	<a href="#"><code>getSSLConfig()</code></a>
String	<a href="#"><code>getSslFactoryClass()</code></a> Get full class name or SSLFactory class
boolean	<a href="#"><code>isSuspended()</code></a>
void	<a href="#"><code>setDomainName(String domainName)</code></a> Set domainName.
void	<a href="#"><code>setIpAddress(String ipAddress)</code></a> Set ipAddress for object.
void	<a href="#"><code>setPort(int port)</code></a> Set port
void	<a href="#"><code>setProcessorCount(int processorCount)</code></a> Set the number of threads to use to service this incoming port
void	<a href="#"><code>setSSLConfig(HostPortSSLConfig sslConfig)</code></a>
void	<a href="#"><code>setSslFactoryClass(String sslFactoryClass)</code></a> Set full class name of SSLFactory class
void	<a href="#"><code>setSuspended(boolean isSuspended)</code></a>
String	<a href="#"><code>toString()</code></a> Return object as formatted string
String	<a href="#"><code>toString(boolean mBeanSafe)</code></a> Return object as formatted string

#### Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### HostPort

```
public HostPort()
```

Create an empty HostPort object

## Methods

### setDomainName

```
public void setDomainName(String domainName)
```

Set domainName. A domainName of \* defines a local connection.

#### Parameters:

domainName - domainName like www.mycompany.com or \* for local



## getAddress

```
public java.net.InetAddress getAddress()
```

Get the ipAddress as an InetAddress object

**Returns:**

ipAddress as an InetAddress object. At this point the domainName (if specified) will be resolved.

---

## getAddressStr

```
public String getAddressStr()
```

Get a String representation of the address

**Returns:**

String representation of the address/domainName. If \* it will return [any]

---

## getAddressRawStr

```
public String getAddressRawStr()
```

---

## setIpAddress

```
public void setIpAddress(String ipAddress)
```

Set ipAddress for object. A ipAddress of \* defines a local connection.

**Parameters:**

ipAddress - ipAddress like 127.0.0.1 or \* for local

---

## getPort

```
public int getPort()
```

Get port

**Returns:**

port

---

## setPort

```
public void setPort(int port)
```

Set port

**Parameters:**

port - port

---

## getSslFactoryClass

```
public String getSslFactoryClass()
```

Get full class name or SSLFactory class

---

(continued from last page)

**Returns:**full class name or SSLFactory or "" if not specified

---

**setSslFactoryClass**

```
public void setSslFactoryClass(String sslFactoryClass)
```

Set full class name of SSLFactory class

**Parameters:**sslFactoryClass - full class name or SSLFactory or "" if not specified

---

**getProcessorCount**

```
public int getProcessorCount()
```

Get the number of threads to use to service this incoming port

**Returns:**number of processor threads

---

**setProcessorCount**

```
public void setProcessorCount(int processorCount)
```

Set the number of threads to use to service this incoming port

**Parameters:**processorCount - number of processor threads

---

**toString**

```
public String toString(boolean mBeanSafe)
```

Return object as formatted string

**Parameters:**

mBeanSafe - make the name safe for JMX management interface

**Returns:**formmatted string

---

**toString**

```
public String toString()
```

Return object as formatted string

**Returns:**formmatted string

---

**getConfiguration**

```
public HostPortConfig getConfiguration()
```

Get the socket configuration

**Returns:**

(continued from last page)

socket configuration

---

## configureSocketAcceptor

```
public void  
configureSocketAcceptor(org.apache.mina.transport.socket.nio.SocketAcceptorConfig  
socketConfig)
```

Configure a socketAcceptor

### Parameters:

socketConfig - socket acceptor

---

## getHttpProviders

```
public java.util.List getHttpProviders()
```

---

## addHttpProvider

```
public void addHttpProvider(IHTTPProvider httpProvider)
```

---

## addHttpProvider

```
public void addHttpProvider(IHTTPProvider2 httpProvider)
```

---

## isSuspended

```
public boolean isSuspended()
```

---

## setSuspended

```
public void setSuspended(boolean isSuspended)
```

---

## getHTTPStreamerAdapterIDs

```
public java.util.List getHTTPStreamerAdapterIDs()
```

---

## addHTTPStreamerAdapterID

```
public void addHTTPStreamerAdapterID(String ID)
```

---

## getSSLConfig

```
public HostPortSSLConfig getSSLConfig()
```

---

(continued from last page)

---

## setSSLConfig

```
public void setSSLConfig(HostPortSSLConfig sslConfig)
```

## com.wowza.wms.vhost Class HostPortList

java.lang.Object

└--com.wowza.wms.vhost.HostPortList

```
public class HostPortList
extends Object
```

HostPortList: data object that contains a collection of HostPort objects.

### Constructor Summary

public	<a href="#">HostPortList</a> () Create empty HostPortList
--------	--

### Method Summary

void	<a href="#">add</a> ( <a href="#">HostPort</a> hostPort) Add HostPort object
<a href="#">HostPort</a>	<a href="#">get</a> (int index) Get HostPort object at index, null if out of bounds
int	<a href="#">size</a> () Get number of HostPort objects

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### HostPortList

```
public HostPortList()
```

Create empty HostPortList

### Methods

#### add

```
public void add(HostPort hostPort)
```

Add HostPort object

##### Parameters:

hostPort

## size

```
public int size()
```

Get number of HostPort objects

**Returns:**

number of HostPort objects

---

## get

```
public HostPort get(int index)
```

Get HostPort object at index, null if out of bounds

**Parameters:**

index - index

**Returns:**

HostPort object at index, null if out of bounds

---

## com.wowza.wms.vhost Interface IAcceptorNotify

public interface **IAcceptorNotify**  
extends

IAcceptorNotify: listener interface used by IVHost addAcceptorListener

### Method Summary

void	<a href="#"><code>onAcceptorCreate</code></a> ( <a href="#"><code>HostPort</code></a> hostPort, java.util.Map acceptorMap) Triggered when a new acceptor is created
void	<a href="#"><code>onAcceptorDestroy</code></a> ( <a href="#"><code>HostPort</code></a> hostPort, java.util.Map acceptorMap) Triggered when a new acceptor is deleted

### Methods

#### **onAcceptorCreate**

```
public void onAcceptorCreate(HostPort hostPort,  
                             java.util.Map acceptorMap)
```

Triggered when a new acceptor is created

**Parameters:**

hostPort - HostPort object

acceptorMap - Map of acceptors

#### **onAcceptorDestroy**

```
public void onAcceptorDestroy(HostPort hostPort,  
                               java.util.Map acceptorMap)
```

Triggered when a new acceptor is deleted

**Parameters:**

hostPort - HostPort object

acceptorMap - Map of acceptors

## com.wowza.wms.vhost Interface IVHost

public interface **IVHost**  
extends

IVHost: public interface to VHost object.

### Field Summary

public static final	<a href="#">ACCEPTORS_ACCEPTOR</a> Acceptor types: acceptor Value: <b>acceptor</b>
public static final	<a href="#">ACCEPTORS_HANDLERADAPTER</a> Acceptor types: handler Value: <b>handlerAdapter</b>
public static final	<a href="#">CODEC_AUDIO_AAC</a> Value: <b>10</b>
public static final	<a href="#">CODEC_AUDIO_AC3</a> Value: <b>1</b>
public static final	<a href="#">CODEC_AUDIO_G711_ALAW</a> Value: <b>7</b>
public static final	<a href="#">CODEC_AUDIO_G711_MULAW</a> Value: <b>8</b>
public static final	<a href="#">CODEC_AUDIO_MP3</a> Value: <b>2</b>
public static final	<a href="#">CODEC_AUDIO_MP3_8</a> Value: <b>15</b>
public static final	<a href="#">CODEC_AUDIO_NELLYMOSER</a> Value: <b>6</b>
public static final	<a href="#">CODEC_AUDIO_NELLYMOSER_16MONO</a> Value: <b>4</b>
public static final	<a href="#">CODEC_AUDIO_NELLYMOSER_8MONO</a> Value: <b>5</b>
public static final	<a href="#">CODEC_AUDIO_PCM_BE</a> Value: <b>0</b>



public static final	<a href="#">CODEC_AUDIO_PCM_LE</a> Value: <b>3</b>
public static final	<a href="#">CODEC_AUDIO_PCM_SWF</a> Value: <b>1</b>
public static final	<a href="#">CODEC_AUDIO_RESERVED</a> Value: <b>9</b>
public static final	<a href="#">CODEC_AUDIO_SPEEX</a> Value: <b>11</b>
public static final	<a href="#">CODEC_AUDIO_UNKNOWN</a> Value: <b>-1</b>
public static final	<a href="#">CODEC_AUDIO_VORBIS</a> Value: <b>9</b>
public static final	<a href="#">CODEC_STREAM_MP2T</a> Value: <b>0</b>
public static final	<a href="#">CODEC_STREAM_UNKNOWN</a> Value: <b>-1</b>
public static final	<a href="#">CODEC_VIDEO_H263</a> Value: <b>9</b>
public static final	<a href="#">CODEC_VIDEO_H264</a> Value: <b>7</b>
public static final	<a href="#">CODEC_VIDEO_MPEG2</a> Value: <b>11</b>
public static final	<a href="#">CODEC_VIDEO_MPEG4</a> Value: <b>10</b>
public static final	<a href="#">CODEC_VIDEO_SCREEN</a> Value: <b>3</b>
public static final	<a href="#">CODEC_VIDEO_SCREEN2</a> Value: <b>6</b>
public static final	<a href="#">CODEC_VIDEO_SPARK</a> Value: <b>2</b>
public static final	<a href="#">CODEC_VIDEO_UNKNOWN</a> Value: <b>-1</b>

public static final	<a href="#">CODEC_VIDEO_VP6</a> Value: <b>4</b>
public static final	<a href="#">CODEC_VIDEO_VP6A</a> Value: <b>5</b>
public static final	<a href="#">CODEC_VIDEO_VP8</a> Value: <b>8</b>
public static final	<a href="#">CONTENTTYPE_ACKBANDWIDTH</a> AMF Content type: set acknowledge bandwidth size Value: <b>5</b>
public static final	<a href="#">CONTENTTYPE_AUDIO</a> AMF Content type: audio packet Value: <b>8</b>
public static final	<a href="#">CONTENTTYPE_BUFFERSIZE</a> AMF Content type: set buffer size Value: <b>4</b>
public static final	<a href="#">CONTENTTYPE_DATA</a> AMF Content type: data packet Value: <b>18</b>
public static final	<a href="#">CONTENTTYPE_DATA0</a> AMF Content type: data packet (AMF0) Value: <b>18</b>
public static final	<a href="#">CONTENTTYPE_DATA3</a> AMF Content type: data packet (AMF3) Value: <b>15</b>
public static final	<a href="#">CONTENTTYPE_FUNCTION</a> AMF Content type: function data (AMF0) Value: <b>20</b>
public static final	<a href="#">CONTENTTYPE_FUNCTION0</a> AMF Content type: function data (AMF0) Value: <b>20</b>
public static final	<a href="#">CONTENTTYPE_FUNCTION3</a> AMF Content type: function data (AMF3) Value: <b>17</b>
public static final	<a href="#">CONTENTTYPE_MEDIACHUNK</a> AMF Content type: media chunk Value: <b>22</b>
public static final	<a href="#">CONTENTTYPE_PLAYCALLBACK</a> AMF Content type: play callback Value: <b>127</b>

public static final	<a href="#"><u>CONTENTTYPE_SETBANDWIDTH</u></a> AMF Content type: set bandwidth size Value: <b>6</b>
public static final	<a href="#"><u>CONTENTTYPE_SETCHUNKSIZE</u></a> AMF Content type: set packet chunk size Value: <b>1</b>
public static final	<a href="#"><u>CONTENTTYPE_SHAREDOBJECTS</u></a> AMF Content type: shared object packet (AMF0) Value: <b>19</b>
public static final	<a href="#"><u>CONTENTTYPE_SHAREDOBJECTS0</u></a> AMF Content type: shared object packet (AMF0) Value: <b>19</b>
public static final	<a href="#"><u>CONTENTTYPE_SHAREDOBJECTS3</u></a> AMF Content type: shared object packet (AMF3) Value: <b>16</b>
public static final	<a href="#"><u>CONTENTTYPE_UNKNOWN</u></a> AMF Content type: unknown Value: <b>0</b>
public static final	<a href="#"><u>CONTENTTYPE_VIDEO</u></a> AMF Content type: video packet Value: <b>9</b>
public static final	<a href="#"><u>CONTENTTYPE_WATCHDOG</u></a> AMF Content type: watch dog Value: <b>3</b>
public static final	<a href="#"><u>COUNTER_HTTPCUPERTINO</u></a> Value: <b>2</b>
public static final	<a href="#"><u>COUNTER_HTTPDVRCHUNKS</u></a> Value: <b>7</b>
public static final	<a href="#"><u>COUNTER_HTTPMPEGDASH</u></a> Value: <b>6</b>
public static final	<a href="#"><u>COUNTER_HTTPSANJOSE</u></a> Value: <b>4</b>
public static final	<a href="#"><u>COUNTER_HTTPSMOOTH</u></a> Value: <b>3</b>
public static final	<a href="#"><u>COUNTER_HTTPWEBM</u></a> Value: <b>5</b>
public static final	<a href="#"><u>COUNTER_RTMP</u></a> Value: <b>0</b>

public static final	<a href="#"><u>COUNTER_RTP</u></a> Value: <b>1</b>
public static final	<a href="#"><u>COUNTER_TOTAL</u></a> Value: <b>8</b>
public static final	<a href="#"><u>FILEFORMAT_FLV</u></a> Value: <b>1</b>
public static final	<a href="#"><u>FILEFORMAT_MP4</u></a> Value: <b>2</b>
public static final	<a href="#"><u>FILEFORMAT_UNKNOWN</u></a> Value: <b>-1</b>
public static final	<a href="#"><u>LICENSECOUNTER_DRM_BUYDRM_LIVE</u></a> Value: <b>9</b>
public static final	<a href="#"><u>LICENSECOUNTER_DRM_BUYDRM_VOD</u></a> Value: <b>10</b>
public static final	<a href="#"><u>LICENSECOUNTER_DRM_EZDRM_LIVE</u></a> Value: <b>4</b>
public static final	<a href="#"><u>LICENSECOUNTER_DRM_EZDRM_VOD</u></a> Value: <b>5</b>
public static final	<a href="#"><u>LICENSECOUNTER_DRM_VERIMATRIX_LIVE</u></a> Value: <b>6</b>
public static final	<a href="#"><u>LICENSECOUNTER_DRM_VERIMATRIX_VOD</u></a> Value: <b>7</b>
public static final	<a href="#"><u>LICENSECOUNTER_NDVR</u></a> Value: <b>3</b>
public static final	<a href="#"><u>LICENSECOUNTER_PUBLISHER</u></a> Value: <b>0</b>
public static final	<a href="#"><u>LICENSECOUNTER_PUBLISHERTRANSCODER</u></a> Value: <b>8</b>
public static final	<a href="#"><u>LICENSECOUNTER_TOTAL</u></a> Value: <b>20</b>
public static final	<a href="#"><u>LICENSECOUNTER_TRANSCODE_DECODE</u></a> Value: <b>1</b>

public static final	<a href="#">LICENSECOUNTER_TRANSCODE_DECODECOUNTAUDIO</a> Value: <b>14</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_DECODECOUNTAUDIOVIDEO</a> Value: <b>16</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_DECODECOUNTVIDEO</a> Value: <b>15</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_DECODEPOLLING</a> Value: <b>11</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_ENCODE</a> Value: <b>2</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_ENCODECOUNTAUDIO</a> Value: <b>17</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_ENCODECOUNTAUDIOVIDEO</a> Value: <b>19</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_ENCODECOUNTVIDEO</a> Value: <b>18</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_ENCODEPOLLING</a> Value: <b>12</b>
public static final	<a href="#">LICENSECOUNTER_TRANSCODE_STREAMNAMES</a> Value: <b>13</b>
public static final	<a href="#">VHOST_DEFAULT</a> Value: <b>_defaultVHost_</b>

## Method Summary

void	<a href="#">addAcceptorListener</a> ( <a href="#">IAcceptorNotify</a> acceptorListener) Add acceptor listener.
void	<a href="#">addApplicationListener</a> ( <a href="#">IApplicationNotify</a> applicationListener) Add application listener.
void	<a href="#">addIdleWorkerListener</a> ( <a href="#">IIdleWorkerNotify</a> idleWorkerListener) Add idleWorker listener.
void	<a href="#">addStartupStream</a> (StartupStream startupStream) Add a stream to the list of streams to start and virtual host startup
boolean	<a href="#">applicationExists</a> (String name) Return true if an application folder exists for this application name

void	<a href="#"><u>closeHostPort</u></a> ( <a href="#"><u>HostPort</u></a> hostPort, boolean isSuspend) Close an individual HostPort
boolean	<a href="#"><u>createApplication</u></a> (String sName, String sStreamType, String sContentLoc) Method to create a new application
<a href="#"><u>IApplication</u></a>	<a href="#"><u>getApplication</u></a> (String applicationName) Get application by name.
java.util.List	<a href="#"><u>getApplicationFolderNames</u></a> ( ) Get a list of application folder names
edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock	<a href="#"><u>getApplicationLock</u></a> ( ) Get the object used in synchronized statements to lock and application.
java.util.List	<a href="#"><u>getApplicationNames</u></a> ( ) Get a list of application names
int	<a href="#"><u>getApplicationTimeout</u></a> ( ) Get application time out (milliseconds).
AuthenticationList	<a href="#"><u>getAuthenticationList</u></a> ( ) Get the list of available authentication methods
<a href="#"><u>IClient</u></a>	<a href="#"><u>getClient</u></a> (int clientId) Get client by client id.
<a href="#"><u>IClient</u></a>	<a href="#"><u>getClient</u></a> (int clientId, boolean create) Get client by client id and create if does not exist.
int	<a href="#"><u>getClientCount</u></a> ( ) Get number of clients connected to this vHost.
int	<a href="#"><u>getClientIdleFrequency</u></a> ( ) Get default client idle frequency (milliseconds)
int	<a href="#"><u>getClientTimeout</u></a> ( ) Get client timeout.
<a href="#"><u>ConnectionCounter</u></a>	<a href="#"><u>getConnectionCounter</u></a> ( ) Get vHost connection counter.
ConnectionCounterSimple	<a href="#"><u>getConnectionCounter</u></a> (int counterIndex) Get vHost connection counter for a specific technology (see IVHost.COUNTER_*)
int	<a href="#"><u>getConnectionLimit</u></a> ( ) Get vHost connection limit.
int	<a href="#"><u>getCoreHandlerPoolSize</u></a> ( ) Get the handler core thread pool size.
int	<a href="#"><u>getCoreTransportPoolSize</u></a> ( ) Get the transport core thread pool size.
String	<a href="#"><u>getDateStarted</u></a> ( ) Get date and time the server was started.

DvrRecorderList	<a href="#"><u>getDvrRecorderList()</u></a> Get the DvrRecorderList
DvrStoreList	<a href="#"><u>getDvrStoreList()</u></a> Get the list of DVR Stores
java.util.Properties	<a href="#"><u>getDynamicLogProperties()</u></a> Get the dynamic log properties defined at the vhost level in conf/log4j.properties
int	<a href="#"><u>getFileIOPoolSize()</u></a> Get the default file io pool size.
<a href="#"><u>ThreadPool</u></a>	<a href="#"><u>getHandlerThreadPool()</u></a> Get the VHost handler thread pool.
String	<a href="#"><u>getHomePath()</u></a> Get vHost configuration path.
<a href="#"><u>HostPortList</u></a>	<a href="#"><u>getHostPortsList()</u></a> Get list of host port definitions for vHost.
<a href="#"><u>IHTTPStreamerAdapter</u></a>	<a href="#"><u>getHTTPStreamerAdapter(String ID)</u></a> Get an HTTPStreamerAdapter by ID
java.util.List	<a href="#"><u>getHTTPStreamerAdapterIDs()</u></a> Get a list of HTTPStreamerAdapter IDs
HTTPStreamerContext	<a href="#"><u>getHTTPStreamerContext()</u></a> Get the HTTPStreamer (Cupertino Streaming and Silverlight Smooth Streaming) host context
HTTPStreamerList	<a href="#"><u>getHTTPStreamerList()</u></a> Get the list of HTTPStreamers
int	<a href="#"><u>getIdleCheckFrequency()</u></a> Get idle check frequency (milliseconds)
int	<a href="#"><u>getIdleMinimumWaitTime()</u></a> Get the minimum time (milliseconds) the idle worker thread will sleep before generating idle events
int	<a href="#"><u>getIdleWorkerCount()</u></a> Get number of threads used to generate idle events
IdleWorkersUtil	<a href="#"><u>getIdleWorkers()</u></a> Get the idle worker utility
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getIoPerformanceCounter()</u></a> Get vHost IO performance counter.
<a href="#"><u>IOPerformanceCounter</u></a>	<a href="#"><u>getIoPerformanceCounter(int counterIndex)</u></a> Get vHost IO performance counter for a specific technology (see IVHost.COUNTER_*)
IOScheduler	<a href="#"><u>getIOScheduler()</u></a> Get IO scheduler for vHost.
int	<a href="#"><u>getKeepAliveTimeout()</u></a> Get the RTMPT connection keep alive timeout
LiveStreamPacketizerList	<a href="#"><u>getLiveStreamPacketizerList()</u></a> Get the LiveStreamPacketizerList

LiveStreamTranscoderList	<a href="#">getLiveStreamTranscoderList()</a> Get the LiveStreamTranscoderList
int	<a href="#">getMaximumPendingReadBytes()</a> Set maximum number of bytes a client connection can have waiting to be written before the connection is terminated.
int	<a href="#">getMaximumPendingWriteBytes()</a> Get maximum number a bytes a client connection can have waiting to be sent before the connection is terminated.
int	<a href="#">getMaximumSetBufferTime()</a> Get maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call.
<a href="#">MediaCasterList</a>	<a href="#">getMediaCasterList()</a> Get the list of media caster definitions (MediaCaster.xml)
<a href="#">MediaCasterSettings</a>	<a href="#">getMediaCasterSettings()</a> Get the media caster settings
int	<a href="#">getMediaReaderContentType()</a> (String mediaType) Get the content type of a media stream name prefix (see IMediaReader.CONTENTTYPE_*)
MediaReaderList	<a href="#">getMediaReaders()</a> Get the media readers attached to vHost (MediaReaders.xml).
MediaWriterList	<a href="#">getMediaWriters()</a> Get the media writers attached to vHost (MediaWriters.xml).
java.util.Map	<a href="#">getMp3TagMap()</a> Get MP3 tag map attached to vHost (MP3Tags.xml).
String	<a href="#">getName()</a> Get vHost name
HostPortConfig	<a href="#">getNetConnectionHostPortConfig()</a> Get the socket configuration for server to server connections
int	<a href="#">getNetConnectionIdleFrequency()</a> Get server to server idle frequency (milliseconds)
int	<a href="#">getNetConnectionProcessorCount()</a> Get net connection processor count.
int	<a href="#">getNextNetConnectionId()</a> Get next connection id.
int	<a href="#">getPingTimeout()</a> Get ping timeout (milliseconds)
<a href="#">WMSProperties</a>	<a href="#">getProperties()</a> Get properties attached to this vHost.
String	<a href="#">getProperty()</a> (String key) Get virtual host property.
void	<a href="#">getProtocolUsage()</a> (boolean[] protocolsInUse) Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE_*)



<a href="#"><u>RTPContext</u></a>	<a href="#"><u>getRTPContext</u></a> ( ) Get the RTP (real time protocol) virtual host context
com.wowza.wms.rtp.transport.RTPUDPDatagramConfig	<a href="#"><u>getRTPDatagramConfigIncoming</u></a> ( ) Get the RTP Datagram Socket configuration
com.wowza.wms.rtp.transport.RTPUDPDatagramConfig	<a href="#"><u>getRTPDatagramConfigOutgoing</u></a> ( ) Get the RTP Datagram Socket configuration
int	<a href="#"><u>getRTPIdleFrequency</u></a> ( ) Get default RTP idle frequency (milliseconds)
java.util.List	<a href="#"><u>getStartupStreams</u></a> ( ) Get the list of streams to start at virtual host startup
<a href="#"><u>StreamList</u></a>	<a href="#"><u>getStreamTypes</u></a> ( ) Get default stream type.
<a href="#"><u>ThreadPool</u></a>	<a href="#"><u>getThreadPool</u></a> ( ) Get the VHost handler thread pool.
TimedTextProviderConfiguration	<a href="#"><u>getTimedTextProviderConfig</u></a> ( ) Get the config of TimedTextProviders
String	<a href="#"><u>getTimeRunning</u></a> ( ) Get the time vHost has been running.
double	<a href="#"><u>getTimeRunningSeconds</u></a> ( ) Get time running in seconds
<a href="#"><u>ThreadPool</u></a>	<a href="#"><u>getTransportThreadPool</u></a> ( ) Get the VHost transport thread pool.
com.wowza.wms.rtp.transport.UDPTransportManager	<a href="#"><u>getUDPTransportManager</u></a> ( ) Get the UDP transport manager.
int	<a href="#"><u>getValidationFrequency</u></a> ( ) Get time between validation pings (milliseconds)
void	<a href="#"><u>init</u></a> (String basePath) Initialize vHost.
boolean	<a href="#"><u>isApplicationLoaded</u></a> (String applicationName) Return true is the application is loaded
boolean	<a href="#"><u>isShuttingDown</u></a> ( ) Is the VHost shutting down
boolean	<a href="#"><u>isStartStarupStreams</u></a> ( ) Returns true if the startup streams are to start and vhost startup
boolean	<a href="#"><u>isSuspended</u></a> ( ) Returns true is all HostPorts connected to this VHost are suspended
void	<a href="#"><u>killClient</u></a> (int clientId) Remove client from vHost and send disconnect message.

void	<a href="#"><u>killRTSPSession</u></a> (String rtspSessionId) Kill an RTSP connection by the RTSP session id
void	<a href="#"><u>putHTTPStreamerAdapter</u></a> (String ID, <a href="#"><u>IHTTPStreamerAdapter</u></a> adapter) Add an HTTPStreamerAdapter
String	<a href="#"><u>readVHostConfig</u></a> (String sName) Method to read xml config file..
void	<a href="#"><u>removeAcceptorListener</u></a> ( <a href="#"><u>IAcceptorNotify</u></a> acceptorListener) Remove acceptor listener.
boolean	<a href="#"><u>removeApplication</u></a> (String sName) Method to remove an application
void	<a href="#"><u>removeApplicationListener</u></a> ( <a href="#"><u>IApplicationNotify</u></a> applicationListener) Remove applation listener.
void	<a href="#"><u>removeClient</u></a> (int clientId) Remove client from vHost.
void	<a href="#"><u>removeIdleWorkerListener</u></a> ( <a href="#"><u>IIIdleWorkerNotify</u></a> idleWorkerListener) Remove idleWorker listener
void	<a href="#"><u>reparentClient</u></a> ( <a href="#"><u>IClient</u></a> client) Move a client object to a new vhost.
void	<a href="#"><u>setAdminInterfaceHostPort</u></a> ( <a href="#"><u>HostPort</u></a> adminInterfaceHostPort) Set admin interface host port (not used)
void	<a href="#"><u>setApplicationTimeout</u></a> (int applicationTimeout) Set application time out (milliseconds).
void	<a href="#"><u>setClientIdleFrequency</u></a> (int clientIdleFrequency) Set default client idle frequency (milliseconds)
void	<a href="#"><u>setClientTimeout</u></a> (int clientTimeout) Set client timeout.
void	<a href="#"><u>setCoreHandlerPoolSize</u></a> (int corePoolSize) Set the handler core thread pool size.
void	<a href="#"><u>setCoreTransportPoolSize</u></a> (int corePoolSize) Set the transport core thread pool size.
void	<a href="#"><u>setDynamicLogProperties</u></a> (java.util.Properties dynamicLogProperties) Set the dynamic log properties set at the vhost level
void	<a href="#"><u>setFileIOPoolSize</u></a> (int fileIOPoolSize) Set default file io thread pool size.
void	<a href="#"><u>setIdleCheckFrequency</u></a> (int idleCheckFrequency) Set idle check frequency (milliseconds)
void	<a href="#"><u>setIdleMinimumWaitTime</u></a> (int idleMinimumWaitTime) Set the minimum time (milliseconds) the idle worker thread will sleep before generating idle events
void	<a href="#"><u>setIdleWorkerCount</u></a> (int idleWorkerCount) Set number of threads used to generate idle events

void	<a href="#"><u>setKeepAliveTimeout</u></a> (int keepAliveTimeout) Set the RTMPT connection keep alive timeout
void	<a href="#"><u>setMaximumPendingReadBytes</u></a> (int maximumPendingReaderBytes) Get maximum number of bytes a client connection can have waiting to be written before the connection is terminated.
void	<a href="#"><u>setMaximumPendingWriteBytes</u></a> (int maximumPendingWriteBytes) Set maximum number a bytes a client connection can have waiting to be sent before the connection is terminated.
void	<a href="#"><u>setMaximumSetBufferTime</u></a> (int maximumSetBufferTime) Set maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call.
void	<a href="#"><u>setNetConnectionIdleFrequency</u></a> (int netConnectionIdleFrequency) Set the server to server idle frequency (milliseconds)
void	<a href="#"><u>setNetConnectionProcessorCount</u></a> (int netConnectionProcessorCount) Set net connection processor count.
void	<a href="#"><u>setPingTimeout</u></a> (int pingTimeout) Set ping timeout (milliseconds)
void	<a href="#"><u>setRTPIdleFrequency</u></a> (int rtpIdleFrequency) Set default RTP idle frequency (milliseconds)
void	<a href="#"><u>setShuttingDown</u></a> (boolean shuttingDown) Set VHost shutting down flag
void	<a href="#"><u>setStartStarupStreams</u></a> (boolean startStarupStreams) Set to true to startup startup stream as vhost startup
void	<a href="#"><u>setValidationFrequency</u></a> (int validationFrequency) Set time between validation pings (milliseconds)
void	<a href="#"><u>shutdown</u></a> ( ) Shutdown.
void	<a href="#"><u>shutdownApplication</u></a> (String appName) Shutdown an application by name.
boolean	<a href="#"><u>startApplicationInstance</u></a> (String appName) Start an application instance.
boolean	<a href="#"><u>startApplicationInstance</u></a> (String appName, String appInstanceName) Start an application instance.
void	<a href="#"><u>startStartupStreams</u></a> ( ) Method to start startup streams
void	<a href="#"><u>stopStartupStreams</u></a> ( ) Method to stop startup streams
void	<a href="#"><u>suspendAllHostPorts</u></a> ( ) Suspend all HostPorts from accepting new connections.
boolean	<a href="#"><u>touchApplicationInstance</u></a> (String appName) Start an application instance if it is not already started then touch it so it stays loaded for at least 3 seconds.

boolean	<a href="#">touchApplicationInstance</a> (String appName, String appInstanceName) Start an application instance if it is not already started then touch it so it stays loaded for at least 3 seconds.
void	<a href="#">unbindAllHostPorts</a> () Unbind all HostPorts and drop all connections
void	<a href="#">updateLoggingDuration</a> () Internal: update the internal logging values.
boolean	<a href="#">writeVHostConfig</a> (String sName, String data) Method to write xml config file..

## Fields

### VHOST\_DEFAULT

```
public static final java.lang.String VHOST_DEFAULT
```

Constant value: `_defaultVHost_`

### LICENSECOUNTER\_PUBLISHER

```
public static final int LICENSECOUNTER_PUBLISHER
```

Constant value: `0`

### LICENSECOUNTER\_TRANSCODE\_DECODE

```
public static final int LICENSECOUNTER_TRANSCODE_DECODE
```

Constant value: `1`

### LICENSECOUNTER\_TRANSCODE\_ENCODE

```
public static final int LICENSECOUNTER_TRANSCODE_ENCODE
```

Constant value: `2`

### LICENSECOUNTER\_NDVR

```
public static final int LICENSECOUNTER_NDVR
```

Constant value: `3`

### LICENSECOUNTER\_DRM\_EZDRM\_LIVE

```
public static final int LICENSECOUNTER_DRM_EZDRM_LIVE
```

Constant value: `4`

---

## LICENSECOUNTER\_DRM\_EZDRM\_VOD

```
public static final int LICENSECOUNTER_DRM_EZDRM_VOD
```

Constant value: **5**

---

## LICENSECOUNTER\_DRM\_VERIMATRIX\_LIVE

```
public static final int LICENSECOUNTER_DRM_VERIMATRIX_LIVE
```

Constant value: **6**

---

## LICENSECOUNTER\_DRM\_VERIMATRIX\_VOD

```
public static final int LICENSECOUNTER_DRM_VERIMATRIX_VOD
```

Constant value: **7**

---

## LICENSECOUNTER\_PUBLISHERTRANSCODER

```
public static final int LICENSECOUNTER_PUBLISHERTRANSCODER
```

Constant value: **8**

---

## LICENSECOUNTER\_DRM\_BUYDRM\_LIVE

```
public static final int LICENSECOUNTER_DRM_BUYDRM_LIVE
```

Constant value: **9**

---

## LICENSECOUNTER\_DRM\_BUYDRM\_VOD

```
public static final int LICENSECOUNTER_DRM_BUYDRM_VOD
```

Constant value: **10**

---

## LICENSECOUNTER\_TRANSCODE\_DECODEPOLLING

```
public static final int LICENSECOUNTER_TRANSCODE_DECODEPOLLING
```

Constant value: **11**

---

## LICENSECOUNTER\_TRANSCODE\_ENCODEPOLLING

```
public static final int LICENSECOUNTER_TRANSCODE_ENCODEPOLLING
```

Constant value: **12**

---

(continued from last page)

---

## LICENSECOUNTER\_TRANSCODE\_STREAMNAMES

```
public static final int LICENSECOUNTER_TRANSCODE_STREAMNAMES
```

Constant value: **13**

---

## LICENSECOUNTER\_TRANSCODE\_DECODECOUNTAUDIO

```
public static final int LICENSECOUNTER_TRANSCODE_DECODECOUNTAUDIO
```

Constant value: **14**

---

## LICENSECOUNTER\_TRANSCODE\_DECODECOUNTVIDEO

```
public static final int LICENSECOUNTER_TRANSCODE_DECODECOUNTVIDEO
```

Constant value: **15**

---

## LICENSECOUNTER\_TRANSCODE\_DECODECOUNTAUDIOVIDEO

```
public static final int LICENSECOUNTER_TRANSCODE_DECODECOUNTAUDIOVIDEO
```

Constant value: **16**

---

## LICENSECOUNTER\_TRANSCODE\_ENCODECOUNTAUDIO

```
public static final int LICENSECOUNTER_TRANSCODE_ENCODECOUNTAUDIO
```

Constant value: **17**

---

## LICENSECOUNTER\_TRANSCODE\_ENCODECOUNTVIDEO

```
public static final int LICENSECOUNTER_TRANSCODE_ENCODECOUNTVIDEO
```

Constant value: **18**

---

## LICENSECOUNTER\_TRANSCODE\_ENCODECOUNTAUDIOVIDEO

```
public static final int LICENSECOUNTER_TRANSCODE_ENCODECOUNTAUDIOVIDEO
```

Constant value: **19**

---

## LICENSECOUNTER\_TOTAL

```
public static final int LICENSECOUNTER_TOTAL
```

Constant value: **20**

---

## COUNTER\_RTMP

```
public static final int COUNTER_RTMP
```

---

(continued from last page)

---

Constant value: **0**

---

## COUNTER\_RTP

```
public static final int COUNTER_RTP
```

---

Constant value: **1**

---

## COUNTER\_HTTPCUPERTINO

```
public static final int COUNTER_HTTPCUPERTINO
```

---

Constant value: **2**

---

## COUNTER\_HTTPSMOOTH

```
public static final int COUNTER_HTTPSMOOTH
```

---

Constant value: **3**

---

## COUNTER\_HTTPSANJOSE

```
public static final int COUNTER_HTTPSANJOSE
```

---

Constant value: **4**

---

## COUNTER\_HTTPWEBM

```
public static final int COUNTER_HTTPWEBM
```

---

Constant value: **5**

---

## COUNTER\_HTTPMPEGDASH

```
public static final int COUNTER_HTTPMPEGDASH
```

---

Constant value: **6**

---

## COUNTER\_HTTPDVRCHUNKS

```
public static final int COUNTER_HTTPDVRCHUNKS
```

---

Constant value: **7**

---

## COUNTER\_TOTAL

```
public static final int COUNTER_TOTAL
```

---

Constant value: **8**

---

## CODEC\_VIDEO\_UNKNOWN

```
public static final int CODEC_VIDEO_UNKNOWN
```

Constant value: **-1**

---

## CODEC\_VIDEO\_SPARK

```
public static final int CODEC_VIDEO_SPARK
```

Constant value: **2**

---

## CODEC\_VIDEO\_SCREEN

```
public static final int CODEC_VIDEO_SCREEN
```

Constant value: **3**

---

## CODEC\_VIDEO\_VP6

```
public static final int CODEC_VIDEO_VP6
```

Constant value: **4**

---

## CODEC\_VIDEO\_VP6A

```
public static final int CODEC_VIDEO_VP6A
```

Constant value: **5**

---

## CODEC\_VIDEO\_SCREEN2

```
public static final int CODEC_VIDEO_SCREEN2
```

Constant value: **6**

---

## CODEC\_VIDEO\_H264

```
public static final int CODEC_VIDEO_H264
```

Constant value: **7**

---

## CODEC\_VIDEO\_VP8

```
public static final int CODEC_VIDEO_VP8
```

Constant value: **8**

---



(continued from last page)

---

## CODEC\_VIDEO\_H263

```
public static final int CODEC_VIDEO_H263
```

Constant value: **9**

---

## CODEC\_VIDEO\_MPEG4

```
public static final int CODEC_VIDEO_MPEG4
```

Constant value: **10**

---

## CODEC\_VIDEO\_MPEG2

```
public static final int CODEC_VIDEO_MPEG2
```

Constant value: **11**

---

## CODEC\_AUDIO\_UNKNOWN

```
public static final int CODEC_AUDIO_UNKNOWN
```

Constant value: **-1**

---

## CODEC\_AUDIO\_PCM\_BE

```
public static final int CODEC_AUDIO_PCM_BE
```

Constant value: **0**

---

## CODEC\_AUDIO\_PCM\_SWF

```
public static final int CODEC_AUDIO_PCM_SWF
```

Constant value: **1**

---

## CODEC\_AUDIO\_AC3

```
public static final int CODEC_AUDIO_AC3
```

Constant value: **1**

---

## CODEC\_AUDIO\_MP3

```
public static final int CODEC_AUDIO_MP3
```

Constant value: **2**

---

## CODEC\_AUDIO\_PCM\_LE

```
public static final int CODEC_AUDIO_PCM_LE
```

---

(continued from last page)

Constant value: **3**

---

## CODEC\_AUDIO\_NELLYMOSER\_16MONO

```
public static final int CODEC_AUDIO_NELLYMOSER_16MONO
```

Constant value: **4**

---

## CODEC\_AUDIO\_NELLYMOSER\_8MONO

```
public static final int CODEC_AUDIO_NELLYMOSER_8MONO
```

Constant value: **5**

---

## CODEC\_AUDIO\_NELLYMOSER

```
public static final int CODEC_AUDIO_NELLYMOSER
```

Constant value: **6**

---

## CODEC\_AUDIO\_G711\_ALAW

```
public static final int CODEC_AUDIO_G711_ALAW
```

Constant value: **7**

---

## CODEC\_AUDIO\_G711\_MULAW

```
public static final int CODEC_AUDIO_G711_MULAW
```

Constant value: **8**

---

## CODEC\_AUDIO\_RESERVED

```
public static final int CODEC_AUDIO_RESERVED
```

Constant value: **9**

---

## CODEC\_AUDIO\_VORBIS

```
public static final int CODEC_AUDIO_VORBIS
```

Constant value: **9**

---

## CODEC\_AUDIO\_AAC

```
public static final int CODEC_AUDIO_AAC
```

Constant value: **10**

---

## CODEC\_AUDIO\_SPEEX

```
public static final int CODEC_AUDIO_SPEEX
```

Constant value: **11**

---

## CODEC\_AUDIO\_MP3\_8

```
public static final int CODEC_AUDIO_MP3_8
```

Constant value: **15**

---

## CODEC\_STREAM\_UNKNOWN

```
public static final int CODEC_STREAM_UNKNOWN
```

Constant value: **-1**

---

## CODEC\_STREAM\_MP2T

```
public static final int CODEC_STREAM_MP2T
```

Constant value: **0**

---

## FILEFORMAT\_UNKNOWN

```
public static final int FILEFORMAT_UNKNOWN
```

Constant value: **-1**

---

## FILEFORMAT\_FLV

```
public static final int FILEFORMAT_FLV
```

Constant value: **1**

---

## FILEFORMAT\_MP4

```
public static final int FILEFORMAT_MP4
```

Constant value: **2**

---

## CONTENTTYPE\_UNKNOWN

```
public static final byte CONTENTTYPE_UNKNOWN
```

AMF Content type: unknown  
Constant value: **0**

---

(continued from last page)

---

## CONTENTTYPE\_SETCHUNKSIZE

```
public static final byte CONTENTTYPE_SETCHUNKSIZE
```

AMF Content type: set packet chunk size  
Constant value: **1**

---

## CONTENTTYPE\_WATCHDOG

```
public static final byte CONTENTTYPE_WATCHDOG
```

AMF Content type: watch dog  
Constant value: **3**

---

## CONTENTTYPE\_BUFFERSIZE

```
public static final byte CONTENTTYPE_BUFFERSIZE
```

AMF Content type: set buffer size  
Constant value: **4**

---

## CONTENTTYPE\_ACKBANDWIDTH

```
public static final byte CONTENTTYPE_ACKBANDWIDTH
```

AMF Content type: set acknowledge bandwidth size  
Constant value: **5**

---

## CONTENTTYPE\_SETBANDWIDTH

```
public static final byte CONTENTTYPE_SETBANDWIDTH
```

AMF Content type: set bandwidth size  
Constant value: **6**

---

## CONTENTTYPE\_AUDIO

```
public static final byte CONTENTTYPE_AUDIO
```

AMF Content type: audio packet  
Constant value: **8**

---

## CONTENTTYPE\_VIDEO

```
public static final byte CONTENTTYPE_VIDEO
```

AMF Content type: video packet  
Constant value: **9**

---

## CONTENTTYPE\_DATA

```
public static final byte CONTENTTYPE_DATA
```

AMF Content type: data packet  
Constant value: **18**

---

## CONTENTTYPE\_DATA0

```
public static final byte CONTENTTYPE_DATA0
```

---

(continued from last page)

AMF Content type: data packet (AMF0)  
Constant value: **18**

---

## CONTENTTYPE\_DATA3

public static final byte **CONTENTTYPE\_DATA3**

AMF Content type: data packet (AMF3)  
Constant value: **15**

---

## CONTENTTYPE\_SHAREDOBJECTS

public static final byte **CONTENTTYPE\_SHAREDOBJECTS**

AMF Content type: shared object packet (AMF0)  
Constant value: **19**

---

## CONTENTTYPE\_SHAREDOBJECTS0

public static final byte **CONTENTTYPE\_SHAREDOBJECTS0**

AMF Content type: shared object packet (AMF0)  
Constant value: **19**

---

## CONTENTTYPE\_SHAREDOBJECTS3

public static final byte **CONTENTTYPE\_SHAREDOBJECTS3**

AMF Content type: shared object packet (AMF3)  
Constant value: **16**

---

## CONTENTTYPE\_FUNCTION

public static final byte **CONTENTTYPE\_FUNCTION**

AMF Content type: function data (AMF0)  
Constant value: **20**

---

## CONTENTTYPE\_FUNCTION0

public static final byte **CONTENTTYPE\_FUNCTION0**

AMF Content type: function data (AMF0)  
Constant value: **20**

---

## CONTENTTYPE\_MEDIACHUNK

public static final byte **CONTENTTYPE\_MEDIACHUNK**

AMF Content type: media chunk  
Constant value: **22**

---

## CONTENTTYPE\_FUNCTION3

public static final byte **CONTENTTYPE\_FUNCTION3**

AMF Content type: function data (AMF3)  
Constant value: **17**

---

## CONTENTTYPE\_PLAYCALLBACK

```
public static final byte CONTENTTYPE_PLAYCALLBACK
```

AMF Content type: play callback  
Constant value: **127**

---

## ACCEPTORS\_ACCEPTOR

```
public static final java.lang.String ACCEPTORS_ACCEPTOR
```

Acceptor types: acceptor  
Constant value: **acceptor**

---

## ACCEPTORS\_HANDLERADAPTER

```
public static final java.lang.String ACCEPTORS_HANDLERADAPTER
```

Acceptor types: handler  
Constant value: **handlerAdapter**

---

## Methods

### init

```
public void init(String basePath)
```

Initialize vHost.

**Parameters:**

basePath - base path to configuration files

---

### shutdown

```
public void shutdown()
```

Shutdown.

---

### getStreamTypes

```
public StreamList getStreamTypes()
```

Get default stream type.

**Returns:**

default stream type

---

### getProperty

```
public String getProperty(String key)
```

Get virtual host property.

**Parameters:**

key - key

**Returns:**

property value or null if does not exist

---

---

## getClientTimeout

```
public int getClientTimeout()
```

Get client timeout.

**Returns:**

client timeout

---

## getNextNetConnectionId

```
public int getNextNetConnectionId()
```

Get next connection id.

**Returns:**

next connection id

---

## getClient

```
public IClient getClient(int clientId)
```

Get client by client id.

**Parameters:**

clientId - client id

**Returns:**

client

---

## getClient

```
public IClient getClient(int clientId,  
                        boolean create)
```

Get client by client id and create if does not exist.

**Parameters:**

clientId - client id

create - create if does not exist

**Returns:**

client

---

## removeClient

```
public void removeClient(int clientId)
```

Remove client from vHost.

**Parameters:**

clientId - client id

---

## killClient

```
public void killClient(int clientId)
```

Remove client from vHost and send disconnect message.

---

(continued from last page)

**Parameters:**

clientId - client id

---

## killRTSPSession

```
public void killRTSPSession(String rtspSessionId)
```

Kill an RTSP connection by the RTSP session id

**Parameters:**

rtspSessionId - RTSP session id

---

## getApplication

```
public IApplication getApplication(String applicationName)
```

Get application by name.

**Parameters:**

applicationName - application name

**Returns:**

application

---

## isApplicationLoaded

```
public boolean isApplicationLoaded(String applicationName)
```

Return true is the application is loaded

**Parameters:**

applicationName - application name

**Returns:**

true if application is loaded

---

## getHomePath

```
public String getHomePath()
```

Get vHost configuration path.

**Returns:**

configuration path

---

## getProperties

```
public WMSPProperties getProperties()
```

Get properties attached to this vHost.

**Returns:**

properties attached to this vHost

---

## getCoreTransportPoolSize

```
public int getCoreTransportPoolSize()
```



---

(continued from last page)

Get the transport core thread pool size.

**Returns:**

default core thread pool size

---

## setCoreTransportPoolSize

```
public void setCoreTransportPoolSize(int corePoolSize)
```

Set the transport core thread pool size.

**Parameters:**

corePoolSize - core thread pool size

---

## getCoreHandlerPoolSize

```
public int getCoreHandlerPoolSize()
```

Get the handler core thread pool size.

**Returns:**

default core thread pool size

---

## setCoreHandlerPoolSize

```
public void setCoreHandlerPoolSize(int corePoolSize)
```

Set the handler core thread pool size.

**Parameters:**

corePoolSize - core thread pool size

---

## getFileIOPoolSize

```
public int getFileIOPoolSize()
```

Get the default file io pool size.

**Returns:**

default file io pool size

---

## setFileIOPoolSize

```
public void setFileIOPoolSize(int fileIOPoolSize)
```

Set default file io thread pool size.

**Parameters:**

fileIOPoolSize - default file io thread pool size

---

## setClientTimeout

```
public void setClientTimeout(int clientTimeout)
```

Set client timeout. An inactive client connected by RTMPT protocol will be deleted after this timeout.

**Parameters:**

clientTimeout - client timeout

---

---

## getHostPortsList

```
public HostPortList getHostPortsList()
```

Get list of host port definitions for vHost.

**Returns:**

list of host port definitions for vHost

---

## getThreadPool

```
public ThreadPool getThreadPool()
```

Get the VHost handler thread pool. Same as getHandlerThreadPool.

**Returns:**

VHost handler thread pool

---

## getTransportThreadPool

```
public ThreadPool getTransportThreadPool()
```

Get the VHost transport thread pool. This thread pool is used to read/write data from the transports sockets.

**Returns:**

VHost transport thread pool

---

## getHandlerThreadPool

```
public ThreadPool getHandlerThreadPool()
```

Get the VHost handler thread pool. This thread pool is used to process the incoming events.

**Returns:**

VHost handler thread pool

---

## getName

```
public String getName()
```

Get vHost name

**Returns:**

vHost name

---

## setAdminInterfaceHostPort

```
public void setAdminInterfaceHostPort(HostPort adminInterfaceHostPort)
```

Set admin interface host port (not used)

**Parameters:**

adminInterfaceHostPort - admin interface host port

---

## getClientCount

```
public int getClientCount()
```

---

(continued from last page)

Get number of clients connected to this vHost.

**Returns:**

number of clients connected to this vHost

---

## getNetConnectionProcessorCount

```
public int getNetConnectionProcessorCount()
```

Get net connection processor count. Number of threads used for server to server communication (not finished).

**Returns:**

net connection processor count

---

## setNetConnectionProcessorCount

```
public void setNetConnectionProcessorCount(int netConnectionProcessorCount)
```

Set net connection processor count. Number of threads used for server to server communication (not finished).

**Parameters:**

netConnectionProcessorCount - net connection processor count

---

## addApplicationListener

```
public void addApplicationListener(IApplicationNotify applicationListener)
```

Add application listener. An application listener will receive the following events: onApplicationCreate, onApplicationDestroy.

**Parameters:**

applicationListener - application listener

---

## removeApplicationListener

```
public void removeApplicationListener(IApplicationNotify applicationListener)
```

Remove application listener.

**Parameters:**

applicationListener - application listener

---

## addAcceptorListener

```
public void addAcceptorListener(IAcceptorNotify acceptorListener)
```

Add acceptor listener. Acceptor listeners will receive the following events: onAcceptorCreate, onAcceptorDestroy.

**Parameters:**

acceptorListener - acceptor listener

---

## removeAcceptorListener

```
public void removeAcceptorListener(IAcceptorNotify acceptorListener)
```

Remove acceptor listener.

**Parameters:**

acceptorListener - acceptor listener

## getIOScheduler

```
public IOScheduler getIOScheduler()
```

Get IO scheduler for vHost. IO scheduler is used to schedule reads from the disk to increase server throughput for static flv serving.

**Returns:**

IO scheduler for vHost

---

## getIoPerformanceCounter

```
public IoPerformanceCounter getIoPerformanceCounter()
```

Get vHost IO performance counter.

**Returns:**

io performance counter

---

## getIoPerformanceCounter

```
public IoPerformanceCounter getIoPerformanceCounter(int counterIndex)
```

Get vHost IO performance counter for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index (see IVHost.COUNTER\_\*)

**Returns:**

io performance counter

---

## getConnectionCounter

```
public ConnectionCounter getConnectionCounter()
```

Get vHost connection counter.

**Returns:**

connection counter

---

## getConnectionCounter

```
public ConnectionCounterSimple getConnectionCounter(int counterIndex)
```

Get vHost connection counter for a specific technology (see IVHost.COUNTER\_\*)

**Parameters:**

counterIndex - counter index (see IVHost.COUNTER\_\*)

**Returns:**

connection counter

---

## getDateStarted

```
public String getDateStarted()
```

Get date and time the server was started.

---

---

(continued from last page)

**Returns:**

date and time the server was started

---

## getTimeRunning

```
public String getTimeRunning()
```

Get the time vHost has been running.

**Returns:**

formatted string with vHost uptime

---

## getTimeRunningSeconds

```
public double getTimeRunningSeconds()
```

Get time running in seconds

**Returns:**

time running in seconds

---

## getConnectionLimit

```
public int getConnectionLimit()
```

Get vHost connection limit.

**Returns:**

vHost connection limit

---

## getMediaReaders

```
public MediaReaderList getMediaReaders()
```

Get the media readers attached to vHost (MediaReaders.xml).

**Returns:**

media readers attached to vHost

---

## getMediaWriters

```
public MediaWriterList getMediaWriters()
```

Get the media writers attached to vHost (MediaWriters.xml).

**Returns:**

media writers attached to vHost

---

## getMp3TagMap

```
public java.util.Map getMp3TagMap()
```

Get MP3 tag map attached to vHost (MP3Tags.xml).

**Returns:**

MP3 tag map attached to vHost

---

(continued from last page)

---

## updateLoggingDuration

```
public void updateLoggingDuration( )
```

Internal: update the internal logging values.

---

## getApplicationTimeout

```
public int getApplicationTimeout( )
```

Get application time out (milliseconds). Time from last client disconnect to application destruction.

**Returns:**

application time out (milliseconds)

---

## setApplicationTimeout

```
public void setApplicationTimeout(int applicationTimeout)
```

Set application time out (milliseconds).

**Parameters:**

applicationTimeout - application time out (milliseconds)

---

## getPingTimeout

```
public int getPingTimeout( )
```

Get ping timeout (milliseconds)

**Returns:**

ping timeout (milliseconds)

---

## setPingTimeout

```
public void setPingTimeout(int pingTimeout)
```

Set ping timeout (milliseconds)

**Parameters:**

pingTimeout - ping timeout (milliseconds)

---

## getValidationFrequency

```
public int getValidationFrequency( )
```

Get time between validation pings (milliseconds)

**Returns:**

time between validation pings (milliseconds)

---

## setValidationFrequency

```
public void setValidationFrequency(int validationFrequency)
```

Set time between validation pings (milliseconds)

**Parameters:**

---

(continued from last page)

validationFrequency - time between validation pings (milliseconds)

---

## getMaximumPendingWriteBytes

```
public int getMaximumPendingWriteBytes()
```

Get maximum number a bytes a client connection can have waiting to be sent before the connection is terminated. If set to zero this feature is turned off.

### Returns:

maximum number a bytes a client connection can have waiting to be sent before the connection is terminated

---

## setMaximumPendingWriteBytes

```
public void setMaximumPendingWriteBytes(int maximumPendingWriteBytes)
```

Set maximum number a bytes a client connection can have waiting to be sent before the connection is terminated. If set to zero this feature is turned off.

### Parameters:

maximumPendingWriteBytes - maximum number a bytes a client connection can have waiting to be sent before the connection is terminated

---

## getMaximumPendingReadBytes

```
public int getMaximumPendingReadBytes()
```

Set maximum number of bytes a client connection can have waiting to be written before the connection is terminated. If set to zero this feature is off.

### Returns:

maximum number of bytes a client connection can have waiting to be written before the connection is terminated

---

## setMaximumPendingReadBytes

```
public void setMaximumPendingReadBytes(int maximumPendingReaderBytes)
```

Get maximum number of bytes a client connection can have waiting to be written before the connection is terminated. If set to zero this feature is off.

### Parameters:

maximumPendingReaderBytes - maximum number of bytes a client connection can have waiting to be written before the connection is terminated

---

## getMaximumSetBufferTime

```
public int getMaximumSetBufferTime()
```

Get maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call. If set to zero this feature is turned off.

### Returns:

maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call

---

## setMaximumSetBufferTime

```
public void setMaximumSetBufferTime(int maximumSetBufferTime)
```

Set maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call. If set to zero this feature is turned off.

---

(continued from last page)

**Parameters:**

maximumSetBufferTime - maximum number of milliseconds allowed for the NetStream.setBufferTime(secs) call

---

## getApplicationLock

```
public edu.emory.mathcs.backport.java.util.concurrent.locks.WMSReadWriteLock  
getApplicationLock( )
```

Get the object used in synchronized statements to lock and application.

**Returns:**

object used in synchronized statements to lock and application

---

## getClientIdleFrequency

```
public int getClientIdleFrequency( )
```

Get default client idle frequency (milliseconds)

**Returns:**

default client idle frequency (milliseconds)

---

## setClientIdleFrequency

```
public void setClientIdleFrequency(int clientIdleFrequency)
```

Set default client idle frequency (milliseconds)

**Parameters:**

clientIdleFrequency - default client idle frequency (milliseconds)

---

## getRTPIdeFrequency

```
public int getRTPIdeFrequency( )
```

Get default RTP idle frequency (milliseconds)

**Returns:**

default RTP idle frequency (milliseconds)

---

## setRTPIdeFrequency

```
public void setRTPIdeFrequency(int rtpIdleFrequency)
```

Set default RTP idle frequency (milliseconds)

**Parameters:**

rtpIdleFrequency - RTP default client idle frequency (milliseconds)

---

## getNetConnectionIdleFrequency

```
public int getNetConnectionIdleFrequency( )
```

Get server to server idle frequency (milliseconds)

**Returns:**

server to server idle frequency (milliseconds)

---



---

## setNetConnectionIdleFrequency

```
public void setNetConnectionIdleFrequency(int netConnectionIdleFrequency)
```

Set the server to server idle frequency (milliseconds)

**Parameters:**

netConnectionIdleFrequency - server to server idle frequency (milliseconds)

---

## getIdleCheckFrequency

```
public int getIdleCheckFrequency( )
```

Get idle check frequency (milliseconds)

**Returns:**

idle check frequency (milliseconds)

---

## setIdleCheckFrequency

```
public void setIdleCheckFrequency(int idleCheckFrequency)
```

Set idle check frequency (milliseconds)

**Parameters:**

idleCheckFrequency - idle check frequency (milliseconds)

---

## getIdleWorkerCount

```
public int getIdleWorkerCount( )
```

Get number of threads used to generate idle events

**Returns:**

number of threads used to generate idle events

---

## setIdleWorkerCount

```
public void setIdleWorkerCount(int idleWorkerCount)
```

Set number of threads used to generate idle events

**Parameters:**

idleWorkerCount - number of threads used to generate idle events

---

## getKeepAliveTimeout

```
public int getKeepAliveTimeout( )
```

Get the RTMPT connection keep alive timeout

**Returns:**

RTMPT connection keep alive timeout

---

## setKeepAliveTimeout

```
public void setKeepAliveTimeout(int keepAliveTimeout)
```

---

(continued from last page)

Set the RTMPT connection keep alive timeout

**Parameters:**

keepAliveTimeout - RTMPT connection keep alive timeout

---

## addIdleWorkerListener

```
public void addIdleWorkerListener(IIIdleWorkerNotify idleWorkerListener)
```

Add idleWorker listener. An idleWorker listener will receive the following events: onIdleWorkerCreate, onIdleWorkerDestroy.

**Parameters:**

idleWorkerListener - idleWorker listener

---

## removeIdleWorkerListener

```
public void removeIdleWorkerListener(IIIdleWorkerNotify idleWorkerListener)
```

Remove idleWorker listener

**Parameters:**

idleWorkerListener - idleWorker listener

---

## getNetConnectionHostPortConfig

```
public HostPortConfig getNetConnectionHostPortConfig()
```

Get the socket configuration for server to server connections

**Returns:**

socket configuration for server to server connections

---

## getMediaCasterSettings

```
public MediaCasterSettings getMediaCasterSettings()
```

Get the media caster settings

**Returns:**

media caster settings

---

## getMediaCasterList

```
public MediaCasterList getMediaCasterList()
```

Get the list of media caster definitions (MediaCaster.xml)

**Returns:**

list of media caster definitions

---

## getApplicationNames

```
public java.util.List getApplicationNames()
```

Get a list of application names

**Returns:**

list of application names

## getApplicationFolderNames

```
public java.util.List getApplicationFolderNames()
```

Get a list of application folder names

**Returns:**

list of application folder names

---

## applicationExists

```
public boolean applicationExists(String name)
```

Return true if an application folder exists for this application name

**Parameters:**

name - application name

**Returns:**

true if an application folder exists for this application name

---

## getRTPContext

```
public RTPContext getRTPContext()
```

Get the RTP (real time protocol) virtual host context

**Returns:**

RTP (real time protocol) virtual host context

---

## getHTTPStreamerContext

```
public HTTPStreamerContext getHTTPStreamerContext()
```

Get the HTTPStreamer (Cupertino Streaming and Silverlight Smooth Streaming) host context

**Returns:**

HTTPStreamer (Cupertino Streaming and Silverlight Smooth Streaming) host context

---

## getRTPDatagramConfigIncoming

```
public com.wowza.wms.rtp.transport.RTPUDPDatagramConfig getRTPDatagramConfigIncoming()
```

Get the RTP Datagram Socket configuration

**Returns:**

RTP Datagram Socket configuration

---

## getRTPDatagramConfigOutgoing

```
public com.wowza.wms.rtp.transport.RTPUDPDatagramConfig getRTPDatagramConfigOutgoing()
```

Get the RTP Datagram Socket configuration

**Returns:**

RTP Datagram Socket configuration

---

## getAuthenticationList

```
public AuthenticationList getAuthenticationList()
```

Get the list of available authentication methods

**Returns:**

list of available authentication methods

---

## getIdleMinimumWaitTime

```
public int getIdleMinimumWaitTime()
```

Get the minimum time (milliseconds) the idle worker thread will sleep before generating idle events

**Returns:**

minimum time (milliseconds) the idle worker thread will sleep before generating idle events

---

## setIdleMinimumWaitTime

```
public void setIdleMinimumWaitTime(int idleMinimumWaitTime)
```

Set the minimum time (milliseconds) the idle worker thread will sleep before generating idle events

**Parameters:**

idleMinimumWaitTime - minimum time (milliseconds) the idle worker thread will sleep before generating idle events

---

## getIdleWorkers

```
public IdleWorkersUtil getIdleWorkers()
```

Get the idle worker utility

**Returns:**

idle worker utility

---

## isShuttingDown

```
public boolean isShuttingDown()
```

Is the VHost shutting down

**Returns:**

true if the vhost is shutting down

---

## setShuttingDown

```
public void setShuttingDown(boolean shuttingDown)
```

Set VHost shutting down flag

**Parameters:**

shuttingDown - true if the vhost is shutting down

---

## reparentClient

```
public void reparentClient(IClient client)
```

---

(continued from last page)

Move a client object to a new vhost. This can only be done right after the handshake process has completed. See `IVHostNotify.onVHostClientConnect`.

**Parameters:**

`client` - client object to move

---

## getDynamicLogProperties

```
public java.util.Properties getDynamicLogProperties()
```

Get the dynamic log properties defined at the vhost level in `conf/log4j.properties`

**Returns:**

dynamic log properties defined at the vhost level

---

## setDynamicLogProperties

```
public void setDynamicLogProperties(java.util.Properties dynamicLogProperties)
```

Set the dynamic log properties set at the vhost level

**Parameters:**

`dynamicLogProperties` - dynamic log properties defined at the vhost level

---

## shutdownApplication

```
public void shutdownApplication(String appName)
```

Shutdown an application by name. This will disconnect all clients connected to all child application instances.

**Parameters:**

`appName` - application name

---

## unbindAllHostPorts

```
public void unbindAllHostPorts()
```

Unbind all HostPorts and drop all connections

---

## suspendAllHostPorts

```
public void suspendAllHostPorts()
```

Suspend all HostPorts from accepting new connections. Current connections will continue to be serviced

---

## closeHostPort

```
public void closeHostPort(HostPort hostPort,  
    boolean isSuspend)
```

Close an individual HostPort

**Parameters:**

`hostPort` - host port to close

`isSuspend` - if true will just suspend the HostPort from accepting new connections, if false will unbind and drop all connections

(continued from last page)

---

## isSuspended

```
public boolean isSuspended()
```

Returns true if all HostPorts connected to this VHost are suspended

---

## touchApplicationInstance

```
public boolean touchApplicationInstance(String appName)
```

Start an application instance if it is not already started then touch it so it stays loaded for at least 3 seconds.

**Parameters:**

appName - application name

**Returns:**

true is successful

---

## touchApplicationInstance

```
public boolean touchApplicationInstance(String appName,  
                                         String appInstanceName)
```

Start an application instance if it is not already started then touch it so it stays loaded for at least 3 seconds. The default appInstanceName \_definst\_ will be used.

**Parameters:**

appName - application name

appInstanceName - app instance name

**Returns:**

true is successful

---

## startApplicationInstance

```
public boolean startApplicationInstance(String appName)
```

Start an application instance. The default appInstanceName \_definst\_ will be used.

**Parameters:**

appName - application name

**Returns:**

true is successful

---

## startApplicationInstance

```
public boolean startApplicationInstance(String appName,  
                                         String appInstanceName)
```

Start an application instance.

**Parameters:**

appName - application name

appInstanceName - app instance name

**Returns:**

true is successful

---

## getUDPTransportManager

```
public com.wowza.wms.rtp.transport.UDPTransportManager getUDPTransportManager()
```

Get the UDP transport manager.

**Returns:**

UDP transport manager

---

## getHTTPStreamerList

```
public HTTPStreamerList getHTTPStreamerList()
```

Get the list of HTTPStreamers

**Returns:**

list of HTTPStreamers

---

## getHTTPStreamerAdapter

```
public IHTTPStreamerAdapter getHTTPStreamerAdapter(String ID)
```

Get an HTTPStreamerAdapter by ID

**Parameters:**

ID - HTTPStreamerAdapter ID

**Returns:**

HTTPStreamerAdapter

---

## putHTTPStreamerAdapter

```
public void putHTTPStreamerAdapter(String ID,  
    IHTTPStreamerAdapter adapter)
```

Add an HTTPStreamerAdapter

**Parameters:**

ID - HTTPStreamerAdapter ID  
adapter - HTTPStreamerAdapter

---

## getHTTPStreamerAdapterIDs

```
public java.util.List getHTTPStreamerAdapterIDs()
```

Get a list of HTTPStreamerAdapter IDs

**Returns:**

list of HTTPStreamerAdapter IDs

---

## getLiveStreamPacketizerList

```
public LiveStreamPacketizerList getLiveStreamPacketizerList()
```

Get the LiveStreamPacketizerList

**Returns:**

LiveStreamPacketizerList

---

---

## getLiveStreamTranscoderList

```
public LiveStreamTranscoderList getLiveStreamTranscoderList()
```

Get the LiveStreamTranscoderList

**Returns:**

LiveStreamTranscoderList

---

## getTimedTextProviderConfig

```
public TimedTextProviderConfiguration getTimedTextProviderConfig()
```

Get the config of TimedTextProviders

**Returns:**

TimedTextProviders config

---

## getStartupStreams

```
public java.util.List getStartupStreams()
```

Get the list of streams to start at virtual host startup

**Returns:**

list of streams to start at virtual host startup

---

## addStartupStream

```
public void addStartupStream(StartupStream startupStream)
```

Add a stream to the list of streams to start and virtual host startup

**Parameters:**

startupStream - startup stream

---

## isStartStarupStreams

```
public boolean isStartStarupStreams()
```

Returns true if the startup streams are to start and vhost startup

**Returns:**

true if the startup streams are to start and vhost startup

---

## setStartStarupStreams

```
public void setStartStarupStreams(boolean startStarupStreams)
```

Set to true to startup startup stream as vhost startup

**Parameters:**

startStarupStreams - true if the startup streams are to start and vhost startup

---

## startStartupStreams

```
public void startStartupStreams()
```

---



(continued from last page)

Method to start startup streams

---

## stopStartupStreams

```
public void stopStartupStreams()
```

Method to stop startup streams

---

## createApplication

```
public boolean createApplication(String sName,  
    String sStreamType,  
    String sContentLoc)
```

Method to create a new application

---

## removeApplication

```
public boolean removeApplication(String sName)
```

Method to remove an application

---

## readVHostConfig

```
public String readVHostConfig(String sName)
```

Method to read xml config file..

---

## writeVHostConfig

```
public boolean writeVHostConfig(String sName,  
    String data)
```

Method to write xml config file..

---

## getDvrRecorderList

```
public DvrRecorderList getDvrRecorderList()
```

Get the DvrRecorderList

**Returns:**

list of DVR Recorders

---

## getDvrStoreList

```
public DvrStoreList getDvrStoreList()
```

Get the list of DVR Stores

**Returns:**

list of DVR Stores

---

## getMediaReaderContentType

```
public int getMediaReaderContentType(String mediaType)
```

Get the content type of a media stream name prefix (see IMediaReader.CONTENTTYPE\_\*)

(continued from last page)

**Parameters:**

mediaType - mediaType (such as flv or smil)

**Returns:**

content type (see IMediaReader.CONTENTTYPE\_\*)

---

## getProtocolUsage

```
public void getProtocolUsage(boolean[] protocolsInUse)
```

Get the protocols in use by this application instance (see IApplicationInstance.PROTOCOLUSAGE\_\*)

## com.wowza.wms.vhost Interface IVHostItemNotify

public interface **IVHostItemNotify**  
extends

IVHostItemNotify: listener interface used by VHostList addVHostItemListener

VHostList is the list vHost definitions in VHosts.xml not the vHosts themselves. With this listener interface you can monitor the vHost definition changes.

### Method Summary

void	<a href="#">onVHostItemCreate</a> ( <a href="#">VHostItem</a> vhostItem) Triggered when vHostItem created
void	<a href="#">onVHostItemDestroy</a> ( <a href="#">VHostItem</a> vhostItem) Triggered when vHostItem destroyed
void	<a href="#">onVHostItemUpdate</a> ( <a href="#">VHostItem</a> vhostItem) Triggered when vHostItem updated

### Methods

#### onVHostItemCreate

public void **onVHostItemCreate**([VHostItem](#) vhostItem)

Triggered when vHostItem created

**Parameters:**

vhostItem - vhostItem

#### onVHostItemUpdate

public void **onVHostItemUpdate**([VHostItem](#) vhostItem)

Triggered when vHostItem updated

**Parameters:**

vhostItem - vhostItem

#### onVHostItemDestroy

public void **onVHostItemDestroy**([VHostItem](#) vhostItem)

Triggered when vHostItem destroyed

**Parameters:**

vhostItem - vhostItem

## com.wowza.wms.vhost Interface IVHostNotify

public interface **IVHostNotify**  
extends

IVHostNotify: listener interface used by VHostSingleton addVHostListener

### Method Summary

void	<a href="#">onVHostClientConnect</a> ( <a href="#">IVHost</a> vhost, <a href="#">IClient</a> inClient, <a href="#">com.wowza.wms.request.RequestFunction</a> function, <a href="#">AMFDataList</a> params) Triggered before a client connects to this virtual host.
void	<a href="#">onVHostCreate</a> ( <a href="#">IVHost</a> vhost) Triggered when vHost created
void	<a href="#">onVHostInit</a> ( <a href="#">IVHost</a> vhost) Triggered when vHost initialized
void	<a href="#">onVHostShutdownComplete</a> ( <a href="#">IVHost</a> vhost) Triggered at the end of vhost shutdown
void	<a href="#">onVHostShutdownStart</a> ( <a href="#">IVHost</a> vhost) Triggered at the beginning of vhost shutdown

### Methods

#### onVHostCreate

public void **onVHostCreate**([IVHost](#) vhost)

Triggered when vHost created

**Parameters:**

vhost

#### onVHostInit

public void **onVHostInit**([IVHost](#) vhost)

Triggered when vHost initialized

**Parameters:**

vhost - vhost

#### onVHostShutdownStart

public void **onVHostShutdownStart**([IVHost](#) vhost)

Triggered at the beginning of vhost shutdown

(continued from last page)

**Parameters:**vhost - vhost

---

**onVHostShutdownComplete**

```
public void onVHostShutdownComplete(IVHost vhost)
```

Triggered at the end of vhost shutdown

**Parameters:**vhost - vhost

---

**onVHostClientConnect**

```
public void onVHostClientConnect(IVHost vhost,  
    IClient inClient,  
    com.wowza.wms.request.RequestFunction function,  
    AMFDataList params)
```

Triggered before a client connects to this virtual host. Provides an opportunity to rewrite the information that is being used to connect.

**Parameters:**

vhost  
inClient - client object of the connection  
function - function  
params - parameters

## com.wowza.wms.vhost Interface IWorkerThreadClear

public interface **IWorkerThreadClear**  
extends

IWorkerThreadClear: Internal use.

### Method Summary

void	<a href="#">clear()</a>
void	<a href="#">reset()</a>

### Methods

#### **reset**

public void **reset**()

#### **clear**

public void **clear**()

## com.wowza.wms.vhost Class StreamItem

java.lang.Object

└─com.wowza.wms.vhost.StreamItem

public class **StreamItem**  
extends Object

StreamItem: data object that defines a streamType.

### Constructor Summary

public	<a href="#">StreamItem</a> (String name, String baseClass, String playClass) Create a new streamItem
--------	---

### Method Summary

void	<a href="#">clearProperty</a> (String name) Clear property.
String	<a href="#">getBaseClass</a> () Get base class path.
String	<a href="#">getDescription</a> () Get streamType description.
String	<a href="#">getName</a> () Get streamType name.
String	<a href="#">getPlayClass</a> () Get play class path.
<a href="#">WMSProperties</a>	<a href="#">getProperties</a> () Get properties.
String	<a href="#">getProperty</a> (String name) Get property by name.
void	<a href="#">setBaseClass</a> (String baseClass) Set base class path.
void	<a href="#">setDescription</a> (String description) Set streamType description.
void	<a href="#">setName</a> (String name) Set streamType name.
void	<a href="#">setPlayClass</a> (String playClass) Set play class path.
void	<a href="#">setProperty</a> (String name, String value) Set property value.

String	<a href="#">toString()</a>
--------	----------------------------

Methods inherited from class `java.lang.Object`

`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

## Constructors

### StreamItem

```
public StreamItem(String name,  
                  String baseClass,  
                  String playClass)
```

Create a new streamItem

**Parameters:**

name - streamType name  
baseClass - base class path  
playClass - play class path

## Methods

### getBaseClass

```
public String getBaseClass()
```

Get base class path.

**Returns:**

base clas path

### setBaseClass

```
public void setBaseClass(String baseClass)
```

Set base class path.

**Parameters:**

baseClass - base class path

### getName

```
public String getName()
```

Get streamType name.

**Returns:**

streamType name

### setName

```
public void setName(String name)
```



(continued from last page)

Set streamType name.

**Parameters:**

name - streamType name

---

## getPlayClass

```
public String getPlayClass()
```

Get play class path.

**Returns:**

play class path

---

## setPlayClass

```
public void setPlayClass(String playClass)
```

Set play class path.

**Parameters:**

playClass - play class path

---

## setProperty

```
public void setProperty(String name,  
                        String value)
```

Set property value.

**Parameters:**

name - property name

value - property value

---

## clearProperty

```
public void clearProperty(String name)
```

Clear property.

**Parameters:**

name - property name

---

## getProperty

```
public String getProperty(String name)
```

Get property by name.

**Parameters:**

name - property name

**Returns:**

property value

---

## getProperties

```
public WMSProperties getProperties()
```

(continued from last page)

Get properties.

**Returns:**

properties

---

## getDescription

```
public String getDescription()
```

Get streamType description.

**Returns:**

streamType description

---

## setDescription

```
public void setDescription(String description)
```

Set streamType description.

**Parameters:**

description - streamType description

---

## toString

```
public String toString()
```

## com.wowza.wms.vhost Class StreamList

java.lang.Object

└─com.wowza.wms.vhost.StreamList

public class **StreamList**  
extends Object

StreamList: collection of StreamItems

### Constructor Summary

public	<a href="#">StreamList()</a> Create empty StreamList
--------	---

### Method Summary

<a href="#">StreamItem</a>	<a href="#">getStreamDef(String name)</a> Get streamItem by streamType name.
java.util.Map	<a href="#">getStreamDefs()</a> Get Map of streamItems (by streamType names).
java.util.List	<a href="#">getStreamTypeNames()</a> Get list of streamType names.

#### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

### Constructors

#### StreamList

public **StreamList()**

Create empty StreamList

### Methods

#### getStreamDefs

public java.util.Map **getStreamDefs()**

Get Map of streamItems (by streamType names).

#### Returns:

Map of streamItems

## getStreamTypeNames

```
public java.util.List getStreamTypeNames()
```

Get list of streamType names. Returns shallow copy of list.

**Returns:**

list of streamType names

---

## getStreamDef

```
public StreamItem getStreamDef(String name)
```

Get streamItem by streamType name.

**Parameters:**

name - streamType name

**Returns:**

streamItem

---

## com.wowza.wms.vhost Class ThreadPool

java.lang.Object

└─com.wowza.wms.vhost.ThreadPool

public class **ThreadPool**  
extends Object

ThreadPool: class for managing a pool of threads.

### Constructor Summary

public	<a href="#">ThreadPool</a> ( <a href="#">IVHost</a> vhost, String name) Create a new thread pool attached to a vHost.
--------	--

### Method Summary

void	<a href="#">execute</a> (Runnable command) Execute a runnable object.
int	<a href="#">getActiveCount</a> () Get number of active threads.
java.util.concurrent. Executor	<a href="#">getExecutor</a> () Get the underlying Executor pool.
int	<a href="#">getQueueSize</a> () Get the number of command objects in the LinkedBlockingQueue.
void	<a href="#">init</a> (int corePoolSize) Initialize threadPool.
void	<a href="#">terminate</a> () Terminate all threads and cleanup threadPool.

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructors

### ThreadPool

public **ThreadPool**([IVHost](#) vhost,  
[String](#) name)

Create a new thread pool attached to a vHost.

**Parameters:**

(continued from last page)

vhost - vHost

## Methods

### init

```
public void init(int corePoolSize)
```

Initialize threadPool.

**Parameters:**

corePoolSize - core pool size

### terminate

```
public void terminate()
```

Terminate all threads and cleanup threadPool.

### execute

```
public void execute(Runnable command)
```

Execute a runnable object. If the threadPool is at the corePool size, the object will be added to a LinkedBlockingQueue in the order it was received.

**Parameters:**

command

### getExecutor

```
public java.util.concurrent.Executor getExecutor()
```

Get the underlying Executor pool.

**Returns:**

Executor pool

### getActiveCount

```
public int getActiveCount()
```

Get number of active threads.

**Returns:**

number of active threads

### getQueueSize

```
public int getQueueSize()
```

Get the number of command objects in the LinkedBlockingQueue.

**Returns:**

number of command objects in the LinkedBlockingQueue

## com.wowza.wms.vhost Class VHostItem

java.lang.Object

└─com.wowza.wms.vhost.VHostItem

public class **VHostItem**  
extends Object

VHostItem: data class that hold definition of a virtual host.

### Constructor Summary

public	<a href="#">VHostItem()</a> Create empty vHostItem
--------	---

### Method Summary

String	<a href="#">getConfigDir()</a> Get configuration path for vHost.
int	<a href="#">getConnectionLimit()</a> Get connection limit of this vHost item.
String	<a href="#">getName()</a> Get vHost name
<a href="#">WMSProperties</a>	<a href="#">getProperties()</a> Get properties
boolean	<a href="#">isVisited()</a> Has this vHostItem been visited during load of VHosts.xml file.
void	<a href="#">reset()</a> Reset vHostItem to empty state
void	<a href="#">setConfigDir(String configDir)</a> Set configuration path for vHost.
void	<a href="#">setConnectionLimit(int connectionLimit)</a> Set connection limit of this vHost item.
void	<a href="#">setName(String name)</a> Set vHost name
void	<a href="#">setProperties(WMSProperties properties)</a> Set properties
void	<a href="#">setVisited(boolean visited)</a> Set is visited.
String	<a href="#">toString()</a> Format vHost item

**Methods inherited from class** `java.lang.Object`

`clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait`

## Constructors

### VHostItem

```
public VHostItem()
```

Create empty vHostItem

## Methods

### reset

```
public void reset()
```

Reset vHostItem to empty state

### getConfigDir

```
public String getConfigDir()
```

Get configuration path for vHost.

**Returns:**

configuration path for vHost

### setConfigDir

```
public void setConfigDir(String configDir)
```

Set configuration path for vHost.

**Parameters:**

configDir - configuration path for vHost

### getName

```
public String getName()
```

Get vHost name

**Returns:**

vHost name

### setName

```
public void setName(String name)
```

Set vHost name

**Parameters:**



(continued from last page)

name - vHost name

---

## getProperties

```
public WMSPProperties getProperties()
```

Get properties

**Returns:**

properties

---

## setProperties

```
public void setProperties(WMSPProperties properties)
```

Set properties

**Parameters:**

properties - properties

---

## isVisited

```
public boolean isVisited()
```

Has this vHostItem been visited during load of VHosts.xml file. Internally used to track and delete vHost definitions on reload of VHosts.xml.

**Returns:**

Has this vHostItem been visited during load

---

## setVisited

```
public void setVisited(boolean visited)
```

Set is visited.

**Parameters:**

visited - is visited

---

## getConnectionLimit

```
public int getConnectionLimit()
```

Get connection limit of this vHost item.

**Returns:**

connection limit of this vHost item

---

## setConnectionLimit

```
public void setConnectionLimit(int connectionLimit)
```

Set connection limit of this vHost item.

**Parameters:**

connectionLimit - connection limit of this vHost item

---

(continued from last page)

**toString**

```
public String toString()
```

Format vHost item

## com.wowza.wms.vhost Class VHostList

java.lang.Object

└─com.wowza.wms.vhost.VHostList

public class **VHostList**  
extends Object

VHostList: list of VHost items. Result of parsing VHosts.xml at server startup or VHosts.xml reload. This interface can keep track of reloads and carefully mark items for deletion.

### Constructor Summary

public	<a href="#"><u>VHostList()</u></a> Create empty vHostList
--------	--

### Method Summary

void	<a href="#"><u>addVHostItemListener()</u></a> ( <a href="#"><u>IVHostItemNotify</u></a> vHostItemListener) Add vHostItem listener.
java.util.List	<a href="#"><u>getVHostItems()</u></a> Get a list of vHostItems.
java.util.Map	<a href="#"><u>getVHostMap()</u></a> Get the Map of vHostItem definitions.
java.util.List	<a href="#"><u>getVHostNames()</u></a> Get a list of vHost names.
void	<a href="#"><u>loadConfig()</u></a>
void	<a href="#"><u>notifyVHostItemCreate()</u></a> ( <a href="#"><u>VHostItem</u></a> vhostItem) Notify vHostItem listener of item create.
void	<a href="#"><u>notifyVHostItemDestroy()</u></a> ( <a href="#"><u>VHostItem</u></a> vhostItem) Notify vHostItem listener of item destroy.
void	<a href="#"><u>notifyVHostItemUpdate()</u></a> ( <a href="#"><u>VHostItem</u></a> vhostItem) Notify vHostItem listener of item update.
void	<a href="#"><u>reloadConfig()</u></a> Reload VHosts.xml file.
void	<a href="#"><u>removeVHostItemListener()</u></a> ( <a href="#"><u>IVHostItemNotify</u></a> vHostItemListener) Remove vHostItem listener.

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

---

## Constructors

### VHostList

```
public VHostList()
```

Create empty vHostList

---

## Methods

### loadConfig

```
public void loadConfig()
```

---

### reloadConfig

```
public void reloadConfig()
```

Reload VHosts.xml file.

---

### getVHostMap

```
public java.util.Map getVHostMap()
```

Get the Map of vHostItem defintions.

**Returns:**

Map of vHostItem defintions

---

### addVHostItemListener

```
public void addVHostItemListener(IVHostItemNotify vHostItemListener)
```

Add vHostItem listener. vHostItem listeners will receive the following events: onVHostItemCreate, onVHostItemUpdate, onVHostItemDestroy.

**Parameters:**

vHostItemListener - vHostItem listener

---

### removeVHostItemListener

```
public void removeVHostItemListener(IVHostItemNotify vHostItemListener)
```

Remove vHostItem listener.

**Parameters:**

vHostItemListener - vHostItem listener

---

### notifyVHostItemCreate

```
public void notifyVHostItemCreate(VHostItem vhostItem)
```

Notify vHostItem listener of item create.

(continued from last page)

**Parameters:**

vhostItem - vHostItem

---

**notifyVHostItemUpdate**

```
public void notifyVHostItemUpdate(VHostItem vhostItem)
```

Notify vHostItem listener of item update.

**Parameters:**

vhostItem - vHostItem

---

**notifyVHostItemDestroy**

```
public void notifyVHostItemDestroy(VHostItem vhostItem)
```

Notify vHostItem listener of item destroy.

**Parameters:**

vhostItem - vHostItem

---

**getVHostNames**

```
public java.util.List getVHostNames()
```

Get a list of vHost names. Creates a copy of list.

**Returns:**

list of vHost names

---

**getVHostItems**

```
public java.util.List getVHostItems()
```

Get a list of vHostItems. Create a shallow copy of list.

**Returns:**

list of vHostItems

## com.wowza.wms.vhost Class VHostSingleton

java.lang.Object

└─com.wowza.wms.vhost.VHostSingleton

public class **VHostSingleton**  
extends Object

VHostSingleton: singleton that provide access to running vHosts.

### Constructor Summary

public	<a href="#">VHostSingleton()</a>
--------	----------------------------------

### Method Summary

static void	<a href="#">addVHostListener</a> ( <a href="#">IVHostNotify</a> vhostListener) Add a vHost listener.
static <a href="#">IVHost</a>	<a href="#">getInstance</a> (String vhostName) Get vHost by name.
static <a href="#">IVHost</a>	<a href="#">getInstance</a> (String vhostName, boolean doCreate) Get vHost by name.
static java.util.List	<a href="#">getVHostNames</a> () Get a list of vHost names.
static void	<a href="#">init</a> (String vhostName, String configHome) Initialize vhost by name.
static void	<a href="#">notifyVHostClientConnect</a> ( <a href="#">IVHost</a> vhost, <a href="#">IClient</a> inClient, com.wowza.wms.request.RequestFunction function, <a href="#">AMFDataList</a> params) Notify vhost client connect
static void	<a href="#">notifyVHostCreate</a> ( <a href="#">IVHost</a> vhost) Notify vHost listener of create.
static void	<a href="#">notifyVHostInit</a> ( <a href="#">IVHost</a> vhost) Notify vHost listener of ini.
static void	<a href="#">notifyVHostShutdownComplete</a> ( <a href="#">IVHost</a> vhost) Notify vHost listener of destruction.
static void	<a href="#">notifyVHostShutdownStart</a> ( <a href="#">IVHost</a> vhost) Notify vHost listener of destruction.
static void	<a href="#">remove</a> (String vhostName) Remove a vHost from list of running vHosts.
static void	<a href="#">removeApplicationListener</a> ( <a href="#">IVHostNotify</a> vhostListener) Remove vHost listener

static void	<a href="#">setServer</a> ( <a href="#">IServer</a> server) Set a reference to the current running server.
static void	<a href="#">shutdown</a> (String vhostName) Shutdown a vHost by name.

**Methods inherited from class** `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

## Constructors

### VHostSingleton

```
public VHostSingleton()
```

## Methods

### getInstance

```
public static IVHost getInstance(String vhostName)
```

Get vHost by name. Do NOT create if does not exist.

**Parameters:**

vhostName - vHost name

**Returns:**

vHost

### getInstance

```
public static IVHost getInstance(String vhostName,  
    boolean doCreate)
```

Get vHost by name. Create if does not exist.

**Parameters:**

vhostName - vhost name

doCreate - if true, create if does not exist

**Returns:**

vHost

### init

```
public static void init(String vhostName,  
    String configHome)
```

Initialize vhost by name.

**Parameters:**

vhostName - vHost name

(continued from last page)

configHome - configuration path, path to VHost.xml

---

## setServer

```
public static void setServer(IServer server)
```

Set a reference to the current running server.

**Parameters:**

server - server

---

## shutdown

```
public static void shutdown(String vhostName)
```

Shutdown a vHost by name.

**Parameters:**

vhostName - vhost name

---

## getVHostNames

```
public static java.util.List getVHostNames()
```

Get a list of vHost names. Return copy of list.

**Returns:**

vHost names

---

## remove

```
public static void remove(String vhostName)
```

Remove a vHost from list of running vHosts.

**Parameters:**

vhostName - vhost name

---

## addVHostListener

```
public static void addVHostListener(IVHostNotify vhostListener)
```

Add a vHost listener. A vHost listener receives the following events: onVHostCreate, onVHostInit, onVHostDestroy

**Parameters:**

vhostListener - vHost listener

---

## removeApplicationListener

```
public static void removeApplicationListener(IVHostNotify vhostListener)
```

Remove vHost listener

**Parameters:**

vhostListener - vHost listener

---



(continued from last page)

---

## notifyVHostClientConnect

```
public static void notifyVHostClientConnect(IVHost vhost,  
      IClient inClient,  
      com.wowza.wms.request.RequestFunction function,  
      AMFDataList params)
```

Notify vhost client connect

### Parameters:

vhost - vHost  
inClient - client  
function - function  
params - parameters

---

## notifyVHostCreate

```
public static void notifyVHostCreate(IVHost vhost)
```

Notify vHost listener of create.

### Parameters:

vhost - vHost

---

## notifyVHostInit

```
public static void notifyVHostInit(IVHost vhost)
```

Notify vHost listener of ini.

### Parameters:

vhost - vHost

---

## notifyVHostShutdownStart

```
public static void notifyVHostShutdownStart(IVHost vhost)
```

Notify vHost listener of destruction.

### Parameters:

vhost - vHost

---

## notifyVHostShutdownComplete

```
public static void notifyVHostShutdownComplete(IVHost vhost)
```

Notify vHost listener of destruction.

### Parameters:

vhost - vHost

---

# Index

## A

ABSOLUTE\_FORMAT 661  
ABSOLUTE\_TIME\_PATTERN 661  
acceptConnection 325, 342  
ACCEPTORS\_ACCEPTOR 1442  
ACCEPTORS\_HANDLERADAPTER 1442  
acceptSession 572, 975  
acquire 811, 818, 819, 820, 1081, 1105  
acquireAndRelease 811, 819  
acquireMediaCaster 825  
acquireSocketAddress 943  
acquireUDPPortPair 943, 944  
actionListeners 973  
activateOptions 671  
add 79, 139, 140, 141, 174, 175, 176, 929, 1417  
addAcceptConnectionAttribute 356  
addAcceptorListener 1447  
addActionListener 984  
addApplicationInstanceListener 236  
addApplicationListener 1447  
addAudioCodecConfigPacket 1181  
addAudioData 1166, 1299, 1300  
addAudioDataInc 1299  
addBody 926  
addBouncyCastleSecurityProvider 101  
addBytes 926  
addChunk 207  
addClient 1081, 1105  
addClientListener 260, 1172, 1173  
addConnectionListener 324  
addContentDescriptor 764  
addData 218  
addDataData 1166, 1300  
addDataDataInc 1301  
addDataEx 221  
addDifference 79  
addDvrChunkListener 502  
addDvrRecorderListener 298  
addDvrRecordingListener 491  
addDvrStoreListener 491  
addDvrStreamManagerListener 298  
addFirstABSTRequest 596

addHttpProvider 1415  
addHTTPStreamerAdapterID 1415  
addHTTPStreamerSession 286  
addIdleWorkerListener 1454  
addIOPerformance 567, 981  
addIOPerformance2 567, 981  
addItem 1287  
addLicense 1250  
addListener 621, 636, 1318  
addLiveStreamPacketizerListener 294  
addLiveStreamTranscoderListener 295  
addManifestEntries 490, 501  
addMediaCasterListener 264  
addMediaReaderListener 291  
addMediaStreamListener 262, 1247  
addMediaWriterListener 289  
addMember 201  
addMetaDataListener 833  
addModuleListener 268  
addNameGroup 1249  
addObject 156  
addOverlay 1384  
addOverlayImage 1383  
addPlayReadyDecryptorKey 1231  
addPlayStreamByName 266  
addPublisher 283  
addRange 391  
addRendition 852  
addRepeaterHeartBeatItem 493  
addRTPIncomingDatagramPortAll 286  
addRTPIncomingDatagramPortRange 286  
addRTPSession 278  
addRTSPStream 976  
addSegment 839  
addServerListener 1049, 1066  
addSession 995  
addSessionListener 995  
addSharedObjectListener 262, 1093  
addSlotListener 1085, 1109  
addSorterPacket 1390  
addStartupStream 1460  
addStreamAttribute 1014  
addStreamDomainStr 575  
addStreamDomainStrs 575  
addStreamInfo 1014

- addStreamSrcToMediaCaster 821
  - addString 155
  - addToCache 404
  - addToChunk 469, 584
  - addToManifest 456
  - addToPlaylist 1315, 1316
  - addTrack 1011
  - addTrackId 1012
  - addTrackInternal 1011
  - addTrailingZero 768
  - addTrait 156
  - addUserHTTPHeaders 579
  - addVHostItemListener 1480
  - addVHostListener 1484
  - addVideoCodecConfigPacket 1181
  - addVideoData 1165, 1298, 1299
  - addVideoDataInc 1299
  - addVideoH264SEIListener 1189
  - adjustFirstPacketTCs 65
  - alphas 32
  - AMF3Utils 116
  - AMF\_LEVEL0 127
  - AMF\_LEVEL3 127
  - AMF\_TEXTTYPE\_ON\_TEXT\_DATA 1358
  - AMFData 128
  - AMFDataArray 137, 138
  - AMFDataByteArray 148, 149
  - AMFDataContextDeserialize 154
  - AMFDataContextSerialize 159
  - AMFDataItem 165, 166, 167
  - AMFDataList 173, 174
  - AMFDataMixedArray 185, 186
  - AMFDataObj 193, 194
  - AMFDataTrait 201
  - AMFDEBUGHEADERSIZE 206
  - AMFObj 206
  - AMFObjChunk 213
  - AMFPacket 216, 217
  - AMFUtils 13
  - announce 1018
  - append 672
  - appendFile 631
  - appendParamsToUrl 106
  - appInstance 630, 914, 971, 1241
  - appInstanceShutdown 971
  - APPLICATION\_KEY 660
  - applicationExists 1455
  - ARCHIVE\_STRATEGY\_APPEND 422
  - ARCHIVE\_STRATEGY\_DELETE 422
  - ARCHIVE\_STRATEGY\_VERSION 422
  - artifact 372, 394
  - assembleQueryStr 72
  - attachToWMSSession 1018
  - audioCodecId 844
  - audioCodecStringToId 57
  - audioCodecToMetaDataString 58
  - audioCodecToString 58
  - audioCodecTypeToString 92
  - audioPacketizers 974
  - AUDIOSAMPLE\_ACCESS\_ALL 338
  - AUDIOSAMPLE\_ACCESS\_NONE 338
  - AUDIOSAMPLEACCESS 1149
  - authenticateHandler 514
  - authenticateHTTPProvider 315
  - authenticateHTTPProviderHandler 514
  - authenticatePlayHandler 971
  - authenticatePublishHandler 971
  - authenticateRTSP 316
  - authenticateSIP 317
  - AuthenticateUsernamePasswordProviderBase 311
  - authenticationMethod 514
  - AUTHMETHOD\_PLAY 970
  - AUTHMETHOD\_PUBLISH 970
  - AUTHMETHOD\_UNKNOWN 970
  - AVSYNCMETHODS\_RTPTIMECODE 1009
  - AVSYNCMETHODS\_SENDERREPORT 1008
  - AVSYNCMETHODS\_SYSTEMCLOCK 1008
  - AVSYNCMETHODS\_UNKNOWN 1008
  - avSyncNameToId 1024
- ## B
- badStreams 915
  - BASE\_NAME\_TAG 655
  - baseFilePath 631
  - bind 956
  - bitrateAudio 844
  - bitrateTotal 844
  - bitrateVideo 844
  - booleanValue 168

broadcastPlayMessage 1247  
broadcastGetObjectEncoding 1247  
broadcastMsg 265  
buffer 213  
BufferUtils 32  
byteArrayToFile 43  
byteArrayToInt 34, 35  
byteArrayToIntSafeSync 773  
byteArrayToLong 33, 34  
byteArrayToLongSafeSync 773  
byteArrayToShort 35, 36  
byteArrayToString 33  
byteStringLen 742  
byteValue 168

C

cacheRTPStream 944  
calcBitrate 471  
calcParity 1350  
calcTotalPacketSize 221  
calculateChunkGroupTime 403  
call 345  
CALLBACK\_PARAM1 878  
CALLBACK\_PARAM10 879  
CALLBACK\_PARAM2 878  
CALLBACK\_PARAM3 878  
CALLBACK\_PARAM4 878  
CALLBACK\_PARAM5 878  
CALLBACK\_PARAM6 878  
CALLBACK\_PARAM7 878  
CALLBACK\_PARAM8 879  
CALLBACK\_PARAM9 879  
canHandle 515, 522, 548, 1041  
canPlay 498  
canRecord 489, 498  
canRecordAudio 469, 1256  
canRecordData 469, 1257  
canRecordVideo 469, 1257  
CAT\_ALL 714  
CAT\_application 703  
CAT\_cupertino 703  
CAT\_dvrchunk 704  
CAT\_mpegdash 704  
CAT\_rtsp 703  
CAT\_sanjose 703  
CAT\_server 702  
CAT\_session 703  
CAT\_smoothstreaming 703  
CAT\_stream 703  
CAT\_transcoder 704  
CAT\_vhost 703  
CAT\_webm 704  
CEA608\_MUSICAL\_NOTE 1349  
CEA608\_SOLID\_BLOCK 1349  
CHANNEL1 1333  
CHANNEL2 1334  
charUTF8ToCAE608 1349  
checkAndSetPlayLogged 566  
checkParity 1350  
checkSendMetadata 1019  
cleanUp 671  
clear 79, 719, 930, 1086, 1104, 1179, 1466  
clearByteContainer 210  
clearFastPlaySettings 347, 1169  
clearIntData 155  
clearLoggingValues 537, 569, 589, 595, 601, 984, 1178  
clearOverlay 1384  
clearProperty 799, 1469  
clearRTSPSessionExtraLines 1036  
clearSegments 839, 852  
clearStreamName 1244  
clearStreamSrcToMediaCaster 821  
clearTracks 1012  
client 311  
clone 79, 201, 217, 451, 1118  
cloneProperties 305  
close 9, 29, 671, 1081, 1110, 1122, 1129, 1168, 1213, 1275, 1282, 1301, 1306, 1309, 1316  
closeAndWait 1317  
ClosedCaptionCEA608Utils 1349  
closeHostPort 1457  
closeQuietly 50  
closeStream 898  
CODEC\_AUDIO\_AAC 1438  
CODEC\_AUDIO\_AC3 1437  
CODEC\_AUDIO\_G711\_ALAW 1438  
CODEC\_AUDIO\_G711\_MULAW 1438  
CODEC\_AUDIO\_MP3 1437  
CODEC\_AUDIO\_MP3\_8 1439

- CODEC\_AUDIO\_NELLYMOSER 1438
- CODEC\_AUDIO\_NELLYMOSER\_16MONO 1438
- CODEC\_AUDIO\_NELLYMOSER\_8MONO 1438
- CODEC\_AUDIO\_PCM\_BE 1437
- CODEC\_AUDIO\_PCM\_LE 1437
- CODEC\_AUDIO\_PCM\_SWF 1437
- CODEC\_AUDIO\_RESERVED 1438
- CODEC\_AUDIO\_SPEEX 1439
- CODEC\_AUDIO\_UNKNOWN 1437
- CODEC\_AUDIO\_VORBIS 1438
- CODEC\_STREAM\_MP2T 1439
- CODEC\_STREAM\_UNKNOWN 1439
- CODEC\_TYPE 455
- CODEC\_VIDEO\_H263 1436
- CODEC\_VIDEO\_H264 1436
- CODEC\_VIDEO\_MPEG2 1437
- CODEC\_VIDEO\_MPEG4 1437
- CODEC\_VIDEO\_SCREEN 1436
- CODEC\_VIDEO\_SCREEN2 1436
- CODEC\_VIDEO\_SPARK 1436
- CODEC\_VIDEO\_UNKNOWN 1436
- CODEC\_VIDEO\_VP6 1436
- CODEC\_VIDEO\_VP6A 1436
- CODEC\_VIDEO\_VP8 1436
- CODECSTR\_FORMAT\_VIDEO\_POSTIOS4 92
- CODECSTR\_FORMAT\_VIDEO\_PREIOS4 92
- CODECSTR\_FORMAT\_VIDEO\_UNKNOWN 91
- CODES\_HREF 661
- COL0\_BLUE 1333
- COL0\_CYAN 1333
- COL0\_GREEN 1333
- COL0\_HIBYTE 1339
- COL0\_LOWBYTE 1339
- COL0\_MAGENTA 1333
- COL0\_RED 1333
- COL0\_WHITE 1333
- COL0\_YELLOW 1333
- COL\_0 1339
- COL\_12 1340
- COL\_16 1340
- COL\_20 1340
- COL\_24 1340
- COL\_28 1340
- COL\_4 1339
- COL\_5 1340
- COLN\_LOWBYTE 1340
- compareTo 1408
- compress 151
- CONFIGURATOR\_CLASS\_KEY 660
- configureSocketAcceptor 1415
- ConnectionCounter 324
- connectionHolder 972
- containsDvrRecorder 282
- containsHeader 530
- containsHTTPStreamer 281
- containsIndex 536, 588, 594, 600
- containsKey 194, 224
- containsLiveStreamPacketizer 282
- containsLiveStreamTranscoder 296
- containsProperty 1086, 1106
- containsSlot 1087, 1106
- containsStreamDomainStr 575
- containsStreamNameParts 573
- containsTime 510
- CONTENTTYPE\_ACKBANDWIDTH 1440
- CONTENTTYPE\_AUDIO 1440
- CONTENTTYPE\_BUFFERSIZE 1440
- CONTENTTYPE\_CHORD 761
- CONTENTTYPE\_DATA 1440
- CONTENTTYPE\_DATA0 1440
- CONTENTTYPE\_DATA3 1441
- CONTENTTYPE\_EVENTS 761
- CONTENTTYPE\_FUNCTION 1441
- CONTENTTYPE\_FUNCTION0 1441
- CONTENTTYPE\_FUNCTION3 1441
- CONTENTTYPE\_LYRICS 761
- CONTENTTYPE\_MEDIA 1126
- CONTENTTYPE\_MEDIACHUNK 1441
- CONTENTTYPE\_MEDIALIST 1126
- CONTENTTYPE\_MOVEMENT 761
- CONTENTTYPE\_OTHER 761
- CONTENTTYPE\_PLAYCALLBACK 1442
- CONTENTTYPE\_SETBANDWIDTH 1440
- CONTENTTYPE\_SETCHUNKSIZE 1439
- CONTENTTYPE\_SHAREDOBJECTS 1441
- CONTENTTYPE\_SHAREDOBJECTS0 1441
- CONTENTTYPE\_SHAREDOBJECTS3 1441
- CONTENTTYPE\_TRANSCRIPTION 761
- CONTENTTYPE\_TRIVIA 762
- CONTENTTYPE\_UNKNOWN 1439

CONTENTTYPE\_URLIMAGES 762  
CONTENTTYPE\_URLWEBPAGES 762  
CONTENTTYPE\_VIDEO 1440  
CONTENTTYPE\_WATCHDOG 1440  
contextStr 633  
CONTROLCODES\_AOF 1334  
CONTROLCODES\_AON 1334  
CONTROLCODES\_BAO 1338  
CONTROLCODES\_BAS 1338  
CONTROLCODES\_BBO 1337  
CONTROLCODES\_BBS 1337  
CONTROLCODES\_BCO 1337  
CONTROLCODES\_BCS 1337  
CONTROLCODES\_BGO 1336  
CONTROLCODES\_BGS 1336  
CONTROLCODES\_BMO 1337  
CONTROLCODES\_BMS 1338  
CONTROLCODES\_BRO 1337  
CONTROLCODES\_BRS 1337  
CONTROLCODES\_BS 1334  
CONTROLCODES\_BT 1338  
CONTROLCODES\_BWO 1336  
CONTROLCODES\_BWS 1336  
CONTROLCODES\_BYO 1337  
CONTROLCODES\_BYS 1337  
CONTROLCODES\_CR 1336  
CONTROLCODES\_DER 1335  
CONTROLCODES\_EDM 1335  
CONTROLCODES\_ENM 1336  
CONTROLCODES\_EOC 1336  
CONTROLCODES\_FA 1338  
CONTROLCODES\_FAU 1338  
CONTROLCODES\_FON 1335  
CONTROLCODES\_RCL 1334  
CONTROLCODES\_RDC 1335  
CONTROLCODES\_RTD 1335  
CONTROLCODES\_RU2 1335  
CONTROLCODES\_RU3 1335  
CONTROLCODES\_RU4 1335  
CONTROLCODES\_TO1 1336  
CONTROLCODES\_TO2 1336  
CONTROLCODES\_TO3 1336  
CONTROLCODES\_TR 1335  
convertParams 13  
COOKIEFORMAT 71  
cookieStr 971  
copyFile 49  
copyFile2 49  
COUNT\_COLS 1339  
COUNT\_ROWS 1339  
COUNTER\_HTTPCUPERTINO 1435  
COUNTER\_HTTPDVRCHUNKS 1435  
COUNTER\_HTTPMPEGDASH 1435  
COUNTER\_HTTPSANJOSE 1435  
COUNTER\_HTTPSMOOTH 1435  
COUNTER\_HTTPWEBM 1435  
COUNTER\_RTMP 1434  
COUNTER\_RTP 1435  
COUNTER\_TOTAL 1435  
createApplication 1461  
createBroadcastMessage 925  
createConnectMessage 925  
createContextDeserialize 131  
createContextSerialize 131  
createDefaultMessage 925  
createDvrAudioChunk 466  
createDvrDataChunk 467  
createDvrOnMetadataChunk 467  
createDvrVideoChunk 466  
createEnhancedSeekMessage 926  
createHTTPSessionInstance 545  
createIndexLive 588, 595  
createInstance 1296, 1297, 1313, 1314  
createPlayStatusMessage 925  
createSeekMessage 925  
createSOMessage 926  
createStream 896, 1016, 1298  
cronEventWorker 632  
CrontabEvent 1405  
CTRL\_playlist\_node 708  
currentDuration 632  
currentOutputFile 633  
currentSize 632  
  
**D**  
  
data 394  
DATA\_TYPE\_AMF3 125  
DATA\_TYPE\_AMF3\_ARRAY 127  
DATA\_TYPE\_AMF3\_BOOLEAN\_FALSE 126

DATA\_TYPE\_AMF3\_BOOLEAN\_TRUE 126  
DATA\_TYPE\_AMF3\_BYTEARRAY 127  
DATA\_TYPE\_AMF3\_DATE 127  
DATA\_TYPE\_AMF3\_INTEGER 126  
DATA\_TYPE\_AMF3\_NULL 126  
DATA\_TYPE\_AMF3\_NUMBER 126  
DATA\_TYPE\_AMF3\_OBJECT 127  
DATA\_TYPE\_AMF3\_STRING 126  
DATA\_TYPE\_AMF3\_UNDEFINED 126  
DATA\_TYPE\_AMF3\_XML\_LEGACY 127  
DATA\_TYPE\_AMF3\_XML\_TOP 127  
DATA\_TYPE\_ARRAY 124  
DATA\_TYPE\_AS\_OBJECT 125  
DATA\_TYPE\_BOOLEAN 123  
DATA\_TYPE\_BYTEARRAY 125  
DATA\_TYPE\_CUSTOM\_CLASS 125  
DATA\_TYPE\_DATE 124  
DATA\_TYPE\_INTEGER 125  
DATA\_TYPE\_LONG\_STRING 125  
DATA\_TYPE\_MIXED\_ARRAY 124  
DATA\_TYPE\_MOVIE\_CLIP 124  
DATA\_TYPE\_NULL 124  
DATA\_TYPE\_NUMBER 123  
DATA\_TYPE\_OBJECT 124  
DATA\_TYPE\_OBJECT\_END 124  
DATA\_TYPE\_RECORDSET 125  
DATA\_TYPE\_REFERENCE\_OBJECT 124  
DATA\_TYPE\_STRING 123  
DATA\_TYPE\_UNDEFINED 124  
DATA\_TYPE\_UNKNOWN 123  
DATA\_TYPE\_XML 125  
DATA\_TYPE\_XML\_TOP 126  
DATE\_AND\_TIME\_FORMAT 661  
DATE\_AND\_TIME\_PATTERN 661  
DATEFORMAT 165  
DATETIME\_FORMAT 655  
dateValue 168  
DAY 1405  
debug 637, 682, 683  
debugLog 633  
debugRTSPSession 974  
DebugUtils 41  
debugWOWZProtocol 1062  
DECODE 18  
decode 21  
DECODE\_OBJ\_REF 192  
DECODE\_TRAITS 192  
DECODE\_TRAITS\_EXT 192  
DECODE\_TRAITS\_REF 192  
DECODE\_UNDEFINED 192  
decodeFileToFile 23  
decodeFromFile 22  
decodeHexString 33  
decodeRangeHeader 1393  
decodeS 1071  
decodeSS 1071  
decodeStorageDir 281, 1064  
decodeStreamInfo 1396, 1397  
decodeString 23  
decodeToFile 22  
decodeToObject 21  
decodeValue 106  
decompress 152  
decrement 326  
DEFAULT\_AMF\_CONVERTER\_TEXT\_TYPE 1368  
DEFAULT\_AMF\_CONVERTER\_TRACK\_INDEX 1368  
DEFAULT\_APPINSTANCE\_NAME 257  
DEFAULT\_APPLICATION\_NAME 234  
DEFAULT\_CAPTION\_CHARACTER\_SET 1366  
DEFAULT\_CHUNK\_MEMORY\_CACHESIZE 430  
DEFAULT\_CONFIGURATION\_FILE 660  
DEFAULT\_CONFIGURATION\_KEY 660  
DEFAULT\_CUPERTINO\_PLAYLIST\_GZIP\_THRESHOLD 443  
DEFAULT\_MAXIMUM\_CAPTION\_DURATION 1365  
DEFAULT\_PORT 671  
DEFAULT\_PROPERTY\_ALLOWABLE\_AV\_PACKET\_DELTA 426  
DEFAULT\_PROPERTY\_APPEND\_DISCONTINUITY\_DELTA 420  
DEFAULT\_PROPERTY\_AUDIO\_ONLY\_CHUNK\_TARGET\_DURATION 428  
DEFAULT\_PROPERTY\_BREAK\_ONPTS 428  
DEFAULT\_PROPERTY\_CAPTION\_LANGUAGES 1360  
DEFAULT\_PROPERTY\_CAPTION\_FILE\_NAMING\_RULE 1364  
DEFAULT\_PROPERTY\_CAPTION\_PATH\_NAMING\_RULE 1365  
DEFAULT\_PROPERTY\_CHUNK\_CACHE\_CLASS 424  
DEFAULT\_PROPERTY\_CHUNK\_DURATION\_MINIMUM

- 429
- DEFAULT\_PROPERTY\_CHUNK\_GROUPING\_SECONDS 420
- DEFAULT\_PROPERTY\_CHUNK\_READER\_CLASS 422
- DEFAULT\_PROPERTY\_CHUNK\_WRITER\_CLASS 423
- DEFAULT\_PROPERTY\_DEBUG\_MAX\_INVALID\_CHUNKS\_LOGGED 433
- DEFAULT\_PROPERTY\_DEBUG\_MAX\_RAW\_PACKETS 435
- DEFAULT\_PROPERTY\_DEBUG\_MAX\_VALID\_CHUNKS\_LOGGED 434
- DEFAULT\_PROPERTY\_DEBUG\_RAW\_PACKETS 435
- DEFAULT\_PROPERTY\_DVR\_MAX\_CHUNK\_LOG 436
- DEFAULT\_PROPERTY\_FILE\_SYSTEM\_CLASS 423
- DEFAULT\_PROPERTY\_MANIFEST\_PERSISTENT\_CLASS 423
- DEFAULT\_PROPERTY\_MAX\_RECALC\_DURATION\_LOG 436
- DEFAULT\_PROPERTY\_MAX\_RECORDING\_LENGTH 432
- DEFAULT\_PROPERTY\_MBR\_ALTERNATIVE\_MATCH\_DELTA 430
- DEFAULT\_PROPERTY\_MBR\_MINIMUM\_PACKET\_TIME\_GAP\_SIZE 431
- DEFAULT\_PROPERTY\_MBR\_MINIMUM\_UTCTIME\_GAP\_SIZE 431
- DEFAULT\_PROPERTY\_MEDIACACHE\_READER\_CLASS 432
- DEFAULT\_PROPERTY\_PACKET\_DELTA\_TO\_NOTIFY 427
- DEFAULT\_PROPERTY\_PACKET\_DELTA\_TO\_RESET\_TIME 426
- DEFAULT\_PROPERTY\_PACKET\_DURATION\_MAXIMUM 431
- DEFAULT\_PROPERTY\_PACKET\_SORT\_TIME 428
- DEFAULT\_PROPERTY\_RECORDINGS\_LOADER\_CLASS 424
- DEFAULT\_PROPERTY\_REPEATER\_HEARTBEAT\_DURATION 429
- DEFAULT\_PROPERTY\_SANJOSE\_ABST\_DURATION\_TOLERANCE 442
- DEFAULT\_PROPERTY\_SANJOSE\_ABST\_TIMESCALE 442
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_PAUSE 444
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_SEEK 443
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_MAJOR\_VERSION 445
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_MINOR\_VERSION 445
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORD\_CAN\_PAUSE 444
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORD\_CAN\_SEEK 444
- DEFAULT\_PROPERTY\_SMOOTH\_MANIFEST\_RECORD\_SPECIFY\_DURATION 445
- DEFAULT\_PROPERTY\_STORAGE\_DIRECTORY 421
- DEFAULT\_PROPERTY\_TEXT\_READER\_CLASS 425
- DEFAULT\_PROPERTY\_TEXT\_WRITER\_CLASS 425
- DEFAULT\_RANDOMACCESSREADER 1126
- DEFAULT\_RANDOMACCESSREADEROPTIMIZER 1126
- DEFAULT\_REPOSITORY\_NAME 659
- DEFAULT\_XML\_CONFIGURATION\_FILE 660
- DefaultDvrStreamVersionHandler 369
- defaultLocale 100
- defaultTimeZone 100
- deleteArchivedStore 490
- deleteDirectory 50
- deleteSlot 1082, 1106
- deleteStream 897
- describe 1028
- deserialize 133, 145, 151, 168, 180, 186, 197, 198, 386, 389, 391, 465
- deserializeBody 726, 746, 749, 752, 755, 757, 763, 768, 771, 776
- deserializeDate 116
- deserializeFrame 743
- deserializeInnerObject 131
- deserializeInt 116
- deserializeString 117, 743
- detachFromWMSSession 1018
- determineChunkGroupIdentifier 403
- determineExistingStoreForPlaying 370, 505
- determineExistingStoreForRecording 370, 504
- determineStreamVersion 471
- determineUtcTime 406
- directOutput 1399
- disconnect 326, 1084, 1093, 1109
- doBreak 923
- doCRC32 38



- doesFileExist 536
- doesStackContainMethod 44
- doHTTPAuthentication 516
- doIdle 828, 992
- DONOTHING\_BYTE 1334
- DONOTHING\_SHORT 1334
- DONT\_BREAK\_LINES 18
- doSessionRedirect 579
- doSet 80
- doubleValue 167
- doWatchdog 785, 810, 817, 941, 1064
- DT\_FORMAT 1404
- dummy 85
- dump 1408
- DVR\_DEFAULT\_FILESTORE 419
- DVR\_DEFAULT\_RECORDER\_ID 419
- DVR\_REPEATER\_PACKETIZER\_ID 419
- DVR\_STREAMING\_PACKETIZER\_ID 419
- DVR\_TIME 447
- DVR\_WINDOW\_DURATION\_UNLIMITED 421
- DvrManifestChunkEntry 372
- DvrManifestCodecEntry 376
- DvrManifestEntry 383
- DvrManifestEntryFactory 386
- DvrManifestEntryRange 387
- DvrManifestEntryRangeGroup 390
- DvrManifestOnMetadataEntry 394
- DvrManifestTimeMapEntry 397
- dvrRecorders 1241
- dvrStart 382
- dvrStop 382
- dvrStreamStorageDeleted 482
- dvrStreamStorageLoaded 482
- dvrStreamStoreCreate 481
- dvrStreamStoreDestroy 481
- dvrStreamStoreInit 481
- dvrToPt 510
- dvrToUtc 510
- E
- elapsedTime 973
- ElapsedTimer 46
- ENCODE 17
- encodeBytes 19, 20, 385
- encodeFileToFile 23
- encodeFromFile 22
- encodeHexString 32
- encodeObject 18, 19
- encodeString 23
- encodeToFile 22
- encodeValue 106
- ENCRYPTION\_TYPE\_CUPERTINO 449
- ENCRYPTION\_TYPE\_MPEGDASH 450
- ENCRYPTION\_TYPE\_PLAYREADY 449
- encryptions 372
- end 103
- endChunk 469, 583
- equals 98
- error 680, 681
- EVT\_ALL 715
- EVT\_announce 707
- EVT\_app\_start 707
- EVT\_app\_stop 707
- EVT\_comment 707
- EVT\_connect 704
- EVT\_connect\_burst 704
- EVT\_connect\_pending 704
- EVT\_create 705
- EVT\_decoderaudiostart 707
- EVT\_decoderaudiostop 707
- EVT\_decodervideostart 707
- EVT\_decodervideostop 708
- EVT\_describe 707
- EVT\_destroy 705
- EVT\_disconnect 704
- EVT\_encoderaudiostart 708
- EVT\_encoderaudiostop 708
- EVT\_encodervideostart 708
- EVT\_encodervideostop 708
- EVT\_pause 705
- EVT\_play 705
- EVT\_publish 705
- EVT\_record 706
- EVT\_recordstop 706
- EVT\_seek 706
- EVT\_server\_start 706
- EVT\_server\_stop 706
- EVT\_setbuffertime 705
- EVT\_setstreamtype 705

EVT\_stop 706  
EVT\_unpause 705  
EVT\_unpublish 705  
EVT\_vhost\_start 706  
EVT\_vhost\_stop 706  
execute 1474  
exists 10, 1092  
existsRTSPTunnelingSession 945  
expandEndTime 402, 464  
expandEnvironmentVariables 100, 101  
expandStartTime 402, 464  
expandToPortPair 944  
extractCodecConfigFromTrackInfo 1019  
extractHTTPRequestInfo 577

F

fastDateFormat 165  
FastPlaySettings 1114  
fatal 681, 682  
FCPublish 902  
FCSubscribe 903  
fcSubscribe 362  
FCUnPublish 902  
FCUnpublish 903  
FCUnSubscribe 904  
FCUnsubscribe 904  
fcUnSubscribe 362  
fcUnSubscribeAll 362  
FD\_ALL 714  
FD\_c\_client\_id 700  
FD\_c\_ip 699  
FD\_c\_proto 699  
FD\_c\_referrer 699  
FD\_c\_user\_agent 699  
FD\_cs\_bytes 700  
FD\_cs\_bytes\_inc 667  
FD\_cs\_stream\_bytes 700  
FD\_cs\_stream\_bytes\_inc 667  
FD\_cs\_uri\_query 701  
FD\_cs\_uri\_stem 701  
FD\_date 698  
FD\_s\_ip 701  
FD\_s\_port 702  
FD\_s\_uri 699  
FD\_sc\_bytes 700  
FD\_sc\_bytes\_inc 667  
FD\_sc\_stream\_bytes 701  
FD\_sc\_stream\_bytes\_inc 667  
FD\_time 698  
FD\_tz 698  
FD\_x\_app 699  
FD\_x\_appinst 699  
FD\_x\_category 698  
FD\_x\_comment 702  
FD\_x\_ctx 698  
FD\_x\_ctx\_override 699  
FD\_x\_duration 701  
FD\_x\_duration\_inc 667  
FD\_x\_event 698  
FD\_x\_file\_ext 702  
FD\_x\_file\_length 700  
FD\_x\_file\_name 701  
FD\_x\_file\_size 700  
FD\_x\_severity 702  
FD\_x\_sname 700  
FD\_x\_sname\_query 701  
FD\_x\_spos 700  
FD\_x\_status 701  
FD\_x\_stream\_id 702  
FD\_x\_suri 702  
FD\_x\_suri\_query 702  
FD\_x\_suri\_stem 702  
FD\_x\_vhost 699  
FIELD1 1334  
FIELD2 1334  
file 632  
FILEEXTENSION 1078  
FILEFORMAT\_FLV 1439  
FILEFORMAT\_MP4 1439  
FILEFORMAT\_UNKNOWN 1439  
filePath 630  
fileToByteArray 49  
FileUtils 48  
fileVersionDelegate 631  
filters 514  
FLAGS\_DEFAULT 742  
floatValue 167  
flush 1082, 1093, 1110, 1182, 1301  
flushBase64 29

FLV\_CHUNKHEADER\_BUFFERSIZE 56  
FLV\_CHUNKHEADER\_FIRSTBYTE 55  
FLV\_CHUNKHEADER\_HEADERSIZE 56  
FLV\_CHUNKHEADER\_ISIZE 55  
FLV\_CHUNKHEADER\_ITIMECODE 55  
FLV\_CHUNKHEADER\_ITYPE 55  
FLV\_CHUNKHEADER\_SECONDBYTE 55  
FLV\_CHUNKHEADER\_VALUESIZE 56  
FLV\_DFRAME 56  
FLV\_KFRAME 56  
FLV\_PFRAME 56  
FLV\_TCINDEXAUDIO 56  
FLV\_TCINDEXDATA 57  
FLV\_TCINDEXVIDEO 57  
FLV\_UFRAME 56  
FLVUtils 57  
forceNewLoggerInstance 686  
forceReset 785  
FORMAT\_COLOR 1340  
FORMAT\_FLASH 1341  
FORMAT\_FLV 609  
FORMAT\_ITALICS 1341  
FORMAT\_ITALICS\_UNDERLINE 1341  
FORMAT\_MP4 609  
FORMAT\_UNKNOWN 609  
formatBytes 42  
formatBytesShort 41  
formatBytesStruct 43  
formatDeleteCookie 73  
formatH264CodecConfig 1397  
formatH264CodecConfigPacket 1397  
formatMilliseconds 44  
formatRTPInfo 1030  
formatSeconds 44  
formatSetCookie 74  
formatUtcTime 44  
FORWARD 8  
frameTypeToString 58  
fS 1071

**G**

generateAuth 87, 88, 89  
generateAuthHTTP 88  
generateHash 90  
generateHashBytes 89, 90  
get 142, 178, 195, 226, 227, 1091, 1418  
getAbsTimecode 209, 219  
getAccess 1111, 1180  
getActiveCount 1474  
getAdapterName 549  
getAddress 1413  
getAddressCount 959  
getAddressRawStr 1413  
getAddressStr 1413  
getAdminAgent 1062  
getAdminGUID 1068  
getAdminInterfaceObjectList 1050, 1067  
getAllAsStrings 307  
getAllowDomains 271  
getAndClearPendingFrameGrabs 1381  
getAndClearPendingOverlays 1385  
getAndSetStartStream 1268  
getAppInstance 235, 339, 497, 552, 568, 783, 885, 979, 1016, 1246, 1255, 1276, 1298  
getAppInstanceName 1020, 1246  
getAppInstanceNames 237  
getAppInstanceProperty 919  
getApplication 257, 339, 672, 885, 1444  
getApplicationFolderNames 1455  
getApplicationInstance 817, 1268  
getApplicationInstanceTouchTimeout 290  
getApplicationLock 1452  
getApplicationNames 1454  
getApplicationPath 235  
getApplicationProperty 918  
getApplicationTimeout 268, 1450  
getAppName 1020, 1246  
getArchiveStrategy 370, 488, 505  
getArtifactsTextRepresentation 374, 395  
getAudioCodec 59, 67, 376  
getAudioCodecConfigPacket 1181  
getAudioCodecId 847  
getAudioHost 950  
getAudioMissing 1165  
getAudioMP3Layer 66  
getAudioPacketizerItem 941, 989  
getAudioPort 949  
getAudioSize 1150  
getAudioTC 1153

getAudioTrack 1013  
getAuthenticatePlayHandler 978  
getAuthenticatePublishHandler 978  
getAuthenticationList 1456  
getAuthenticationMethod 516, 522  
getAutoAllocateInterleavePorts 1031  
getAVSyncMethod 1023  
getBaseClass 800, 1468  
getBaseFilePath 620, 634  
getBasePath 10  
getBitrateAudio 846  
getBitrateTotal 846  
getBitrateVideo 846  
getBodySize 726, 747, 750, 752, 755, 757, 763, 769, 771, 776  
getBoolean 144, 180, 196, 197, 229, 231  
getBuffer 543  
getBufferSize 758  
getBufferTime 349, 1150  
getBurstStartStop 1177  
getByte 143, 180, 196, 197, 229, 230  
getByteAllocation 75  
getByteContainerLevel 210  
getCacheName 1175  
getCallbackParamCount 881  
getChecksum 1118  
getChunkCounter 212  
getChunker 498  
getChunkGroupDuration 403  
getChunkIndex 397  
getChunks 207  
getClassName 199, 202  
getClient 260, 312, 319, 1156, 1443  
getClientById 259  
getClientCount 259, 1446  
getClientCountTotal 259  
getClientID 899  
getClientId 338, 1156  
getClientIdGenerator 1051, 1068  
getClientIdGeneratorRecycleDelaySize 1070  
getClientIdGeneratorRecycleSize 1070  
getClientIdGeneratorTimeout 1070  
getClientIdleFrequency 271, 1452  
getClientProperty 919  
getClients 260, 1080, 1105  
getClientsLockObj 279  
getClientTimeout 1443  
getClientUpdates 1108  
getClosestStartTime 401, 463, 503  
getCodecEntryForTime 458  
getCodecId 847  
getCommandInterface 1066  
getCommandInterfaceCommandHandler 1053, 1070  
getCommandInterfaceHostPort 1049, 1066  
getCommittedVirtualMemory 1069  
getCommonInitialTextRepString 385  
getConfigDir 1476  
getConfigPath 235  
getConfiguration 1414  
getConnectionCounter 236, 264, 1048, 1065, 1448  
getConnectionHolder 567, 981  
getConnectionLimit 1449, 1477  
getConnectionTimeout 800  
getConnectionValidator 1065  
getConnectLastAttempt 787  
getConnectLastForceReset 787  
getConnectLastSuccess 787  
getConnectTime 347  
getContentDescriptors 764  
getContentLength 525  
getContentType 526, 763  
getContextStr 288, 485, 497, 1186, 1277  
getCookieStr 572, 988  
getCoreHandlerPoolSize 1050, 1067, 1445  
getCoreTransportPoolSize 1050, 1067, 1444  
getCount 1245  
getCpuTime 101  
getCryptoPoolActiveCount 1069  
getCryptoPoolMaxSize 1069  
getCurrent 326  
getCurrentDuration 620, 634  
getCurrentFile 620, 635  
getCurrentHeapSize 1069  
getCurrentItem 1315  
getCurrentSize 619, 634  
getCurrentTime 473  
getData 221, 394, 750, 753, 1096  
getDataBuffer 220  
getDataMissing 1165  
getDataSize 1151  
getDataTC 1154

getDataType 1155  
getDate 46, 144, 180, 196, 197, 229, 231  
getDateStarted 237, 264, 348, 1048, 1065, 1448  
getDateString 47  
getDefaultStreamingStore 487  
getDePacketizerList 944  
getDePacketizerName 945  
getDescription 727, 747, 750, 800, 1470  
getDirection 1115  
getDirecton 9  
getDouble 144, 179, 196, 197, 228, 230  
getDuration 384, 1016, 1131, 1228, 1307, 1309  
getDvrApplicationContext 297  
getDvrArtifact 373, 394  
getDvrChunkAtTime 502  
getDvrChunkByIndex 502  
getDvrChunkNearTime 503  
getDvrFileSystemClass 487  
getDvrManager 497, 1256  
getDvrPlaylistRequest 471  
getDvrProperties 297  
getDvrRecorder 1183, 1187, 1249  
getDvrRecorderId 1256  
getDvrRecorderList 297, 1183, 1461  
getDvrRecorders 1250  
getDvrRepeater 1187  
getDvrSessionInfo 577  
getDvrStorageDir 487  
getDvrStorageWindowSeconds 487, 496  
getDvrStoreList 1461  
getDvrTime 462  
getDynamicLogProperties 1051, 1068, 1457  
getElapsedTime 361, 576, 990, 1184  
getEmbeddedFlag 758  
getEncInfo 1135  
getEncMethod 1231  
getEncoding 672  
getEncryptionDelegate 488  
getEncryptionRepeaterSharedSecret 488  
getEncryptions 373  
getEncryptionsTextRepresentation 374  
getEncryptionType 450  
getEndIndex 388  
getEntriesToPurge 458  
getEventHandler 1407  
getEventStr 1407  
getExecutor 1474  
getExt 1178  
getExtent 1117  
getFastPlaySettings 346, 1169  
getField 1406  
getFileExtension 1297  
getFileInBytes 83  
getFileInBytesRate 85  
getFileInfo 574  
getFileIOPoolSize 1445  
getFilename 622, 656  
getFileOutBytes 84  
getFileOutBytesRate 85  
getFilePath 616, 635  
getFilePointer 9  
getFileSystem 498  
getFileTemplate 656  
getFileVersionDelegate 619, 635  
getFirstByte 221  
getFirstEntry 402, 460  
getFirstIndex 402  
getFirstRendition 852  
getFirstSegment 839  
getFlags 744, 776  
getFlashVer 339  
getFloat 144, 179, 196, 197, 228, 231  
getFps 1114  
getFrameCount 1389  
getFrameIdentifier 750  
getFrameMapIds 720  
getFrames 720  
getFrameType 59  
getGlobalLogValue 688  
getGUID 1068  
getHandler 956  
getHandlerThreadPool 1051, 1067, 1446  
getHeader 524, 531  
getHeaderBytes 528  
getHeaderMap 524  
getHeaderNames 525  
getHeaders 531  
getHeaderSize 532, 1180  
getHeight 848  
getHighestVersionedStore 486

getHomePath 1444  
getHost 949, 1015  
getHostPortsList 1446  
getHostType 951  
getHTTPHeader 577  
getHTTPHeaderMap 577  
getHTTPHeaderNames 578  
getHTTPIntHeader 577  
getHTTPOriginMode 554  
getHttpProviders 1415  
getHTTPStreamerAdapter 567, 1459  
getHTTPStreamerAdapterIDs 1415, 1459  
getHTTPStreamerApplicationContext 286  
getHTTPStreamerContext 1455  
getHTTPStreamerItem 548  
getHTTPStreamerList 281, 1459  
getHTTPStreamerProperties 280  
getHTTPStreamerSession 1123, 1184  
getHTTPStreamerSessionCount 284, 285  
getHTTPStreamerSessionCountsByName 284  
getHTTPStreamerSessions 284, 285  
getID 550  
getId 207  
getIdleCheckFrequency 1453  
getIdleFrequency 352, 549, 986  
getIdleHandler 982  
getIdleMinimumWaitTime 1456  
getIdleTimeout 784  
getIdleWorkerCount 1453  
getIdleWorkers 1456  
getIdStr 743, 775  
getIdString 801  
getIndex 384, 537, 589, 595, 600, 1290  
getIndexLive 589, 595  
getIndexMap 400  
getInIpAddress 955  
getInitialRepeaterItems 493  
getInnerObj 202  
getInPort 956  
getInputStream 527  
getInstance 687, 1062, 1483  
getInt 143, 179, 196, 197, 227, 230  
getIntData 154  
getIntHeader 525, 532  
getIoPerformanceCounter 266, 574, 988  
getIoPerformanceCounter 237, 1047, 1048, 1064, 1065, 1448  
getIOScheduler 1448  
getIoSession 991  
getIp 346, 979  
getIpAddress 569  
getItems 1286  
getJmxRemoteConfig 1067  
getKeepAliveTime 801  
getKeepAliveTimeout 1453  
getKey 195, 226  
getKeys 195, 226  
getLanguage 763  
getLastAccessed 1118  
getLastAudioTimecode 1301  
getLastAuthenticateMethod 978  
getLastClientId 1098  
getLastConnectAcceptedStamp 327  
getLastConnectAcceptedStampString 327  
getLastConnectAcceptedTime 327  
getLastConnectAcceptedTimeString 327  
getLastConnectRejectedByReasonStamp 328  
getLastConnectRejectedByReasonStampString 328  
getLastConnectRejectedByReasonTime 328  
getLastConnectRejectedByReasonTimeString 328  
getLastConnectRejectedStamp 327  
getLastConnectRejectedStampString 327  
getLastConnectRejectedTime 327  
getLastConnectRejectedTimeString 328  
getLastDataTimecode 1302  
getLastDisconnectStamp 329  
getLastDisconnectStampString 329  
getLastDisconnectTime 329  
getLastDisconnectTimeString 329  
getLastKeyFrame 1166  
getLastLiveEntry 402, 460  
getLastOperation 1098  
getLastPacket 1167  
getLastPacketsByType 1027  
getLastPurgeTime 473  
getLastRecordedEntry 402, 457  
getLastRecordedIndex 399, 462  
getLastRequest 581  
getLastRun 1407  
getLastStreamId 897  
getLastTC 66

getLastTouchTime 290  
getLastValidateTime 357  
getLastVideoTimecode 1301  
getLength 1132, 1290  
getLicenseCounter 1070  
getLicenseHolder 1259, 1276  
getLicenseTracker 1071  
getLicenseValidator 1065  
getLiveDuration 401, 462  
getLiveEntries 401, 460  
getLiveEntriesWithLimit 401, 461  
getLivePlaylist 601  
getLiveRangeEndingBeforeTime 402  
getLiveRepeaterCapabilities 361  
getLiveStreamDvrRecorderControl 297  
getLiveStreamingPacketizer 568  
getLiveStreamPacketizer 811, 900, 1183, 1184, 1248  
getLiveStreamPacketizerControl 287  
getLiveStreamPacketizerId 1266  
getLiveStreamPacketizerList 281, 360, 1182, 1459  
getLiveStreamPacketizerLock 1248  
getLiveStreamPacketizerProperties 279  
getLiveStreamRepeater 812, 1185  
getLiveStreamTranscoder 1188  
getLiveStreamTranscoderControl 296  
getLiveStreamTranscoderItem 1276  
getLiveStreamTranscoderList 296, 361, 1183, 1460  
getLiveStreamTranscoders 1188  
getLiveTailEntries 401  
getLiveThreads 1069  
getLocale 528  
getLocalListeners 637  
getLock 565, 719, 808, 817, 840, 845, 853, 943, 1314  
getLockCount 810, 824  
getLogger 677, 688, 887  
getLoggerObj 686, 688  
getLong 143, 179, 196, 197, 228, 230  
getMACAddress 101  
getManifest 497  
getManifestChannel 463  
getManifestRepresentation 373, 376, 384, 395, 397  
getMapIdStr 726, 744, 775  
getMaxHeapSize 1069  
getMaximumPendingReadBytes 270, 1451  
getMaximumPendingWriteBytes 269, 360, 1451  
getMaximumSetBufferTime 270, 360, 1451  
getMaxRTCPWaitTime 1023  
getMaxStorageDirDepth 280  
getMaxTimecode 1166, 1301  
getMediaCaster 809, 818, 1199  
getMediaCasterCount 817  
getMediaCasterDef 783, 804  
getMediaCasterDefs 803  
getMediaCasterHostPortConfig 805  
getMediaCasterId 783, 809  
getMediaCasterList 1454  
getMediaCasterNames 803, 817  
getMediaCasterProcessorCount 806  
getMediaCasterProperties 279  
getMediacasterRTPRTSPRTPTransportMode 300  
getMediaCasterSettings 1454  
getMediaCasterStreamItem 785  
getMediaCasterStreams 267  
getMediaCasterType 788, 1015  
getMediaCasterValidator 289  
getMediaExtension 10, 1123, 1132  
getMediaIOPerformance 1170  
getMediaIOPerformanceCounter 339  
getMediaList 853, 1123  
getMediaListProvider 299  
getMediaListSegment 845  
getMediaName 10  
getMediaReader 1032  
getMediaReaderContentType 299, 1461  
getMediaReaderProperties 279  
getMediaReaders 1449  
getMediaWriterProperties 279  
getMediaWriters 1449  
getMember 202  
getMemberCount 201  
getMembers 201  
getMessagesInBytes 83  
getMessagesInBytesRate 84  
getMessagesInCount 83  
getMessagesInCountRate 84  
getMessagesLossBytes 84  
getMessagesLossBytesRate 85  
getMessagesLossCount 83  
getMessagesLossCountRate 84  
getMessagesOutBytes 83

getMessagesOutBytesRate 85  
getMessagesOutCount 83  
getMessagesOutCountRate 84  
getMetadata 1129  
getMetadataEntryForTime 458  
getMetadataPacket 933, 1019  
getMetaDataProvider 1180  
getMethod 525  
getMimeType 727  
getMinimumAvailableChunks 486  
getMissing 217  
getMode 1028  
getModFunctions 267  
getModuleInstance 268  
getModuleList 268  
getMp3TagMap 1449  
getMPEGTSAudioBitrate 1038  
getMPEGTSAudioLanguage 1024  
getMPEGTSAudioPID 1025  
getMPEGTSProgramID 1024  
getMPEGTSVideoBitrate 1038  
getMPEGTSVideoPID 1025  
getMsgBytes 529  
getMultiplier 1114  
getName 235, 257, 799, 840, 847, 952, 1084, 1097, 1109, 1152, 1288, 1290, 1317, 1446, 1468, 1476  
getNameGroupByGroupName 1249  
getNameGroups 1249  
getNameGroupStreamNames 1249  
getNetConnection 790, 1156  
getNetConnectionHostPortConfig 1454  
getNetConnectionIdleFrequency 1452  
getNetConnectionProcessorCount 1447  
getNextChunkIndex 462  
getNextCodecIndex 463  
getNextMetadataIndex 463  
getNextNameGroupId 1249  
getNextNetConnectionId 1443  
getNextRun 1407  
getNextSessionId 994  
getNextStreamIndex 1244, 1245  
getNextTimeMapIndex 463  
getNodeByTagName 109  
getNodeValue 110  
getNodeValueByTagName 109  
getNormalizedNTPTimecode 1029  
getNumberLiveEntries 401, 459  
getNumberRecordedEntries 401, 459  
getObject 144, 156, 180, 196, 197, 229, 231  
getObjectEncoding 155, 159, 211, 359  
getObjectNames 1091  
getObjectReference 160  
getOffset 543  
getOffsetToNextTag 758  
getOnMetadataData 69  
getOrCreate 1091  
getOutHost 1027  
getOutIpAddress 956  
getOutPort 956  
getOutputStream 530  
getOverlayImages 1383  
getOwnerIdIdentifier 752  
getPacketizerName 486  
getPacketStartTime 383  
getPacketType 544  
getPageUrl 351, 903  
getParam 881  
getParamBoolean 884, 885  
getParamCount 881  
getParamDate 883  
getParamDouble 883, 884  
getParameter 526  
getParameterMap 527  
getParameterNames 526  
getParameterValues 527  
getParamInt 883  
getParamLong 884  
getParamMixedArray 882  
getParamObj 882  
getParamString 882  
getParamType 881  
getParamValue 107  
getParent 1087, 1111, 1214  
getPassword 318  
getPath 11, 515, 528, 1122, 1132  
getPeakThreads 1069  
getPictureData 727  
getPictureType 727  
getPingRoundTripTime 348  
getPingTimeout 269, 357, 1450



getPlayClass 1469  
getPlayDuration 578, 848  
getPlayer 1165  
getPlayerCount 810, 824  
getPlaylist 1315  
getPlaylistAlignment 471  
getPlayPackets 643, 647, 652, 1166  
getPlayReadyDecryptorKey 1231  
getPlayStart 578, 848  
getPlayStreamCount 267  
getPlayStreamCountsByName 267  
getPlayStreams 340  
getPlayStreamsByName 267  
getPollingInterval 1318  
getPort 673, 1413  
getProcessorCount 1414  
getProperties 236, 258, 341, 496, 548, 552, 576, 800, 840, 846, 853, 980, 1051, 1068, 1166, 1256, 1265, 1276, 1444, 1469, 1477  
getProperty 306, 799, 1083, 1106, 1442, 1469  
getPropertyBoolean 306  
getPropertyDouble 307  
getPropertyInt 307  
getPropertyLong 307  
getPropertyStr 306  
getProtocol 352, 527  
getProtocolUsage 239, 300, 1071, 1462  
getProtocolUsageTracker 1071  
getPublishAudioCodecId 1185  
getPublisher 1318  
getPublisherCount 283  
getPublishers 283  
getPublishStreamNames 288, 1242  
getPublishStreams 340  
getPublishVideoCodecId 1185  
getPurgeController 498  
getQueryStr 350, 571, 983, 1178  
getQueryString 525  
getQueueSize 1474  
getRange 388  
getReceiveVideoFPS 1170  
getReconnectWaitTime 787  
getRecordedDuration 400, 462  
getRecordedEntries 399, 400, 456, 461  
getRecordedEntriesInRange 400, 457  
getRecordedEntriesMap 457  
getRecordedEntriesWithLimit 400, 461, 502  
getRecordedEntryByIndex 400, 457, 502  
getRecordedEntryByTime 502  
getRecordedEntryByTimeKey 400, 457  
getRecordedEntryStartingBeforeTime 400  
getRecordingName 1259  
getRecordingStreamStore 487  
getRedirectSessionBody 580  
getRedirectSessionCode 579, 991  
getRedirectSessionContentType 581  
getRedirectSessionMessage 991  
getRedirectSessionURL 580, 991  
getRefCount 1081, 1105  
getReference 130  
getReferrer 351, 571, 903, 983  
getRemoteAddr 528  
getRemoteHost 528, 672  
getRendition 852  
getRenditions 852  
getRepeat 1287, 1317  
getRepeaterItemsDvr 493  
getRepeaterLastSequence 1266  
getRepeaterMediaCasterDef 553  
getRepeaterOriginUrl 270, 357, 902  
getRepeaterQueryString 271  
getRequestFilters 515, 522  
getRequestURI 525  
getRequestURL 526  
getRespAMFAudioObj 350, 1177  
getRespAMFDataObj 350, 1177  
getRespAMFVideoObj 350, 1177  
getRespFunctions 347  
getResponseAMFObj 350  
getRsoStorageDir 273  
getRsoStoragePath 273  
getRTPAVSyncMethod 276  
getRTPContext 1010, 1455  
getRTPDatagramConfigIncoming 1455  
getRTPDatagramConfigOutgoing 1455  
getRTPDestination 1036  
getRTPIdleFrequency 272, 1452  
getRTPInfo 1029  
getRTPMaxRTCPWaitTime 277  
getRTPPlayAuthenticationMethod 276  
getRTPProperties 279

getRTTPublishAuthenticationMethod 276  
getRTPSession 311, 319, 961  
getRTPSessionCount 278  
getRTPSessionCountsByName 278  
getRTPSessions 277  
getRTPStream 359, 1181  
getRTPStreamContext 1039  
getRTPWriteListener 981  
getRTSPBindIpAddress 292, 1033  
getRTSPConnectionAddressType 293, 1033  
getRTSPConnectionIpAddress 292, 1033  
getRTSPMaximumPendingWriteBytes 290, 1032  
getRTSPOriginAddressType 293, 1034  
getRTSPOriginIpAddress 293, 1034  
getRTSPPlayRangeStart 987  
getRTSPPlayRangeStop 987  
getRTSPSessionDescription 1030  
getRTSPSessionExtraLines 1036  
getRTSPSessionName 1030  
getRTSPSessionTimeout 290, 1032  
getRTSPStream 976  
getRTSPTunnelingLock 945  
getRTSPTunnelingSession 945  
getRTSPTunnelingSessionId 987  
getSample 544  
getScheme 527  
getSDPData 960  
getSDPLang 1037  
getSecondByte 221  
getSegment 839, 840  
getSegmentDuration 619, 634  
getSegmentNumber 620, 634  
getSegmentSchedule 620, 634  
getSegmentSize 619, 634  
getSeq 220  
getSerializeSize 450  
getServerGUID 1068  
getServerHostPort 352  
getServerIp 569, 982  
getServerName 527  
getServerPort 528, 570, 982  
getSession 994, 1013  
getSessionDescriptionData 827  
getSessionGUID 1068  
getSessionId 564, 975  
getSessionIds 994  
getSessionProtocol 550, 569  
getSessions 942  
getSessionTimeout 566  
getSessionTracker 606  
getSessionType 568  
getSharedObjectReadAccess 275, 353  
getSharedObjects 260  
getSharedObjectWriteAccess 275, 353  
getShort 143, 179, 196, 197, 228, 230  
getSize 207, 217, 544, 720, 744, 776, 848  
getSlot 1080, 1104  
getSlotNames 1080, 1104  
getSlots 1086, 1104  
getSlotVersion 1097  
getSoVersion 1097  
getSplitType 619, 633  
getSrc 208, 218, 1151  
getSSLConfig 1415  
getSslFactoryClass 1413  
getStart 1290  
getStartIndex 388  
getStartLiveOnPreviousBufferTime 1320  
getStartOnPreviousBufferTime 1307  
getStartTC 1115  
getStartTCOffset 1115  
getStartTime 620, 635  
getStartTimecode 383  
getStartupStreams 1460  
getStopTimecode 383  
getStorageDir 1085, 1093, 1110  
getStream 565, 783, 887, 1013, 1242, 1243, 1255, 1297  
getStreamArray 813  
getStreamAttributes 1024  
getStreamAudioSampleAccess 274, 354  
getStreamBaseName 486  
getStreamBitrate 901, 1399  
getStreamClientless 1242  
getStreamCount 267  
getStreamDef 1472  
getStreamDefs 1471  
getStreamExt 573, 811, 1020  
getStreamFile 348, 349  
getStreamFileForRead 1176  
getStreamFileForWrite 1176

getStreamFileMapper 280  
getStreamId 1013  
getStreamInfo 1014, 1024  
getStreamIsRunningLock 787  
getStreamKeyDir 272  
getStreamKeyPath 273  
getStreamLastSeq 786  
getStreamLength 901, 1399  
getStreamList 814  
getStreamListLock 1241  
getStreamLock 1011  
getStreamManager 817  
getStreamMissingTime 785  
getStreamName 497, 572, 620, 635, 1020, 1275  
getStreamNameAliasProvider 283  
getStreamNameLock 1242  
getStreamNameLogging 1021  
getStreamNameParts 573  
getStreamNames 824  
getStreamPacketizerItem 942, 989  
getStreamPort 950  
getStreamPosition 574, 1132  
getStreamProperties 279  
getStreamProperty 920  
getStreamQueryStr 1026  
getStreamReadAccess 274, 355  
getStreams 258, 1157, 1242  
getStreamSessionId 1021  
getStreamSessionIp 1022  
getStreamSessionVersion 1021  
getStreamStorageDir 272  
getStreamStoragePath 273  
getStreamStore 486  
getStreamStores 486  
getStreamTimeout 785  
getStreamTimeoutLastReset 786  
getStreamTimeoutLastTime 786  
getStreamTimeoutReason 786  
getStreamTrack 1014  
getStreamType 258, 341, 798, 900, 1019, 1167, 1297  
getStreamTypeNames 1472  
getStreamTypes 1442  
getStreamTypeStr 553  
getStreamVersionHandler 488  
getStreamVideoSampleAccess 273, 354  
getStreamWriteAccess 275, 356  
getString 143, 156, 178, 195, 196, 227, 229  
getStringReference 160  
getSystemTime 102  
getTarget 1406  
getTargetEncoding 159  
getTextEncoding 726, 747, 763, 769, 772  
getThreadPool 1050, 1067, 1446  
getTime 47  
getTimecode 208, 219, 765, 926  
getTimedTextProperties 282  
getTimedTextProviderConfig 1460  
getTimeMap 465, 509  
getTimeMapEntries 509  
getTimeMapper 497  
getTimeMapping 397  
getTimeOffsetBetweenItems 1320  
getTimeRunning 237, 265, 348, 576, 990, 1048, 1065, 1449  
getTimeRunningSeconds 237, 265, 348, 576, 990, 1048, 1066, 1449  
getTimeSeconds 47  
getTimeStampFormat 763  
getTimeString 47  
getTotal 329  
getTotalAccepted 329  
getTotalIOPerformanceCounter 339  
getTotalRejected 330  
getTrack 955, 1012  
getTrackId 1012  
getTrackNames 1013  
getTrait 156, 199  
getTraitReference 160  
getTranscoderApplicationContext 297  
getTranscoderName 1275  
getTranscoderProperties 280  
getTransportMode 1029  
getTransportThreadPool 1050, 1067, 1446  
getITL 951, 958  
getType 128, 178, 208, 218, 384, 388, 399, 847, 927  
getTypeAsString 845  
getUDPMangedDeliveryCount 1037  
getUDPMangedDeliveryDelay 1037  
getUDPPortManager 1052, 1069  
getUDPPortSharingManager 1052, 1069  
getUDPTransport 955, 1023

getUDPTransportManager 943, 1459  
getUniqueId 809  
getUniqueStreamIdStr 1184  
getUnsignedShort 38  
getUri 351, 570, 983  
getURL 750, 771  
getUserAgent 570, 977  
getUserAgents 1049, 1066  
getUserHTTPHeaders 579  
getUserQueryStr 576  
getUserTime 102  
getUtcStartTime 383  
getValidationFrequency 269, 1450  
getValue 133, 145, 150, 168, 182, 198, 747, 766, 769  
getVersion 899, 1047, 1063, 1082, 1106  
getVHost 236, 258, 311, 319, 344, 549, 553, 564, 782, 886, 943, 977, 995, 1014, 1246  
getVHostItems 1481  
getVHostList 1051, 1068  
getVHostMap 1480  
getVHostNames 1481, 1484  
getVideoCodec 59, 67, 376  
getVideoCodecConfigPacket 1181  
getVideoCodecId 846  
getVideoFrameType 67  
getVideoHost 950  
getVideoMissing 1165  
getVideoPacketizerItem 942, 989  
getVideoPort 949  
getVideoSize 1151  
getVideoTC 1154  
getVideoTimecodeOffset 67  
getVideoTrack 1014  
getVODLastTimeTC 1035  
getVODPlayLen 1035  
getVODStartTimeTC 1034  
getVODTimedTextProviderList 282  
getVODTimedTextProviderSet 282  
getWidth 848  
getWowzSession 363  
getWriteListener 356  
getWriteLock 619, 636  
getXMLPropertyBool 112  
getXMLPropertyDouble 112  
getXMLPropertyExists 111

getXMLPropertyInt 111  
getXMLPropertyIntSize 111  
getXMLPropertyLong 111  
getXMLPropertyLongSize 112  
getXMLPropertyStr 110  
gmtTimeZone 100  
grabFrame 1381  
GZIP 18

## H

handleArchivedStream 370, 505  
handleCallback 1171  
handleMessage 932, 958  
handleOnMetadata 1274  
handlePacket 1255, 1266, 1274  
hasAudio 464, 499  
hasCodecData 464  
hasData 464, 499  
hasEncryption 499  
hasOnMetadata 464, 499  
hasTimeMapData 465  
hasVideo 464, 499  
HEADERSIZE 734  
height 844  
hexadecimal 32  
HOSTNAME\_KEY 660  
HostPort 1412  
HostPortList 1417  
HOUR 1405  
HTMLEncode 610  
HTTPLiveStreamRecord 609  
HTTPORIGINMODE\_AUTO 552  
HTTPORIGINMODE\_OFF 552  
HTTPORIGINMODE\_ON 552  
HTTPRequestToByteArray 71, 72  
HTTPRequestToFile 71  
HTTPProvider2Base 514  
HTTPStreamerSessionCupertino 536  
HTTPStreamerSessionMPEGDash 588  
HTTPStreamerSessionSanJose 594  
HTTPStreamerSessionSmoothStreamer 600  
HTTPStreamerSessionWebM 606  
HTTPUtils 71

## I

ID3FOOTER\_SIZE 718

ID3Frames 719

ID3HEADER\_SIZE 718

ID3HEADER\_VERSION 718

ID3HEADERFLAGS\_DEFAULT 718

ID3HEADERFLAGS\_EXPERIMENTAL 719

ID3HEADERFLAGS\_EXTENDED 719

ID3HEADERFLAGS\_FOOTERPRESENT 719

ID3HEADERFLAGS\_UNSYNC 719

ID3V2FrameAttachedPicture 726

ID3V2FrameBase 742

ID3V2FrameComment 746

ID3V2FrameLinkedInformation 749

ID3V2FramePrivate 752

ID3V2FrameRawBytes 755

ID3V2FrameRecommendedBufferSize 757

ID3V2FrameSynchronizedText 762

ID3V2FrameSynchronizedTextDescriptor 765

ID3V2FrameTextInformation 768

ID3V2FrameURLLink 771

ID3V2Utils 773

idle 1027, 1156

idleFrequency 974

idleHandler 973

idStringToName 801

importManifest 463

incAbsTimecode 210

incByteContainerLevel 210

incClientCountTotal 259

incrementAccept 325

incrementBytesIn 80

incrementBytesLoss 82

incrementBytesOut 82

incrementFileIn 80

incrementFileOut 81

incrementMediaInBytes 1012, 1171

incrementMediaLossBytes 1171

incrementMediaOutBytes 1170

incrementMessagesIn 80, 81

incrementMessagesLoss 81, 82, 83

incrementMessagesOut 81, 82

incrementReject 325

incSlotVersion 1097

index 382

indexOf 39

indexOfDifferent 39

info 679, 680

init 8, 313, 314, 404, 406, 472, 477, 496, 507, 508, 515, 522, 549, 552, 610, 616, 633, 782, 809, 827, 941, 1096, 1121, 1128, 1149, 1210, 1235, 1254, 1265, 1274, 1442, 1474, 1483

initContextLogging 687

initialize 456

initializeLogging 687

initialManifest 493

initialManifestEnd 493

initLiveStreamRepeating 900, 1185, 1214

initProperties 1016

initStream 897

InputStream 25

interleavePackets 62, 63

interruptPlay 1213

intToByteArray 36, 37

intToByteArraySafeSync 774

intToHexStr 96

intToStr 96

intValue 167

invoke 1041

invokePrevious 887, 888

IOPerformanceCounter 79

ioPerformanceCounter 972

ioSession 975

ip 971

isAcceptConnection 259, 342

isAcceptSession 572

isAcceptWOWZConnections 1053, 1071

isActive 565, 672, 1256, 1265

isAddressMulticast 93

isAMF0 155, 160

isAMF3 155, 160

isAMF3Start 129

isAnnounce 972, 980

isAnnounceOrDescribe 981

isAppend 1164

isAppendFile 618, 636

isAppInstanceLoaded 235

isApplicationLoaded 1444

isArrayStart 129

isAudio 220

isAudioCodecConfig 66  
isAVSyncNonSR 1023  
isBlockUDPOut 959, 1038  
isByteArrayStart 130  
isByteContainerEmpty 210  
isByteContainerFull 210  
isCheckIpAddr 1022  
isCheckSSRC 1022  
isClient 1080, 1105  
isClustered 1175  
isConnected 341, 973, 981  
isDebugAppTimeout 300  
isDebugEnabled 678  
isDebugLog 85  
isDebugOn 1407  
isDebugRTSPSession 986  
isDescribe 972, 980  
isDynamic 202  
isDynamicLogContextLoaded 1051, 1068  
isEmpty 96, 389, 391, 399, 719  
isEnabledFor 678  
isEncoderInUse 1389  
isEncrypted 352  
isErrorEnabled 677  
isExpired 1408  
isFileInfo 574  
isFirstABSTRequest 596  
isFlashMediaLiveEncoder 358  
isFlashVersion10 358  
isFlashVersion90115 358  
isFlashVersionH264Capable 358  
isForceAMF0 927  
isForceMPEGTSOut 1038  
isForceRTSPInterleaved 1029  
isGlobalLogValueSet 688  
isHitEnd 1119  
isHTTPOrigin 581  
isHTTPOriginOn 554  
isInfoEnabled 678  
isInitiateWOWZConnections 1053, 1072  
isInMulticast 958  
isInRange 389, 391  
isIntData 154  
isLastSentAbsTimecode 211  
isLive 501, 1031  
isLiveRepeater 357  
isLiveStreamPacketize 1271  
isLiveStreamTranscode 1278  
isLoaded 498  
isLoggedConnect 979  
isLongTimecode 211  
isMatch 1406  
isMediaCasterPlay 1186  
isMember 201  
isMergeOnMetadata 1186  
isMixedArrayStart 130  
isModePlay 1026  
isModePublish 1026  
isModeUnknown 1026  
isMoveFirstVideoFrameToZero 619, 636  
isMoveToNextIfLiveStreamMissing 1320  
isMPEGTSOut 1031  
isMulticast 948, 958  
isNew 209  
ISO8601\_FORMAT 662  
ISO8601\_PATTERN 662  
isObjectEncodingAMF0 211, 359  
isObjectEncodingAMF3 211, 358  
isObjEnd 130  
isObjStart 129  
isOnMetadataPacket 68  
isOpen 9, 1122, 1129, 1168  
isOutMulticast 958  
isOverlayAvailable 1384  
isPacketizeAudio 584, 1267  
isPacketizeData 584, 1268  
isPacketizeVideo 584, 1267  
isPaused 1016  
isPending 930  
isPersistent 1081, 1092, 1105  
isPlay 1155  
isPlaying 1150  
isPlaylistReady 470, 471  
isPlayLogged 567  
isPublishDataEvents 1302  
isPublishStreamReady 1015, 1186  
isPurgingEnabled 472  
isReceiveAudio 1169  
isReceiveVideo 1170  
isRecord 1155

isRecordData 618, 635  
isRecording 489, 501, 1258  
isRecordingPaused 489, 501, 1258  
isRecordOnMetaData 652  
isRedirectSession 579, 990  
isRepeaterEdge 1267  
isResetPlayStream 1017  
isResyncAudioVideoOnSR 1018  
isRTPIgnoreProfileLevelId 1037  
isRTPIgnoreSPropParameterSets 1038  
isRTPIncomingDatagramPortValid 286  
isRTPWrapped 951  
isRTSP 1025  
isRTSPAlwaysUseSDPPorts 1036  
isRTSPPull 1026  
isRunning 1389  
isSecure 352, 528  
isSendOnMetadata 1284, 1304, 1319  
isSendPlayStopLogEvent 1179  
isSendPublishStopLogEvent 1180  
isSendRecordStopLogEvent 1179  
isSendResult 885  
isSendSDESEvents 1030  
isSession 786  
isSessionValid 971, 978  
isShutdownClient 988  
isShutdownOnRelease 811  
isShuttingDown 1456  
isSSL 352  
isStartLiveOnPreviousKeyFrame 1319  
isStartOnKeyFrame 616, 635  
isStartOnPreviousKeyFrame 1307  
isStartStartupStreams 1460  
isStopIfStreamMissing 1307  
isStream 786, 949  
isStreamDomainProtectionActive 553  
isStreamIsRunning 787  
isStreamStarted 1035  
isSuspended 1052, 1064, 1415, 1457  
isSwitchLog 1318  
isTemplateLoaded 1277  
isTimeout 564, 1033  
isTimeoutSession 566  
isTimesInMilliseconds 1319  
isTraceEnabled 678

isTranscoderActive 1277  
isTranscodeResult 1188  
isValid 809, 1136  
isValidated 566  
isValidateFMILEConnections 294, 362  
isValidAudioCodec 584  
isValidStreamDomainStr 575  
isValidVideoCodec 584  
isVersionFile 618, 636, 1227  
isVHostRunning 1063  
isVideo 220  
isVideoCodecConfig 66  
isVideoH264SEIListenerEmpty 1189  
isVideoKeyFrame 66, 68  
isVisited 1477  
isWaitForVideoKeyFrame 1227  
isWarnEnabled 677  
isWowzaAudioOnly 847

## J

JNDI\_CONTEXT\_NAME 661

## K

KEYDATA\_MODE\_ENCRYPT 862  
KEYDATA\_MODE\_INIT 861  
KEYDATA\_MODE\_PLAYLIST 862  
killClient 1443  
killRTSPSession 1444

## L

LANG\_ASCII 1338  
LANG\_ASCII\_DBL 1338  
LANG\_GB231280 1339  
LANG\_KSC56011987 1339  
LANG\_PRIV1 1338  
LANG\_PRIV2 1338  
LANG\_REG1 1339  
LANGUAGE\_ID\_ENGLISH 1359  
LANGUAGE\_LOCALE 1359  
lastAuthenticateMethod 971  
lastModified 10  
len 213

- length 11, 96, 1178, 1213
- LICENSECOUNTER\_DRM\_BUYDRM\_LIVE 1433
- LICENSECOUNTER\_DRM\_BUYDRM\_VOD 1433
- LICENSECOUNTER\_DRM\_EZDRM\_LIVE 1432
- LICENSECOUNTER\_DRM\_EZDRM\_VOD 1433
- LICENSECOUNTER\_DRM\_VERIMATRIX\_LIVE 1433
- LICENSECOUNTER\_DRM\_VERIMATRIX\_VOD 1433
- LICENSECOUNTER\_NDVR 1432
- LICENSECOUNTER\_PUBLISHER 1432
- LICENSECOUNTER\_PUBLISHERTRANSCODER 1433
- LICENSECOUNTER\_TOTAL 1434
- LICENSECOUNTER\_TRANSCODE\_DECODE 1432
- LICENSECOUNTER\_TRANSCODE\_DECODECOUNTAU  
DIO 1434
- LICENSECOUNTER\_TRANSCODE\_DECODECOUNTAU  
DIOVIDEO 1434
- LICENSECOUNTER\_TRANSCODE\_DECODECOUNTVID  
EO 1434
- LICENSECOUNTER\_TRANSCODE\_DECODEPOLLING  
1433
- LICENSECOUNTER\_TRANSCODE\_ENCODE 1432
- LICENSECOUNTER\_TRANSCODE\_ENCODECOUNTAU  
DIO 1434
- LICENSECOUNTER\_TRANSCODE\_ENCODECOUNTAU  
DIOVIDEO 1434
- LICENSECOUNTER\_TRANSCODE\_ENCODECOUNTVID  
EO 1434
- LICENSECOUNTER\_TRANSCODE\_ENCODEPOLLING  
1433
- LICENSECOUNTER\_TRANSCODE\_STREAMNAMES  
1433
- listeners 632
- liveStreamPacketizers 1241
- LiveStreamRecorderBase 633
- LiveStreamRecorderFLV 641
- LiveStreamRecorderMediaWriter 646
- LiveStreamRecorderMP4 651
- LiveStreamRecordFileVersionDelegate 656
- load 1094, 1110
- loadArchivedRecordings 477
- loadArchivedStore 490
- loadConfig 1480
- loadConfigFile 1396, 1401
- loadConfigProperties 110
- loadFile 728
- lock 838, 843, 851, 975, 1087, 1110
- lockRepeaterStreams 571, 1015
- log 678, 679
- LOG4J\_ID\_KEY 660
- LOG4J\_PACKAGE\_NAME 659
- logDebug 891
- logError 891
- loggedConnect 972
- LOGGERNAME\_SERVER 686
- logInfo 891
- logLiveChunk 537, 589, 595
- logLiveFragment 601
- logNotifier 1061
- LogNotifyCalculateIncremental 667
- logVODChunk 537, 589, 595
- logVODFragment 601
- logWarn 891
- longToByteArray 37, 38
- longToHexStr 96
- longToStr 96
- longValue 167
- M**- main 18, 1062
- makeNewLoggerInstance 687
- MANIFEST\_TAGNAME\_CAN\_PLAY 455
- MANIFEST\_TAGNAME\_CAN\_RECORD 455
- MANIFEST\_TAGNAME\_CHUNK\_GROUPING 456
- MANIFEST\_TAGNAME\_CURRENT\_TIME 456
- MANIFEST\_TAGNAME\_HAS\_ENCRYPTION 455
- MANIFEST\_TAGNAME\_PURGE\_TIME 456
- MANIFESTFILE\_KEY\_ARTIFACT 381
- MANIFESTFILE\_KEY\_AUDIO\_CODEC 381
- MANIFESTFILE\_KEY\_CHUNKINDEX 381
- MANIFESTFILE\_KEY\_DVRTIME 381
- MANIFESTFILE\_KEY\_ENCRYPTIONS 382
- MANIFESTFILE\_KEY\_INDEX 380
- MANIFESTFILE\_KEY\_METADATA 382
- MANIFESTFILE\_KEY\_NAME 381
- MANIFESTFILE\_KEY\_PACKETTIME 381
- MANIFESTFILE\_KEY\_SIZE 381
- MANIFESTFILE\_KEY\_START 380
- MANIFESTFILE\_KEY\_STOP 380
- MANIFESTFILE\_KEY\_TYPE 380



MANIFESTFILE\_KEY\_UTCTIME 381  
MANIFESTFILE\_KEY\_VIDEO\_CODEC 381  
MAX\_CCCOUNT 1332  
MAXSTREAMINDEX 1239  
md5Digest 87  
MD5DigestUtils 87  
md5Lock 87  
MEDIACACHE\_PREFIX 420  
MediaCasterItem 798  
MediaCasterList 803  
MediaCasterSettings 805  
MediaCasterStreamItem 808  
MediaCasterStreamManager 813  
MediaCasterStreamMap 816  
MEDIACASTERTYPE\_LIVEREPEATER 782  
MEDIACASTERTYPE\_RTPLIVE 782  
MEDIACASTERTYPE\_SHOUTCAST 782  
MEDIACASTERTYPE\_UNKNOWN 782  
MediaList 838  
mediaList 851  
MediaListRendition 845  
MediaListSegment 851  
mediaListSegment 843  
MediaReaderEncInfo 1231  
MediaStreamBase 1235  
mediaStreamListeners 1241  
MediaStreamMap 1241  
MediaUtils 92  
members 193  
METHOD\_NONE 1230  
METHOD\_SAMPLE\_PLAYREADY 1231  
MILLS\_PER\_HOUR 127  
MIMETYPE\_VIDEO\_MP4 441  
MIMETYPES\_JPEG 725  
MIMETYPES\_PNG 725  
MIMETYPES\_URL 725  
MINUTE 1405  
MISSING 1117  
MODE\_PLAY 1008  
MODE\_PUBLISH 1008  
MODE\_UNKNOWN 1008  
ModuleBase 881  
ModuleClientLogging 891  
ModuleCore 896  
ModuleFastPlay 905  
ModuleMediaCaster 823  
ModuleMediaCasterStreamMonitorAdvanced 915  
ModuleProperties 918  
monitors 914  
MONTH 1405  
moveFirstVideoFrameToZero 631  
msb0baseTime 100  
msb1baseTime 100  
MSG\_STARTSTREAM 555  
MSG\_SWITCHSTREAM 555  
  
N  
  
name 838, 844  
nameGroupId 1240  
nameGroups 1240  
NetworkUtils 93  
newValue 103  
newXPathFactory 112  
next 1317  
nextStreamId 1241  
NO\_OPTIONS 17  
notifyActionOnCodecInfoAudio 1175  
notifyActionOnCodecInfoVideo 1175  
notifyActionOnMetaData 1174  
notifyActionPause 1174  
notifyActionPauseRaw 1174  
notifyActionPlay 1173  
notifyActionPublish 1174  
notifyActionSeek 1174  
notifyActionStop 1175  
notifyActionUnPublish 1174  
notifyDvrStreamManagerCreate 299  
notifyDvrStreamManagerDestroy 299  
notifyDvrStreamManagerInit 299  
notifyDvrStreamStorageDeleted 492  
notifyDvrStreamStoreCreate 492  
notifyDvrStreamStoreDestroy 492  
notifyDvrStreamStoreInit 492  
notifyDvrStreamStoreLoaded 492  
notifyHTTPSessionCreate 537, 546, 589, 596, 601  
notifyHTTPSessionDestroy 537, 546, 590, 596, 601  
notifyLiveStreamDvrRecorderCreate 298  
notifyLiveStreamDvrRecorderDestroy 298  
notifyLiveStreamDvrRecorderInit 298

notifyLiveStreamPacketizerCreate 294  
notifyLiveStreamPacketizerDestroy 294  
notifyLiveStreamPacketizerInit 294  
notifyLiveStreamTranscoderCreate 295  
notifyLiveStreamTranscoderDestroy 295  
notifyLiveStreamTranscoderInit 295  
notifyMediaReaderClose 292  
notifyMediaReaderCreate 291  
notifyMediaReaderExtractMetaData 292  
notifyMediaReaderInit 291  
notifyMediaReaderOpen 291  
notifyMediaStreamCreate 1247  
notifyMediaStreamDestroy 1248  
notifyMediaWriterOnFLVAddMetadata 289  
notifyMediaWriterOnWriteComplete 289  
notifyPlayPublish 1247  
notifyPlayUnpublish 1246  
notifySegmentEnd 637  
notifySegmentStart 637  
notifySessionCreate 996  
notifySessionDestroy 996  
notifySlotDelete 1110  
notifySlotSetValue 1110  
notifyTimeReset 492  
notifyVHostClientConnect 1484  
notifyVHostCreate 1485  
notifyVHostInit 1485  
notifyVHostItemCreate 1480  
notifyVHostItemDestroy 1481  
notifyVHostItemUpdate 1481  
notifyVHostShutdownComplete 1485  
notifyVHostShutdownStart 1485  
notifyVideoH264Packet 1189

**O**

ODDPARITY 1333  
offset 213  
ON\_METADATA\_TYPE 455  
onAACEncodeInfo 834  
onAcceptConnection 366  
onAcceptorCreate 1419  
onAcceptorDestroy 1419  
onAfterDecodeFrame 1386  
onAfterEncodeFrame 1388  
onAfterScaleFrame 1386  
onAnnounce 936, 984  
onApplicationCreate 303  
onApplicationDestroy 303  
onApplicationInstanceCreate 302  
onApplicationInstanceDestroy 302  
onAppStart 823, 857, 915  
onAppStop 823, 857, 915  
onBeforeDecodeFrame 1386  
onBeforeEncodeFrame 1388  
onBeforeScaleFrame 1386  
onBind 516, 518, 610  
onCalculateSourceAudioBitrate 1376  
onCalculateSourceVideoBitrate 1376  
onCall 858  
onCallback 1195  
onClientAccept 364  
onClientConnect 364  
onClientDisconnect 364  
onClientReject 365  
onCodecConfigAAC 831  
onCodecInfoAudio 1194  
onCodecInfoVideo 1194  
onConnect 859  
onConnectAccept 859  
onConnectFailure 794  
onConnectReject 860  
onConnectStart 793  
onConnectSuccess 793  
onCreate 538  
onCronEvent 637, 1409  
onData 789  
onDescribe 936, 984  
onDestroy 540  
onDisconnect 367, 829, 859  
onDvrStreamManagerCreate 1252  
onDvrStreamManagerDestroy 1252  
onDvrStreamManagerInit 1252  
onFile 76  
onFillChunkDataPacket 541  
onFillChunkEnd 540  
onFillChunkStart 540  
onFLVAddMetadata 1229  
onFrameAAC 831  
onFrameMP3 831

---

onGetParameter 936, 984  
onGrabFrame 1382  
onHeaderData 832, 834  
onHTTPCupertinoEncryptionKeyCreateLive 863  
onHTTPCupertinoEncryptionKeyCreateVOD 862  
onHTTPCupertinoEncryptionKeyData 862  
onHTTPCupertinoEncryptionKeyLiveChunk 863  
onHTTPCupertinoEncryptionKeyRequest 862  
onHTTPCupertinoEncryptionKeyVODChunk 863  
onHTTPCupertinoStreamingSessionCreate 864  
onHTTPCupertinoStreamingSessionDestroy 864  
onHTTPRequest 518, 610  
onHTTPSanJoseStreamingSessionCreate 865  
onHTTPSanJoseStreamingSessionDestroy 865  
onHTTPSessionCreate 866  
onHTTPSessionDestroy 866  
onHTTPSmoothStreamingPlayReadyCreateLive 867  
onHTTPSmoothStreamingPlayReadyCreateVOD 867  
onHTTPSmoothStreamingSessionCreate 868  
onHTTPSmoothStreamingSessionDestroy 868  
onHTTPStreamerSessionCreate 582  
onHTTPStreamerSessionDestroy 582  
onIndex 539  
onInit 539  
onInitAfterLoadTemplate 1376  
onInitBeforeLoadTemplate 1376  
onInitStart 1375  
onInitStop 1376  
onLiveStreamDvrRecorderCreate 1260  
onLiveStreamDvrRecorderDestroy 1260  
onLiveStreamDvrRecorderInit 1260  
onLiveStreamPacketizerCreate 1269  
onLiveStreamPacketizerDestroy 1269  
onLiveStreamPacketizerInit 1269  
onLiveStreamTranscoderCreate 1279  
onLiveStreamTranscoderDestroy 1279  
onLiveStreamTranscoderInit 1279  
onLog 664, 668  
onMediaCasterCreate 791  
onMediaCasterDestroy 791  
onMediaReaderClose 1134  
onMediaReaderCreate 1133  
onMediaReaderExtractMetaData 1134  
onMediaReaderInit 1133  
onMediaReaderOpen 1133  
onMediaStreamCreate 1205  
onMediaStreamDestroy 1205  
onMetaData 832, 834, 1193  
onModuleLoad 856  
onModuleUnload 856  
onMP3EncodeInfo 834  
onNewVHost 1065  
onOpen 539  
onOptions 936, 985  
onPause 624, 937, 985, 1191  
onPauseRaw 1193  
onPlay 625, 937, 985, 1190  
onPlaylistItemStart 1285  
onPlaylistItemStop 1285  
onPublish 618, 625, 639, 643, 647, 651, 1191  
onRecord 937, 985  
onRedirect 937, 985  
onRegisterPlayer 791  
onRegisterStreamNameGroup 1379  
onRejectConnection 366  
onResetMediaCaster 796, 916  
onResetStream 1380  
onResponseWriteStart 1043  
onResponseWriteStop 1043  
onResult 855, 871  
onRTPSessionCreate 869, 934  
onRTPSessionDestroy 869, 934  
onSeek 625, 1191  
onSegmentEnd 623  
onSegmentStart 623  
onServerConfigLoaded 1056  
onServerCreate 1054  
onServerInit 1054  
onServerShutdownComplete 1055  
onServerShutdownStart 1054  
onSessionAudioDecodeCodecInfo 1379  
onSessionAudioEncodeCodecInfo 1378  
onSessionAudioEncodeCreate 1377  
onSessionAudioEncodeInit 1377  
onSessionAudioEncodeSetup 1378  
onSessionDataEncodeCreate 1377  
onSessionDataEncodeInit 1378  
onSessionDestinationCreate 1376  
onSessionVideoDecodeCodecInfo 1379  
onSessionVideoEncodeCodecInfo 1378

---

onSessionVideoEncodeCreate 1377  
onSessionVideoEncodeInit 1377  
onSessionVideoEncodeSetup 1378  
onSetParameter 936, 985  
onSetSourceStream 792  
onSetup 938, 986  
onSharedObjectConnect 1088  
onSharedObjectCreate 1088  
onSharedObjectDestroy 1088  
onSharedObjectDisconnect 1089  
onShutdownStart 1379  
onShutdownStop 1380  
onSlotDelete 1099  
onSlotSetValue 1099  
onStartRecord 610  
onStop 625, 1191  
onStopRecord 610  
onStreamCreate 870, 915  
onStreamDestroy 870, 915  
onStreamStart 794, 1200  
onStreamStop 794  
onSwitchRecord 610  
onTeardown 938, 986  
onTrim 832  
onUnbind 516, 519  
onUnPublish 618, 625, 639, 643, 647, 651, 1191  
onUnRegisterPlayer 792  
onUnregisterStreamNameGroup 1379  
onValidateMediaCaster 795, 915  
onValidateMediaCastersStart 795, 915  
onValidateMediaCastersStop 795, 916  
onVHostClientConnect 1465  
onVHostCreate 1464  
onVHostInit 1464  
onVHostItemCreate 1463  
onVHostItemDestroy 1463  
onVHostItemUpdate 1463  
onVHostShutdownComplete 1465  
onVHostShutdownStart 1464  
onVideoH264Packet 1198  
onWriteComplete 1229  
open 8, 1122, 1128, 1287  
order 193  
ORDERED 18  
output 930

OUTPUT\_TYPE\_AMF 1358  
OUTPUT\_TYPE\_CEA608 1358  
OUTPUT\_TYPE\_TTML 1358  
OutputStream 28

## P

p 1235  
PACKET\_TIME 448  
packetComplete 1157  
packetizerLicenses 1240  
packetOutput 1400  
packetTime 382  
PARAM1 876  
PARAM10 878  
PARAM2 877  
PARAM3 877  
PARAM4 877  
PARAM5 877  
PARAM6 877  
PARAM7 877  
PARAM8 877  
PARAM9 877  
PARAMMETHODNAME 876  
parseAllowDomains 271  
parseBodyForParams 526  
parseIdString 801  
parseQueryStr 107  
PASSWORDFILEFORMAT\_CLEAR 313  
PASSWORDFILEFORMAT\_UNKNOWN 313  
pathToFileURL 105  
pause 899, 1018, 1211  
PAUSE\_PAUSE 1208  
PAUSE\_PLAY 1208  
PAUSE\_TOGGLE 1208  
pauseRaw 903, 1211  
pauseRecording 490, 500, 1258  
peekByte 128  
PICTUREMAXFILESIZE 725  
PICTURETYPE\_ARTISTLOGO 725  
PICTURETYPE\_COVERBACK 725  
PICTURETYPE\_COVERFRONT 724  
PICTURETYPE\_FILEICON 724  
PICTURETYPE\_ILLUSTRATION 725  
PICTURETYPE\_MOVIESCREENCAPTURE 725

- PICTURETYPE\_OTHER 724
- PICTURETYPE\_OTHERFILEICON 724
- PICTURETYPE\_PUBLISHERLOGO 725
- ping 345
- play 898, 1017, 1018, 1210, 1211, 1282, 1306, 1309, 1315, 1316, 1317
- play2 898
- playDuration 845
- PLAYEVENT\_AFTERBUFFERFILL 1127
- PLAYEVENT\_AFTERMETADATA 1127
- PLAYEVENT\_BEFOREBUFFERFILL 1127
- PLAYEVENT\_BEFOREMETADATA 1127
- PLAYEVENT\_STARTPLAYBACK 1127
- Playlist 1286
- PlaylistItem 1289
- PLAYSIZES\_AUDIO\_BYTES 1209
- PLAYSIZES\_AUDIO\_COUNT 1209
- PLAYSIZES\_DATA\_BYTES 1209
- PLAYSIZES\_DATA\_COUNT 1209
- PLAYSIZES\_LOSS\_BYTES 1209
- PLAYSIZES\_LOSS\_COUNT 1210
- PLAYSIZES\_SIZE 1210
- PLAYSIZES\_VIDEO\_BYTES 1209
- PLAYSIZES\_VIDEO\_COUNT 1209
- playStart 845
- PLAYSTATUSTYPE\_COMPLETE 1209
- PLAYSTATUSTYPE\_STOP 1209
- PLAYSTATUSTYPE\_SWITCH 1208
- PLAYTRANSITION\_APPEND 880
- PLAYTRANSITION\_APPEND\_IMMEDIATE 880
- PLAYTRANSITION\_RESET 880
- PLAYTRANSITION\_RESET\_IMMEDIATE 880
- PLAYTRANSITION\_STOP 880
- PLAYTRANSITION\_SWAP 880
- PLAYTRANSITION\_SWITCH 880
- PLAYTRANSITION\_UNKNOWN 880
- PLAYTRANSITIONSTR\_APPEND 879
- PLAYTRANSITIONSTR\_RESET 879
- PLAYTRANSITIONSTR\_STOP 879
- PLAYTRANSITIONSTR\_SWAP 879
- PLAYTRANSITIONSTR\_SWITCH 879
- PLAYTRANSITIONSTR\_UNKNOWN 879
- postChunkAdded 479
- postChunksPurged 480
- preChunkAdded 479
- preChunksPurged 479
- previous 1318
- PROP\_3GPP\_CAPTION\_CHARACTER\_SET 1367
- PROP\_AMF\_CONVERTER\_INSERT\_ERASES\_IN\_GAPS 1368
- PROP\_AMF\_CONVERTER\_TEXT\_TYPE 1368
- PROP\_AMF\_CONVERTER\_TRACK\_INDEX 1368
- PROP\_CAPTION\_CHARACTER\_SET 1366
- PROP\_CAPTION\_FILE\_NAMING\_RULE 1364
- PROP\_CAPTION\_FILENAME\_QUERY\_PARAMETER 1372
- PROP\_CAPTION\_LANGUAGE\_QUERY\_PARAMETER 1371
- PROP\_CAPTION\_LANGUAGES 1360
- PROP\_CAPTION\_PATH\_NAMING\_RULE 1365
- PROP\_CEA608\_CONVERTER\_CHARACTER\_SET 1367
- PROP\_CEA608\_CONVERTER\_CHARS\_PER\_LINE 1367
- PROP\_CEA608\_CONVERTER\_COLOR 1367
- PROP\_CUPERTINO\_CAPTION\_LANGUAGES 1360
- PROP\_CUPERTINO\_VOD\_CAPTIONS\_ENABLED 1359
- PROP\_DEBUG\_3GPP\_CAPTION\_PARSER 1371
- PROP\_DEBUG\_3GPP\_CAPTION\_PARSER\_TIME 1371
- PROP\_DEBUG\_CUPERTINO\_VOD\_CAPTION\_LANGUAGE\_SELECTION 1361
- PROP\_DEBUG\_CUPERTINO\_VOD\_CAPTION\_PROVIDE  
R\_DETERMINATION 1362
- PROP\_DEBUG\_RTMP\_VOD\_CAPTION\_LANGUAGE\_SE  
LECTION 1362
- PROP\_DEBUG\_RTMP\_VOD\_CAPTION\_PROVIDER\_DET  
ERMINATION 1363
- PROP\_DEBUG\_SANJOSE\_VOD\_CAPTION\_LANGUAGE\_  
SELECTION 1362
- PROP\_DEBUG\_SANJOSE\_VOD\_CAPTION\_PROVIDER\_  
DETERMINATION 1363
- PROP\_DEBUG\_SCC\_CAPTION\_PARSER 1370
- PROP\_DEBUG\_SCC\_CAPTION\_PARSER\_TIME 1371
- PROP\_DEBUG\_SCC\_VOD\_CAPTION\_COMPANION\_FIL  
ES 1370
- PROP\_DEBUG\_SRT\_CAPTION\_PARSER 1370
- PROP\_DEBUG\_SRT\_CAPTION\_PARSER\_TIME 1370
- PROP\_DEBUG\_SRT\_VOD\_CAPTION\_COMPANION\_FIL  
ES 1369
- PROP\_DEBUG\_TTML\_CAPTION\_PARSER 1369
- PROP\_DEBUG\_TTML\_CAPTION\_PARSER\_TIME 1369
- PROP\_DEBUG\_TTML\_VOD\_CAPTION\_COMPANION\_FI

- LES 1368
- PROP\_DEBUG\_VOD\_CAPTION\_COMPANION\_FILES 1363
- PROP\_DEBUG\_VOD\_CAPTION\_LANGUAGE\_SELECTION 1361
- PROP\_DEBUG\_VOD\_CAPTION\_PROVIDER\_DETERMINATION 1362
- PROP\_MAXIMUM\_CAPTION\_DURATION 1365
- PROP\_RTMP\_CAPTION\_LANGUAGES 1361
- PROP\_RTMP\_VOD\_CAPTIONS\_ENABLED 1359
- PROP\_SANJOSE\_CAPTION\_LANGUAGES 1361
- PROP\_SANJOSE\_VOD\_CAPTIONS\_ENABLED 1360
- PROP\_SRT\_CAPTION\_CHARACTER\_SET 1366
- PROP\_TTML\_CAPTION\_CHARACTER\_SET 1366
- PROP\_TTML\_INLINE\_TAGS\_IN\_TEXT 1369
- PROP\_UNDEFINED\_LANG\_CODE 1364
- PROP\_VOD\_CAPTIONS\_ENABLED 1359
- properties 514, 838, 843, 851, 972
- PROPERTY\_ALLOWABLE\_AV\_PACKET\_DELTA 425
- PROPERTY\_APPEND\_DISCONTINUITY\_DELTA 420
- PROPERTY\_ARCHIVE\_STRATEGY 421
- PROPERTY\_AUDIO\_ONLY\_CHUNK\_TARGET\_DURATION 427
- PROPERTY\_BREAK\_ON\_PTS 428
- PROPERTY\_CHUNK\_CACHE\_CLASS 424
- PROPERTY\_CHUNK\_DURATION\_MINIMUM 429
- PROPERTY\_CHUNK\_GROUPING\_SECONDS 420
- PROPERTY\_CHUNK\_MEMORY\_CACHESIZE 429
- PROPERTY\_CHUNK\_READER\_CLASS 422
- PROPERTY\_CHUNK\_WRITER\_CLASS 422
- PROPERTY\_CUPERTINO\_ON\_CHUNK\_START\_RESET\_COUNTER 443
- PROPERTY\_CUPERTINO\_PLAYLIST\_ALLOW\_CACHING 443
- PROPERTY\_CUPERTINO\_PLAYLIST\_FORCE\_LIVE 442
- PROPERTY\_CUPERTINO\_PLAYLIST\_FORCE\_NONLIVE 442
- PROPERTY\_CUPERTINO\_PLAYLIST\_GZIP\_THRESHOLD 442
- PROPERTY\_CUPERTINO\_PLAYLIST\_USE\_GZIP 442
- PROPERTY\_DEBUG\_CHUNK\_RETRIEVALS 435
- PROPERTY\_DEBUG\_CUPERTINO\_PLAYER\_ADAPTER 437
- PROPERTY\_DEBUG\_FAILED\_CHUNK\_RETRIEVALS 436
- PROPERTY\_DEBUG\_LOG\_INVALID\_CHUNK\_DETAILS 432
- PROPERTY\_DEBUG\_LOG\_INVALID\_CHUNK\_MATCHER 433
- PROPERTY\_DEBUG\_LOG\_VALID\_CHUNK\_DETAILS 433
- PROPERTY\_DEBUG\_LOG\_VALID\_CHUNK\_MATCHER 434
- PROPERTY\_DEBUG\_MAX\_INVALID\_CHUNKS\_LOGGED 433
- PROPERTY\_DEBUG\_MAX\_VALID\_CHUNKS\_LOGGED 434
- PROPERTY\_DEBUG\_MAXIMUM\_RAW\_PACKETS 435
- PROPERTY\_DEBUG\_MBR\_ALIGNMENT 438
- PROPERTY\_DEBUG\_MBR\_ALIGNMENT\_RESOLUTION 438
- PROPERTY\_DEBUG\_MBR\_DETAILS\_WHEN\_RECORDING 438
- PROPERTY\_DEBUG\_MBR\_PLAYER\_ADAPTER 438
- PROPERTY\_DEBUG\_MBR\_PLAYER\_ADAPTER\_IF\_SHIFTED\_EMPTY 438
- PROPERTY\_DEBUG\_METHODS 437
- PROPERTY\_DEBUG\_PLAYER\_ADAPTER 437
- PROPERTY\_DEBUG\_PLAYLIST\_REQUEST 439
- PROPERTY\_DEBUG\_RAW\_PACKETS 434
- PROPERTY\_DEBUG\_RAW\_PACKETS\_MATCHER 435
- PROPERTY\_DEBUG\_REPEATER 437
- PROPERTY\_DEBUG\_SANJOSE\_PLAYER\_ADAPTER 437
- PROPERTY\_DEBUG\_SMOOTH\_PLAYER\_ADAPTER 437
- PROPERTY\_DEBUG\_STATE\_CHANGE 435
- PROPERTY\_DEBUG\_TOSSED\_HOLDERS 434
- PROPERTY\_ENCRYPTION\_INFO\_DELEGATE 439
- PROPERTY\_FILE\_SYSTEM\_CLASS 423
- PROPERTY\_MANIFEST\_PERSISTENT\_CLASS 423
- PROPERTY\_MAX\_CHUNK\_LOG 436
- PROPERTY\_MAX\_RECALC\_DURATION\_LOG 436
- PROPERTY\_MAX\_RECORDING\_LENGTH 432
- PROPERTY\_MBR\_ALTERNATIVE\_MATCH\_DELTA 430
- PROPERTY\_MBR\_MINIMUM\_PACKETTIME\_GAP\_SIZE 430
- PROPERTY\_MBR\_MINIMUM\_UTCTIME\_GAP\_SIZE 431
- PROPERTY\_MBR\_USE\_UTC\_FOR\_ALIGNMENT 430
- PROPERTY\_MEDIACACHE\_ENABLED 432
- PROPERTY\_MEDIACACHE\_READER\_CLASS 432

- PROPERTY\_PACKET\_DELTA\_TO\_NOTIFY 426  
PROPERTY\_PACKET\_DELTA\_TO\_RESET\_TIME 426  
PROPERTY\_PACKET\_DURATION\_MAXIMUM 431  
PROPERTY\_PACKET\_SORT\_TIME 428  
PROPERTY\_PLAYLIST\_REQUEST\_DELEGATE 439  
PROPERTY\_RECORD\_AUDIO 427  
PROPERTY\_RECORD\_DATA 427  
PROPERTY\_RECORD\_VIDEO 427  
PROPERTY\_RECORDINGS\_LOADER\_CLASS 424  
PROPERTY\_REPEATER\_HEARTBEAT\_DURATION 429  
PROPERTY\_REPEATER\_SHARED\_SECRET 429  
PROPERTY\_SANJOSE\_ABST\_DURATION\_TOLERANCE 441  
PROPERTY\_SANJOSE\_ABST\_TIMESCALE 441  
PROPERTY\_SANJOSE\_PLAYLIST\_DELIVERYTYPE 439  
PROPERTY\_SANJOSE\_PLAYLIST\_LIVE\_STREAMTYPE 440  
PROPERTY\_SANJOSE\_PLAYLIST\_MIMETYPE 439  
PROPERTY\_SANJOSE\_PLAYLIST\_RECORDED\_STREAMTYPE 440  
PROPERTY\_SANJOSE\_PLAYLIST\_VERSION 439  
PROPERTY\_SMOOTH\_MANIFEST\_H264\_CODEC 445  
PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_PAUSE 443  
PROPERTY\_SMOOTH\_MANIFEST\_LIVE\_CAN\_SEEK 443  
PROPERTY\_SMOOTH\_MANIFEST\_MAJOR\_VERSION 445  
PROPERTY\_SMOOTH\_MANIFEST\_MINOR\_VERSION 445  
PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_PAUSE 444  
PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_CAN\_SEEK 444  
PROPERTY\_SMOOTH\_MANIFEST\_RECORDED\_SPECIFY\_DURATION 444  
PROPERTY\_SMOOTH\_MANIFEST\_VERBOSE\_DURATION 445  
PROPERTY\_START\_RECORDING\_ON\_STARTUP 427  
PROPERTY\_STORAGE\_DIRECTORY 421  
PROPERTY\_TEXT\_READER\_CLASS 425  
PROPERTY\_TEXT\_WRITER\_CLASS 425  
PROPERTY\_WINDOW\_DURATION 421  
PROTOCOLUSAGE\_CUPERTINO 255  
PROTOCOLUSAGE\_MPEGDASH 255  
PROTOCOLUSAGE\_ORIGINCUPERTINO 256  
PROTOCOLUSAGE\_ORIGINMPEGDASH 256  
PROTOCOLUSAGE\_ORIGINSANJOSE 256  
PROTOCOLUSAGE\_ORIGINSMOOTH 256  
PROTOCOLUSAGE\_RTMP 254  
PROTOCOLUSAGE\_RTMPE 255  
PROTOCOLUSAGE\_RTMPS 255  
PROTOCOLUSAGE\_RTMPT 254  
PROTOCOLUSAGE\_RTMPTE 255  
PROTOCOLUSAGE\_RTMPTS 255  
PROTOCOLUSAGE\_RTP 255  
PROTOCOLUSAGE\_SANJOSE 255  
PROTOCOLUSAGE\_SMOOTH 255  
PROTOCOLUSAGE\_TOTAL 257  
PROTOCOLUSAGE\_WEBM 256  
PROTOCOLUSAGE\_WOWZ 256  
PROTOCOLUSAGE\_WOWZE 256  
PROTOCOLUSAGE\_WOWZS 256  
PROTO\_HTTPCUPERTINO 713  
PROTO\_HTTPDVRCHUNK 714  
PROTO\_HTTPMPEGDASH 714  
PROTO\_HTTPSANJOSE 713  
PROTO\_HTTPSCUPERTINO 714  
PROTO\_HTTPSDVRCHUNK 714  
PROTO\_HTTPSMOOTH 713  
PROTO\_HTTPSSANJOSE 714  
PROTO\_HTTPSSMOOTH 714  
PROTO\_HTTPSSTREAMER 714  
PROTO\_HTTPSTREAMER 713  
PROTO\_RTMP 712  
PROTO\_RTMPE 712  
PROTO\_RTMPS 712  
PROTO\_RTMPT 712  
PROTO\_RTMPTE 712  
PROTO\_RTMPTS 712  
PROTO\_RTSP 713  
PROTO\_WOWZ 713  
PROTO\_WOWZE 713  
PROTO\_WOWZS 713  
ptToDvr 510  
publish 897, 1171, 1235, 1297, 1298  
PublishingProviderBase 1303  
PublishingProviderLive 1306  
PublishingProviderMediaReader 1309  
purge 1086, 1104  
purgeEntries 458, 501

purgeManifestEntries 491  
put 194, 195, 225, 226, 1091  
putAll 305  
putAudioPacketizerItem 941, 989  
putDvrRecorder 1187  
putFileInfo 574  
putFrame 720  
putGlobalLogValue 688  
putHTTPStreamerAdapter 1459  
putLiveStreamTranscoder 1188  
putMetaData 1228  
putRTSPSessionExtraLine 1036  
putRTSPTunnelingSession 946  
putSlot 1080, 1105  
putStreamNameParts 573  
putStreamPacketizerItem 942, 990  
putVideoPacketizerItem 942, 990

## Q

QUERY\_PARAM\_DVR 470  
queryStr 973  
QUERYSTR\_CAPTION\_FILENAME 1372  
QUERYSTR\_CAPTIONLANGUAGES 1371

## R

ranges 390  
read 9, 25  
READ\_ACCESS\_ALL 338  
READ\_ACCESS\_NONE 338  
READACCESS 1103, 1149  
readAppConfig 238  
readAppInstConfig 287  
readChunk 60  
readChunkHeader 60  
readConfig 1052, 1070  
readHeader 60, 61  
readPrevChunkHeader 60  
readVHostConfig 1461  
readXMLConfig 1070  
receiveAudio 901  
RECEIVER\_NAME\_KEY 660  
receiveVideo 901  
record 1017

recordData 631  
recordingPaused 475  
recordingReset 476  
recordingResumed 475  
recordingStarted 475  
recordingStopped 476  
recordStartTime 633  
redirectConnection 343, 344  
redirectSession 580, 974, 991  
redirectSessionCode 974  
redirectSessionMessage 975  
redirectSessionURL 975  
referrer 973  
refreshManifest 456  
registerCallback 1172  
registerLiveStreamTranscoder 1071  
registerOnPlayStatus 1172  
registerOnStatus 1172  
registerPlayer 784, 810, 821  
registerPlayRTPSession 278  
rejectConnection 325, 342, 343  
rejectSession 571, 975  
release 811, 820, 1081, 1105  
releaseMediaCaster 825  
releaseSessionId 994  
releaseSocketAddress 943  
releaseStream 897  
releaseUDPPortPair 944  
reloadConfig 1480  
reloadVHostConfig 1047, 1063  
remove 138, 174, 195, 227, 820, 1092, 1484  
removeAcceptorListener 1447  
removeActionListener 984  
removeAppInstance 238  
removeApplication 1461  
removeApplicationInstanceListener 236  
removeApplicationListener 1447, 1484  
removeClient 1081, 1093, 1105, 1443  
removeClientListener 261, 1173  
removeConnectionListener 324  
removeDvrChunkListener 502  
removeDvrRecorder 1187, 1250  
removeDvrRecorderListener 298  
removeDvrRecordingListener 492  
removeDvrStoreListener 491



removeDvrStreamManagerListener 299  
removeFrame 720  
removeFromPlaylist 1316  
removeGlobalLogValue 688  
removeGlobalLogValues 687  
removeHeader 531  
removeHTTPStreamerSession 286  
removeIdleWorkerListener 1454  
removeItem 1287  
removeListener 621, 637, 1318  
removeLiveStreamPacketizer 1248  
removeLiveStreamPacketizerListener 294  
removeLiveStreamTranscoder 1188  
removeLiveStreamTranscoderListener 295  
removeMediaCasterListener 264  
removeMediaReaderListener 291  
removeMediaStreamListener 262, 1247  
removeMediaWriterListener 289  
removeMetaDataListener 833  
removeModuleListener 268  
removeNameGroup 1249  
removePlayStreamByName 266  
removePublisher 283  
removeRendition 852  
removeRTPSession 278  
removeRTSPStream 976  
removeRTSPTunnelingSession 945  
removeSegment 839  
removeServerListener 1049, 1066  
removeSession 995  
removeSessionListener 996  
removeSharedObjectListener 263, 1093  
removeSlotListener 1085, 1110  
removeStream 1245  
removeStreamDomainStr 575  
removeTrack 1011  
removeTrackInternal 1011  
removeVHostItemListener 1480  
removeVideoH264SEILListener 1189  
renditions 851  
reparentClient 360, 1456  
ReplaceItem 103  
requestFilters 514  
requiresLayout 672  
reset 496, 810, 839, 1210, 1466, 1476

resetMDC 687  
resetMediaCasterStream 287  
resetNoLookup 1210  
resetSentMetadataFlag 1019  
resetStream 469, 488, 584, 824, 1255, 1266, 1275  
resetTimecodes 1215  
resolveMediaList 1120  
resolvePlayAlias 1201, 1202, 1203  
resolveStreamAlias 1201, 1203  
ResponseFunction 923, 924  
ResponseFunctions 929  
resumeEncoding 29  
resumeRecording 490, 500, 1258  
retrieveRawChunk 404, 474  
REVERSE 8  
rewind 1129  
RTMPENABLED 1042  
RTPContext 941  
RTPDestination 948  
RTPPort 955  
RTPPushPublishSession 960  
RTPSession 975  
rtpSession 311  
RTPSessions 994  
RTPStream 1010  
RTPUtils 1393  
rtpWriteListener 972  
rtspPlayRangeStart 974  
rtspPlayRangeStop 974  
rtspTunnelingSessionId 970  
run 1314

## S

SANJOSE\_F4M\_STREAMINGTYPE\_STREAMING 441  
SANJOSE\_F4M\_STREAMTYPE\_DVR 440  
SANJOSE\_F4M\_STREAMTYPE\_LIVE 440  
SANJOSE\_F4M\_STREAMTYPE\_LIVEORRECORDED 441  
SANJOSE\_F4M\_STREAMTYPE\_RECORDED 440  
SANJOSE\_F4M\_VERSION\_1\_0 441  
SANJOSE\_F4M\_VERSION\_2\_0 441  
SDPLOCATION\_AUDIO 1008  
SDPLOCATION\_STREAM 1007  
SDPLOCATION\_VIDEO 1008  
seek 9, 898, 1129, 1211, 1283, 1306, 1309

SEEK\_EXACT 1128  
SEEK\_KEYCLOSE 1128  
SEEK\_KEYDOWN 1128  
SEEK\_KEYUP 1127  
SEEKTARGET\_AUDIO 1127  
SEEKTARGET\_ENHANCED 1127  
SEEKTARGET\_VIDEOKEYFRAME 1127  
SEGMENT\_NUMBER\_TAG 655  
SEGMENT\_TIME\_TAG 655  
segmentDuration 632  
segmentNumber 632  
segments 838  
segmentScheduler 632  
segmentSize 632  
SEI\_PAYLOADTYPE 1332  
SEI\_STARTCODE 1332  
SEI\_USERDATATYPECODE 1332  
send 1085, 1109, 1168  
sendAMF3 1168  
sendClientOnStatusError 888  
sendControlBytes 1177  
sendDirect 1167, 1168  
sendDirectAMF3 1167  
sendInternal 1109  
sendLivePlaySeek 1158  
sendLivePlayStart 1157  
sendLivePlaySwitch 1158  
sendMessage 957  
sendOnMetadata 468, 1303  
sendPauseNotify 1163  
sendPlayReset 1159  
sendPlaySeek 1160  
sendPlayStart 1160, 1161, 1162  
sendPlayStatus 1162, 1163  
sendPlayStop 1159  
sendPlaySwitch 1161  
sendResponse 957  
sendResult 886, 887  
sendStreamNotFound 1157  
sendStreamOnStatusError 888  
sendUnpauseNotify 1163, 1164  
sendVODPlaySwitch 1158  
sendZeroLengthPacket 1131  
serialize 132, 145, 151, 168, 169, 181, 186, 198, 373, 376, 384,  
389, 391, 395, 397, 450, 465, 721, 743, 776  
SERIALIZE\_CURRENT\_VERSION 382  
serializeBody 726, 746, 749, 752, 755, 757, 762, 768, 771, 776  
serializeDate 116  
serializeFooter 720  
serializeHeader 720  
serializeInt 116  
serializeString 118, 743  
serializeStringLen 743  
serializeStringNoLength 118  
serializeTags 720  
serializeZeroLengthString 117  
Server 1062  
serverIp 973  
serverPort 973  
service 548  
sessionClosed 785, 958  
sessionId 970  
sessionOpened 784, 958  
SESSIONPROTOCOL\_COUNT 564  
SESSIONPROTOCOL\_CUPERTINOSTREAMING 563  
SESSIONPROTOCOL\_DVRCHUNKSTREAMING 563  
SESSIONPROTOCOL\_MPEGDASHSTREAMING 563  
SESSIONPROTOCOL\_SANJOSESTREAMING 563  
SESSIONPROTOCOL\_SMOOTHSTREAMING 563  
SESSIONPROTOCOL\_UNKNOWN 563  
SESSIONPROTOCOL\_WEBMSTREAMING 563  
sessionStart 827  
sessionStop 827  
SESSIONTYPE\_LIVE 562  
SESSIONTYPE\_LIVEDVR 563  
SESSIONTYPE\_UNKNOWN 562  
SESSIONTYPE\_VOD 562  
set 141, 142, 177, 178  
setAbsTimecode 220  
setAbsTimecodeLong 209  
setAbsTimecodeShort 209  
setAcceptConnection 259, 360  
setAcceptConnectionDescription 359  
setAcceptConnectionExObj 359  
setAcceptConnectionObj 359  
setAcceptSession 572  
setAcceptWOWZConnections 1053, 1072  
setActive 565  
setAddressCount 959  
setAdminInterfaceHostPort 1446

setAllowDomains 271  
setAnnounce 980  
setAppend 1164  
setAppInstance 568, 783, 979, 1276  
setAppInstanceName 1020  
setAppInstanceProperty 919  
setApplication 672  
setApplicationInstanceTouchTimeout 290  
setApplicationProperty 918  
setApplicationTimeout 268, 1450  
setAppName 1020  
setAudioCodecId 847  
setAudioHost 951  
setAudioPort 950  
setAudioSize 1151  
setAudioTC 1153, 1154  
setAuthenticatePlayHandler 978  
setAuthenticatePublishHandler 978  
setAuthenticationMethod 516, 522  
setAVSyncMethod 1023  
setBandwidthLimit 898  
setBaseClass 800, 1468  
setBitrateAudio 846  
setBitrateTotal 846  
setBitrateVideo 846  
setBlockUDPOut 959, 1038  
setBody 926  
setBuffer 543  
setBufferSize 758  
setBufferTime 349, 899, 1150, 1212  
setByteContainerLevel 210  
setCanPlay 499  
setCanRecord 498  
setCheckIpAddr 1023  
setCheckSSRC 1022  
setChecksum 1118  
setChunkCounter 212  
setChunkGroupDuration 403  
setClassName 199, 202  
setClient 312, 319, 1157  
setClientIdleFrequency 272, 1452  
setClientProperty 919  
setClientTimeout 1445  
setClustered 1175  
setCodecInfoAudio 469, 584  
setCodecInfoVideo 469, 584  
setCommandInterface 1066  
setCommandInterfaceHostPort 1049, 1066  
setConfigDir 1476  
setConnected 981  
setConnectionLimit 1477  
setConnectionTimeout 800  
setConnectionValidator 324  
setContentType 764  
setCookieStr 572, 988  
setCoreHandlerPoolSize 1050, 1067, 1445  
setCoreTransportPoolSize 1050, 1067, 1445  
setCurrentDvrTime 472  
setData 750, 753, 1096  
setDataBuffer 218  
setDataSize 1151  
setDataTC 1154, 1155  
setDataTypes 1155  
setDebug 1407  
setDebugAppTimeout 301  
setDebugLog 85  
setDebugRTSPSession 987  
setDefaultStreamingStore 487  
setDescribe 980  
setDescription 727, 747, 750, 800, 1470  
setDirection 1115  
setDirecton 10  
setDomainName 1412  
setDuration 1283, 1307, 1310  
setDvrRecorder 1187  
setDvrRecorderId 1256  
setDvrRecorderList 298, 1183  
setDvrSessionInfo 577  
setDynamic 202  
setDynamicLogProperties 1051, 1068, 1457  
setEmbeddedFlag 758  
setEncMethod 1231  
setEncoding 672  
setEncryptions 373  
setEventHandler 1407  
setEventStr 1406  
setExt 1179  
setFastPlay 906  
setFastPlaySettings 346, 1169  
setField 1406

setFileExtension 1297  
setFileIOPoolSize 1445  
setFileTemplate 656  
setFileVersionDelegate 619, 635  
setFlags 744, 776  
setFlashVer 339  
setForceAMF0 927  
setForceMPEGTSOut 1038  
setForceRTSPInterleaved 1029  
setFps 1114  
setFrameCount 1389  
setFrameIdentifier 750  
setHandler 957  
setHasEncryption 499  
setHeader 531  
setHeaderSize 1181  
setHeight 848  
setHost 949, 1015  
setHostType 951  
setHTTPOrigin 581  
setHTTPOriginMode 554  
setHTTPStreamerAdapter 567  
setHTTPStreamerItem 549  
setHTTPStreamerList 281  
setHTTPStreamerSession 1123, 1184  
setID 550  
setId 207  
setIdleCheckFrequency 1453  
setIdleFrequency 353, 986  
setIdleHandler 982  
setIdleMinimumWaitTime 1456  
setIdleWorkerCount 1453  
setIdStr 743, 775  
setIndex 1290  
setInitiateWOWZConnections 1053, 1072  
setInnerObj 203  
setIntData 154  
setIntHeader 531  
setIOPerformanceCounter 988  
setIoPerformanceCounter 1065  
setIoSession 992  
setIp 980  
setIpAddress 569, 1413  
setIsPlaying 1150  
setKeepAliveTime 801  
setKeepAliveTimeout 1453  
setLanguage 763  
setLastAccessed 1118  
setLastAuthenticateMethod 979  
setLastClientId 1098  
setLastOperation 1098  
setLastRun 1407  
setLastSentAbsTimecode 211  
setLastValidateTime 357  
setLive 1032  
setLivePlaylist 601  
setLiveRepeaterCapabilities 361  
setLiveStreamDvrRecorderControl 297  
setLiveStreamingPacketizer 568  
setLiveStreamPacketizer 812, 899, 1184  
setLiveStreamPacketizerControl 287  
setLiveStreamPacketizerId 1266  
setLiveStreamPacketizerList 281, 361, 1182  
setLiveStreamRepeater 812, 1185  
setLiveStreamTranscoderControl 296  
setLiveStreamTranscoderItem 1276  
setLiveStreamTranscoderList 296, 361, 1183  
setLock 845, 853  
setLoggedConnect 979  
setLongTimecode 211  
setMaximumPendingReadBytes 270, 1451  
setMaximumPendingWriteBytes 269, 1451  
setMaximumSetBufferTime 270, 1451  
setMaxRTCPWaitTime 1024  
setMaxStorageDirDepth 280  
setMediaCasterDef 784  
setMediaCasterHostPortConfig 806  
setMediaCasterId 783  
setMediaCasterItem 1199  
setMediaCasterPlay 1186  
setMediaCasterProcessorCount 806  
setMediacasterRTPRTSPRTPTTransportMode 300  
setMediaCasterType 788  
setMediaCasterValidator 289  
setMediaList 853  
setMediaListProvider 300  
setMediaListSegment 846  
setMediaReaderItem 1122, 1128  
setMediaWriterItem 1227  
setMediaWriterType 646

setMergeOnMetadata 1187  
setMessageBytes 925  
setMetaDataProvider 1180  
setMimeType 727  
setMode 1028  
setMoveFirstVideoFrameToZero 619, 636  
setMoveToNextIfLiveStreamMissing 1320  
setMPEGTSAudioBitrate 1038  
setMPEGTSAudioLanguage 1024  
setMPEGTSAudioPID 1025  
setMPEGTSOut 1031  
setMPEGTSProgramID 1025  
setMPEGTSVideoBitrate 1038  
setMPEGTSVideoPID 1025  
setMultiplier 1114  
setName 235, 257, 799, 840, 847, 952, 1084, 1097, 1109, 1152, 1212, 1468, 1476  
setNetConnection 1156  
setNetConnectionIdleFrequency 1453  
setNetConnectionProcessorCount 1447  
setNew 209  
setObjectEncoding 155, 159, 211, 359  
setOffset 544  
setOffsetToNextTag 758  
setOpen 1169  
setOutHost 1027  
setOwnerIdentifier 753  
setPacketizeAudio 1267  
setPacketizeData 1268  
setPacketizeVideo 1267  
setPacketType 544  
setParent 1111, 1227  
setPersistent 1082, 1092, 1106  
setPictureData 727  
setPictureDataAsURL 727  
setPictureType 727  
setPingTimeout 269, 1450  
setPlay 1156  
setPlayClass 1469  
setPlayDuration 578, 849  
setPlayer 1165  
setPlayLogged 567  
setPlayStart 578, 848  
setPollingInterval 1318  
setPort 673, 1413  
setProcessorCount 1414  
setProperties 516, 519, 548, 1122, 1132, 1477  
setProperty 306, 799, 1083, 1084, 1106, 1107, 1469  
setPublishAudioCodecId 1185  
setPublishDataEvents 1302  
setPublishVideoCodecId 1185  
setQueryStr 571, 983, 1178  
setRange 388  
setRealTimeStartTime 1283, 1307, 1310  
setReceiveAudio 1169  
setReceiveVideo 1170  
setReceiveVideoFPS 1170  
setReconnectWaitTime 788  
setRecord 1155  
setRecordAudio 1257  
setRecordData 618, 636, 1257  
setRecordingName 1258  
setRecordingStreamStore 487  
setRecordOnMetaData 652  
setRecordVideo 1257  
setRedirectSession 579, 990  
setRedirectSessionBody 580  
setRedirectSessionCode 579, 991  
setRedirectSessionContentType 581  
setRedirectSessionMessage 991  
setRedirectSessionURL 580, 991  
setReferrer 571, 983  
setRemoteHost 672  
setRepeat 1287, 1317  
setRepeaterEdge 1267  
setRepeaterMediaCasterDef 553  
setRepeaterOriginUrl 270, 357, 902  
setRepeaterQueryString 271  
setRequestFilters 515, 522  
setResetPlayStream 1017  
setResponseCode 532  
setResyncAudioVideoOnSR 1019  
setRetAMFNumber 926  
setRsoStorageDir 273  
setRTPAVSyncMethod 277  
setRTPDestination 1036  
setRTPIIdleFrequency 272, 1452  
setRTPIgnoreProfileLevelId 1037  
setRTPIgnoreSPropParameterSets 1038  
setRTPMaxRTCPWaitTime 277

setRTPPlayAuthenticationMethod 276  
setRTPPublishAuthenticationMethod 276  
setRTPSession 312, 319, 961  
setRTPStream 1182  
setRTPStreamContext 1039  
setRTPWrapped 951  
setRTSP 1025  
setRTSPAlwaysUseSDPPorts 1036  
setRTSPBindIpAddress 292, 1033  
setRTSPConnectionAddressType 293, 1034  
setRTSPConnectionIpAddress 292, 1033  
setRTSPMaximumPendingWriteBytes 291, 1032  
setRTSPOriginAddressType 293, 1034  
setRTSPOriginIpAddress 293, 1034  
setRTSPPlayRangeStart 987  
setRTSPPlayRangeStop 987  
setRTSPPull 1026  
setRTSPSessionDescription 1030  
setRTSPSessionName 1030  
setRTSPSessionTimeout 290, 1032  
setRTSPTunnelingSessionId 987  
setSample 544  
setSDPData 961  
setSDPLang 1037  
setSegmentDuration 620, 634  
setSegmentSize 620, 634  
setSendOnMetadata 1283, 1304, 1319  
setSendPlayStopLogEvent 1179  
setSendPublishStopLogEvent 1180  
setSendRecordStopLogEvent 1179  
setSendSDESEvents 1031  
setSeq 220  
setServer 1484  
setServerIp 570, 982  
setServerPort 570, 982  
setSession 1013  
setSessionId 564, 976  
setSessionProtocol 550, 569  
setSessionTimeout 566  
setSessionTracker 606  
setSessionType 568  
setSessionValid 978  
setSharedObjectReadAccess 275, 353  
setSharedObjectWriteAccess 276, 353  
setShutdownClient 360, 988  
setShutdownOnRelease 811  
setShuttingDown 1456  
setSize 207, 217, 544, 848  
setSlotValue 1107, 1108  
setSlotVersion 1097  
setSoVersion 1097  
setSrc 208, 219, 924, 1151  
setSSLConfig 1416  
setSslFactoryClass 1414  
setStartLiveOnPreviousBufferTime 1320  
setStartLiveOnPreviousKeyFrame 1320  
setStartOnKeyFrame 617, 635  
setStartOnPreviousBufferTime 1307  
setStartOnPreviousKeyFrame 1307  
setStartRecordingOnStartup 1259  
setStartStartupStreams 1460  
setStartTC 1115  
setStartTCOffset 1115  
setStopIfStreamMissing 1307  
setStorageDir 1085, 1093, 1110  
setStream 565, 783  
setStreamAudioSampleAccess 274, 355  
setStreamDomainProtectionActive 554  
setStreamExt 573, 811, 1020  
setStreamFileMapper 280  
setStreamKeyDir 272  
setStreamName 572, 1021, 1244, 1275  
setStreamNameAliasProvider 283  
setStreamNameLogging 1021  
setStreamPort 950  
setStreamPosition 574, 1132  
setStreamProperty 919  
setStreamQueryStr 1026  
setStreamReadAccess 274, 355  
setStreamSessionId 1021  
setStreamSessionIp 1022  
setStreamSessionVersion 1022  
setStreamStorageDir 272  
setStreamTimeout 785  
setStreamType 259, 342, 798, 900, 1019, 1167, 1297  
setStreamTypeStr 553  
setStreamVersionHandler 488  
setStreamVideoSampleAccess 274, 354  
setStreamWriteAccess 275, 356  
setSuspended 1415

- setSwitchLog 1319
- setTarget 1406
- setTargetEncoding 159
- setTextEncoding 726, 747, 763, 769, 772
- setThreadContext 362
- setTimecode 208, 219, 766, 927
- setTimecodes 219
- setTimeOffsetBetweenItems 1320
- setTimeoutSession 566
- setTimesInMilliseconds 1319
- setTimeStampFormat 763
- setTrack 955
- setTranscodeResult 1188
- setTranscoderName 1275
- setTransportMode 1029
- setTTL 951, 958
- setType 128, 208, 218, 848, 927
- setUDPManagedDeliveryCount 1037
- setUDPManagedDeliveryDelay 1037
- setUri 570, 983
- setURL 750, 772
- setUserAgent 570, 977
- setUserAgents 1049, 1066
- setUserHTTPHeader 578
- setUserQueryStr 576
- setValid 809
- setValidateFMLEConnections 295, 362
- setValidationFrequency 269, 1450
- setValue 747, 766, 769
- setVersion 1082, 1106
- setVersionFile 618, 636, 1227
- setVHost 311, 319, 549, 564, 977
- setVideoCodecId 847
- setVideoHost 950
- setVideoPort 949
- setVideoSize 1151
- setVideoTC 1154
- setVisited 1477
- setVODLastTimeTC 1035
- setVODPlayLen 1035
- setVODStartTimeTC 1035
- setVODTimedTextProviderList 282
- setWaitForVideoKeyFrame 1227
- setWidth 848
- setWowzaAudioOnly 847
- setWowzSession 363
- SharedObject 1103, 1104
- SHARED\_OBJECT\_CMD\_CONNECT 1078
- SHARED\_OBJECT\_CMD\_CONNECTSUCCESS 1079
- SHARED\_OBJECT\_CMD\_DELETE 1079
- SHARED\_OBJECT\_CMD\_DISCONNECT 1078
- SHARED\_OBJECT\_CMD\_ERROR 1079
- SHARED\_OBJECT\_CMD\_SEND 1079
- SHARED\_OBJECT\_CMD\_SETVALUE 1078
- SHARED\_OBJECT\_STATUS\_CHANGE 1079
- SHARED\_OBJECT\_STATUS\_CLEAR 1079
- SHARED\_OBJECT\_STATUS\_DELETE 1079
- SHARED\_OBJECT\_STATUS\_SUCCESS 1079
- shortValue 167
- shouldDeleteArchivedStream 370, 506
- shouldDvrRecord 1262
- shouldLoadArchivedStream 370, 506
- shouldLoadStream 477
- shouldLoadStreamVersion 478
- shouldStartRecordingOnStartup 1259
- shutdown 234, 257, 496, 536, 565, 588, 594, 600, 606, 784, 810, 817, 941, 956, 977, 1016, 1153, 1210, 1255, 1265, 1275, 1442, 1484
- shutdownAppInstance 238
- shutdownApplication 1457
- shutdownClient 257, 341, 974
- shutdownRTPSession 946
- shutdownSession 549
- shutdownStream 824
- sinfo 1235
- size 139, 149, 174, 194, 1081, 1091, 1104, 1178, 1213, 1418
- skipByte 129
- sloppyGetTrack 1012
- SOURCE\_TYPE\_3GPP 1358
- SOURCE\_TYPE\_AMF 1358
- SOURCE\_TYPE\_SCC 1358
- SOURCE\_TYPE\_SRT 1358
- SOURCE\_TYPE\_TTML 1358
- SPLIT\_ON\_DISCONTINUITY\_ALWAYS 616
- SPLIT\_ON\_DISCONTINUITY\_DEFAULT 616
- SPLIT\_ON\_DISCONTINUITY\_NEVER 616
- SPLIT\_TYPE\_BY\_DURATION 616
- SPLIT\_TYPE\_BY\_SCHEDULE 615
- SPLIT\_TYPE\_BY\_SIZE 615
- SPLIT\_TYPE\_NONE 615

splitCookie 73  
splitNow 631  
splitOnTcdDiscontinuity 633  
splitPragmas 72  
splitQueryStr 72  
splitRecordingNow 619, 636, 647  
splitType 631  
stackTraceToString 44  
stampToString 97  
stampToStringNoUnits 97  
start 103, 1062, 1405  
START\_TIME\_TAG 655  
startApplicationInstance 1458  
startAudioData 1299  
startAudioPacket 1182  
startChunk 468, 583  
startCommandInterface 1046, 1063  
startDataData 1301  
startDataPacket 1182  
startMediaCasterStream 288  
startOnKeyFrame 631  
startPlay 1213  
startPlayback 1131  
startPublishing 1176  
startRecording 489, 500, 616, 617, 637, 638, 642, 646, 647, 651, 652, 1257  
startRecordingSegmentByDuration 617, 638, 642, 646, 651  
startRecordingSegmentBySchedule 617, 638, 642, 646, 651  
startRecordingSegmentBySize 617, 638, 642, 646, 651  
startRTTPull 1394, 1395  
startServer 1063  
startStartupStreams 1460  
startStream 814, 1255, 1266  
startsWith 39  
startVHost 1047, 1064  
startVHosts 1047, 1064  
startVideoData 1299  
startVideoPacket 1182  
STAT\_connect\_application\_not\_available 708  
STAT\_connect\_application\_not\_found 709  
STAT\_connect\_bad\_gateway 710  
STAT\_connect\_internal\_error 709  
STAT\_connect\_license\_limit 709  
STAT\_connect\_pending\_wating 708  
STAT\_connect\_redirect 709  
STAT\_connect\_rejected\_by\_application 709  
STAT\_connect\_rejected\_by\_module 709  
STAT\_connect\_resource\_limit 709  
STAT\_connect\_service\_unavailable 710  
STAT\_connect\_successful 708  
STAT\_connect\_unknown\_protocol 709  
STAT\_general\_internal\_error 712  
STAT\_general\_successful 712  
STAT\_play\_bad\_request 710  
STAT\_play\_internal\_error 711  
STAT\_play\_rejected\_by\_application 710  
STAT\_play\_rejected\_by\_module 710  
STAT\_play\_stream\_not\_found 710  
STAT\_play\_successful 710  
STAT\_play\_unsupported\_media\_type 710  
STAT\_publish\_bad\_request 711  
STAT\_publish\_in\_use 711  
STAT\_publish\_internal\_error 711  
STAT\_publish\_rejected\_by\_application 711  
STAT\_publish\_successful 711  
STAT\_publish\_unsupported\_media\_type 711  
STAT\_stop\_client\_disconnect 711  
STAT\_stop\_successful 711  
stateChange 493  
statusCodeToStr 74  
stop 1406  
stopAdminAgent 1052, 1062  
stopCommandInterface 1047, 1063  
stopMediaCasterStream 288  
stopName 1153, 1212  
stopPublishing 1176  
stopRecording 489, 500, 617, 639, 643, 647, 652, 1258  
stopRTTPull 1394  
stopServer 1062  
stopStartupStreams 1461  
stopStream 814  
stopVHost 1047, 1063  
stopVHosts 1047, 1063  
storeChunks 491, 501  
storeOnMetadata 491, 501  
Stream 1313  
stream 630  
STREAM\_NAME\_TAG 655  
streamCodecToString 57  
streamExists 814, 1015



- STREAMINFO\_SESSIONATTRIBUTES 1010
- STREAMINFO\_SESSIONBANDWIDTH 1010
- STREAMINFO\_SESSIONCONNECTIONDATA 1010
- STREAMINFO\_SESSIONEMAILADDRESS 1009
- STREAMINFO\_SESSIONINFORMATION 1009
- STREAMINFO\_SESSIONNAME 1009
- STREAMINFO\_SESSIONPHONENUMBER 1009
- STREAMINFO\_SESSIONPORIGIN 1009
- STREAMINFO\_SESSIONPROTOCOLVERSION 1009
- STREAMINFO\_SESSIONREPEATTIMES 1010
- STREAMINFO\_SESSIONTIMEZONES 1010
- STREAMINFO\_SESSIONTIMING 1010
- STREAMINFO\_SESSIONURI 1009
- StreamItem 1468
- streamLicenses 1240
- StreamList 1471
- streamLock 1240
- streamMonitorAudioStartTimeout 914
- streamMonitorAudioTCNegTolerance 913
- streamMonitorAudioTCPosTolerance 913
- streamMonitorAudioTCToleranceEnable 913
- streamMonitorAudioTimeout 914
- streamMonitorAVSyncTolerance 914
- streamMonitorAVSyncToleranceEnable 914
- streamMonitorDataTCNegTolerance 913
- streamMonitorDataTCPosTolerance 913
- streamMonitorDataTCToleranceEnable 913
- streamMonitorDebug 914
- streamMonitorResetNameGroups 914
- streamMonitorStreamStartTimeout 912
- streamMonitorStreamTimeout 912
- streamMonitorVideoStartTimeout 914
- streamMonitorVideoTCNegTolerance 913
- streamMonitorVideoTCPosTolerance 913
- streamMonitorVideoTCToleranceEnable 913
- streamMonitorVideoTimeout 914
- streamNames 1240
- streamNamesLock 1240
- streamNameToGroup 1240
- streamNameToValidFilename 49
- streamNotifier 630
- streamPacketizers 974
- streams 970, 1240
- streamsOrder 970
- streamSrcToMediaCaster 820
- STREAMTIMEOUTREASON\_GOOD 781
- STREAMTIMEOUTREASON\_MISSING 781
- STREAMTIMEOUTREASON\_NORTSPSESSION 781
- STREAMTIMEOUTREASON\_NOSESSION 781
- STREAMTIMEOUTREASON\_NOSTREAM 781
- STREAMTIMEOUTREASON\_NOTIMEOUT 781
- STREAMTIMEOUTREASON\_NOURL 781
- STREAMTIMEOUTREASON\_RECONNECTRUNNING 781
- STREAMTIMEOUTREASON\_UNKNOWN 780
- streamToFileForRead 1196
- streamToFileForWrite 1197
- streamToIndex 1244
- StreamUtils 1398
- stringToMilliseconds 97
- StringUtils 96
- suspendAllHostPorts 1457
- suspendAllVHosts 1052, 1064
- suspendCommandInterface 1063
- suspendEncoding 29
- suspendServer 1052, 1064
- switchName 1152, 1212
- switchPlay 1213
- switchSetupToMPEGTS 1028
- SystemUtils 100
- T
- TAG\_APIC 735
- TAG\_COMM 742
- TAG\_LINK 735
- TAG\_PRIV 735
- TAG\_RBUF 735
- TAG\_SYLT 735
- TAG\_TALB 735
- TAG\_TBPM 736
- TAG\_TCOM 736
- TAG\_TCON 736
- TAG\_TCOP 736
- TAG\_TDEN 736
- TAG\_TDLY 736
- TAG\_TDOR 736
- TAG\_TDRC 736
- TAG\_TDRL 737
- TAG\_TDTG 737

TAG\_TENC 737  
TAG\_TEXT 737  
TAG\_TFLT 737  
TAG\_TIPL 737  
TAG\_TIT1 737  
TAG\_TIT2 737  
TAG\_TIT3 737  
TAG\_TKEY 738  
TAG\_TLAN 738  
TAG\_TLEN 738  
TAG\_TMCL 738  
TAG\_TMED 738  
TAG\_TMOO 738  
TAG\_TOAL 738  
TAG\_TOFN 738  
TAG\_TOLY 739  
TAG\_TOPE 739  
TAG\_TOWN 739  
TAG\_TPE1 739  
TAG\_TPE2 739  
TAG\_TPE3 739  
TAG\_TPE4 739  
TAG\_TPOS 739  
TAG\_TPRO 740  
TAG\_TPUB 740  
TAG\_TRCK 740  
TAG\_TRSN 740  
TAG\_TRSO 740  
TAG\_TSOA 740  
TAG\_TSOP 740  
TAG\_TSOT 740  
TAG\_TSRC 740  
TAG\_TSSE 741  
TAG\_TSST 741  
TAG\_TXXX 742  
TAG\_UNKN 735  
TAG\_WCOM 741  
TAG\_WCOP 741  
TAG\_WOAF 741  
TAG\_WOAR 741  
TAG\_WOAS 741  
TAG\_WORS 742  
TAG\_WPAY 742  
TAG\_WPUB 742  
TAG\_WXXX 742  
TAGS\_TEXTINFORMATION 741  
TEMP\_CONSOLE\_APPENDER\_NAME 661  
TEMP\_LIST\_APPENDER\_NAME 661  
terminate 1474  
testFlashVersion 358  
testNextByte 128  
TEXTENCODING\_ISO\_8859\_1 734  
TEXTENCODING\_UTF16 734  
TEXTENCODING\_UTF16BE 734  
TEXTENCODING\_UTF8 735  
ThreadPool 1473  
TIME\_MAP\_TYPE 455  
timeCreated 972  
TIMED\_TEXT\_TYPE\_CAPTION 1357  
timeReset 476  
TIMESTAMP\_RULE\_FORMAT 660  
TIMESTAMPFORMAT\_MILLISECONDS 762  
TIMESTAMPFORMAT\_MPEG 762  
toArray 150  
toByteBuffer 150  
toDvr 510  
toHex 43  
toLong 43  
toNTPTTime 101  
toSMILString 839, 845, 852  
toString 146, 152, 168, 182, 186, 198, 208, 219, 307, 374, 376,  
389, 392, 395, 397, 801, 838, 845, 851, 948, 1290, 1414, 1470,  
1477  
toStringList 98  
totalIOPerformance2Last 972  
totalIOPerformanceLast 972  
touch 290, 341, 564, 977, 1033, 1119, 1255, 1267  
touchApplicationInstance 1458  
toValidFilename 49  
trait 193  
transportFindBestMatch 1031  
traverseDirectory 50  
triggerAMF3Switch 133  
trim 1171, 1235  
trimTrailingZero 743  
truncatePacket 217  
type 128, 382, 844  
  
U

UDPAppender	671	UTF8_LOWER_L	1344
unbind	956	UTF8_LOWER_M	1344
unbindAllHostPorts	1457	UTF8_LOWER_N	1344
unbindAllVHosts	1052, 1064	UTF8_LOWER_O	1344
uncacheRTPStream	944	UTF8_LOWER_P	1344
unlock	1087, 1111	UTF8_LOWER_Q	1345
unlockRepeaterStreams	1015	UTF8_LOWER_R	1345
unpublish	1298	UTF8_LOWER_S	1345
unregisterCallback	1171	UTF8_LOWER_T	1345
unregisterLiveStreamTranscoder	1071	UTF8_LOWER_U	1345
unregisterOnPlayStatus	1172	UTF8_LOWER_V	1345
unregisterOnStatus	1172	UTF8_LOWER_W	1345
unregisterPlayer	784, 810, 821	UTF8_LOWER_X	1345
updateIOPerformance	1064	UTF8_LOWER_Y	1346
updateLoggingDuration	1066, 1178, 1449	UTF8_LOWER_Z	1346
updateLoggingValues	537, 569, 589, 595, 601, 983, 1178, 1213	UTF8_MINUSHYPHEN	1342
updateOnCuePointTimecode	68	UTF8_NOTMATCH	1341
updateSDPDestination	1393	UTF8_PERIOD	1341
uri	973	UTF8_PIPE	1343
URL_SAFE	18	UTF8_QUESTION	1342
urlToId	106	UTF8_RIGHTPAREN	1342
URLUtils	105	UTF8_SINGLEQUOTE	1341
userAgent	971	UTF8_SPACE	1342
userExists	318	UTF8_UNDERSCORE	1341
useSimpleFileVersionNaming	633	UTF8_UPPER_A	1346
UTC_TIME	448	UTF8_UPPER_B	1346
utcTime	382	UTF8_UPPER_C	1346
utcToDvr	510	UTF8_UPPER_D	1346
UTF8_DASH	1341	UTF8_UPPER_E	1346
UTF8_DOUBLEQUOTE	1341	UTF8_UPPER_F	1346
UTF8_EXCLAMATION	1342	UTF8_UPPER_G	1347
UTF8_GREATERTHAN	1342	UTF8_UPPER_H	1347
UTF8_LEFTPAREN	1342	UTF8_UPPER_I	1347
UTF8_LESSTHAN	1342	UTF8_UPPER_J	1347
UTF8_LOWER_A	1343	UTF8_UPPER_K	1347
UTF8_LOWER_B	1343	UTF8_UPPER_L	1347
UTF8_LOWER_C	1343	UTF8_UPPER_M	1347
UTF8_LOWER_D	1343	UTF8_UPPER_N	1347
UTF8_LOWER_E	1343	UTF8_UPPER_O	1347
UTF8_LOWER_F	1343	UTF8_UPPER_P	1348
UTF8_LOWER_G	1343	UTF8_UPPER_Q	1348
UTF8_LOWER_H	1344	UTF8_UPPER_R	1348
UTF8_LOWER_I	1344	UTF8_UPPER_S	1348
UTF8_LOWER_J	1344	UTF8_UPPER_T	1348
UTF8_LOWER_K	1344	UTF8_UPPER_U	1348

UTF8\_UPPER\_V 1348  
UTF8\_UPPER\_W 1348  
UTF8\_UPPER\_X 1349  
UTF8\_UPPER\_Y 1349  
UTF8\_UPPER\_Z 1349  
UTF8MAP 1349  
UTF8MAP\_INDEX\_OFFSET 1349

## V

validateNewConnection 324  
validStreamDomainToString 575  
valueOf 97, 448  
values 448  
versionFile 50, 631  
vhost 311, 970  
VHOST\_DEFAULT 1432  
VHostItem 1476  
VHostList 1480  
VHostSingleton 1483  
videoCodecId 844  
videoCodecStringToId 58  
videoCodecToMetaDataString 57  
videoCodecToString 58  
videoCodecTypeToString 92  
videoPacketizers 974  
VIDEOSAMPLE\_ACCESS\_ALL 337  
VIDEOSAMPLE\_ACCESS\_NONE 338  
VIDEOSAMPLEACCESS 1149

## W

warn 683, 684  
WEEKDAY 1405  
width 844  
WMSLogger 677  
WMSLoggerFactory 686  
WMSLoggerIDs 715  
WMSProperties 305  
work 618, 639, 643, 647, 652  
worker 630  
workStop 618, 639, 643, 647, 652  
wowzaAudioOnly 844  
WOWZDEBUGHEADERSIZE 206  
wrap 150

write 29, 927, 928  
WRITE\_ACCESS\_ALL 338  
WRITE\_ACCESS\_NONE 338  
WRITEACCESS 1103, 1149  
writeAppConfig 239  
writeAppInstConfig 287  
writeChunk 62  
writeCodecConfig 1396  
writeConfig 1053, 1070  
writeDeleteError 1086, 1108  
writeDuration 65  
writeError 1108  
writeGeneratedKeyFrame 1130  
writeHeader 61  
writeLock 631  
writePackets 64, 65, 1129, 1130, 1226  
writeSetValueError 1085, 1108  
writeShortHeader 61  
writeString 160  
writeVHostConfig 1461  
writeXMLConfig 1070

## X

XMLUtils 109

## Y

YEAR 1405